


Sega Master System / SMS2 50-pin cartridge slot, drawn by function (finger numbers on the pins).
Even pins 2-50 on the component (label) side, which faces the console front; odd pins behind them;
pins 1/2 at the right seen from the front with the fingers down (tools/audit/edge_orientation.py).
Unused console outputs (left) stay open. /CONT and /BUSREQ end on test pads only.




Rev0 audit 2026-10-06: kicad-happy + datasheets, see docs/design-review-rev0.md
CERN-OHL-W-2.0 (derived from FujiNet-NES-Rev0 and its sources)
Generated from tools/design.py + tools/sch_layout.py - edit those, not this file


FujiNet


Sheet: /edge/
File: edge.kicad_sch

Title: FujiNet SMS Rev0 - 50-pin SMS cart edge


Size: A4	Date: 2026-10-06	Rev: 0
KiCad E.D.A. 10.0.6		Id: 2/8











Rev0 audit 2026-10-06: kicad-happy + datasheets, see docs/design-review-rev0.md
 CERN-OHL-W-2.0 (derived from FujiNet-NES-Rev0 and its sources)
 Generated from tools/design.py + tools/sch_layout.py - edit those, not this file

FujiNet

Sheet: /usb-uart/
 File: usb-uart.kicad_sch

Title: FujiNet SMS Rev0 - USB-C, CP2102N bridge

Size: A4 Date: 2026-10-06

KiCad E.D.A. 10.0.6

Rev: 0

Id: 7/8

