Q1 — Floating Card Shadow Which CSS creates the soft floating shadow on the LEFT card?

- A ✅ `box-shadow: 0 4px 20px rgba(0,0,0,0.15);`
- B `box-shadow: 4px 4px 0px black;`
- C `box-shadow: inset 0 4px 10px gray;`
- D `box-shadow: 0 0 0 4px red;`

Q2 — Truncated Text Which CSS cuts the text off with "..."?



- A `overflow: hidden;`
- B `word-break: break-all;`
- C ✅ `white-space: nowrap; overflow: hidden; text-overflow: ellipsis;`
- D `text-overflow: ellipsis;`

Q3 — CSS Specificity

```
p      { color: blue; }
.text  { color: green; }
#title { color: red; }

<p class="text" id="title">Hello</p>
```

What color is the text?

- A Blue — tag wins
- B Green — class wins
- C ✅ Red — ID wins
- D All 3 mix together

Q4 — First Child Which CSS selector targets ONLY the first item?

- A `li.first { background: yellow; }`
- B `li:last-child { background: yellow; }`
- C `li:nth-child(2) { background: yellow; }`
- D ✅ `li:first-child { background: yellow; }`

Q5 — Last Child Which CSS removes the border from the LAST item only?



- A `li:first-child { border: none; }`
- B `li:nth-child(1) { border: none; }`
- C `li.last { border: none; }`
- D ✅ `li:last-child { border: none; }`

Q6 — Nth Child Zebra Stripe Which CSS adds background color to every EVEN row?



- A `tr:odd { background: #f0f0f0; }`
- B `tr:every-other { background: #f0f0f0; }`
- C `tr:nth-child(2) { background: #f0f0f0; }`
- D ✅ `tr:nth-child(even) { background: #f0f0f0; }`

Q7 — Before Pseudo Element Which CSS adds a decorative element before the heading without adding HTML?

- A `h2.before { content: ""; display: block; }`
- B `h2:first-child { content: ""; }`
- C `h2::after { content: ""; display: block; }`
- D ✅ `h2::before { content: ""; display: block; }`

Q8 — After Pseudo Element Which CSS adds a checkmark after each list item automatically?



- A `li::before { content: "✓"; }`
- B `li:after-child { content: "✓"; }`
- C `li.after { content: "✓"; }`
- D ✅ `li::after { content: "✓"; }`

Q9 — Focus State Which CSS styles the input when a user clicks into it?

- A `input:hover { border-color: blue; }`
- B `input:active { border-color: blue; }`
- C `input:checked { border-color: blue; }`
- D ✅ `input:focus { border-color: blue; outline: none; }`

Q10 — Not Selector Which CSS colors all buttons EXCEPT the disabled one?



- A `button.enabled { background: blue; }`
- B `button:except(.disabled) { background: blue; }`
- C `button:no(.disabled) { background: blue; }`
- D ✅ `button:not(.disabled) { background: blue; }`

Q11 — Child Combinator Which CSS targets ONLY direct children of `.menu`?



- A `.menu li { color: red; }`
- B `.menu * { color: red; }`
- C `.menu + li { color: red; }`
- D ✅ `.menu > li { color: red; }`

Q12 — Adjacent Sibling Which CSS selects the label immediately AFTER an input?

- A `input ~ label { color: red; }`
- B `input > label { color: red; }`
- C `input label { color: red; }`
- D ✅ `input + label { color: red; }`

Q13 — General Sibling Which CSS selects ALL siblings after the heading?

- A `h2 + p { color: grey; }`
- B `h2 > p { color: grey; }`
- C `h2 p { color: grey; }`
- D ✅ `h2 ~ p { color: grey; }`

Q14 — Attribute Selector Which CSS targets links with `target="_blank"`?

- A `a.blank { color: red; }`
- B `a:target { color: red; }`
- C `a[blank] { color: red; }`
- D ✅ `a[target="_blank"] { color: red; }`

Q15 — Placeholder Style Which CSS styles the placeholder text inside an input?

- A `input:focus { color: grey; }`
- B `input::before { color: grey; }`
- C `input[placeholder] { color: grey; }`
- D ✅ `input::placeholder { color: grey; font-style: italic; }`

Q16 — First Letter Which CSS makes only the first letter of a paragraph large?

- A `p:first-child { font-size: 3rem; }`
- B `p::before { font-size: 3rem; }`
- C `p:first-letter { font-size: 3rem; }`
- D ✅ `p::first-letter { font-size: 3rem; }`

Q17 — Checked State Which CSS targets a checkbox when it is checked?



- A `input:focus { background: green; }`
- B `input:selected { background: green; }`
- C `input:active { background: green; }`
- D ✅ `input:checked + label { background: green; }`

Q18 — Has Selector Which CSS selects a card ONLY if it contains an image?



- A `.card img { border: blue; }`
- B `.card:contains(img) { border: 2px solid blue; }`
- C `.card:include(img) { border: 2px solid blue; }`
- D ✅ `.card:has(img) { border: 2px solid blue; }`

Q19 — Root Variable

```
:root { --primary: #e8a020; }

h1     { color: var(--primary); }
button { background: var(--primary); }
```

If you change `--primary` to `red`, what happens?

- A Only the `h1` turns red
- B Only the `button` turns red
- C Nothing changes — var() is read-only
- D ✅ Both `h1` and `button` turn red

Q20 — Is Selector Which CSS targets h1, h2, AND h3 all at once using the modern way?



- A `h1, h2, h3 { color: #1a1612; }`
- B `heading { color: #1a1612; }`
- C `h1 + h2 + h3 { color: #1a1612; }`
- D ✅ `:is(h1, h2, h3) { color: #1a1612; }`