

Muse iOS App Screen Audit

A frame-by-frame review of the supplied 3 minute 15 second iPhone recording, covering Settings, connection and account controls, primary navigation, content surfaces, and the Library file system.

27

sampled evidence frames

11

traceable findings

0

high-severity issues observed

Scope boundary

This is a black-box user-experience audit. Muse source code was not available for inspection and is not reproduced in this report.

The product is capable and permission-aware; the visible debt is mostly polish

The recording shows a broad, coherent iOS product with unusually granular permission controls and strong data-portability surfaces. The most actionable issues are discoverability, loading feedback, information density, and protective affordances around powerful file operations.

10**CONFIRMED OBSERVATIONS**

Seven Low-severity and three informational findings.

1**SUSPECTED ISSUE**

A possible scroll-rendering artifact requires live verification.

1**PROTECTIVE CHECK**

Confirm that rename/delete on critical files has a second step.

Recommended order of attention

1**Protect critical files**

Verify confirmation and recovery behavior for deleting or renaming system identity files.

2**Improve perceived performance**

Replace the blank Accounts Center wait with a branded skeleton or explicit loading state.

3**Close discoverability gaps**

Add credential search and accessible labels or contextual help for composer icons.

Severity interpretation. Info records a noteworthy design or privacy behavior. Low indicates limited friction or polish debt. Medium would indicate repeated task failure or material confusion. No Medium or High issue was observed.

The recording supports a black-box audit, not a code review

Evidence examined

- User-supplied iOS screen recording, duration 3:15.77.
- Frame-by-frame review across the full recording.
- Twenty-seven representative frames extracted at known timestamps.
- Observed states classified as **CONFIRMED** or **SUSPECTED**.

What was evaluated

- Information architecture and navigation.
- Legibility, hierarchy, and state communication.
- Permission, privacy, and destructive-action affordances.
- Consistency, discoverability, and empty states.

Evidence standard

Each finding is tied to a timestamp in the supplied recording. A visual state is confirmed only when directly visible. Anything that needs interaction, repetition, device instrumentation, or a second capture is labeled suspected. The recording demonstrates UI behavior, not implementation correctness.

Use limitation. This report is suitable for product and UX prioritization. It is not a security assessment, accessibility conformance report, or source-code audit.


No source code was available.

The Muse iOS codebase is proprietary and no repository, source package, build files, symbols, or test suite were supplied or accessible in the review environment.


Therefore this report does not claim:

- code-level security or privacy verification;
- architecture, dependency, or data-flow analysis;
- performance profiling or accessibility-tree inspection;
- reproduction of any source code.


Settings and connectors are comprehensive, with a few consistency gaps




Settings home, 0:01



Connect confirmation, 0:12



Browser permissions, 0:20




Upgrade plans, 0:25

0:00-0:02	Settings home. Free-plan and token usage, Upgrade, then rows for Connectors, Devices, Wallet, credentials, Permissions, messaging, Notifications, and Appearance. The 4% weekly-usage line is visually faint.
0:02-0:17	Connectors. Connected and Available sections expose a large catalog with search and blue Connect actions. The long list is usable; naming varies across custom entries.
0:11-0:14	Bluetooth and Health sheets. Plain-language benefit and data-access bullets precede Continue and Cancel.
0:18-0:21	Browser connector. Per-action controls distinguish Allow from Ask for visits, saved credentials, downloads, form submission, and uploads. Reset permissions is visible.
0:24-0:26	Upgrade. Power at \$20/month with 500M weekly tokens and Maximum at \$100/month with 3B weekly tokens; terms text and a Continue button complete the flow.

Observed pattern. Muse explains access at the moment of connection, then preserves granular action-level control afterward. That is a strong trust model.

Account, privacy, and support controls favor user agency



0:26-0:36

Devices, Wallet, credentials. Device facts are clear, though IPv6 wraps awkwardly. Wallet has a direct empty state. The credentials store is alphabetical and site-only, but lacks search across 27 saved logins.

0:37-0:56

Permissions, messaging, notifications, appearance. Connector and web defaults offer "Ask for some actions" versus "Always ask"; approvals are empty. WhatsApp is connected. Notifications have one master toggle. Appearance includes theme swatches, avatar size, and system/light/dark modes.

0:57-1:05

Referral and data controls. The redeemed-referral page is a dead end. Data controls expose model-improvement preference, memory/chat imports, agent-data download, and a clearly red Reset Hole action.


1:06-1:14

Issue report, help, legal. Reporting combines narrative, attachments, categories, privacy notice, and Submit. Help offers the Help Center, feedback, and shake-to-report. Legal links separate Muse and Meta policies.


1:15-1:23

Your account. Log out is clearly destructive. Accounts Center displays a blank white surface with a bare spinner for roughly four seconds before its sections appear.


The core tabs are coherent; Main chat hides meaning behind icons




Side-chat drawer, 1:29



Feed, 1:36



Ideas, 1:43




Goals / file view transition, 2:27


- 1:25-1:32** **Side-chat drawer.** Main chat, WhatsApp, search, compose, and a long icon-led chat list appear in a single layer; blue dots communicate unread state and the current audit chat is highlighted.
- 1:32-1:35** **Main chat.** An invoice-payment notification includes a suggested-action chip. The composer has a plus control and five icon-only actions with no visible labels in the recording.
- 1:35-1:42** **Feed.** The Wednesday-evening edition uses editorial cards, images, Discuss actions, and reactions. Feed instructions open in an editable prompt dialog with explicit Cancel and Save.
- 1:42-1:45** **Ideas.** Cards combine an icon, clear title, and truncated description for fast scanning.
- 1:46-1:48** **Goals.** Tracking, Create a goal, and seven category shortcuts give an accessible starting point rather than an empty dashboard.

Design trade-off. The tab set handles breadth well, but icon-only composer actions shift learning cost onto documentation or trial and error.


Library exposes powerful file access with limited visible guardrails




System Files, 1:54



File list, 2:12



Markdown file viewer, 2:35



System Files empty state, 3:10

1:48-2:00

Library root. Artifacts and Media share a segmented control. Artifact rows identify PDF, Artifact, and MD types; Media presents image and waveform thumbnails.

1:48-1:58

Avatar / System Files entry. A folder icon occupies the avatar position and opens System Files. The mapping is unusual but functional.

1:58-3:05

File browser and viewer. System folders include agents, assets, channels, config, data, docs, dreams, hooks, imports, memory, subscriptions, user, and workspace. The viewer leads with "About this file," then displays content.

2:12-3:05

Critical-file actions. Long-press on IDENTITY.md presents Rename and Delete. The recording does not show whether either action has confirmation, recovery, or dependency checks.

3:05-3:15

Empty folder. The data folder resolves to a clean, comprehensible empty state.

Verification target. Test rename/delete on a disposable non-critical file, then confirm the production behavior for identity and memory files without performing the destructive action.

Four confirmed Low-severity issues affect feedback, navigation, and retrieval

F1 **LOW** **CONFIRMED** Accounts Center loading lacks context

Evidence: 1:18-1:22. A blank white screen and bare spinner persist for roughly four seconds before content renders.

Impact: A routine account path feels stalled or detached from Muse. **Recommendation:** use a branded skeleton, retain the surrounding navigation shell, and announce loading status to assistive technology.

F2 **LOW** **CONFIRMED** Redeemed referral opens a dead-end page

Evidence: 0:57-0:58. The page only states "Referral code already redeemed."

Impact: Navigation spends a full screen on a settled state. **Recommendation:** hide the row after redemption or show status inline in Settings.

F3 **LOW** **CONFIRMED** Credentials lack search

Evidence: 0:33-0:36. Twenty-seven saved logins are alphabetized but there is no search, while Connectors provides one.

Impact: Retrieval cost grows with account count. **Recommendation:** add site-name search and preserve the current no-username disclosure.

F4 **LOW** **CONFIRMED** Plan usage bars understate the metric

Evidence: 0:00-0:02. The bars are very thin; the 4% weekly bar is nearly invisible.

Impact: The headline plan signal is hard to scan. **Recommendation:** increase height and contrast, and keep percentage text independently legible.

Three confirmed Low-severity issues affect technical polish and discovery

F5 LOW CONFIRMED IPv6 wraps mid-address

Evidence: 0:26-0:30. The scope suffix “%en0” is orphaned on a second line.

Impact: Minor readability and copy-risk. **Recommendation:** use a monospaced, selectable field with whole-token wrapping or horizontal reveal.

F7 LOW CONFIRMED Connector naming is inconsistent

Evidence: 0:02-0:17. “Itchio,” “Lightning Ai,” and “Nvidia” do not consistently follow product styling.

Impact: Catalog polish and trust. **Recommendation:** normalize display names from a reviewed provider registry.

F8 LOW CONFIRMED Composer actions are icon-only

Evidence: 1:32-1:35. Five actions appear without visible labels.

Impact: New-user discoverability depends on docs or experimentation. **Recommendation:** provide long-press labels, onboarding hints, and accessible names.

Pattern. These issues do not block tasks, but each adds avoidable interpretation cost. They are suitable for a focused polish sprint.

Privacy, file power, and one unverified visual artifact deserve explicit checks

F6 INFO CONFIRMED **Model-improvement sharing defaults on**

Evidence: 0:59-1:05. “Help improve our AI models” is enabled, making this an opt-out control.

Why record it: This is a privacy-default observation the user should know about, not a claim of improper handling. **Recommendation:** make the effect, data scope, and consequences of disabling it immediately available.

F9 LOW SUSPECTED **Fast-scroll ghosting may be recording blend**

Evidence: 0:14-0:15. Text appears to overlap briefly during a fast Connectors scroll.

Interpretation: This is likely frame blending in the video, not a demonstrated app defect. **Verification:** repeat the scroll live and inspect a native capture before filing.

F10 INFO CONFIRMED **Avatar slot doubles as System Files entry**

Evidence: 1:48-1:58. The normal avatar location becomes a folder control that opens System Files.

Why record it: The mapping is unusual but functional. **Recommendation:** consider a labeled Files entry or a one-time cue if user testing shows missed discovery.

F11 INFO CONFIRMED **Critical files expose Rename and Delete**

Evidence: 2:12-3:05. Long-press on IDENTITY.md offers both actions.

Why record it: User-editable system files are powerful by design, but damage can be disproportionate. No confirmation step was observed because the action was not completed. **Verification:** confirm explicit confirmation, dependency warning, version history, and recovery behavior.

Traceability summary

ID	SEVERITY	STATUS	TIMESTAMP
F1-F5	Low	Confirmed	0:00-1:22
F6	Info	Confirmed	0:59-1:05
F7-F8	Low	Confirmed	0:02-1:35
F9	Low	Suspected	0:14-0:15
F10-F11	Info	Confirmed	1:48-3:05

The strongest patterns already support trust and recovery

Granular connector permissions

Browser actions separate Allow from Ask, and Reset permissions is visible. This keeps authority legible at the action level.

Plain-language connection sheets

Bluetooth and Health explain both benefit and access before Continue, with a clear Cancel path.

Clear destructive-action language

Reset Hole is red and paired with a concrete description, reducing accidental interpretation.

Structured issue reporting

Narrative, attachment, category, privacy notice, and submission controls form a practical support intake.

Clean empty states

Manage approvals, Wallet, and the data folder communicate absence without implying failure.

Strong data portability

Memory import, chat imports from major assistants, and agent-data download give users exit and migration paths.

Editable Feed instructions

The prompt is directly editable and uses explicit Cancel/Save actions, making personalization inspectable.

Credential-list discretion

The alphabetical list exposes site names, not usernames, while maintaining a useful inventory view.

Product action list

1. Verify system-file confirmation and recovery behavior.
2. Replace the Accounts Center blank wait with branded progress.
3. Add credential search and composer-action labels.
4. Improve usage-bar contrast and IPv6 wrapping.
5. Normalize connector display names.
6. Live-test the suspected scroll artifact before filing.

Audit record preserves provenance and prevents overclaiming

Work record

Role	GKE-04, Audit Evidence Curator
Work item	Muse iOS screen audit 2026-09-23
Source	User-supplied iOS screen recording
Duration	3:15.77
Video frame	720 x 1564, 30 fps
Method	Frame-by-frame black-box review
Gate	Every finding traces to a timestamp
Code access	Not available

Status definitions

CONFIRMED

Directly visible in the supplied recording.

SUSPECTED

Plausible signal that requires live verification.

Severity definitions

Info. Noteworthy behavior, design choice, or transparency point.

Low. Limited friction, inconsistency, or polish debt.

Medium. Material confusion or repeated task failure. None observed.

High. Severe harm or task-blocking defect. None observed.

Coverage index

Settings 0:00-0:02; Connectors 0:02-0:21; Upgrade 0:24-0:26; Devices, Wallet, Credentials 0:26-0:36; Permissions 0:37-0:44; Messaging 0:46-0:50; Notifications and Appearance 0:52-0:56; Referral 0:57-0:58; Data controls 0:59-1:05; Report an issue 1:06-1:09; Help and Legal 1:10-1:14; Account 1:15-1:23; Side chats 1:25-1:32; Main chat 1:32-1:35; Feed 1:35-1:42; Ideas 1:42-1:45; Goals 1:46-1:48; Library and System Files 1:48-3:15.

Bottom line. The recording supports a detailed interface audit and prioritization list. It does not support source-code reproduction or implementation-level assurance.