

Tab 1

1. The Canal Bridge Gridlock Controller

In *GTA: South Coast*, traffic on the Burns and Sachem bridges isn't a bug; it is a designed, malicious feature. To simulate this, we use a GridlockZone trigger volume that overrides the standard traffic spline AI, forcing vehicles into a crawling, honking parking lot. This forces the player to either weave through the breakdown lane, jump the median, or rely on a "Linguiça" moped.

```
// File: /Systems/Traffic/GridlockZone.cs
```

```
using UnityEngine;
```

```
using System.Collections.Generic;
```

```
[RequireComponent(typeof(BoxCollider))]
```

```
public class GridlockZone : MonoBehaviour
```

```
{
```

```
    [Header("Gridlock Settings")]
```

```
    [Tooltip("The maximum speed a vehicle can go while in this zone.")]
```

```
    [SerializeField] private float clampedSpeed = 0.5f; // A miserable crawl
```

```
    [SerializeField] private float frustrationHonkChance = 0.02f;
```

```
    [Header("Zone Identification")]
```

```
    [SerializeField] private string bridgeName = "Sachem Bridge";
```

```
    // Track vehicles currently trapped in the gridlock
```

```
    private List<VehicleAI> trappedVehicles = new List<VehicleAI>();
```

```
    private void OnTriggerEnter(Collider other)
```

```
    {
```

```
        VehicleAI vehicle = other.GetComponent<VehicleAI>();
```

```
        if (vehicle != null && !trappedVehicles.Contains(vehicle))
```

```
        {
```

```
            trappedVehicles.Add(vehicle);
```

```
            // Override the vehicle's normal spline speed
```

```
            vehicle.SetMaxSpeedOverride(clampedSpeed);
```

```
            vehicle.SetAggressiveDriving(true); // Decreases following distance, makes them ride  
bumpers
```

```
        }
```

```
    }
```

```
    private void OnTriggerExit(Collider other)
```

```
    {
```

```
        VehicleAI vehicle = other.GetComponent<VehicleAI>();
```

```
        if (vehicle != null && trappedVehicles.Contains(vehicle))
```

```
        {
```

```
            trappedVehicles.Remove(vehicle);
```

```
            // Release the vehicle back to standard speed limits once they clear the canal
```

```

        vehicle.ClearSpeedOverride();
        vehicle.SetAggressiveDriving(false);
    }
}

private void Update()
{
    // Randomly trigger frustrated honking and brake-checking from trapped AI
    if (trappedVehicles.Count > 0 && Random.value < frustrationHonkChance)
    {
        int randomIndex = Random.Range(0, trappedVehicles.Count);
        trappedVehicles[randomIndex].TriggerFrustrationHonk();
    }
}
}

```

2. The Regional Bark Audio System

The accent is a load-bearing wall in this game. Every line must be soaked in Eastern New England non-rhotic pronunciation—dropping the R and sticking it back where it doesn't belong ("pahk the cah", "wadah"). The only exception is the Cape Cobb "Old Money" demographic, who performatively use "hard Rs" as a class dog-whistle.

This system uses a centralized Manager and Scriptable Objects to ensure the correct dialect triggers based on the NPC's RegionIdentity and the context of the situation.

// File: /Systems/Audio/AudioBarkManager.cs

using UnityEngine;

using System.Collections.Generic;

```

public enum BarkContext
{

```

```

    Bumped,
    WeatherPanic,
    HostileCombat,
    TrafficJam,
    IdleChatter

```

```

}

```

```

public class AudioBarkManager : MonoBehaviour
{

```

```

    public static AudioBarkManager Instance { get; private set; }

```

```

    [Header("Dialect Bark Databases")]

```

```

    [SerializeField] private BarkProfile nonRhoticProfile; // Used by Cascade, New Sefton,
    Brockmore[span_6](start_span)[span_6](end_span)

```

```

    [SerializeField] private BarkProfile hardRProfile; // Used exclusively by Cape
    Cobb[span_7](start_span)[span_7](end_span)

```

```

private void Awake()
{
    if (Instance == null) Instance = this;
}

/// <summary>
/// Called by PedestrianAI.cs or VehicleAI.cs to request a localized voice line.
/// </summary>
public void PlayBark(AudioSource source, RegionIdentity identity, BarkContext context)
{
    if (source == null) return;

    BarkProfile selectedProfile = GetProfileForRegion(identity);
    AudioClip clipToPlay = selectedProfile.GetRandomClip(context);

    if (clipToPlay != null)
    {
        // Randomize pitch slightly so a crowd doesn't sound identical
        source.pitch = Random.Range(0.9f, 1.1f);
        source.PlayOneShot(clipToPlay);
    }
}

private BarkProfile GetProfileForRegion(RegionIdentity identity)
{
    // Cape Cobb gets the performative "Hard R"
    lines[span_8](start_span)[span_8](end_span). Everyone else drops the
    R[span_9](start_span)[span_9](end_span).
    if (identity == RegionIdentity.CapeCobb)
    {
        return hardRProfile;
    }
    return nonRhoticProfile;
}
}

// File: /Systems/Audio/BarkProfile.cs
using UnityEngine;
using System.Collections.Generic;

[CreateAssetMenu(fileName = "NewBarkProfile", menuName = "South Coast/Audio/Bark
Profile")]
public class BarkProfile : ScriptableObject
{
    public string dialectName; // e.g., "Non-Rhotic Working Class", "Cape Cobb Hard R"

    [Header("Audio Clip Arrays by Context")]
    public AudioClip[] bumpedClips;

```

```

    public AudioClip[] weatherPanicClips; // e.g., "Bread and
milk[span_10](start_span)!"[span_10](end_span)
    public AudioClip[] hostileCombatClips; // e.g., "Forty-nine and
oh[span_11](start_span)!"[span_11](end_span)
    public AudioClip[] trafficJamClips;
    public AudioClip[] idleChatterClips;

    public AudioClip GetRandomClip(BarkContext context)
    {
        AudioClip[] targetArray = null;

        switch (context)
        {
            case BarkContext.Bumped: targetArray = bumpedClips; break;
            case BarkContext.WeatherPanic: targetArray = weatherPanicClips; break;
            case BarkContext.HostileCombat: targetArray = hostileCombatClips; break;
            case BarkContext.TrafficJam: targetArray = trafficJamClips; break;
            case BarkContext.IdleChatter: targetArray = idleChatterClips; break;
        }

        if (targetArray != null && targetArray.Length > 0)
        {
            return targetArray[Random.Range(0, targetArray.Length)];
        }
        return null;
    }
}

```

Noted

Here are the blueprints for the two systems that will inject the most localized, frustratingly authentic flavor into the game. We are building the **Canal Bridge Gridlock Controller** to simulate the nightmare of Cape Cod summer traffic, and the **Regional Bark Audio System** to handle the heavy dialect requirements of the coast.