MASTER CONTROL BOOK



FASA CORPORATION

MASTER CONTROL PANEL

Race: FEDERATION
Vessel Class: EXCELSIOR MK I
Vessel Name: _____ Captain's Name: _____
D: 184.3 Captain's Skill Rating: _____
WDF: 160.4 Crew Efficiency Rating: _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type: EIG-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type: ETWA

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type: ETWA

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	108											
Power To Movement (Movement Point Ratio 6/1)												
Power To Shields (Shield Point Ratio 1/4)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: D SUPERSTRUCTURE: F WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type: FH-5	Missile Type: FP-4
Firing Chart: R	Firing Chart: S
Maximum Power: 4	Power To Arm: 1
Damage Modifiers +3(–) +2(1–8) +1(9–16)	Damage: 20
Beam Type: FH-11	Missile Type:
Firing Chart: Y	Firing Chart:
Maximum Power: 10	Power To Arm:
Damage Modifiers +3(1–10) +2(11–17) +1(18–24)	Damage:

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
FH-5 (OPER)	P F A S												
(OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
FH-11 (OPER)	P F A S												
(OPER)	P F A S												
FP-4 (OPER)	P F A S												
FP-4 (OPER)	P F A S												
FP-4 (OPER)	P F A S												
FP-4 (OPER)	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSS SHIELD POINT RATIO 1 / 4 MAXIMUM SHIELD POWER 20

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 810

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	−1 −10%	−2 −20%	−5 −50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class ANDOR MK II
Vessel Name _____ Captain's Name _____
D 112.5 Captain's Skill Rating _____
WDF 51.4 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type EWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: K WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-13	Missile Type FP-7
Firing Chart T	Firing Chart R
Maximum Power 8	Power To Arm 1
Damage Modifiers +3(1-5) +2(6-12) +1(13-18)	Damage 8
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-13 ■OPER □DMGD □REPD □INOP	P (F) S A												
FH-13 ■OPER □DMGD □REPD □INOP	P (F) S A												
□OPER □DMGD □REPD □INOP	P F S A												
FP-7 ■OPER □DMGD □REPD □INOP	(P) F S A												
FP-7 ■OPER □DMGD □REPD □INOP	P (F) S A												
FP-7 ■OPER □DMGD □REPD □INOP	P (F) S A												
FP-7 ■OPER □DMGD □REPD □INOP	P (F) S A												
FP-7 ■OPER □DMGD □REPD □INOP	P (F) S A												
FP-7 ■OPER □DMGD □REPD □INOP	P F (S) A												
FP-7 ■OPER □DMGD □REPD □INOP	P F (A) S												
FP-7 ■OPER □DMGD □REPD □INOP	P F (A) S												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 240

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class CONSTITUTION MK II
Vessel Name _____ Captain's Name _____
D 83.6 Captain's Skill Rating _____
WDF 43.6 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FID-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	44											
Power To Movement (Movement Point Ratio 4 / 1)												
Power To Shields (Shield Point Ratio 1 / 2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: 6 SUPERSTRUCTURE: 6 WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-3	Missile Type FP-1
Firing Chart W	Firing Chart 6
Maximum Power 5	Power To Arm 1
Damage Modifiers +3(1–10) +2(11–17) +1(18–20)	Damage 10
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FH-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FP-1 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type FP-1 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSN SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 430

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class ENTERPRISE MK I
Vessel Name
Captain's Name
D 145.2
Captain's Skill Rating
WDF 89.2
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	60											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/4)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: D SUPERSTRUCTURE: F WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-11	Missile Type FP-4
Firing Chart Y	Firing Chart S
Maximum Power 10	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-17) +1(18-24)	Damage 20
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(-) +2(-) +1(-)	Damage

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FH-11 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FP-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
FP-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSP SHIELD POINT RATIO 1 / 4 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 4/2

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class RELIANT MK I
Vessel Name
D 105.0
WDF 63.8
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type F/E-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type FWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type FWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	48											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: L WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-10	Missile Type FP-4
Firing Chart W	Firing Chart S
Maximum Power 7	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-17) +1(18-20)	Damage 20
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type FH-10 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type FH-10 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type FH-10 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type FH-10 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type FP-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type FP-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 14

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 336

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class BAKER MKII
Vessel Name _____ Captain's Name _____
D 81.5 Captain's Skill Rating _____
WDF 27.6 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FID-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	30											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: K WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-8	Missile Type FP-2
Firing Chart T	Firing Chart H
Maximum Power 5	Power To Arm 1
Damage Modifiers +3(–) +2(1–10) +1(11–18)	Damage 6
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FP-2 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
FP-2 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSI SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 12

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN #9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
SHIELD #1					
#2					
#3					
#4					
#5					
#6					

ENGINEERING GRIDS

SHIELDS					
WEAPONS					
MANEUVER					

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 265

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class LARSON MK VII
Vessel Name
D 77.0
WDF 23.2
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type EIE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	28											
Power To Movement (Movement Point Ratio 2 / 1)												
Power To Shields (Shield Point Ratio 1 / 2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: M SUPERSTRUCTURE: K WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-7	Missile Type FP-2
Firing Chart Q	Firing Chart H
Maximum Power 4	Power To Arm 1
Damage Modifiers +3(–) +2(1–8) +1(9–15)	Damage 6
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

		TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-7 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSF SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 10

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 200

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class REMORA MK III
Vessel Name _____ Captain's Name _____
D 80.0 Captain's Skill Rating _____
WDF 20.8 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type _____

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	28											
Power To Movement (Movement Point Ratio 2/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: M SUPERSTRUCTURE: K WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-4	Missile Type _____
Firing Chart Q	Firing Chart _____
Maximum Power 3	Power To Arm _____
Damage Modifiers +3(–) +2(1–8) +1(9–15)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

		TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type FH-4 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSH SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 13

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN #9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-5	1-4	1-2	OUT
SHIELD #1	1-6	1-4	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-4	1-4	1-3	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 162

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class NORTHAMPTON MK III
Vessel Name _____ Captain's Name _____
D 124.0 Captain's Skill Rating _____
WDF 84.3 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FID-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	56											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: D SUPERSTRUCTURE: F WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-11	Missile Type FP-6
Firing Chart Y	Firing Chart O
Maximum Power 10	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-17) +1(18-24)	Damage 12
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	OPER	DMGD	REPD	INOP	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-11	P F S A	■															
FH-11	P F S A	■															
FH-11	P F S A	■															
FH-11	P F S A	■															
FH-11	P F S A	■															
FH-11	P F S A	■															
	P F S A																
FP-6	P F S A	■															
FP-6	P F S A	■															
FP-6	P F S A	■															
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE F50 SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 328

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class CHANDLEY MK IV
Vessel Name _____ Captain's Name _____
D 170.0 Captain's Skill Rating _____
WDF 102.2 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type FIF-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type FWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type FWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	52											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/4)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: 0 SUPERSTRUCTURE: M WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-11	Missile Type FP-5
Firing Chart Y	Firing Chart R
Maximum Power 10	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-17) +1(18-24)	Damage 16
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

	Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FH-11	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FP-5	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FP-5	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FP-5	P F S A												
■OPER ☐DMGD ☐REPD ☐INOP	FP-5	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP		P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSP SHIELD POINT RATIO 1 / 4 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 370

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class LOKNAR MK V
Vessel Name _____ Captain's Name _____
D 114.3 Captain's Skill Rating _____
WDF 51.6 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIC-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWD-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWD-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: M SUPERSTRUCTURE: G WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-5	Missile Type FP-6
Firing Chart R	Firing Chart O
Maximum Power 4	Power To Arm 1
Damage Modifiers +3(–) +2(1-8) +1(9-16)	Damage 12
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Status	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P (F) S A												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P (F) S A												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F (S) A												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F (S) A												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S (A)												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S (A)												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S (A)												
FH-5	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S (A)												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
FP-6	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P (F) S A												
FP-6	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P (F) S A												
FP-6	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P (F) S A												
FP-6	■ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S (A)												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												
	☐ OPER ☐ DMGD ☐ REPD ☐ INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSK SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT
ENGINEERING GRIDS					
SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 84

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class GALARIN MK I
Vessel Name _____ Captain's Name _____
D 53.8 Captain's Skill Rating _____
WDF 0.5 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIB-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWB-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type FWB-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	22											
Power To Movement (Movement Point Ratio 2/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: M SUPERSTRUCTURE: O WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-1	Missile Type _____
Firing Chart F	Firing Chart _____
Maximum Power 2	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type FH-1 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSB SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 6

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 78

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class R-1 MK1
Vessel Name
D 112.8
WDF 78.9

Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE GENERATOR POWER TRACK

Type FIPG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

MATTER/ANTI-MATTER POWER GENERATOR TRACK

Type FMAPG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98		

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	114											
Power To Movement (Movement Point Ratio 10/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type FH-8	Missile Type FP-6
Firing Chart T	Firing Chart O
Maximum Power 5	Power To Arm 1
Damage Modifiers +3(–) +2(1–10) +1(11–18)	Damage 12
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		1											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		1											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		1											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		2											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		2											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		2											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		3											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		3											
FH-8 ■OPER ☐DMGD ☐REPD ☐INOP		3											
☐OPER ☐DMGD ☐REPD ☐INOP													
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		1											
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		1											
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		2											
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		2											
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		3											
FP-6 ■OPER ☐DMGD ☐REPD ☐INOP		3											
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE *OESA* SHIELD POINT RATIO *1 / 2* MAXIMUM SHIELD POWER *16*

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART OUTPOST

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS					
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW *185*

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION
Vessel Class ALAMO MK IV
Vessel Name
D 210.0
WDF 198.0
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE GENERATOR POWER TRACK

Type EIPG-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

MATTER/ANTI-MATTER POWER GENERATOR TRACK

Type EMAPG-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	204											
Power To Movement (Movement Point Ratio 10 / 1)												
Power To Shields (Shield Point Ratio 1 / 2)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L

WEAPONS DISPLAY

Beam Type	FH-9	Missile Type	FP-4
Firing Chart	X	Firing Chart	S
Maximum Power	6	Power To Arm	1
Damage Modifiers +3(–) +2(1-12) +1(13-24)		Damage	20

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
FH-9 ■OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	1												
□OPER □DMGD □REPD □INOP	1												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	2												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
FH-9 ■OPER □DMGD □REPD □INOP	3												
□OPER □DMGD □REPD □INOP	P F S A												
FP-4 ■OPER □DMGD □REPD □INOP	1												
FP-4 ■OPER □DMGD □REPD □INOP	1												
FP-4 ■OPER □DMGD □REPD □INOP	2												
FP-4 ■OPER □DMGD □REPD □INOP	2												
FP-4 ■OPER □DMGD □REPD □INOP	3												
FP-4 ■OPER □DMGD □REPD □INOP	3												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												
□OPER □DMGD □REPD □INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE OFS SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

DAMAGE CHART OUTPOST

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72								

CREW 460

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

MASTER CONTROL PANEL

Race KLINGON
Vessel Class L-24B
Vessel Name _____ Captain's Name _____
D 170.5 Captain's Skill Rating _____
WDF 162.0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KIE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	79											
Power To Movement (Movement Point Ratio 5/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: I SUPERSTRUCTURE: M WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-13	Missile Type KP-6
Firing Chart X	Firing Chart R
Maximum Power 5	Power To Arm 2
Damage Modifiers +3(1 – 7) +2(8–15) +1(16–22)	Damage 20
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	OPER	DMGD	REPD	INOP	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
KD-13	P F A S	■															
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KD-13	P F A S																
KD-13	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															
KP-6	P F A S	■															

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSP SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 1090

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class D-7A
Vessel Name _____ Captain's Name _____
D 54.6 Captain's Skill Rating _____
WDF 20.4 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KIC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	40											
Power To Movement (Movement Point Ratio 4 / 1)												
Power To Shields (Shield Point Ratio 1 / 1)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: L SUPERSTRUCTURE: N WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-6	Missile Type _____
Firing Chart T	Firing Chart _____
Maximum Power 6	Power To Arm _____
Damage Modifiers +3(–) +2(1-18) +1(–)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc (P) F S A												
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc (P) F S A												
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSC SHIELD POINT RATIO 1 / 1 / 1 MAXIMUM SHIELD POWER 8

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT
	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS					
	1-8	1-6	1-4	1-2	OUT
WEAPONS					
	1-8	1-6	1-4	1-2	OUT
MANEUVER					
	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 352

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	−1	−2	−5	NO FIRING
	−10%	−20%	−50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class D-7M
Vessel Name _____ Captain's Name _____
D 87.6 Captain's Skill Rating _____
WDF 42.2 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KIC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	44											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS

ENGINE: J SUPERSTRUCTURE: M WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-8	Missile Type KP-3
Firing Chart U	Firing Chart R
Maximum Power 7	Power To Arm 2
Damage Modifiers +3(1-7) +2(8-15) +1(16-20)	Damage 15
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
KD-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
KD-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
KD-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
KD-8 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
KP-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
KP-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSK SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 12

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-8	1-4	1-2	OUT
SHIELD #1	1-8	1-8	1-4	1-2	OUT
#2	1-8	1-8	1-4	1-2	OUT
#3	1-8	1-8	1-4	1-2	OUT
#4	1-8	1-8	1-4	1-2	OUT
#5	1-8	1-8	1-4	1-2	OUT
#6	1-8	1-8	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-8	1-4	1-2	OUT
WEAPONS	1-8	1-8	1-4	1-2	OUT
MANEUVER	1-8	1-8	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 373

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class D-106
Vessel Name _____ Captain's Name _____
D 107.5 Captain's Skill Rating _____
WDF 72.2 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type KIE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	46											
Power To Movement (Movement Point Ratio 4 / 1)												
Power To Shields (Shield Point Ratio 1 / 3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: J SUPERSTRUCTURE: M WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-13	Missile Type KP-4
Firing Chart X	Firing Chart Q
Maximum Power 5	Power To Arm 2
Damage Modifiers +3(1-7) +2(8-15 +1(16-22)	Damage 18
Beam Type KD-5	Missile Type _____
Firing Chart P	Firing Chart _____
Maximum Power 4	Power To Arm _____
Damage Modifiers +3(-) +2(1-10) +1(11-18)	Damage _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc (P) F S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S (A)												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S (A)												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-5 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S (A)												
Type KD-5 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S (A)												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KP-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type KP-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S (A)												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 14

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B C

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 525

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class D-2B
Vessel Name
D 69.3
WDF 23.4

Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KID-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	34											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 2/3)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS

ENGINE: L SUPERSTRUCTURE: O WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-6	Missile Type KP-2
Firing Chart T	Firing Chart H
Maximum Power 6	Power To Arm 1
Damage Modifiers +3(–) +2(1–18) +1(–)	Damage 10
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

		TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type KD-6 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type KP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type KP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type KP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type KP-2 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ___ ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSN SHIELD POINT RATIO 2 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 220

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class D-18B
Vessel Name _____ Captain's Name _____
D 54.0 Captain's Skill Rating _____
WDF 20.7 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type KIB-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS
ENGINE: J SUPERSTRUCTURE: M WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-5	Missile Type _____
Firing Chart P	Firing Chart _____
Maximum Power 4	Power To Arm _____
Damage Modifiers +3(–) +2(1–10) +1(11–18)	Damage _____
Beam Type KD-14	Missile Type _____
Firing Chart D	Firing Chart _____
Maximum Power 8	Power To Arm _____
Damage Modifiers +3(–) +2(1–6) +1(–)	Damage _____

Type	Status	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
KD-5	■OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
KD-14	■OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												
	□OPER □DMGD □REPD □INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSE SHIELD POINT RATIO 1 / 1 MAXIMUM SHIELD POWER 8

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 265

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	-1	-2	-5	NO FIRING
	-10%	-20%	-50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class K-23F
Vessel Name _____ Captain's Name _____
D 71.9 Captain's Skill Rating _____
WDF 30.0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KID-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS
ENGINE: L SUPERSTRUCTURE: N WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-9	Missile Type _____
Firing Chart W	Firing Chart _____
Maximum Power 5	Power To Arm _____
Damage Modifiers +3(1-7) +2(8-15) +1(16-27)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage _____

Type	Firing Arc	OPER	DMGD	REPD	INOP	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
KD-9	P F S A	■															
KD-9	P F S A	■															
KD-9	P F S A	■															
KD-9	P F S A	■															
KD-9	P F S A	■															
KD-9	P F S A	■															
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSK SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 13

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT
	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS					
	1-6	1-6	1-4	1-2	OUT
WEAPONS					
	1-6	1-6	1-4	1-2	OUT
MANEUVER					
	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 175

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class L-9B
Vessel Name
D 101.8
WDF 59.4

Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type KIE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type KWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type KWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: J SUPERSTRUCTURE: M WARP SPEED ____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-8	Missile Type
Firing Chart U	Firing Chart
Maximum Power 7	Power To Arm
Damage Modifiers +3(1-7) +2(8-15) +1(16-20)	Damage
Beam Type KD-13	Missile Type
Firing Chart X	Firing Chart
Maximum Power 5	Power To Arm
Damage Modifiers +3(1-7) +2(8-15) +1(16-22)	Damage

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type KD-13 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSP SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-8	1-4	1-2	OUT
SHIELD #1	1-8	1-8	1-4	1-2	OUT
#2	1-8	1-8	1-4	1-2	OUT
#3	1-8	1-8	1-4	1-2	OUT
#4	1-8	1-8	1-4	1-2	OUT
#5	1-8	1-8	1-4	1-2	OUT
#6	1-8	1-8	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-8	1-4	1-2	OUT
WEAPONS	1-8	1-8	1-4	1-2	OUT
MANEUVER	1-8	1-8	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 420

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70% +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race KLINGON
Vessel Class L-42B
Vessel Name
Captain's Name
D 133.2
Captain's Skill Rating
WDF 57.9
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type KIE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type KWE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	63											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS
ENGINE: H SUPERSTRUCTURE: J WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type KD-13	Missile Type KP-5
Firing Chart X	Firing Chart Q
Maximum Power 5	Power To Arm 1
Damage Modifiers +3(1-7) +2(8-15) +1(16-24)	Damage 10
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KD-13 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KP-5 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KP-5 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KP-5 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
KP-5 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE KSP SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 240

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70% +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race: KLINGON
Vessel Class: Z-4c
Vessel Name: _____ Captain's Name: _____
D: 178.0 Captain's Skill Rating: _____
WDF: 213.9 Crew Efficiency Rating: _____

Missile Type: KP-6
Firing Chart: R
Power To Arm: 2
Damage: 20

WEAPONS DISPLAY

Beam Type: KD-8
Firing Chart: U
Maximum Power: 7
Damage Modifiers: +3(1-7) +2(8-15) +1(16-20)

Beam Type: KD-12
Firing Chart: H
Maximum Power: 9
Damage Modifiers: +3(1-3) +2(4-8) +1(9-10)

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-8 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KD-12 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 1											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 2											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											
Type KP-6 ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc 3											

ENGINEERING DISPLAY

IMPULSE GENERATOR POWER TRACK

Type KIPG-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

MATTER/ANTI-MATTER POWER GENERATOR TRACK

Type KMAPG-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170										

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	198											
Power To Movement (Movement Point Ratio 10/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE OKS SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

DAMAGE CHART OUTPOST

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70										

CREW 455

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class NOVA TYPE 2
Vessel Name
D 147.0
WDF 138.8
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type RIE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type RWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type RWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	76											
Power To Movement (Movement Point Ratio 5/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: G SUPERSTRUCTURE: L WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-11	Missile Type RP-3
Firing Chart V	Firing Chart Q
Maximum Power 9	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-16) +1(17-21)	Damage 10
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(-) +2(-) +1(-)	Damage

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSO SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-5	1-4	1-2	OUT
SHIELD #1	1-6	1-5	1-4	1-2	OUT
#2	1-6	1-5	1-4	1-2	OUT
#3	1-6	1-5	1-4	1-2	OUT
#4	1-6	1-5	1-4	1-2	OUT
#5	1-6	1-5	1-4	1-2	OUT
#6	1-6	1-5	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-5	1-4	1-2	OUT
WEAPONS	1-6	1-5	1-4	1-2	OUT
MANEUVER	1-6	1-5	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 580

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class GRACEFUL FLYER TYPE II
Vessel Name _____ Captain's Name _____
D 75.4 Captain's Skill Rating _____
WDF 26.0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type RID-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type RWD-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type _____

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	30											
Power To Movement (Movement Point Ratio 2 / 1)												
Power To Shields (Shield Point Ratio 1 / 2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: O SUPERSTRUCTURE: Q WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-9	Missile Type _____
Firing Chart W	Firing Chart _____
Maximum Power 6	Power To Arm _____
Damage Modifiers +3(1 – 8) +2(9 – 14) +1(17–20)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSE SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 8

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART (A) B C

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
SHIELD #1	1-6	1-5	1-4	1-3	OUT
#2	1-6	1-5	1-4	1-3	OUT
#3	1-6	1-5	1-4	1-3	OUT
#4	1-6	1-5	1-4	1-3	OUT
#5	1-6	1-5	1-4	1-3	OUT
#6	1-6	1-5	1-4	1-3	OUT
	1-6	1-5	1-4	1-3	OUT

ENGINEERING GRIDS

SHIELDS					
	1-6	1-5	1-4	1-3	OUT
WEAPONS					
	1-6	1-5	1-4	1-3	OUT
MANEUVER					
	1-6	1-5	1-4	1-3	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CASUALTY MODIFIER TRACK

CREW 126

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class GALLANT WING TYPE 5
Vessel Name _____ Captain's Name _____
D 96.0 Captain's Skill Rating _____
WDF 75.4 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type RID-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type RWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type RWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	40											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power 22)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: L WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-9	Missile Type RPL-2
Firing Chart W	Firing Chart M
Maximum Power 6	Power To Arm 15
Damage Modifiers +3(1-8) +2(9-16) +1(17-20)	Damage SEE CHART RL-2
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type RPL-2 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSO SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A (B) C



DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-4	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 300

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70 % +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class WHITEWIND TYPE 3
Vessel Name _____ Captain's Name _____
D 88.5 Captain's Skill Rating _____
WDF 49.8 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type RID-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type RWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type RWF-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	44											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power 22)												

HELM DISPLAY

STRESS CHARTS

ENGINE: G SUPERSTRUCTURE: L WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-5	Missile Type RP-2
Firing Chart V	Firing Chart H
Maximum Power 5	Power To Arm 1
Damage Modifiers +3(1-10) +2(11-16) +1(17-20)	Damage 8
Beam Type RB-9	Missile Type _____
Firing Chart W	Firing Chart _____
Maximum Power 6	Power To Arm _____
Damage Modifiers +3(1-8) +2(9-16) +1(17-29)	Damage _____

Type	Status	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
RB-5	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-5	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-9	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-9	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-5	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RB-5	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RP-2	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RP-2	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
RP-2	■OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 14

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A (B) C

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-5	1-6	1-4	1-2	OUT
SHIELD #1	1-5	1-6	1-4	1-2	OUT
#2	1-5	1-6	1-4	1-2	OUT
#3	1-5	1-6	1-4	1-2	OUT
#4	1-5	1-6	1-4	1-2	OUT
#5	1-5	1-6	1-4	1-2	OUT
#6	1-5	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-5	1-6	1-4	1-2	OUT
WEAPONS	1-5	1-6	1-4	1-2	OUT
MANEUVER	1-5	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 322

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class BIRD OF PREY TYPE 4
Vessel Name _____ Captain's Name _____
D 63.5 Captain's Skill Rating _____
WDF 32.0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type RIC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type RWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type RWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	28											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power 15)												

HELM DISPLAY

STRESS CHARTS
ENGINE: M SUPERSTRUCTURE: P WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-6	Missile Type RPL-2
Firing Chart T	Firing Chart M
Maximum Power 6	Power To Arm 15
Damage Modifiers +3(–) +2(1-10) +1(–)	Damage SEE CHART RPL-2
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
RB-6 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
RB-6 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
RPL-2 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSH SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 11

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A (B) C

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM

SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-8	1-4	1-2	OUT
SHIELD #1	1-8	1-8	1-4	1-2	OUT
#2	1-8	1-4	1-4	1-2	OUT
#3	1-8	1-4	1-4	1-2	OUT
#4	1-8	1-4	1-4	1-2	OUT
#5	1-8	1-4	1-4	1-2	OUT
#6	1-8	1-4	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-8	1-4	1-2	OUT
WEAPONS	1-8	1-8	1-4	1-2	OUT
MANEUVER	1-8	1-8	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 150

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class WINGED DEFENDER TYPE 2
Vessel Name _____ Captain's Name _____
D 131.3 Captain's Skill Rating _____
WDF 103.3 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type RIE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type RWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type RWG-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	68											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power 38)												

HELM DISPLAY

STRESS CHARTS
ENGINE: 6 SUPERSTRUCTURE: 2 WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-9	Missile Type RP-3
Firing Chart W	Firing Chart Q
Maximum Power 6	Power To Arm 1
Damage Modifiers +3(1-8) +2(9-16) +1(17-20)	Damage 10
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc (P) F S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F (S) A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc (P) F S A												
Type RB-9 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F (S) A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P (F) S A												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S (A)												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												
Type ☐OPER ☐DMGD ☐REPD ☐INOP	Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 13

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 348

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class BRIGHT ONE TYPE 2
Vessel Name _____ Captain's Name _____
D 57.7 Captain's Skill Rating _____
WDF 33.1 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type RIE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type RWC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type RWC-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	40											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power 15)												

HELM DISPLAY

STRESS CHARTS
ENGINE: N SUPERSTRUCTURE: Q WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type RB-8	Missile Type RP-3
Firing Chart N	Firing Chart Q
Maximum Power 6	Power To Arm 1
Damage Modifiers +3(1-4) +2(5-9) +1(10-13)	Damage 10
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type RB-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type RB-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc (P) F S A												
Type RB-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F (S) A												
Type RB-8 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P (F) S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE RSE SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 8

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A (B) C



DAMAGE POINT RECORD

TURN #1 ____	TURN #5 ____	TURN # 9 ____
#2 ____	#6 ____	#10 ____
#3 ____	#7 ____	#11 ____
#4 ____	#8 ____	#12 ____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CASUALTY MODIFIER TRACK

CREW 122

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ROMULAN
Vessel Class AVIARY TYPE 7
Vessel Name _____ Captain's Name _____
D 182.9 Captain's Skill Rating _____
WDF 185.4 Crew Efficiency Rating _____

Missile Type RP-3
Firing Chart Q
Power To Arm 1
Damage 10

Missile Type RPL-3
Firing Chart T
Power To Arm 8
Damage SEE CHART RL-3

WEAPONS DISPLAY

Beam Type RB-11
Firing Chart V
Maximum Power 9
Damage Modifiers +3(1-10) +2(11-16) +1(17-21)

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RB-11 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc												
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RP-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											
Type RPL-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	1											
Type RPL-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	2											
Type RPL-3 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc	3											

ENGINEERING DISPLAY

IMPULSE GENERATOR POWER TRACK

Type RIP6-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

MATTER/ANTI-MATTER POWER GENERATOR TRACK

Type RMAP6-4

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	144											
Power To Movement (Movement Point Ratio 10/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE PSO SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 15

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART OUTPOST

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70										

CASUALTY MODIFIER TRACK

CREW 296

0-19%	20-39%	40-59%	60-69%	70% +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race: GORN
Vessel Class: BH-2B
Vessel Name: _____
D: 123.9
WDF: 89.0
Captain's Name: _____
Captain's Skill Rating: _____
Crew Efficiency Rating: _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type GIE-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type GWE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type GWE-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	67											
Power To Movement (Movement Point Ratio 6/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: M SUPERSTRUCTURE: O WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type: GBL-8	Missile Type: GP-2
Firing Chart: W	Firing Chart: K
Maximum Power: 6	Power To Arm: 2
Damage Modifiers +3(1-10) +2(11-15) +1(16-20)	Damage: 10
Beam Type: _____	Missile Type: _____
Firing Chart: _____	Firing Chart: _____
Maximum Power: _____	Power To Arm: _____
Damage Modifiers +3(-) +2(-) +1(-)	Damage: _____

Type	Firing Arc	OPER	DMGD	REPD	INOP	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
GBL-8	P F S A	■															
	P F S A																
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
GP-2	P F S A	■															
	P F S A																
	P F S A																
	P F S A																
	P F S A																
	P F S A																

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE GSN SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 13

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
	1-6	1-6	1-4	1-2	OUT
SHIELD #1					
	1-6	1-6	1-4	1-2	OUT
#2					
	1-6	1-6	1-4	1-2	OUT
#3					
	1-6	1-6	1-4	1-2	OUT
#4					
	1-6	1-6	1-4	1-2	OUT
#5					
	1-6	1-6	1-4	1-2	OUT
#6					
	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS					
	1-6	1-6	1-4	1-2	OUT
WEAPONS					
	1-6	1-6	1-4	1-2	OUT
MANEUVER					
	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 680

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race GORN
Vessel Class MD-8c
Vessel Name
D 95.8
WDF 34.7
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type GID-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type GWD-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type GWD-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	42											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: Q SUPERSTRUCTURE: P WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type GBL-4	Missile Type GP-3
Firing Chart P	Firing Chart O
Maximum Power 5	Power To Arm 2
Damage Modifiers +3(1-6) +2(7-12) +1(13-18)	Damage 8
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(–) +2(–) +1(–)	Damage

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GBL-4 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GP-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GP-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GP-3 ■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE 65K SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 12

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 170

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race GORN
Vessel Class MA-12D
Vessel Name
D 78.6
WDF 32.4
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type GIB-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type GWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type GWD-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	36											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/2)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: 0 SUPERSTRUCTURE: 2 WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type GBL-7	Missile Type GP-2
Firing Chart R	Firing Chart K
Maximum Power 5	Power To Arm 2
Damage Modifiers +3(1-6) +2(7-12) +1(13-16)	Damage 10
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(-) +2(-) +1(-)	Damage

Type	Status	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GBL-7	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GP-2	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type GP-2	■OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
Type	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE 6SH SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 10

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)



DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 136

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race GORN
Vessel Class SS-3A
Vessel Name
D 58.6
WDF 21.5
Captain's Name
Captain's Skill Rating
Crew Efficiency Rating

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type GIB-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type GWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type GWC-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	36											
Power To Movement (Movement Point Ratio 4/1)												
Power To Shields (Shield Point Ratio 1/1)												
Power To Weapons												
Power to Cloak (Points To Power ___)												

HELM DISPLAY

STRESS CHARTS

ENGINE: M SUPERSTRUCTURE: O WARP SPEED

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type GBL-3	Missile Type GP-3
Firing Chart K	Firing Chart O
Maximum Power 3	Power To Arm 2
Damage Modifiers +3(1-5) +2(6-10) +1(11-15)	Damage 8
Beam Type	Missile Type
Firing Chart	Firing Chart
Maximum Power	Power To Arm
Damage Modifiers +3(-) +2(-) +1(-)	Damage

Type	Status	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
GBL-3	■OPER ☐DMGD ☐REPD ☐INOP	P (F) S A												
GBL-3	■OPER ☐DMGD ☐REPD ☐INOP	P (F) S A												
GBL-3	■OPER ☐DMGD ☐REPD ☐INOP	P F (S) A												
GBL-3	■OPER ☐DMGD ☐REPD ☐INOP	P F (S) A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
GP-3	■OPER ☐DMGD ☐REPD ☐INOP	P (F) S A												
GP-3	■OPER ☐DMGD ☐REPD ☐INOP	P F S (A)												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												
	☐OPER ☐DMGD ☐REPD ☐INOP	P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE GSG SHIELD POINT RATIO 1 / 1 MAXIMUM SHIELD POWER 12

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12

DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1 _____	TURN #5 _____	TURN # 9 _____
#2 _____	#6 _____	#10 _____
#3 _____	#7 _____	#11 _____
#4 _____	#8 _____	#12 _____

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 100

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race ORION
Vessel Class LIGHTNING MODEL I
Vessel Name _____ Captain's Name _____
D 81.4 Captain's Skill Rating _____
WDF 18.0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type OIB-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type OWA-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type OWA-1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	33											
Power To Movement (Movement Point Ratio 3/1)												
Power To Shields (Shield Point Ratio 1/3)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: F WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type OD-3	Missile Type _____
Firing Chart R	Firing Chart _____
Maximum Power 4	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(1–16)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type	Firing Arc	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
OD-3 ■OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												
□OPER □DMGD □REPD □INOP	P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE OSF SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 6

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-8	1-6	1-4	1-2	OUT
SHIELD #1	1-8	1-6	1-4	1-2	OUT
#2	1-8	1-6	1-4	1-2	OUT
#3	1-8	1-6	1-4	1-2	OUT
#4	1-8	1-6	1-4	1-2	OUT
#5	1-8	1-6	1-4	1-2	OUT
#6	1-8	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-8	1-6	1-4	1-2	OUT
WEAPONS	1-8	1-6	1-4	1-2	OUT
MANEUVER	1-8	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 23

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70% +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race: ORION
Vessel Class: WANDERER MODEL A
Vessel Name: _____
D: 148.0
WDF: 38.2
Captain's Name: _____
Captain's Skill Rating: _____
Crew Efficiency Rating: _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK
Type: OIB-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK
Type: OWA-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK
Type: OWA-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	37											
Power To Movement (Movement Point Ratio 2/1)												
Power To Shields (Shield Point Ratio 1/4)												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS
ENGINE: G SUPERSTRUCTURE: F WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type: OD-4	Missile Type: FP-1
Firing Chart: T	Firing Chart: L
Maximum Power: 6	Power To Arm: 1
Damage Modifiers +3(–) +2(1-18) +1(–)	Damage: 10
Beam Type: _____	Missile Type: _____
Firing Chart: _____	Firing Chart: _____
Maximum Power: _____	Power To Arm: _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage: _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type: OD-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: OD-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: OD-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: OD-4 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: FP-1 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: FP-1 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: FP-1 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: FP-1 ■OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												
Type: ____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F S A												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE OSJ SHIELD POINT RATIO 1 / 4 MAXIMUM SHIELD POWER 8

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A (B) C

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS					
SHIELD #1					
#2					
#3					
#4					
#5					
#6					

ENGINEERING GRIDS

SHIELDS					
WEAPONS					
MANEUVER					

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 102

CASUALTY MODIFIER TRACK

0–19%	20–39%	40–59%	60–69%	70 % +
0	–1 –10%	–2 –20%	–5 –50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race *INDEPENDENT*

Vessel Class *MONARCH MK XXX*

Vessel Name _____ Captain's Name _____

D *UNLOADED 70.5* *LOADED 58.5* Captain's Skill Rating _____

WDF *0.0* Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type *FIF-1*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type *FWE-2*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type *FWE-2*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	38											

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Power To Movement Movement Point Ratio 1/1 UNLOADED 4/1 LOADED 7/1												

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Power To Shields Shield Point Ratio 1/2												

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Power To Weapons												

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Power to Cloak Points To Power ____												

HELM DISPLAY

STRESS CHARTS

ENGINE: *G* SUPERSTRUCTURE: *K* WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												
Type _____ ☐OPER ☐DMGD ☐REPD ☐INOP Firing Arc P F A S												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSN SHIELD POINT RATIO 1 / 2 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CASUALTY MODIFIER TRACK

CREW 16

0–19%	20–39%	40–59%	60–69%	70% +
0	–1	–2	–5	NO FIRING
	–10%	–20%	–50%	

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

MASTER CONTROL PANEL

Race FEDERATION

Vessel Class LOTUS FLOWER MK XII

Vessel Name _____ Captain's Name _____

D UNLOADED 96.1 LOADED 67.6 Captain's Skill Rating _____

WDF 0 Crew Efficiency Rating _____

ENGINEERING DISPLAY

IMPULSE ENGINE POWER TRACK

Type FIB-3

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE PORT POWER TRACK

Type FWE-2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

WARP ENGINE STARBOARD POWER TRACK

Type _____

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Total Power Units Available	18											
Power To Movement (Movement Point Ratio ___/___)												
Power To Shields (Shield Point Ratio ___/___) UNLOADED 3/1 LOADED 7/1												
Power To Weapons												
Power to Cloak (Points To Power ____)												

HELM DISPLAY

STRESS CHARTS

ENGINE: F SUPERSTRUCTURE: J WARP SPEED _____

	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
MOVEMENT POINTS												
SENSORS STATUS	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L	D O L
CLOAK STATUS	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF	ON OFF

WEAPONS DISPLAY

Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____
Beam Type _____	Missile Type _____
Firing Chart _____	Firing Chart _____
Maximum Power _____	Power To Arm _____
Damage Modifiers +3(–) +2(–) +1(–)	Damage _____

Type / Firing Arc	OPER	DMGD	REPD	INOP	TURN #1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												
Type _____ Firing Arc P F A S	☐	☐	☐	☐												

DAMAGE CONTROL DISPLAY

SHIELDS

SHIELD TYPE FSL SHIELD POINT RATIO 1 / 3 MAXIMUM SHIELD POWER 16

SHIELD POINTS AVAILABLE

#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12



DAMAGE CHART A B (C)

DAMAGE POINT RECORD

TURN #1	TURN #5	TURN # 9
#2	#6	#10
#3	#7	#11
#4	#8	#12

SHIELDS DIAGRAM



SYSTEMS REPAIR STATUS

	1ST HIT	2ND HIT	3RD HIT	4TH HIT	5TH HIT
SENSORS	1-6	1-6	1-4	1-2	OUT
SHIELD #1	1-6	1-6	1-4	1-2	OUT
#2	1-6	1-6	1-4	1-2	OUT
#3	1-6	1-6	1-4	1-2	OUT
#4	1-6	1-6	1-4	1-2	OUT
#5	1-6	1-6	1-4	1-2	OUT
#6	1-6	1-6	1-4	1-2	OUT

ENGINEERING GRIDS

SHIELDS	1-6	1-6	1-4	1-2	OUT
WEAPONS	1-6	1-6	1-4	1-2	OUT
MANEUVER	1-6	1-6	1-4	1-2	OUT

SUPERSTRUCTURE DAMAGE TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREW 81

CASUALTY MODIFIER TRACK

0-19%	20-39%	40-59%	60-69%	70% +
0	-1 -10%	-2 -20%	-5 -50%	NO FIRING

PERCENT CASUALTIES TRACK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERMISSION GRANTED TO PHOTOCOPY FOR PERSONAL USE

FASA CORPORATION

CONTENTS

Excelsior Class XIII Battleship....1
Andor Class IX Cruiser....3
Constitution Class XI Cruiser....5
Enterprise Class XI Cruiser....7
Reliant Class XI Cruiser....9
Baker Class IX Destroyer....11
Larson Class VII Destroyer....13
Remora Class VII Escort....15
Northampton Class X Frigate....17
Chandley Class XI Frigate....19
Loknar Class X Frigate....21
Gagarin Class V Research Vessel....23
R-1 Orbital Defense Outpost....25
Alamo Class Defense Outpost....27
L-24B (Ever-Victorious) Class XIII Battleship....29
D-7A (Painbringer) Class VIII Cruiser....31
D-7M (Bringer of Destruction) Class IX Cruiser....33
D-10G (Riskadh) Class X Cruiser....35
D-2B (Stingtongue) Class VI Destroyer....37
D-18B (Gull) Class IX Destroyer....39
K-23F (Little Killer) Class VII Escort....41
L-9B (Saber) Class X Frigate....43
L-42B (Great Bird) Class X Frigate....45
Z-4C (Deathgame) Defense Outpost....47
Z-1 Nova Class XIII Battleship....49
CS-2 Graceful Flyer Class V Scout....51
V-6 (Gallant Wing) Class X Cruiser....53
V-7 (Whitewind) Class X Cruiser....55
V-8 (Bird Of Prey) Class VI Cruiser....57
V-30 (Winged Defender) Class XII Cruiser....59
T-10 (Bright One) Class VI Destroyer....61
X-3 (Aviary) Border Defense Outpost....63
BH-2B Class XIII Battleship....65
MD-8C Class X Cruiser....67
MA-12 Class VII Cruiser....69
SS-3A Class VI Destroyer....71
Lightning Class IV Blockade Runner....73
Wanderer Class V Blockade Runner....75
Monarch Class IX Freighter....77
Lotus Flower Class VII Freighter....79

Permission granted to photocopy forms in this book for personal use only.

Star Trek is a registered trademark of Paramount Pictures Corporation.
Copyright © 1986.
All Rights Reserved. Printed in the United States of America.

Published by FASA Corporation
P.O. Box 6930 Chicago, IL 60680