October 2017





# Prestige

Now recognized as a design classic, the original Nautilus™ is not just our flagship product, but the very pinnacle of technological innovation to which all others must aspire. Traditionally available in Silver, Black or Midnight Blue. Special finishes available on request.



#### **Nautilus**

Retail Price \$60,000 PAIR

Nautilus is a special order product.

## 800 Series Diamond



Gloss Black, Rosenut, Satin White



800 D3

Retail Price \$15,000.00 EACH

Finish Gloss Black Rosenut Satin White

**Description** 3-way floorstanding optimized matrix

vented-box system. 1 x 1" diamond dome tweeter, 1 x 6" Continuum cone FST™ midrange, 2 x 10" Aerofoil cone bass units. Power handling 1000W.

Dimensions (HWD) 47.9" x 16.3" x 24.1"



802 D3

\$11,000.00 EACH

Gloss Black Rosenut Satin White

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond dome tweeter, 1 x 6" Continuum cone FST™ midrange, 2 x 8" Aerofoil cone bass units. Power handling 500W.

47.7" x 15.4" x 23"



803 D3

\$8,500.00 EACH

Gloss Black Rosenut Satin White

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST™ midrange, 2 x 7" Aerofoil cone bass units. Power handling 500W.

45.7" x 13.1" x 19.6"



804 D3

Retail Price \$4,500.00 EACH

Finish Gloss Black Rosenut

Satin White

Description 3-way floorstanding optimized matrix

vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST $^{\text{TM}}$  midrange, 2 x 6.5" Aerofoil cone bass

units. Power handling 200W.

Dimensions (HWD) 40.1" x 9.4" x 13.6"



805 D3

\$3,000.00 EACH

Gloss Black Rosenut Satin White

2-way bookshelf optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 6.5" Continuum cone bass midrange. Power handling 120W.

16.7" x 9.4" x 13.6"



FS-805 D3 Stand

\$500.00 EACH

Black Silver

Floor stand for 805 D3.

23.4" x 10" x 14.5"

# 800 Series Diamond





#### **HTM1 D3**

Retail Price \$6,000.00 EACH
Finish Gloss Black
Rosenut

Satin White

Description 3-way optimized matrix vented-box system. 1 x 1" diamond tweeter,

system. I x I diamond tweeter, 1 x 6" Continuum cone FST<sup>TM</sup> midrange, 2 x 8" Aerofoil cone bass units. Power handling 500W.

Dimensions (HWD) 13" x 33.5" x 13.5"

**Note:** Floorstand not included. See HTM Stand



#### **HTM2 D3**

\$4,000.00 EACH

Gloss Black Rosenut Satin White

3-way optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST™ midrange, 2 x 6.5" Aerofoil cone bass units. Power handling 200W.

11.9" x 28.4" x 12.8"

Note: Floorstand not included.

See HTM Stand.



#### **FS-HTM D3 Stand**

\$600.00 EACH

Black Silver

Floor stand for HTM1 D3 or HTM2 D3 center channels.

11.1" x 27.1" x 14.6"

# DB Series Subwoofers



Finish





Gloss Black, Rosenut, Satin White



#### DB1D

Retail Price \$4,500.00 EACH

Gloss Black Rosenut Satin White

Description Active balanced-drive closed-box subwoofer

closed-box subwoofer system. 2000W Class D Hypex amplifier, 2 x 12" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

Dimensions (HWD) 18.1" x 16.9" x 16.1"



#### DB2D

\$3,500.00 EACH

Gloss Black Rosenut Satin White

Active balanced-drive closed-box subwoofer system. 1000W Class D Hypex amplifier, 2 x 10" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

16.9" x 14.8" x 14.2"



#### DB3D

\$2,500.00 EACH

Gloss Black Rosenut Satin White

Active balanced-drive closed-box subwoofer system. 1000W Class D Hypex amplifier, 2 x 8" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

14.1" x 12.6" x 11.8"



#### DB4S

\$1,600.00 EACH

Gloss Black Rosenut Satin White

Active closed-box subwoofer system. 1000W Class D Hypex amplifier, 1 x 10" Aerofoil cone drive units, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

14.8" x 14.1" x 14.5"

# 700 Series







Gloss Black, Rosenut, Satin White



702 S2

Retail Price

\$2,250,00 EACH

Finish

Gloss Black Rosenut Satin White

Description

3-way system, 1" Decoupled Carbon Dome<sup>TM</sup> solid body tweeter on top, 6" Continuum<sup>TM</sup> cone FST<sup>TM</sup> midrange

6" Continuum™ cone FST™ midrange, decoupled, 3 x 6.5" Aerofoil Profile bass units. Power handling 300W.

Dimensions (HWD)

42.8" x 7.9" x 14.3"

Includes tweeter, grille and terminals, plinth in the height only



703 S2

\$1,750.00 EACH

Gloss Black Rosenut Satin White

3-way system, 1" Decoupled Carbon Dome tweeter, 6" Continuum cone FST midrange, decoupled, 2 x 6.5" Aerofoil Profile bass units. Power handling 200W.

39" x 7.9" x 12.6"

Includes grille and terminals but not plinth



704 S2

\$1,250.00 EACH

Gloss Black Rosenut Satin White

3-way system, 1" Decoupled Carbon Dome tweeter, 5" Continuum cone FST midrange, decoupled, 2 x 5" Aerofoil Profile bass units.

Power handling 150W.

36.4" x 6.5" x 10.9"

Includes grille and terminals but not plinth



705 S2

Retail Price \$1,250.00 EACH

Finish Gloss Black

Rosenut Satin White

Description 2-way system, 1" Decoupled

Carbon Dome solid-body tweeter on top, 6.5" Continuum bass / midrange. Power handling 120W.

Dimensions (HWD) 16" x 7.8" x 12.2"

Includes grille and terminals



706 S2

\$900.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 6.5" Continuum bass / midrange. Power handling 120W.

13.4" x 7.8" x 11.9"

Includes grille and terminals



707 S2

\$600.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 5" Continuum bass / midrange. Power handling 100W.

11" x 6.5" x 10.9"

Includes grille and terminals

# 700 Series (continued)





#### HTM71 S2

Retail Price \$1,350.00 EACH

Finish Gloss Black Rosenut

Description 3-way system, 1" Decoupled Carbon

Satin White

Dome tweeter, 4" Continuum FST midrange, decoupled, 2 x 6.5" Aerofoil Profile bass drive units.

Power handling 200W.

Dimensions (HWD) 8.6" x 23.2" x 11.9"

Includes grille and terminals



#### HTM72 S2

\$800.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 2 x 5" Continuum bass/midrange. Power handling 120W.

6.6" x 18.9" x 10.8"
Includes grille and terminals



#### FS-700 S2

Retail Price \$250.00 EACH

Finish Black


Silver

**Description** Speaker stand for 700 Series

bookshelf models. Integrated cable management. Sand-fill mass loading option. Updated design

from original FS-CM S2.

Dimensions (HWD) 24.2" x 11.4" x 11.7"









Black Ash, Soft Touch Black (subs), White (686)



**683** S2

Retail Price \$825.00 EACH Finish Black Ash

Description Decoupled Double Dome 1" aluminum tweeter w/ Nautilus tube loading. 6"

woven Kevlar cone FST midrange. 2 x 6.5" dual layer aluminum cone bass

driver. Flowport.

Dimensions (HWD)

38.8" x 7.5" x 14.3" not including plinth/feet



**684** S2

\$575.00 EACH

Black Ash

Decoupled Double Dome 1" aluminum dome tweeter w/ Nautilus tube loading. 2 x 5" Kevlar cone bass/mid. Flowport.

36.2" x 6.3" x 9.2" not including plinth/feet



**685** S2

\$350.00 EACH

Black Ash

Decoupled Double Dome 1" aluminum dome tweeter w/ Nautilus tube loading. 6.5" Kevlar cone bass/mid. Flowport.

13.5" x 7.5" x 12.8"





**686** S2

Retail Price \$275.00 EACH

Finish Black Ash

White

Description Decoupled Double Dome 1" aluminum dome tweeter w/ Nautilus tube loading.

5" Kevlar cone bass/mid. Flowport.

STAV 24 (D61 Stand)

\$75.00 EACH

Black

Universal 24" metal black spiked

stand for 685 and 686.

DS3

\$425.00 EACH

Soft Touch Black

2-way closed-box selectable dipole / monopole surround speaker. 5" Kevlar bass / mid., 2 x 3" midrange / tweeter, 1" metal dome

Nautilus tweeter. Power handling 100W.

9.8" x 15" x 6"

Dimensions (HWD) 12.4" x 6.3" x 9" 24" x 9.5" x 11.75"

# 600 Series (continued)





#### **HTM61** S2

Retail Price

\$750.00 EACH

Finish

Black Ash

Description

Decoupled Double Dome aluminum

dome tweeter w/ Nautilus tube loading. 4" Kevlar cone FST midrange. 2 x 6.5" dual-layer alumilnum cone bass.

Flowport.

Dimensions (HWD)

8.6" x 23.2" x 12"



#### **HTM62** S2

\$450.00 EACH

Black Ash

Decoupled Double Dome 1" aluminum dome tweeter w/ Nautilus tube loading. 5" Kevlar cone bass/mid. Flowport.

6.3" x 18.9" x 11"



#### ASW610XP

Retail Price

\$1,200.00 EACH

Finish

Black Ash

Description

Active, closed-box subwoofer,

1 x 10" paper/Kevlar® cone bass

driver, 500 watt Class D amplifier.

Dimensions (HWD)

12.2" x 12.2" x 14.8"

not including feet



### **ASW610**

\$650.00 EACH

Black Ash

Active, closed-box subwoofer, 1 x 10" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

12.2" x 12.2" x 14.8" not including feet



#### **ASW608**

\$500.00 EACH

Black Ash Matte White

Active, closed-box subwoofer, 1 x 8" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

10.2" x 10.2" x 13"



# Mini Theater PV1D



#### M-1

Retail Price \$250.00 EACH
Finish Matte Black
Matte White

**Description** 2-way vented monitor. 4" woven glass

fiber cone bass / midrange. 1" tweeter. Swivel mounting bracket. Power

handling 100W.

Dimensions (HWD) 9.8" x 4.5" x 6.4"

Height w/ horizontal mount: 5.4375"



#### M-1 Stand

\$150.00 EACH Matte Black Matte White

Matte White or Matte Black stand for

M-1.

37.7" x 9.9" x 9.9"



#### **ASW608**

\$500.00 EACH Black Ash Matte White

Active, closed-box subwoofer, 1 x 8" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

10.2" x 10.2" x 13" (w/ grille/controls)



#### PV<sub>1</sub>D

Retail Price \$1,699.00 EACH Finish Matte Black

Matte White

**Description** Active closed-box subwoofer. Pressure

Vessel™ enclosure. 2 x 8" bass, 400W amplifier, 5 presets. DSP, RS232, trigger preset switching. Stereo Line In (2x RCA Phono) Speaker Level In (5m

cable supplied)

Dimensions (HWD) 13.5" x 10.6" x 14.1"

### **Mini Theater Systems**

#### MT-60D

M-1 x 5 and PV1D (sold separately)

MT-60D Retail: \$2,949



#### MT-50

M-1 x 5 and ASW608 (sold separately)

MT-50 Retail: \$1,750



**Note:** This information is displayed to clarify MT-60D and MT-50 which are popular systems shown in the product brochure and on the website. Models are priced and sold separately.







#### AM-1

Retail Price \$300.00 EACH

Finish Black White

**Description** 2-way weatherproof indoor/outdoor

system with Auxillary Bass Radiator. 1 x 1" aluminum dome tweeter. 1 x 5" glassfibre cone bass/midrange.

Power handling 100W.

Dimensions (HWD) 12.25" x 7" x 8.25" (includes wall bracket)





#### **AM-1 Architectural Monitor**

AM-1 has been carefully designed to be easy to install, and its elegant cast aluminium wall bracket incorporates an ingenious one-plug mounting system. Combine this with minimal wall projection and a design that allows the speaker to be angled through 220 degrees, and you have a discreet, versatile monitor that can provide you with pristine sound almost anywhere.



# Wireless Music Systems Computer Speakers Headphones



#### Zeppelin Wireless



Retail Price (ea) Finish

\$699.99 Black White

Description

Wireless music system w/ AirPlay, Bluetooth aptX, and Spotify Connect. 2 x 1" Double dome tweeters. 2 x 3.5" FST midrange. 6.5" subwoofer.

Dimensions (HWD)

7.4" x 25.9" x 7.2"



\$349.99

Black Gold

Bluetooth wireless speaker. aptX audio coding technology. DSP. Lithium Ion rechargeable battery provides 18 hours of

playing time.

4.5" x 8.3" x 2.25"



T7 case

\$29.99

Black

Micro Matrix patterned, nylon, portable speaker case.

8" x 4.5" x 2"



MM1

\$399.99 PAIR

Black

Fully active 2.0 multimedia speaker system. 2-way. 3" bass. 1" tweeter. Digital amplifier. DSP. USB streaming.

6.7" x 4" x 4"



#### P9 Signature

Retail Price (ea)

Finish

\$899.99 Brown

Description

50th Anniversary, wired luxurious over ear headphone with noise isolation.



PX New!

\$399.99

Space Grey Soft Gold

Wireless headphone with adaptive noise cancellation and Mobile App. Responds naturally to listener. Bluetooth aptX HD streaming, 22 hour battery life.



P5 Wireless

\$299.99

Black

Wireless on-ear headphone with Bluetooth aptX streaming and noise isolation. 17 hour battery life.



P5 Series 2 New Lower Price!

Retail Price (ea) Finish

\$179.99 Black

Description

Wired classic on-ear headphone with noise isolation.



P3 Series 2

\$149.99 Black

Wired light weight on-ear headphone with premium leather finish and noise isolation.



C5 Series 2

\$149.99

Gloss Black

Wired in-ear headphone with secure loop design, tangle-free cable, noise isolation.

# Custom Theater 800 Series





CT8 LR\*

\$15,000.00 EACH Retail Price

Finish Black

Description 3-way closed-box system. 1 x 1.25" metal dome Nautilus tweeter. 1 x 6" Kevlar® FST midrange, 2 x 10"

Rohacell® bass. Power handling

1000W.

Includes CT8 XO MkII; biamplification is required.

43.3" x 12.8" x 21.65" Dimensions (HWD)



\$11,000 EACH

Black

3-way monopole/2-way dipole selectable closed-box system. 1 x 1.25" metal dome Nautilus tweeter. 6 x 4" mid/high, 1 x 6" Kevlar® FST midrange, 2 x 10" Rohacell® bass. Power handling 1000W.

Includes CT8 XO MkII; biamplification is required.

43.3" x 12.8" x 9.85"



CT8 CC\*

\$15,000.00 EACH

Black

3-way closed-box system. 1 x 1.25" metal dome tweeter.\* 1 x 6" Kevlar® FST midrange. 2 x 10" Rohacell® bass. Power handling 1000W.

Includes CT8 XO MkII; biamplification is required.

12.8" x 43.3" x 21.65"



#### \*Note for CT8 LR, CT8 DS, CT8 CC:

- CT8 XO Mkll must be used.
- Pairing with CT8 SW is mandatory.
- Biamplification is required (with minimum wattage requirements).

# CT8 XO MKII

Retail Price

Finish

CT8LR, CT8DS and CT8CC

Aluminum

Description Active bass management controller

included with CT8LR, CT8CC, and

CT8DS.

1.75" x 19" x 14" Dimensions (HWD)



CT8 SW

\$3,500.00 EACH

Black

Closed-box subwoofer. 1 x 15" Rohacell® bass. Power handling

1000W.

18.7" x 18.7" x 18.7"



CT8.2 LCRS

Retail Price \$6,000.00 EACH

Description

Finish Black

> 3-way custom install home theatre LCRS. 8" Paper/Kevlar® cone bass, 6" woven Kevlar® FST midrange, 1.25" aluminium dome tweeter. Power

handling 500W.

Dimensions (HWD) 39.4" x 12.8" x 11.8"



CT8.4 LCRS

\$4,000.00 EACH

Black

3-way custom install home theatre LCRS. Value engineered version of the CT8 LR with passive crossover, 8" Rohacell® bass unit, 6" blue KEVLAR® FST midrange, 1.25" aluminium dome tweeter. Power handling 200W.

24.8" x 12.8" x 7.3"

# Custom Theater 700 Series





#### CT7.3 LCRS

Retail Price \$1,500.00 EACH

Finish Black

**Description** 3-way custom install home theatre

LCRS, 2 x 8" fibre cone bass, 6" blue Kevlar® FST midrange, 1" soft dome tweeter. Power handling 200W.

Dimensions (HWD) 14.2" x 23.9" x 10.5"



#### CT7.4 LCRS

\$1,000.00 EACH

Black

2-way custom install home theatre LCRS, 2 x 6" blue Kevlar® bass/ midrange driver, 1" soft dome tweeter. Power handling 150W.

13.5" x 17.5" x 10.5"



#### CT7.5 LCRS

\$600.00 EACH

Black

2-way custom install home theatre LCRS, 7" blue Kevlar® bass/midrange driver, 1" soft dome tweeter. Power handling 120W.

12" x 17.5" x 10.5"



#### **CTSW15**

Retail Price \$1,350.00 EACH

Finish Black

Description Passive, closed-box subwoofer

with optional rack-mount amplifier. Designed to fit in home theater cabinetry. 1 x 15" paper/Kevlar® cone bass driver. Power handling

1000W.

Dimensions (HWD) 21.7" x 21.7" x 10.3"



#### **CTSW12**

\$1,000.00 EACH

Black

Passive, closed-box subwoofer with optional rack- mount amplifier. Designed to fit in home theater cabinetry. 1 x 12" paper/Kevlar® cone bass driver. Power handling

1000W.

18.3" x 15.6" x 10.3"



#### CTSW10

\$750.00 EACH

Black

Passive, closed-box subwoofer with optional rack- mount amplifier. Designed to fit in home theater cabinetry. 1 x 10" paper/Kevlar® cone bass driver. Power handling 1000W.

14.2" x 13.4" x 10.3"



#### **SA1000**

Retail Price \$1,500.00 EACH

Finish Black

**Description** 1000W Class D subwoofer amplifier for

use with CTSW15, CTSW12, CTSW10,

2U rack-mountable.

Dimensions (HWD) 3.9"

3.9" x 16.9" x 12.7"

# CI 800 Series Diamond



For detailed dimensions, DWG files and other details please visit:

www.bwgroupsupport.com



Model + Back Box System Retail

**CWM8.3 D + BBW83** \$4,500 (1 SPEAKER w/ 1 Back Box)



**CWM8.5 D + BBW85** \$2,500 (1 SPEAKER w/ 1 Back Box)



CCM8.5 D + BBC85 \$3,000 (1 SPEAKER w/ 1 Back Box)

Power Handling	90 degrees. Flowport. 200W	120W	allows toe-in. Flowport. 120W
Frame Size	34.6" x 10" (880mm x 254mm)	16.2" x 9.72" (411m x 247mm)	13.8" x 13.8" (351mm x 351mm)
Cut-Out Size	34" x 9.4" (862mm x 238mm)	15.5" x 9.09" (395mm x 231mm)	13" x 13" (331mm x 331mm)
Depth of Enclosure	3.4" (90mm)	3.4" (90mm)	7" (177mm)

Mandatory Back Box	BBW83
Suggested Retail	\$800 EACH

**BBW85 BBC85** \$600 EACH \$600 EACH

# CI 700 Series



For detailed dimensions, DWG files and other details please visit:

#### www.bwgroupsupport.com



Model

Suggested Retail \$1,500.00 EACH

Description 3-way in-ceiling system, 1" Nautilus tube loaded soft dome tweeter, 4"

Blue Kevlar cone FST midrange, 2 x 5"

Paper/Kevlar cone bass drivers

25 - 200W **Power Handling** 

Frame Size H: 14" (355mm) W: 14" (355mm)

**Cut-Out Size** H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

Depth Behind Surface (.5" minimum wall)

**Pre-Mount Kit** PMK 7C Suggested Retail \$35.00 EACH



**CCM7.4** 

\$1,000.00 EACH

2-way in-ceiling system, 1"Nautilus Tube loaded soft dome tweeter, 2 x 5" Blue Kevlar cone bass/midrange

25 - 150W

H: 14" (355mm) W: 14" (355mm)

H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

PMK 7C

\$35.00 EACH



**CCM7.5** 

\$750.00 EACH

2-way in-ceiling system, 1" Nautilus Tube loaded soft dome tweeter, 6" Blue Kevlar cone bass/midrange

25 - 150W

H: 14" (355mm) W: 14" (355mm)

H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

PMK 7C

\$35.00 EACH



Model **CWM7.3** 

Description

3-way in-wall system, 1" Nautilus Tube loaded soft dome tweeter, 4"

\$1,500.00 EACH

Blue Kevlar cone FST midrange, 2 x 6" paper Kevlar cone bass drivers

Power Handling 25 - 200W

Frame Size H 29" (736mm) W 11" (276mm)

28" (711mm) W 9.9" (251mm) **Cut-Out Size** 

Depth Behind Surface (.5" minimum wall)

Pre-Mount Kit

Suggested Retail

3.6" (90mm)

**PMK 7.3W** 

Suggested Retail \$35.00 EACH



**CWM7.4** 

\$800.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded soft dome tweeter, 6" Blue Kevlar cone bass/midrange

25 - 150W

H 16.5" (415mm) W 10" (251mm)

H 15.4" (390mm) W 8.9" (226mm)

3.6" (90mm)

**PMK 7.4W** 

\$35.00 EACH



**CWM7.5** 

\$600.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded soft dome tweeter, 5" Blue Kevlar cone bass/midrange

25 - 150W

H 14" (356mm) W 8.5" (212mm)

H 13" (331mm) W 7.4" (187mm)

3.6" (90mm)

**PMK 7.5W** 

\$35.00 EACH



# Cinema 7 Series Marine 6 & 8

For detailed dimensions, DWG files and other details please visit:

#### www.bwgroupsupport.com



Model **CCM Cinema 7** 

\$700.00 EACH Suggested Retail

Description 2-way in-ceiling system, 1" Nautilus swirl loaded aluminium dome tweeter,

7" Blue Kevlar cone bass/midrange

Power Handling 25 - 150W Frame Size 11.4" (290mm) Cut-Out Size 9.8" (249mm) 4.5" (114.3mm)

Depth Behind Surface (.5" minimum wall)

**Pre-Mount Kit PMK C8\*** 

\$25.00 EACH Suggested Retail

**Backbox BB 6C** 

Suggested Retail \$100.00 EACH

**Square Grille Option** GR68SQ



**CWM Cinema 7** 

\$850.00 EACH

21/2-way in-wall system, 1" Nautilus Tube loaded aluminium dome tweeter, 4" Blue Kevlar cone bass/midrange,

4" paper cone bass

25 - 150W

Width: 6.8" (175mm) Length: 24.6" (625mm) Width: 5.8" (147mm) Length: 23.5" (597mm)

3.1" (78.7mm)

PMK CWMC7

\$35.00 EACH

**BB LCR7** 

\$200.00 EACH



Model

Suggested Retail \$325.00 EACH

Description Marine speaker, 2-way system,

1" soft dome tweeter, 6" polypropylene

cone bass/midrange

Marine 6

Power Handling 20W - 80W 9.6" (243mm) Frame Size **Cut-Out Size** 8" (202mm) Depth Behind Surface (.5" minimum wall) 3.5" (88mm)

**Pre-Mount Kit** PMK C6\* \$25.00 EACH Suggested Retail

Marine 8

\$425.00 EACH

Marine speaker, 2-way system, 1" soft dome tweeter, 8" polypropylene

cone bass/midrange

20W - 80W 11.5" (292mm) 10" (253mm) 3.7" (93mm)

**PMK C8\*** 

\$25.00 EACH

Description

#### www.bwgroupsupport.com`



Square Grilles: Master Cartons (6 pairs)

Square Grilles for 66 models

Master carton of square grilles to fit 66 models. Includes 6 pairs.

Retail Price \$450.00 6 PAIRS Square Grilles for 68 models

Master carton of square grilles to fit 68 models. Includes 6 pairs.

\$450.00 6 PAIRS

Square Grille: Singles

Square Grille for 66 models

1 single square grille to fit 66 models. Parts order.

\$33.48 EACH

Square Grille for 68 models

1 single square grille to fit 68 models. Parts order.

\$33.48 EACH



Model **CCM 682** 

\$600.00 EACH Suggested Retail

Description 2-way in-ceiling system, 1" Nautilus swirl loaded aluminum dome tweeter, 8" Blue Kevlar cone bass/midrange. Features a

larger magnet and voice coil than CCMC83.

Power Handling 25 - 150W Frame Diameter 11.4" (290mm) **Cut-Out Diameter** 9.9" (251mm) Depth Behind Surface 4.8" 122mm

**PMK C8\*** Pre-Mount Kit Suggested Retail \$25.00 EACH

(.5" minimum wall)

Backbox BB 6C

\$100.00 Suggested Retail



**CCM 683** 

\$425.00 EACH

2-way in-ceiling system, 1" Nautilus Swirl loaded aluminum dome tweeter, 8" Blue Kevlar cone bass/midrange

25 -130W 11.4" (290mm) 9.9" (251mm) 4.8" 122mm

**PMK C8\*** \$25.00 EACH

**BB 6C** \$100.00 **CCM 684** 

\$300.00 EACH

2-way in-ceiling system, 1" soft dome tweeter, 8" Black Glassfibre cone bass/midrange

25 -130W 11.4" (290mm) 9.9" (251mm) 4.8" 122mm

**PMK C8\*** \$25.00 EACH

**BB 6C** 

\$100.00 EACH



swirl loaded aluminum dome tweeter, 6" Blue Kevlar cone bass/

midrange. Features a larger magnet

and voice coil than CCM663. 25 - 150W Power Handling Frame Diameter 9.5" (240mm) **Cut-Out Diameter** 8" (202mm) Depth Behind Surface (.5" minimum wall) 4.8" 122mm

PMK C6\* **Pre-Mount Kit** Suggested Retail \$25.00 EACH BB 6C

**Backbox** 

Suggested Retail \$100.00 EACH

**CCM 663** 

\$350.00 EACH

2-way in-ceiling system, 1" Nautilus swirl loaded aluminum dome tweeter, 6" Blue Kevlar cone bass/midrange

25 -130W 9.5" (240mm) 8" (202mm) 4.8" 122mm

PMK C6\* \$25.00 EACH BB 6C

\$100.00 EACH

**CCM 663RD** 

\$400.00 EACH

of CCM 663.

Reduced depth version

25W - 100W 9.5" (240mm) 8" (202mm) 3.62" (92mm)

PMK C6\* \$25.00 EACH

BR 6C or shallower BB 6W

\$100.00 EACH

**CCM 664** 

\$275.00 EACH

2-way in-ceiling system, 1" soft dome tweeter, 6" Black Glassfiber cone bass/midrange

25 -130W 9.5" (240mm) 8" (202mm)

4.8" 122mm

PMK C6\* \$25.00 EACH BB 6C

\$100.00 EACH

#### www.bwgroupsupport.com



Model

Suggested Retail Description

2-way in-ceiling system, 1" soft dome tweeter, 6" Black Glassfiber cone bass/

midrange

4.8" (122mm)

BB 6C

Power Handling 25 -130W Frame Diameter 9.5" (240mm) **Cut-Out Diameter** 8" (202mm)

Depth Behind Surface (.5" minimum wall)

**Pre-Mount Kit** PMK C6\*

Suggested Retail \$25.00 EACH

**Backbox** 

Model

Suggested Retail

Suggested Retail \$100.00 EACH

**CCM 663SR** 

\$500.00 EACH

2-way dual channel in-ceiling system, 1" soft dome tweeter, 6" Blue Kevlar cone bass/

midrange

25 - 80W (per channel)

9.5" (240mm) 8" (202mm) 4.8" (122mm

PMK C6\*

\$25.00 EACH

BB 6C

\$100.00 EACH



**CCM 664SR** 

\$350.00 EACH

2-way dual channel in ceiling system, 1" soft dome tweeter, 6" Black Glassfiber cone bass/ midrange

25 - 80W (per channel)

9.5" (240mm) 8" (202mm) 4.8" (122mm)

**PMK C6\*** 

\$25.00 EACH

BB 6C

\$100.00 EACH



\$250.00 EACH

Single driver in-ceiling system, 3"paper cone full-range

10 - 60W (per channel)

5.7" (146.5mm) 4.5" (114.3mm)

3.4" (86.3mm)

PMK C3

\$25.00 EACH

Integrated Backbox

CCM 632 fits in the BB6C for "fire-rated applications"

Square and round grilles included







**CWM 663** 

\$375.00 EACH

PMK W6\*

**BB 6W** 

\$25.00 EACH

\$100.00 EACH

Description 2-way in-wall system, 1" Nautilus tube loaded aluminum dome tweeter, 6" Blue Kevlar

cone bass/midrange

Power Handling 25 - 150W 12.4" (315mm) Frame Height Frame Width 8.7" (221mm) Cut-Out Height 10.9" (279mm) Cut-Out Width 7.2" (183mm) Depth Behind Surface 3.3" (84mm)

minimum wall) Pre-Mount Kit

**Backbox** 

Suggested Retail

Suggested Retail

**CWM 664** 

\$275.00 EACH

2-way in-wall system, 1" soft dome tweeter, 6" Black Glassfibre cone bass/midrange

25 - 130W 12.4" (315mm) 8.7" (221mm) 10.9" (279mm) 7.2" (183mm) 3.3" (84mm)

PMK W6\* \$25.00 EACH

**BB 6W** 

\$100.00 EACH

**CWM 652** \$275.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded aluminum dome tweeter, 5" Blue Kevlar cone bass/midrange

25 - 100W 10.9" (264mm) 7.5" (191mm) 8.9" (228mm) 6.0" (153mm) 3.3" (84mm)

PMK W5\* \$25.00 EACH

BB 6W

\$100.00 EACH







For detailed dimensions, DWG files and other details please visit:

## www.bwgroupsupport.com

CI 60 System (sold separately)

CCM 632 x 8

ISW 3

SA250 Mk2

RKB-D850

CI 60 System Retail: \$5,999



### CI 50 System (sold separately)

CCM 632 x 6

ISW 3

SA250 Mk2

ROTEL RMB-1506

CI 50 System Retail: \$4,499



**Note:** This information is displayed to clarify Cl 60 and Cl 50 Systems. RKB-D850 and RMB-1506 amplifiers are from Rotel. Learn more at rotel.com. Models are priced and sold separately.

### Cl 300 Series



For detailed dimensions, DWG files and other details please visit:

#### www.bwgroupsupport.com

Model	CCM 382	1
Suggested Retail	\$200.00 EACH	
Description	2-way in-ceiling	system

	8" polypropylene cone bass/midrange	
Power Handling	80W	
Frame Diameter	11.4" (290mm)	

9.8" (249mm)

1" soft dome tweeter

Pro-Mount Kit	DMK Co
Depth Behind Surface (.5" minimum wall)	3" (77mm)

Cut-Out Diameter

Pre-Mount Kit	PIVIK Co	
Suggested Retail	\$25.00 EACH	
Backbox	BB 6C	



**CCM 362** \$150.00 EACH

2-way in-ceiling system 1" soft dome tweeter

6" polypropylene cone bass/midrange

80W
9.5" (240mm)
7.9" (200mm)

PMK C6 \$25.00 EACH

2.7" (69mm)

BB 6C \$100.00 EACH



**CWM 362** \$200.00 EACH

2-way in-wall system 1" soft dome tweeter 6" polypropylene cone bass/ midrange

80W Height: 12.4" (315mm) Width: 8.7" (221mm) Height: 10.9" (275mm) Width: 7.2" (181mm)

2.5" (64mm)

PMK W6 \$25.00 EACH **BB 6W** 

\$100.00 EACH



Model ISW<sub>3</sub>

Suggested Retail \$1,000.00 EACH

In-floor/wall/ceiling/millwork Description

subwoofer 2 x 6.5" paper/Kevlar®

cone bass drivers

**Dimensions** Width: 13" (330mm)

Length: 18.5" (470mm) Depth: 9.25" (235mm)

Cut-Out Size N/A

Electronics SA250 MK2 (mandatory)

**Back Box** N/A Suggested Retail



ISW4 now available in a thin-bezel design!

ISW 4

\$800.00 EACH

In wall subwoofer system requires external rack-mount amplifier, 2 x 8" paper/Kevlar® cone bass drivers

Height: 20.6" (524mm) Width: 11.6" (294mm)

Depth Behind Surface (.5" wall): 3.4" (86mm)

H 19.1" (485mm) x W 10" (255mm)

SA250 MK2 (mandatory)

ISW4BB \$200.00

Note: ISW4BB is mandatory with ISW4



**SA250 Mk2** 

\$1,000.00 EACH

250W Class D amplifier for use with ISW3 and ISW4. 2U rack-mountable. Black Finish.

Height: 3.9" (100mm) Width: 16.9" (430mm) Depth: 12.7" (322mm)

N/A

Mandatory for ISW3 and ISW4

N/A

Note: SA250 Mk2 offers separate EQ positions for ISW-3 and ISW-4; has the ability to drive two ISW-3 or ISW-4; and mono summing input.



# Links

bowers-wilkins.com

bwgroupusa.com

bwgroupsupport.com

**Control App** 



facebook.com/BowersWilkins



@bowerswilkins



youtube.com/bowerswilkins



bowerswilkins