

# DISTANCE Chapter 03

## The Relational Structure of Motion

Kangbin Yim\*

May 2026

### 1 Initial Extreme State

The Universe we see today appears to consist of countless objects scattered across vast stretches of empty space. When we look up at the night sky, the stars seem separated from one another, and when we widen our view through a telescope, the gaps between galaxies are vastly greater still. The same impression holds closer to home. Planets and moons, rocks and dust, atoms and particles—all appear to us as distinguishable entities. It therefore seems natural to begin our understanding of motion with objects. First there is an object, and then it moves.

In the present Universe, this way of thinking feels almost inevitable. If we want to understand the motion of Earth, we identify Earth as an object and trace how its position changes. We do the same with planetary orbits, stellar motion, and the movement of particles. We first determine what is moving, and then measure how far and in what direction it moves. Much of the extraordinary success of physics has been built upon increasingly precise descriptions grounded in this intuition.

Yet something peculiar happens when we begin to trace the history of the Universe backward. The very objects that we now treat as the subjects of motion gradually disappear.

Earth disappears. The Solar System disappears. Stars disappear, and so do galaxies. Go farther back, and even the familiar structures of matter can no longer be assumed to have existed in their present forms. Modern cosmology describes the early Universe as

---

\*email: yim@sch.ac.kr (Prof. SCH University, Korea)

far hotter and denser than the Universe we observe today. The landscape before us now was not a stage given from the beginning, but the outcome of a long history of change.

This leaves us with a curious question.

Can we understand motion in a state where the objects we know today had not yet formed by using exactly the same conceptual picture with which we describe the motion of those objects now?

When we imagine the early Universe, we often compress the present landscape backward without realizing that we are doing so. We reduce the gaps between galaxies, bring the stars closer together, and pack matter into an ever denser region. Continue this compression far enough and we arrive at an image in which everything is crowded into an unimaginably compact state. The scale has changed, but the cast of characters remains strangely familiar. Stars, particles, and objects seem already complete, merely pushed closer together.

But if stars, galaxies, and planets themselves emerged through the history of the Universe, this picture places the outcome of that history back inside its own beginning. We have carried the objects we distinguish today into the past and merely rearranged their positions.

DISTANCE does not need to replace the standard physical description of the early Universe with a competing story. The scientific description of an early Universe that was much hotter and denser than the present one remains essential. What changes is the question of what we choose to notice first within that description.

Rather than asking first how many things existed, we can ask \*\*what stood in relation to what, and under what conditions.\*\*

Seen this way, high density begins to carry a somewhat different significance. It is not merely a numerical statement that a large amount of matter occupied a given volume. It also suggests that what can now often be treated as widely separated and approximately independent could not necessarily have been separated conceptually with the same ease under those earlier conditions. In the present Universe, we can often describe one region while safely neglecting another very distant one. There is no reason to assume in advance that the same separation of description was equally natural in a far denser and more strongly bound state.

None of this requires us to say that the early Universe was one enormous object. Nor must we assume that every part of it was perfectly identical or that no differences existed within it. The claim needed here is much narrower: \*\*there was an extreme relational state

in which it was far more difficult than it is today to isolate numerous local configurations and treat them as relatively independent objects.\*\*

That difference changes where we begin when thinking about motion.

In the present Universe, motion appears to belong to objects. A stone flies, a planet revolves, a star moves. It is therefore easy to imagine that the object comes first and that Momentum is something the object possesses. But once we trace the Universe back to conditions in which those objects themselves had not yet formed, this order is no longer self-evident. What we regarded as the subject of motion may itself be an outcome that emerged only after a long history of motion and change.

This does not mean that Momentum was absent before objects appeared. Quite the opposite. Momentum does not come into existence only after an object has formed. Momentum is always present. What disappears as we move backward is not Momentum itself, but the ease with which we can divide it into such familiar categories as the Momentum of a star, the Momentum of a planet, or the Momentum of a particle.

A leaf floating on a river offers a simple way of seeing the distinction.

If a leaf is carried along the surface, we can follow it with our eyes. Mark its position every few seconds and a trajectory appears. From that trajectory, we can describe the motion of the leaf. Yet the trajectory of the leaf did not create the current of the river. A readily identifiable object simply allowed one part of a broader motion to become especially visible to us.

The early Universe was not literally a river, of course. The analogy points only to a simpler idea: \*\*the motion of an easily distinguishable object need not always be the most fundamental starting point for understanding motion itself.\*\*

Today we begin with objects because countless objects are available to us. But as we trace the Universe backward toward conditions in which their boundaries become less distinct, there comes a point at which beginning with objects and then summing their individual motions becomes increasingly unnatural. The harder it becomes to isolate a local configuration, the more necessary it becomes to consider the broader relational state in which that configuration is embedded.

This is where the expression \*\*Global Momentum\*\* becomes useful.

“Global” does not mean that the entire Universe is flying in one direction. Nor does it mean that everything shares the same geometric direction, or that a single gigantic force or vector governs the whole Universe. The word indicates a scope of description rather than a magnitude. Before beginning with the motion of sharply distinguished

local objects, it asks us to recognize \*\*Momentum present in a broader relational state as the starting dynamical condition.\*\*

Global Momentum and local Momentum therefore should not be understood simply as large motion and small motion. In the present Universe, even an enormous configuration such as a galaxy can be treated, under appropriate conditions, as a local configuration distinguishable from its surroundings. Conversely, even within a small region there may be relations that cannot be understood adequately in isolation from their broader configuration. What matters in “global” is not spatial size, but the broader relational state that must be considered before motion is reduced to a collection of local motions.

From this perspective, the early Universe begins to look different.

If we compress the present landscape backward, objects remain with us all the way. They become closer and closer until they are packed into an extreme state. But if we begin from relations, the boundaries of objects instead recede from the center of explanation as we move backward. The question of what was located where becomes less fundamental than the question of how broadly relations remained effective within a configuration that had not yet differentiated into the forms familiar to us today.

And that relational state was not static.

If Momentum is always present, the extreme initial configuration cannot be understood as a pile of material waiting motionlessly for something to set it in motion. Motion did not begin only after objects appeared. The dynamism that we now divide into the motions of distinct objects was already present in a broader relational state before those distinctions became available to us.

We simply cannot view that state in exactly the same way we view the present Universe.

Today we can distinguish Earth from the Moon and speak of the motion of each. We can distinguish the Solar System from the galaxy, and at other scales we can isolate a stone or a particle and trace its change. But in a state where such distinctions had not yet emerged in anything like their present form, the question “Which object possessed which Momentum?” may itself be a question that enters the story too late.

What must be seen first is the broader relational state and the Momentum already present within it.

Global Momentum names precisely this shift of perspective. It is not intended to deny local Momentum, nor to introduce some separate entity more fundamental than local motion. It is a way of avoiding the projection of the object-centered perspective—so

natural in the differentiated Universe of the present—back onto an extreme initial state where such separations cannot simply be taken for granted.

Seen in this way, the early Universe was not a world “before motion.” Momentum was already present, but not yet readily divisible into the countless independent motions through which we describe the present Universe. What was absent was not motion, but \*\*the familiar units by which we now distinguish and observe it.\*\*

One problem, however, remains.

No matter how strong Momentum may be, its existence alone does not explain why change becomes observable in one direction rather than another. A sheet stretched with perfect equality in every direction may contain substantial tension, yet that tension alone does not tell us why a point on the sheet should move preferentially in any particular direction. A strongly bound relational state and an observable directionality are not yet the same thing.

The same is true of the initial extreme state. Global Momentum provides a dynamical starting condition, but it does not by itself specify a geometric direction. The existence of Momentum across a broader relational state and the emergence of a particular directionality as more effective in observable change are distinct claims.

The first question about the dynamics of the early Universe therefore changes.

It is not yet what moved first. Nor is it where that motion was headed.

The prior question is \*\*how Momentum already present within an extremely bound relational state could come to exhibit differentiated observable directionality.\*\*

The early Universe was neither an empty stage nor motionless material waiting for motion to begin. It was already an extreme relational state in which Momentum was present.

The story of motion does not begin when objects finally appear upon that stage. It had already begun within the broader relational state, before the configurations we now call objects had clearly emerged from it.

## 2 Extreme Asymmetry

If Momentum was already present in the extreme relational state of the early Universe, one problem still remains. Strong binding alone does not explain the direction of motion.

Imagine a sheet stretched equally tight in every direction. Tension is clearly present. No side is slack. Yet if the conditions are exactly the same in every direction, the tension

itself does not tell us which way a point on the sheet should move. Left is no more special than right, and up no more special than down. The existence of strong relational tension and its appearance as change in a particular direction are not the same thing.

The same is true of the early Universe. The presence of strong Momentum across a broader relational state does not, by itself, determine what happens next. If every relation were perfectly identical, there would be no reason for one direction to become more pronounced than another. For directionality to become observable, some difference must exist within that apparent equality.

The difference need not be large.

Even a surface that appears perfectly calm is not perfectly uniform when examined closely. There may be differences in height too small to see, while temperature and pressure are unlikely to be exactly identical at every point. The moment such a difference exists, not every point on the surface is under precisely the same condition. If one side differs from another, however slightly, directions that previously appeared equivalent are no longer entirely the same.

This is where asymmetry becomes important.

Asymmetry does not create Momentum. Momentum was already present. What asymmetry changes is **\*\*the way already-existing Momentum becomes effective\*\***. When every relation is under exactly the same condition, no particular directionality need become especially prominent. Once relational conditions differ, however, some Momentum can become more effective than others.

This is not the same as saying that a new force suddenly appears. If one side of a tightly stretched sheet becomes slightly looser, tension has not been created at that moment. The tension was already there. What has changed is that the existing tensions no longer balance in the same way in every direction. A small difference can make visible a directionality that previously did not stand out.

When we hear the word asymmetry, we tend to imagine shape: an object protruding on one side, mass displaced from a center, or a form whose left and right sides differ visibly. Such geometric asymmetries certainly matter. But the asymmetry required by DISTANCE is broader than visible shape.

Two relations that appear geometrically equidistant do not necessarily exist under identical relational conditions. Equal geometric separation does not guarantee equal effective Distance. Conversely, a visible difference in position alone does not tell us which Momentum will become more strongly effective. What matters is not simply which side

protrudes farther in space, but \*\*how differently the relations are actually configured within the present state.\*\*

Perfect symmetry is therefore a far more demanding condition than it first appears.

It is not enough to draw a circle and make every point on its boundary equally distant from the center. Nor is visible symmetry of shape sufficient. To approach complete relational symmetry in the sense relevant here, the relations themselves would have to carry equivalent Difference and effective Distance, with the effectiveness of Momentum remaining exactly equivalent in every direction.

Such a state is easy to imagine as an abstraction and far more difficult to preserve in a real Universe.

A tiny difference is enough.

The moment the condition of one relation differs even slightly from another, the directions are no longer entirely equivalent. The absolute magnitude of the difference is secondary. There is a decisive distinction between a state with no difference at all and one in which even the smallest difference exists. In the former, there is no relational basis for one directionality to stand out from another. In the latter, that possibility has already appeared.

Consider a raindrop landing on the crest of a mountain. If the summit were perfectly level and every direction offered exactly the same condition, the terrain alone would provide no basis for determining which way the drop would first move. But the slightest slope, too small perhaps for the eye to notice, changes the situation. The raindrop does not choose a direction. Movement differs because the conditions were already different.

The asymmetry of the early Universe can be approached in much the same way. The slope in the analogy, however, should not be transferred directly into a literal spatial slope of the Universe. What matters in the image is simply this: \*\*the difference in conditions exists before anything resembling a choice of direction.\*\*

Momentum does not deliberate about where to go. The Universe does not spread out a set of possible directions and select one of them. No destination needs to be judged preferable to another. If the present relational state is not perfectly uniform, the Momentum coexisting within it need not all have the same effectiveness in observable change.

Directionality therefore begins to look somewhat different from an arrow attached to an object.

When we describe motion, we draw arrows. An arrow shows beautifully where something is moving and in what direction. But it represents a direction that has already

become observable. The arrow itself does not explain why change in that particular direction became more pronounced than change in another.

What DISTANCE seeks in asymmetry is the condition prior to that arrow.

Some relations were not completely identical. Because of that difference, the effectiveness of already-existing Momentum became differentiated. A particular directionality could therefore become observable. Only afterward can we draw the arrow of motion.

Nor must asymmetry be imagined as a single first event, as though a perfectly symmetric Universe remained motionless until one tiny defect suddenly appeared and set everything in motion. No such historical scene is required here. The claim is simpler and more limited: **\*\*for observable directionality to become differentiated, relational conditions cannot be perfectly equivalent.\*\***

The same principle is not confined to the early Universe.

When an object on a table begins to move, when a planet changes its motion, or when a vast material configuration evolves, the directionality we observe arises within relational conditions that are not all identical. In the present Universe, numerous local configurations have already formed, so it is often convenient to divide these differences into interactions among distinguishable objects. In an extreme early state, the same problem must be considered across a much broader relational configuration.

And this reveals another important feature of asymmetry.

Asymmetry does not remain fixed.

Suppose a difference in one relation makes a particular Momentum more prominent and observable change begins. That change does not leave the original relational state untouched. The moment one part changes and one relation is altered, the surrounding relations can no longer be assumed to remain under exactly the same conditions as before. The difference that initially made one directionality prominent may diminish, while another difference may become more significant.

A small ripple on an otherwise calm surface makes this easy to see. An initial difference in height contributes to motion, but once the water moves, the original surface no longer exists in the same form. Change does not merely respond to a given difference; it also changes the configuration in which that difference existed.

The same is true in the relational structure of the Universe.

The fact that one directionality becomes more effective at one moment does not mean that it will dominate every motion thereafter. Once actual change occurs, the configuration itself changes. Within that altered configuration, the coexisting Momentum



may no longer have the same relative effectiveness. A difference that was barely visible before may become important, while one that was initially dominant may weaken.

Asymmetry therefore does not hand motion a completed route.

Its role is at once more fundamental and more limited. It prevents all directions from remaining perfectly equivalent. As a result, among the Momentum already present, some directionality can become more effective than another.

That alone is enough to change how we picture the initial extreme state.

A small difference within it breaks the equivalence of relations. Once that equivalence is broken, the observable expression of Momentum need not remain the same in every direction. One direction begins to become distinguishable from another.

But a distinguishable direction is not yet a path.

A slight slope on a mountain can differentiate the first movement of a raindrop, but that initial difference does not draw in advance the entire route the water will follow to the bottom. Once the water moves, the conditions of the ground and the water change. When it encounters other flows, those conditions change again. The original slope differentiated direction, but it did not determine the entire future.

Relational asymmetry works in the same way.

It provides the condition under which Momentum can acquire observable directionality, but it does not predetermine the continuous sequence of changes that will follow. The moment change begins, the relational configuration itself is already being altered.

The second condition required to understand motion in the initial extreme state is therefore not the birth of a new force.

Momentum was already present.

What was required was a difference that prevented all Momentum from becoming effective in exactly the same way.

Even the slightest asymmetry is enough for directions to cease being equivalent. And once different directions can carry different effectiveness, the Universe is no longer merely an undifferentiated state of relational tension. It becomes a relational state in which observable change can emerge.

Yet one question remains.

If different directions have become possible, how does actual change continue among those possibilities?

Asymmetry has differentiated direction.

It has not yet drawn the path.

### 3 The Opening of Equalization Paths

Asymmetry differentiates direction. But the moment directions become distinguishable, no single road is thereby laid out before them.

Consider again a raindrop falling on a mountain ridge. The slightest inclination at the summit may be enough to distinguish its first movement. Yet that inclination does not draw, in advance, a continuous route all the way down the mountain. Once the water begins to move, the conditions around it change. It may meet another stream, encounter a rock, soak into the ground, or alter the surface over which the next drop will pass. The initial asymmetry differentiates direction, but it does not determine the entire sequence of motion that follows.

In the relational network of the Universe, the situation is far more intricate, because no configuration consists of only one relation. Even while one Momentum becomes prominent within a particular relation, countless other Momenta coexist with it. Some may carry similar directionality, others may become effective in different directions, and still others may remain almost invisible under the present conditions. Yet what is barely observable now has not ceased to exist. A slight change in configuration may give a previously weak Momentum an entirely different significance.

What asymmetry opens, then, is not a single predetermined road, but a set of possibilities through which Momentum may be resolved in different ways. In DISTANCE, these possibilities can be understood as **\*\*Equalization paths\*\***.

The word “path” is both intuitive and dangerous.

A path usually suggests something spatial. We imagine a route already extending from a starting point toward a destination, waiting for something to travel along it. If several paths diverge, we naturally imagine a choice among them.

An Equalization path is not such a road.

It is not an invisible line already drawn somewhere in space, nor a channel through which Momentum flows. Equalization does not survey several routes and select the shortest or most efficient one. The moment we adopt such a picture, the path becomes a map that exists prior to change rather than a possibility arising from the present relational configuration.

What matters in the image of flowing water is therefore not the road, but **\*\*the conditions at that moment\*\***.

Before rain falls, no line tracing the future course of the water need exist on the mountain. Yet the ground is not perfectly uniform. There are differences in elevation, in soil

and rock, in moisture, and in the way neighboring surfaces are connected. Water does not compare these conditions or calculate an optimum route. Once it arrives, unequal conditions become unequal motion. And after the water has passed, the conditions themselves may no longer be exactly what they were. The initial configuration shapes the movement, while the movement reshapes the conditions for what comes next.

An Equalization path can be understood in much the same way. But the height of the mountain must not be translated directly into geometric Distance. What matters in DISTANCE is not simply what is spatially closer, but which Momentum is more strongly effective within the present relational configuration.

Where effective Distance is shorter, the corresponding Momentum is more strongly effective. Resolution through that relation can therefore appear as a more strongly available possibility under the present configuration. Equalization does not first choose a relation and then shorten its Distance. \*\*The relation already has a shorter effective Distance, its Momentum is therefore more strongly effective, and its resolution consequently becomes more strongly available.\*\*

The distinction may appear to be merely a matter of wording, but it produces two very different pictures of the Universe.

In one, the future path somehow reaches backward into the present. Possible routes already exist; the most favorable is selected; change proceeds along it. In the other, there is only the present relational configuration. Within that configuration, different Distance and Momentum already have different effectiveness, and those differences make some resolutions more strongly available than others.

The latter requires no destination.

The Universe need not know where it is going. Equalization need not calculate which outcome would be best. The simple fact that present relations are not identical is enough for some Momentum to become more strongly effective than others. An Equalization path is the possibility of resolution opened by that difference.

And there is rarely only one such possibility within a relational network.

Imagine A in relation to B, C, and D at the same time. There is Momentum in the A-B relation, and other Momentum in A-C and A-D. If the effective Distance of A-B is relatively short at a particular moment, the corresponding Momentum may become especially prominent. But the Momentum associated with A-C and A-D have not disappeared. They continue to coexist within the same configuration.

Once actual change occurs, the situation becomes more interesting.

If the Momentum in the A–B relation begins to resolve, its effective Distance increases. But A and B do not change while every other relation remains untouched. The configuration containing A has changed, and therefore A–C and A–D cannot simply be assumed to remain under precisely the same relational conditions as before. A change within one relation can alter the conditions of other relations connected to it.

A small stream crossing a sandbar offers a useful image. At first, subtle differences in the surface send the water one way rather than another. But once water begins to flow, sand moves. One place is eroded, another accumulates sediment. A route that carried water easily a moment ago may become less favorable, while another place that hardly looked like a route at all may begin to carry more of the flow.

The terrain shaped the flow, but the flow reshaped the terrain.

Within a relational network, something analogous occurs not merely in geometric terrain but in the relations themselves. As Momentum is resolved, the corresponding effective Distance changes, and the configuration containing that relation is no longer the same. The relative effectiveness of other Momentum may therefore change as well. A possibility that was prominent a moment ago may weaken, while another that was barely visible may become more strongly available.

An Equalization path is therefore not fixed.

Once a path becomes prominent, it need not retain the same form until some predetermined end is reached. Change does not simply travel along an unchanged road. \*\*Change continually alters the relational conditions under which subsequent change becomes possible.\*\*

This is also why an Equalization path is not the same thing as the trajectory we observe afterward.

Record the position of a planet over a sufficiently long interval and the points form a smooth orbit. Record the position of a thrown ball and a trajectory appears. To an observer looking back at what has already happened, the line is clear. It has a beginning, intermediate positions, and a recognizable course.

But that line is a trace of motion already realized.

The line connecting the recorded positions did not have to exist beforehand as something that pulled the object from one point to the next. What appears afterward as a continuous trajectory can instead be understood as the accumulated expression of changing relational configurations, each making some directionality more effective than others.

Equalization paths concern the layer beneath that completed line: which Momentum is

more strongly effective now, which resolution is more strongly available under the present configuration, and how the realization of that resolution changes the configuration from which the next change will emerge.

Each change becomes part of the conditions of the next.

Beneath a single observable trajectory, therefore, we need not imagine a single fixed path hidden from view. What persists is a changing relational configuration. What we later see as one smooth motion may, at each moment, have been the observable expression of Momentum whose relative effectiveness was being continuously reconfigured.

This also removes a subtle misunderstanding. To say that one path is more strongly available than another does not mean that it is globally the most efficient route.

Water descending a mountain does not know the shortest route to the sea. A local slope may send it toward a rock, into the soil, or toward another stream that changes its direction entirely. Nothing guarantees that its first motion lies on the shortest possible route when judged from the perspective of the entire future journey.

Equalization is no different in this respect. A Momentum that is strongly effective under the present configuration does not guarantee the fastest or most economical resolution when judged against an imagined future totality. “Strongly available” refers to **effectiveness under the present relational configuration**, not to future optimality. This distinction follows directly from the canonical relation between effective Distance, Momentum, and available resolution paths.

Equalization is therefore not a teleological optimization process.

The present configuration constrains what can follow, but a final state does not reach backward to choose the present. Which Momentum becomes more strongly effective depends on the Difference, Distance, and Momentum already present in the current configuration. Once resolution occurs, those conditions change, and subsequent change arises from the altered configuration.

No central route is required for this sequence.

A Momentum may become prominent across a broader relational state while, within that state, other Momentum are simultaneously effective in more local relations. Changes at different scales may coexist, and a change in one may alter the conditions of another. A local process cannot simply be isolated and promoted into the cause of the entire motion, but neither does Global Momentum function as one gigantic arrow prescribing every local direction in advance.

The small asymmetry with which we began therefore does more than produce a single

observable direction and then disappear from the story. Once change actually occurs along that directionality, the relational configuration has already changed. Within the altered configuration, different Momentum may become more strongly effective, and their resolution may alter the network again.

The initial difference does not simply produce the next difference. Rather, \*\*change arising from one difference rearranges the relational network and thereby changes which differences become effective next.\*\*

This is why the motion of the Universe cannot easily be imagined as one immense line already drawn through the future.

Yet neither is it arbitrary.

Holding these two ideas together is essential to the meaning of an Equalization path. The future trajectory is not predetermined, but present change is not selected randomly from an unlimited field of possibilities. The current relational configuration constrains possible changes by giving them different effectiveness. Once actual change occurs, those constraints themselves are altered.

Neither a predetermined road nor unrestricted chance.

The relations that exist now constrain the next change, and the next change rearranges the relations.

If this process continues, a change that first appears only as a slight directionality need not remain confined to the relation in which it became visible. Whenever Momentum is resolved, the conditions of connected relations may change with it. As these changes accumulate, the difference between the earlier and later configurations can become increasingly pronounced.

From far away, the result may appear as a single motion. Matter may shift, configurations may separate or approach one another, and forms that were not previously distinguishable may emerge. Yet beneath that visible motion, something more intricate is occurring than independent objects simply traveling along predetermined routes.

Countless Momentum coexist. Their effectiveness is unequal. When one Momentum is resolved, its effective Distance increases, and that change can alter the conditions of surrounding relations. Other possibilities of resolution then become more prominent, and further change follows.

An Equalization path is this continually changing structure of possibilities.

It is not a road through which Momentum travels. It is not a road chosen by the Universe. Nor is it a route optimized in advance toward some final Equalization.

The present relational configuration makes some resolutions more strongly available, and those resolutions alter the configuration from which subsequent possibilities emerge.

At first, a tiny asymmetry merely distinguished one direction from another.

But once actual change begins, that change no longer belongs only to the relation in which it first appeared. A changed relation changes the configuration in which other relations exist.

One resolution alters the conditions of the next, and the next alters the relations around it again.

The road does not exist first and wait for the Universe to travel along it.

As the Universe changes, the paths along which further change can occur are themselves continually being remade.

## 4 Dispersion in a Non-Expanding Space

When we look at the night sky, the Universe appears almost motionless. The stars seem to remain where they have always been, and the changes of galaxies unfold far too slowly to be perceived on the scale of human experience. Yet once observation reaches sufficiently large distances, a very different picture emerges. The light from distant galaxies exhibits systematic patterns, and modern cosmology has interpreted these observations as powerful evidence that the Universe is expanding.

That description has been extraordinarily successful.

The idea is not simply that galaxies are flying through a preexisting emptiness, but that the geometric scale of the Universe itself changes. This interpretation has provided modern cosmology with a sophisticated mathematical framework connecting the history of the Universe with what we observe today. DISTANCE has no reason to deny the usefulness or empirical success of that geometric description.

But an accurate description of change and the deepest explanation of its cause need not be the same thing.

Imagine a series of maps of a city drawn over many years. Buildings have shifted, roads have been added or removed, and the distances represented between important locations have changed. The maps may record those changes with great precision. But if we were to say that the city changed because the scale of the map changed, we would have reversed the order between description and cause. The map can represent what happened without necessarily explaining why it happened.

A similar question can be raised about space.

The fact that the separations among astronomical configurations increase, and that this increase can be accurately described as a change in spatial scale, need not by itself establish **the expansion of space as the first explanatory cause of the relational change**. The geometric description may remain valid while a deeper question is still left open.

This is the opening that DISTANCE explores.

A relational configuration contains many coexisting Momentum. They do not all have the same effectiveness. As one Momentum is resolved, the relation in which it was effective changes. That change alters the configuration shared with other relations, and within the altered configuration different Momentum may become more prominent.

What happens if such change is not confined to one local configuration?

Imagine a state in which relations are strongly bound across a broad configuration and Momentum resolution begins to occur throughout it. A change in one relation modifies the conditions of neighboring relations; those changes alter the availability of further resolution; and the process continues across the network. The original configuration cannot remain arranged as it was.

To an observer looking at the geometric outcome, the components of that configuration may appear to move apart.

Their geometric separation may indeed increase.

But this does not require us to begin the causal story by saying that space first expanded and then carried the configurations apart. We may instead ask whether a broader rearrangement of the relational network produced the changing separations that are subsequently described geometrically as expansion.

The two descriptions need not disagree about what is observed.

They operate at different explanatory layers.

One asks how geometric separation changes. The other asks why the configuration containing those separations no longer remains relationally as it was. The former describes the spatial expression of change; the latter seeks the relational dynamics beneath that expression.

This distinction matters because geometric Distance and effective Distance are not identical.

If two configurations become farther apart geometrically, it does not follow that every relational Distance between them has increased in the same proportion. Conversely, when Momentum is resolved within a relation and its effective Distance increases, the corre-



sponding configurations need not simply move away from each other along a geometric line.

What we observe as separation is one geometric expression of a much richer rearrangement of relations.

Cosmic dispersion therefore need not mean that everything simply moves farther from everything else. Some configurations may separate while others become more strongly bound. Geometric separation can become increasingly prominent at a broad scale while new local configurations form within that same process.

A drop of ink dispersing through water offers a useful image.

At first, the ink occupies a small, dark region. As it spreads, the region over which the pigment is distributed becomes larger. Many pigment particles that were initially close to one another become more widely separated. Yet the cup itself does not have to grow for such dispersion to occur.

What changes is the internal distribution.

The Universe, of course, is not literally ink in a cup. There is no need to imagine a wall surrounding the Universe, nor a larger external space containing it. The analogy is useful for only one reason: **\*\*an increase in the extent of a distribution is not logically identical to an increase in the size of the background containing it.\*\***

This distinction is central to what DISTANCE means by dispersion.

As Momentum is resolved within an initially strongly bound relational configuration, the relations composing that configuration cannot remain as they were. The effective Distance associated with some Momentum increases, and those changes alter the conditions of neighboring relations. As countless resolutions occur across an interconnected network, the overall configuration is continually rearranged.

Increasing geometric separation may be one observable consequence of that rearrangement.

Seen at a sufficiently broad scale, the result may look like a Universe spreading out. But that observation does not force us to place “space itself expanded” at the beginning of the causal sequence. Spatial expansion may remain a powerful geometric description while DISTANCE places relational change beneath it as the prior explanatory layer. This distinction is explicitly preserved in the v1.1 Canon: geometric space may remain descriptively valid without being automatically promoted to the first cause of relational change.

Dispersion, in this sense, means more than geometric spreading.

It does not require every separation to increase at the same rate. It means that the configuration of the relational network is changing so that earlier patterns of binding and separation no longer remain the same. Some relations may change dramatically, while others persist for long intervals. Broad separation may become increasingly pronounced even as strong local configurations remain intact or newly emerge.

Consider foam scattered across the surface of the sea.

From a distance, the foam may spread over an increasingly wide area. Yet the gaps between every pair of bubbles do not increase uniformly. Some bubbles cluster together, some clusters divide, and others are carried into different currents. The overall distribution spreads while local binding and separation continue simultaneously.

A relational reading of cosmic dispersion must preserve this coexistence.

Global change does not require every local relation to reproduce the same directionality. While Momentum is being resolved across a broader network and the configuration is being rearranged, local relations continue to carry their own Difference, Distance, and Momentum. Separation may dominate in one relation while binding becomes more effective in another.

Global dispersion and local concentration are therefore not contradictory.

The broader relational network may be moving away from an earlier extreme configuration while, within it, different scales of Momentum continue to coexist. Indeed, precisely because all relations do not change in the same way, the Universe need not end as a uniformly thinning distribution with no distinguishable local configurations.

This begins to disturb another familiar intuition: that space is the stage on which motion occurs.

We usually imagine objects moving within space. Space comes first; objects change their positions within it. When thinking about cosmic expansion, we go one step further and allow the stage itself to stretch. In both pictures, space remains the fundamental framework within which motion is understood.

DISTANCE asks whether that explanatory order must always be preserved.

If relations change first, and if those changes are subsequently observed as geometric separation and spatial configuration, then space may be understood not as the first cause of motion but as **\*\*one geometric layer through which changed relations are expressed and measured\*\***.

This does not make space unreal.

Nor does it make the measurement of distance meaningless. It certainly does not

require abandoning the mathematical description of cosmic expansion. Just as an accurate map can represent changing distances without causing the city to change, the accuracy of a geometric description does not by itself settle the causal priority of geometry over relational dynamics.

Once this distinction is admitted, the word “expansion” begins to carry two different meanings.

In observational and cosmological language, we can continue to say that the Universe expands. Large-scale separations increase, and those changes can be represented through an evolving spatial geometry. In the relational language of DISTANCE, however, the same broad phenomenon can be approached as \*\*network-wide rearrangement and dispersion accompanying Global Momentum resolution\*\*.

These need not be competing descriptions in which one must simply erase the other. They answer different questions.

If the question is how much astronomical separation has changed, geometric description is indispensable. If the question is why the relational configuration of the Universe no longer resembles its earlier extreme state, geometric expansion alone need not exhaust the explanation.

And relational rearrangement involves more than objects changing places.

When configurations separate, the relations in which they participate also change. Some Momentum become less effective, while others can become relatively more important. Dispersion is therefore not merely the sum of positional changes. It is an ongoing change in \*\*what is related to what, and with what effectiveness\*\*.

The immense separations visible in the present Universe may be one expression of that history.

Galaxies are indeed widely separated. But from the perspective of DISTANCE, the separation itself is not the end of the question. What matters is how the broader configuration was rearranged as those separations emerged, which Momentum were resolved in that process, and how new relational conditions appeared within the changing network.

The familiar image of dots on the surface of an inflating balloon makes geometric expansion intuitive. Yet from a relational perspective, the rubber surface of the balloon is no longer the primary object of interest. The focus shifts toward the changing relations among the dots.

Instead of automatically transferring the causal statement “the balloon expanded, therefore the dots moved apart” to the Universe, DISTANCE asks whether widespread

relational rearrangement might be expressed to us as a changing geometry.

This question is not needed in order to deny the observed expansion of the Universe.

It is needed precisely so that the observation can be retained without silently turning one successful geometric representation into the deepest causal explanation.

Cosmic dispersion, viewed in this way, is neither matter exploding outward into an empty container nor necessarily a substance called space stretching first and carrying matter with it.

Momentum is resolved across a broader relational network. That resolution changes the configuration. Within the altered configuration, different Momentum become effective, producing further change. When such changes accumulate across sufficiently large scales, an observer may describe their geometric expression as increasing separation and cosmic expansion.

Yet the story does not end with things becoming farther apart.

When Momentum is resolved and effective Distance changes in one relation, the consequences do not remain confined to that relation. The surrounding configuration is no longer precisely what it was. Global dispersion therefore continually recreates the conditions of local relations, and those newly configured relations become conditions for further Momentum.

The Universe appears to spread not simply because relations are disappearing.

It spreads while relations are continually being rearranged.

## 5 Rearrangement and Relational Distance

When ink disperses through water, the change looks simple from a distance. What was initially concentrated in a small, dark region gradually spreads across a wider volume. Things that were close become more widely separated, and a boundary that once appeared sharp becomes increasingly difficult to distinguish. If we photographed the process only at its beginning and end, the most obvious difference would be one of position and distribution.

Look more closely, however, and something else has changed.

The moment one part of the configuration moves, it does not merely occupy a different position. Its relations with what surrounds it are no longer the same. Something that was strongly related a moment ago may become less effective, while another relation that previously mattered little may become increasingly important. What appears from afar

as a redistribution of positions is also a continuing rearrangement of which relations matter, and how strongly they matter.

Cosmic dispersion has this same double character. At the observational level, it may appear as increasing separation. At the relational level, however, the deeper change is the rearrangement of the network itself.

Suppose that within a particular relation there is unresolved Distance and that the corresponding Momentum is strongly effective in the present configuration. As that Momentum is resolved, the relation does not remain what it was. Its effective Distance increases.

The easiest picture to imagine is two points moving apart. Yet an increase in effective Distance does not necessarily mean an increase in geometric separation. Two configurations may become geometrically closer while their relational Distance increases, just as geometric separation may increase while a strong Momentum relationship remains effective between them. Relational rearrangement therefore means more than objects changing places.

Imagine A and B within a larger configuration. If Momentum in the A–B relation is resolved, that change is not written only into the interval between A and B and then sealed off from everything else. A may also stand in relation to C, D, and many other configurations, as may B. Once A–B has changed, the configuration containing them is no longer precisely the same, and the conditions of A–C, A–D, B–C, and other connected relations cannot simply be assumed to remain unchanged.

A spiderweb offers an intuitive image. Pull one thread slightly and the change does not remain confined to that thread. Tension shifts through connected threads; a region that barely moved before may now move more visibly, while another may become more constrained. The entire web does not respond uniformly, but neither is the original disturbance isolated from the network in which it occurred.

Momentum resolution behaves similarly at the relational level. A change in one relation alters the configuration in which other relations coexist. Within that altered configuration, what counts as a significant Difference, which effective Distance is relatively short, and which Momentum becomes more strongly effective need not remain as they were before.

This becomes especially important when motion is considered at different scales. Global Momentum should not be imagined as one enormous arrow pushing every local configuration in the same geometric direction, nor should global Equalization be pictured

as a master process issuing instructions to smaller processes. The global level refers instead to the broader relational configuration within which many Momentum coexist and within which changes at different scales become effective together.

When that broader configuration changes, the conditions of local relations change with it. Differences that were previously difficult to distinguish may become significant; effective Distances that had little observable consequence may acquire greater relevance; Momentum that had remained weakly expressed may become more prominent. Local Difference, Distance, and Momentum are therefore inseparable from the broader relational configuration in which they become effective.

Yet this dependence does not run in only one direction.

Once local Momentum becomes effective and produces observable change, that change is itself a change in the relational network. A local configuration does not merely receive conditions from a broader process and then remain external to it. Its realized changes alter relations with surrounding configurations and thereby modify the broader state within which subsequent Momentum become effective.

The broader configuration and local dynamics must therefore be understood through their continuing relational dependence. Broader rearrangement reshapes the conditions under which local Difference, Distance, and Momentum become effective, while realized local changes participate in the continuing rearrangement of the broader configuration. Neither scale can be reduced to the other.

This does not make the distinction between global and local meaningless. The distinction concerns the scope at which a relational configuration is being considered. A broader configuration can constrain many local relations simultaneously without functioning as a single prior force, while local relations can possess genuine Difference, Distance, and Momentum without becoming independent fragments detached from the wider network.

Global Momentum does not shatter into local Momentum. Nor is Global Momentum merely the sum of already independent local Momentum. What we call global and local describes relational configurations at different effective scales, each participating in the conditions through which the other becomes observable.

A tidal pool along a rocky shore offers a useful analogy. At low tide, a small pool may remain between the rocks. Within it are currents, grains of sand, small organisms, and countless local interactions. Viewed closely, the pool seems almost like a little world of its own.

Then the tide returns.

The sea does not dictate the trajectory of every grain of sand or command each organism to move in a particular direction. Yet the broader condition changes. The water level rises, new channels open between the pool and the sea, currents change, and relations that were previously confined within the pool are placed under different conditions. At the same time, what occurs within the pool contributes, however locally, to the configuration of flows, boundaries, and exchanges through which the broader state is realized.

The analogy should not be taken too literally. Global Momentum is not an external sea surrounding local objects, and relational Distance is not simply the distance between locations in a pool. The point is narrower: a local relation cannot always be understood as though the broader configuration in which it exists were fixed, just as the broader configuration cannot be understood as though realized local changes were irrelevant to its continuing rearrangement.

Reconstruction, in this sense, does not mean design. Nothing at the global level draws a blueprint for the local structures that will appear. Global Equalization does not decide which local Difference should form or which Momentum should become effective. Reconstruction simply means that, as the relational configuration changes, the conditions under which Difference, Distance, and Momentum become effective at different scales change with it.

A city provides another familiar example. Suppose a major bridge is closed. The physical streets in distant neighborhoods may remain exactly where they were, yet their practical relations within the transportation network change immediately. A small road that previously carried little traffic may suddenly become important, while another route may lose much of its role. No central hand needs to push every car into its new position for this to happen. The altered network changes the significance of local connections, while the resulting changes in local traffic themselves become part of the network's new state.

Relational Distance is not traffic distance, of course. The example is useful only because it reveals how the effective meaning of a local relation can depend upon a larger configuration without becoming unreal or merely derivative.

The early dispersion of the Universe can therefore be understood as more than an increase in separation. Across a broader relational configuration, Momentum resolution changes effective Distances and rearranges the relations within which other Momentum coexist. Within that rearrangement, local Difference, Distance, and Momentum can become increasingly distinguishable. Once effective, those local Momentum produce further

changes that themselves enter the relational configuration.

Local Difference is not debris left over after a global process. Local Distance is not merely a fixed interval waiting inside an already completed spatial container. And local Momentum is not a small piece chipped away from Global Momentum. They are genuine relational features at the scales at which they become effective, while remaining inseparable from the broader configuration within which those scales are distinguished.

If a particular local relation has a shorter effective Distance, its corresponding Momentum is more strongly effective. That Momentum may therefore become prominent in the observable dynamics of the local configuration. What we ordinarily describe as an object moving can emerge naturally at this level, even though the configuration we call the object remains embedded within relations extending beyond it.

This does not weaken local physics, nor does it require local dynamics to reproduce a single global directionality. Different parts of the network can acquire different relational conditions. Local Difference and Distance can therefore be configured differently from one relation to another and from one scale to another, so the Momentum that becomes strongly effective in one local configuration need not share the geometric directionality prominent elsewhere.

If broader Momentum is treated as a single governing cause, every local motion begins to look like a passive consequence of one cosmic movement. If local Momentum is treated as entirely autonomous, the broader relational configuration disappears and the Universe returns to a collection of independent objects. Neither reduction captures the relational structure at work.

Broader Momentum and Equalization, relational-network rearrangement, local Difference, Distance, and Momentum, and observable local dynamics remain coupled through continuing change. Changes in the broader configuration reshape the conditions under which local Momentum become effective; realized local changes, because they alter relations, reshape the broader configuration in turn.

Greater dispersion at one scale can therefore coexist with greater differentiation at another. Relations that were difficult to distinguish within a highly bound configuration may become more locally specific as the network is rearranged. One Momentum may be undergoing resolution while the rearrangement associated with that resolution changes the conditions under which other Difference, Distance, and Momentum become effective. The resolution of one relation does not leave behind an empty relational vacuum; it changes the configuration in which other relations exist.



Seen from far away, the result may look like dispersion. Seen more closely, it can look like increasing differentiation. These are not necessarily separate episodes, nor does one have to wait for the other to finish. The same changing network can exhibit broad dispersion, local differentiation, binding, and further rearrangement at the same time.

The Universe does not first complete its global motion and then begin its local motions. The scales coexist, continuously altering the conditions under which Momentum becomes effective at each.

Out of this continuing rearrangement, some local configurations will be fleeting. Others may persist. Once a configuration can remain distinguishable while the relations around and within it continue to change, motion has produced something that begins to look remarkably familiar to an observer: not an isolated object outside the relational network, but a persistent configuration within it.

## 6 Persistent Relational Configurations and Islands

If the Universe is continually being rearranged, perhaps the more difficult thing to explain is not change, but what remains.

A star was a star yesterday and is still recognizable as a star today. Earth exchanges matter and energy with its surroundings and yet remains distinguishable as Earth. A stone on a shore is worn by wind and rain while countless changes occur within it, yet we readily identify the stone we see today as the same stone we saw yesterday. At smaller scales, atoms and molecules likewise appear as configurations that can remain distinguishable under appropriate conditions.

Persistence is so familiar that it rarely strikes us as strange. We usually begin by assuming that an object exists and then ask how long it can remain intact. Once we begin instead with a relational network undergoing continuous rearrangement, however, the question changes. If relations keep changing, and if the relative effectiveness of Momentum changes with their configuration, how can anything remain distinguishable from its surroundings at all?

Consider a whirlpool in a river. The water composing it is continually replaced. Water that belonged to the whirlpool a moment ago moves downstream while new water enters, yet for some interval we can still point to the same place and say that the whirlpool remains there. Its persistence does not require every piece of matter composing it to remain unchanged. What persists is a recognizable configuration within continuing change.

An Island need not be understood literally as a whirlpool. The analogy serves only to expose a simpler point: persistence does not require change to stop. A configuration can remain distinguishable even while the relations composing and surrounding it continue to change.

The continuing resolution of Momentum across a wider network therefore does not require every local configuration to dissolve immediately. Within any configuration, multiple Momentum coexist, and some relational bindings can be much stronger than others. Such strongly effective relations do not exist outside the rest of the Universe; they coexist with other Momentum operating within and around the same configuration.

Some Momentum may support similar directionality. Others may constrain one another. Some may substantially cancel one another in their observable effects, while still others may change their effectiveness as the surrounding configuration is rearranged. Under certain conditions, these interactions can leave a particular configuration changing less, at the scale at which it is observed, than the configurations around it.

DISTANCE calls such a persistent configuration an Island.

The name can be misleading if it suggests something severed from the rest of the Universe. Even a geographical island is not truly isolated from the sea around it. Waves reshape its shore, wind carries material across its boundary, and heat, water, organisms, and matter continually pass between island and surroundings. What makes it recognizable as an island is not the absence of exchange, but the persistence of a distinction through that exchange.

A physical Island is similar in this respect. A star continually exchanges energy and matter with its surroundings. A planet remains related to other astronomical configurations. A stone exchanges heat with its environment. An atom does not cease to participate in relations merely because we can identify it as one atom. Yet at an appropriate scale and under appropriate conditions, each can remain distinguishable as a persistent configuration.

The boundary of an Island is therefore not necessarily a wall. A wall suggests a place where inside and outside cease to interact. A relational boundary need not work that way. A configuration can remain distinguishable because the relations binding what we identify as its interior remain sufficiently different from the relations through which it interacts with its surroundings.

Distinction emerges without absolute disconnection.

Imagine several magnets lying on a table. If a few of them become strongly bound and

move together as a cluster, we may begin to treat the cluster as one configuration. That does not mean the cluster has ceased to interact with other magnets nearby. Change their positions and the external relations change as well. The cluster remains recognizable only while its internal binding continues to constrain how readily its components separate or rearrange.

An Island cannot, of course, be reduced to magnetic attraction. The example is useful only because it makes one point visible: a distinguishable configuration does not require relational isolation.

Nor is a large amount of Momentum by itself sufficient to produce persistence. If many Momentum become strongly effective in incompatible ways and continually reconfigure a local state, a stable distinction may be difficult to sustain. What matters is not simply how much Momentum exists, but how coexisting Momentum constrain, cancel, reinforce, and rearrange one another within a configuration.

Strong relational bindings can limit some available changes. Other Momentum may oppose or partially cancel one another, while still others may change their effectiveness as the surrounding network changes. The result can be a configuration in which the observable directionality of change becomes relatively subdued even though Momentum itself has not disappeared.

This reverses a familiar intuition. We often associate strong interaction with violent motion: if something is strongly bound or strongly acted upon, we expect dramatic change. Yet several strong Momentum can coexist in such a way that they constrain one another, producing less observable change rather than more.

A point on a sheet pulled tightly from several directions provides a simple image. The point may barely move, not because nothing acts through its relations, but because multiple tensions constrain the direction in which it can move. Persistence can arise in a similar relational manner.

The relevant condition is a relative Momentum lull.

A lull does not mean that Momentum has vanished. Momentum is always present. Nor does it mean that Equalization has stopped inside or around the configuration. Multiple broader and local processes continue to coexist. Strong relational bindings, together with other Momentum that constrain, cancel, reinforce, or rearrange one another, can nevertheless produce a configuration whose observable change is relatively small.

Such persistence is not a goal pursued by the Universe. Relations do not seek stable structures, and Equalization does not select configurations because their survival would be

useful. A relatively persistent configuration can arise when coexisting Momentum happen to constrain observable change sufficiently for a distinction to remain recognizable.

If that condition persists long enough, an observer sees an object.

A stone appears, a planet appears, a star appears. Once such configurations become familiar, we naturally give them names. After naming them, it becomes easy to imagine that each must always have existed first as an independent thing, with relations added afterward. Yet relations and Momentum were already present. What becomes newly available to observation is a configuration persistent enough to be distinguished as one.

The object is observed through the persistence of the configuration.

This does not make an Island motionless. Mountains move, continents change, and stars undergo immense internal transformations. Even what appears to us as a rigid solid contains dynamics at smaller scales. A configuration that looks stable from one observational scale can be highly dynamic from another. Persistence is therefore relational and scale-dependent rather than absolute.

Foam on a wave may persist for only seconds. To us, its existence seems brief. A star may remain recognizable for billions of years. Yet neither persists because it has escaped the relational Universe. At its relevant scale, each remains distinguishable because its configuration resists immediate dissolution into the changes surrounding it.

This gives the ordinary statement “an object exists” an additional layer. For everyday purposes, a stone simply is a stone. There is no need to dissolve it conceptually into a relational network every time we pick it up. Science likewise gains enormous explanatory power by treating sufficiently persistent configurations as objects with identifiable properties. DISTANCE need not reject that practice.

But persistence should not be confused with independence.

An Island is not an exception standing outside change. It is a particular form of persistence produced within change.

Some configurations endure; others disappear almost as soon as they arise. A ripple pattern in sand and a rock formation may differ enormously in persistence, but neither exists outside change. The relevant difference is not whether change is present. It is how long a configuration of relations can remain distinguishable while Momentum continues to be resolved within and around it.

For the same reason, the boundary of an Island is never guaranteed to be permanent. As the surrounding configuration changes, Momentum that were previously weak may become strongly effective. Internal bindings can change. A balance in which sev-

eral Momentum largely constrained or canceled one another can be disturbed, allowing a directionality that was previously subdued to become observable.

An apparently stable Island may then change. It may divide, combine with another configuration, or gradually lose the distinction by which an observer had treated it as one entity. Persistence never implies exemption from broader relational dynamics.

But neither does this make the Island an illusion.

A persistent configuration is observable. Its behavior can be measured, its interactions can be described, and under suitable conditions its motion can be predicted. The important point is simply that persistence and independence are not the same thing.

An Island does not persist because it has no relations. It can persist because of the way its many relations coexist. Strong relational bindings constrain some changes; other Momentum oppose, cancel, reinforce, or redirect one another; and changes in the surrounding configuration continually modify the conditions under which all of them become effective. Under some configurations, the observable result is a relative Momentum lull, and that lull can preserve a recognizable configuration across continuing change.

Stability and change are therefore no longer simple opposites. Stability is not the absence of change; it can be the relative persistence produced by changing relations that constrain one another.

Nor is this persistence exclusively local in the sense of being sealed off from broader rearrangement. Changes in the wider configuration alter the conditions under which an Island remains distinguishable, while changes realized within and around an Island become part of that wider configuration. Broad dispersion can coexist with local binding, just as persistent local configurations can participate in continuing rearrangement without ceasing to be recognizable.

What we call an object appears within this coexistence—not where change has stopped, and not where relation has disappeared, but where changing relations maintain a sufficiently persistent configuration for a distinction to remain observable.

An Island is not what escapes the motion of the Universe. It is what, within that motion, persists long enough to be seen as one.

## 7 Coexisting Momentum and Observable Motion

When we watch an object move, we naturally see a single motion. A ball flies through the air, a stone falls, a planet moves. If we photograph the motion continuously, the

changing position of the object traces a trajectory. Over a sufficiently short interval, we can determine how fast it is moving and in which direction.

Observable motion is clear, and for that very reason it is easy to assume that a single motion must correspond to a single cause.

Consider a small boat moving across the sea. From a distance, the boat may appear to be traveling north. Mark its successive positions on a map and we can draw a single arrow representing its motion. Yet that arrow does not contain all the dynamical conditions surrounding the boat. Wind is blowing, waves are pushing against the hull, currents are moving beneath it, the shape of the boat and the resistance of the water matter, and inside the boat the engine and propulsion system generate still other motion. The single direction we observe is not what remains after all these influences have somehow been erased. It is the change that becomes effective while all of them coexist.

Motion in the Universe can be viewed in much the same way.

Even when an Island persists as a distinguishable configuration, it does not possess only one Momentum. There are relations that bind its internal configuration, relations connecting it with surrounding Islands, and relations that change together with the broader configuration in which it exists. Each relation carries its own Difference and Distance, and corresponding Momentum coexist within them.

Some of these Momentum may have similar directionality. Others may become effective in different directions. Still others may constrain or substantially cancel one another. A Momentum that is barely observable at one moment may become much more prominent when the configuration changes.

Yet an observer does not see each of these Momentum separately. What the observer sees is the change that becomes effective under the present configuration.

Imagine a point on a sheet pulled tightly in several directions. Strong tensions may exist throughout the sheet while the point itself barely moves. If we looked only at the absence of visible movement and concluded that no relational tension existed, we would be confusing the observable result with the state that produces it.

Now suppose the condition on one side changes slightly and the point begins to move. This does not necessarily mean that a new Momentum suddenly came into existence. Momentum already coexisting within the configuration may simply have changed in their relative effectiveness, allowing one directionality to become more prominent than the others.

Observable motion is therefore not an inventory of the Momentum that exist. It is

the observable directionality produced by the changing balance of coexisting Momentum within the present configuration.

Seen this way, the boundary between motion and rest also begins to look different.

A stone resting on a table appears motionless because, at the scale of our observation, its position changes very little. But this state cannot be identified with the absence of Momentum. Countless relations exist within the configuration we call the stone, and relations also exist between the stone, Earth, surrounding matter, and its environment. If the Momentum associated with these relations constrain and substantially cancel one another while the present configuration persists, observable positional change may remain small.

Rest, therefore, is not necessarily the absence of motion at the relational level. Under certain observational conditions, it can instead be one observable state produced by the coexistence of multiple Momentum.

The same principle helps explain how an Island can remain persistent without becoming dynamically empty. Some relations contribute to internal binding; other relations can alter that binding; still others arise from the changing configuration surrounding the Island. Not all of their corresponding Momentum become effective in the same direction at the same moment. Some constrain others, some substantially cancel one another, and some produce internal change while remaining almost invisible in the motion of the Island as a whole. Only some become clearly expressed as the macroscopic motion identified by an external observer.

When we throw a stone, for example, we see a single object following what appears to be a single trajectory. That description is not wrong. Measuring and predicting motion often requires precisely such a representation. But the observed trajectory need not be placed at the deepest explanatory layer. The line we see can instead be understood as the accumulated expression of whichever directionality becomes effective within changing relations at each moment.

And that effectiveness is never guaranteed to remain fixed.

When Momentum produces actual change, the configuration itself changes. Once the configuration changes, the relative effectiveness of other coexisting Momentum can change as well. A directionality that dominated observable motion a moment ago may weaken, while another may become more prominent.

A trajectory can therefore be read not as motion proceeding along a line already laid out in advance, but as the trace left by observable directionality continuously emerging

from changing relational configurations.

This also makes it easier to understand why the motion of what appears to be the same object can change when its circumstances change. If an Island were an independent entity carrying a fixed Momentum entirely within itself, any alteration in its motion would naturally be imagined as something new being added from outside. But if the Island itself is a distinguishable configuration already embedded in countless relations, a change in its surroundings is simultaneously a change in the relational configuration in which the Island exists.

When that configuration changes, what becomes effective can change.

A relation that was barely observable at great separation may become important under a different configuration. The appearance of another configuration nearby may alter the balance among Momentum that were already present. Changes within the Island itself may likewise alter the directionality observable from outside.

The observer still sees the motion of one object. Beneath that single observable motion, however, there is not necessarily a single Momentum, but a continuously changing balance among coexisting Momentum.

Ordinary language need not be abandoned to recognize this. We can still say that a car moves forward, that Earth moves around the Sun, that a stone falls, or that a satellite follows an orbit. Such descriptions are extraordinarily effective compressions of observable phenomena. What changes is the assumption that one object performing one motion must therefore be isolated from the rest of the Universe and moved by one independent Momentum.

Observable motion can instead be the effective expression, at a particular scale, of many Momentum coexisting within a relational network.

This is also why the same configuration can appear to exhibit very different motion at different observational scales. From far away, a star may appear almost unchanged. Seen more closely, immense internal changes are continuously occurring. A galaxy observed from a great distance may appear to move as one configuration, while within it countless stars and other configurations exhibit very different local dynamics.

One description is not necessarily true and the other false. The unit of observable motion depends on the scale at which an observer distinguishes change. Across those scales, however, the same relational principle remains: motion is not fundamentally a collection of independent objects each carrying an isolated Momentum. Multiple Momentum coexist, and their relative effectiveness participates in determining which directionality



becomes observable.

The extreme relational state from which cosmic change can be considered and the highly differentiated Universe visible today are not separated by a moment at which Momentum suddenly appeared. Momentum was already present before the familiar objects through which we now observe it became distinguishable. Relational asymmetry differentiated its effectiveness, changing configurations opened multiple possibilities of resolution, and realized changes continually rearranged the relations in which further Momentum became effective.

Within that continuing rearrangement, local Difference, Distance, and Momentum became increasingly distinguishable, and some configurations persisted long enough to become Islands. Yet this differentiation did not divide the Universe into autonomous pieces. Changes in broader configurations continued to alter the conditions of local relations, while realized local changes continued to modify the broader configurations in which they occurred.

Global and local therefore describe different scopes within a relational process that remains mutually connected. Neither a single global Momentum prescribing local motion nor a collection of autonomous local Momentum assembled afterward into a global whole is sufficient. Broader configurations and local dynamics coexist, constraining and reorganizing the conditions under which one another become effective.

The Universe is unlike a gigantic billiard table populated by independent balls, each carrying its own Momentum. In the billiard-table picture, the balls come first. Each has a clear boundary, and until collision they can often be treated as moving independently. Their motions become relational only when one ball strikes another.

Relations in the Universe do not suddenly come into existence at the moment of collision. Momentum is not sealed inside an object until contact allows it to encounter another Momentum. The configuration we distinguish as an Island already persists within numerous relations, and the corresponding Momentum coexist within and around it.

Observable motion is therefore not the moment at which relation begins. It is the way an already relational Universe makes its changing balance visible.

This does not mean that every quantity conventionally called force, velocity, or motion should simply be renamed Momentum. Such a substitution would leave the object-centered picture intact beneath different vocabulary. The shift lies instead in asking what relational configuration makes a particular observable motion possible, which Momentum coexist within that configuration, how their relative effectiveness changes, and why one

directionality becomes prominent at a particular moment.

Several Momentum may reinforce similar directionality. Others may constrain or cancel one another. Still others may remain nearly invisible at the observational scale under consideration. The direction we see is the expression produced by this coexistence under the present configuration.

Once realized, that change alters the relations again. The changed configuration modifies the balance among coexisting Momentum, and another directionality may become more strongly observable. Changes at a local scale thereby participate in the continuing rearrangement of broader relations, while changes in the broader configuration alter the conditions under which local Difference, Distance, and Momentum become effective.

Stars move, planets orbit, stones fall, matter binds and disperses. Each can be observed as a distinct event, yet beneath those events countless Momentum coexist while their relative effectiveness continually changes. Some directionality becomes strongly observable for a moment while another remains almost invisible. Some configurations persist long enough to become Islands, while others rapidly lose their distinction as the balance among Momentum changes.

The observer does not see this entire relational configuration at once. We see the resulting motion.

What appears before us as one object performing one motion is therefore not evidence that only one Momentum exists, nor that the moving object has become independent of the network in which it persists. It is the observable expression of a relational configuration in which countless Momentum coexist, constrain one another, change in relative effectiveness, and are themselves reconfigured by the changes they produce.

A single trajectory can thus be clear without the Universe beneath it being simple. The line traced by the moving object is what becomes visible. Beneath that line lies a continually changing field of relations in which many possible directionalities coexist, while only some become strongly effective at the scale from which we observe them.

Motion, in this sense, is neither the private possession of an isolated object nor the passive local consequence of a prior global command. It is the observable directionality through which a relational Universe, at a particular scale and under a particular configuration, becomes effective in change.