



AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:
File: AIPE_SiC_Buck_Power.kicad_pcb

Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg

Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 1/6




AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:
File: AIPE_SiC_Buck_Power.kicad_pcb

Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg

Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 2/6




AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:
File: AIPE_SiC_Buck_Power.kicad_pcb

Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg

Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 3/6



AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:
File: AIPE_SiC_Buck_Power.kicad_pcb

Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg

Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 4/6

PE

DANGER – 400 V DC – HAZARDOUS – DC LINK LIVE: DISCHARGE 60 s AFTER SWITCH-OFF

HEATSINK LAM 5 D K 100 x 100 x 50 – FAN

AIR FLOW –->

VOUT+

PGND

VIN+

PGND

RELAY

RELAY

AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

AIPE SIC BUCK 400V -> 200V / 5kW – POWER BOARD V2

HV SIDE

ISO BARRIER 10 mm – NO COPPER

SELV SIDE


RELAY COIL

FAN

MEZZANINE J7 – PIN 1 RIGHT

AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:		
File: AIPE_SiC_Buck_Power.kicad_pcb		
Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg		
Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 5/6



AI-GENERATED ENGINEERING PROTOTYPE – V2 – HUMAN REVIEW REQUIRED

Sheet:
File: AIPE_SiC_Buck_Power.kicad_pcb

Title: AIPE SiC buck 400 V -> 200 V / 5 kW – power board (SiC half bridg

Size: A3	Date:	**Rev: V2**
KiCad E.D.A. 10.0.7		Id: 6/6