

# Visualization Term Project

20141087 Ryeongyang Kim      20161206 Jaewoong Lee

November 27, 2019

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
<b>2</b>	<b>Materials</b>	<b>4</b>
2.1	Building Layout . . . . .	4
2.1.1	Main Layout . . . . .	4
2.1.2	Energy Zone Layout . . . . .	4
2.1.3	Prox Zone Layout . . . . .	4
<b>3</b>	<b>Methods</b>	<b>4</b>
3.1	Python Packages . . . . .	4
3.1.1	Scikit-learn: Machine Learning in Python . . . . .	4
3.1.2	Matplotlib . . . . .	5
3.1.3	Pandas . . . . .	5
3.1.4	SciPy . . . . .	5
3.2	TSNE . . . . .	5
3.3	Standardization . . . . .	5
<b>4</b>	<b>Results</b>	<b>5</b>
4.1	Question 1 . . . . .	5
4.1.1	General Information of prox Data . . . . .	5
4.1.2	Workflow . . . . .	5
4.1.3	Movement Direction and Distance . . . . .	5
4.1.4	Department Distribution . . . . .	8
4.1.5	Typical Patterns in prox Data . . . . .	8
4.1.6	Typical Day Look for GAStech employees . . . . .	8
4.2	Question 2 . . . . .	8
4.2.1	General Information of General Building Data . . . . .	8
4.2.2	Workflow . . . . .	8
4.2.3	Correlation within General Building Data . . . . .	8
4.2.4	Plots of General Building Data . . . . .	9
4.2.5	Interesting Patterns . . . . .	9
4.3	Question 3 . . . . .	9
4.3.1	General Information of Hazium Concentration . . . . .	9
4.3.2	Workflow . . . . .	9
4.3.3	Find Abnormality in General Building Data . . . . .	9
4.3.4	Abnormality of Hazium Data . . . . .	11
4.3.5	Correlation between General Building Data and Hazium Data . . . . .	11
4.3.6	Danger for Building Operation . . . . .	11
4.4	Question 4 . . . . .	11
4.4.1	General Information of Moving Average for General Building Data . . . . .	11
4.4.2	Workflow . . . . .	11
4.4.3	Frequency of prox Data . . . . .	11
4.4.4	Correlation between General Building Data and prox Data . . . . .	11
4.4.5	Cause and Effect for the Correlation . . . . .	11
<b>5</b>	<b>Discussion</b>	<b>11</b>

## List of Tables

1	Basic Statistics Data within Movement Distance . . . . .	5
2	Basic Statistics of R-Values . . . . .	9
3	Minimum Values of R-Values . . . . .	9
4	Maximum Values of R-Values . . . . .	10

## List of Figures

1	Main Layout of the building . . . . .	4
2	Energy Zone of the Building . . . . .	4
3	Prox zone of the Building . . . . .	5
4	Distribution of Movement Distance . . . . .	6
5	Workflow for Question 1 . . . . .	6
6	Movement Direction/Distance on First Floor . . . . .	6
7	Movement Direction/Distance on Second Floor . . . . .	7
8	Movement Direction/Distance on Third Floor . . . . .	7
9	TSNE for General Building Data . . . . .	8
10	Workflow for Question 2 . . . . .	8
11	Correlation Heatmap within General Building Data . . . . .	8
12	R-value Distribution within General Building Data . . . . .	9
13	Hazium Data from Different Data Sources . . . . .	10
14	Workflow for Question 3 . . . . .	10
15	Abnormality by Timeline . . . . .	10
16	Workflow for Question 4 . . . . .	11

## 1 Introduction

In this term project, we have to answer several question with virtual building data.

## 2 Materials

## 2.1 Building Layout

To analyzing movement data, we should find corresponding coordinate with zone data. To find matching coordinate, we calculate the approximate center of all zones, and consider the approximate center coordinate as representative of its zone.

### 2.1.1 Main Layout



Figure 1: Main Layout of the building

The main layout of this building is as figure 1.

### 2.1.2 Energy Zone Layout



Figure 2. Energy zones of the Banding

The energy zone of this building is as figure 2.

### 2.1.3 Tax Zone Layout

The prox zone of this building is as figure 3.


### 3 Methods

### 3.1 Python Packages

To analyze data, we used Python programming language. Also, we adopt many Python modules as hereinafter.

### 3.1.1 Scikit-learn: Machine Learning in Python

*Scikit-learn* is a Python module integrating a wide range of state-of-the-art machine learning algorithms for medium-scale supervised and unsupervised problems [1].



(a) First Floor

(b) Second Floor

(c) Third Floor

Figure 3: Prox zone of the Building

### 3.1.2 Matplotlib

*Matplotlib* is a Python 2D plotting library which produces publication quality figures in a variety of hardcopy formats and interactive environments across platforms [2].

### 3.1.3 Pandas

*Pandas* is a Python library of rich data structures and tools for working with structured data sets common to statistic, finance, social sciences, and many other fields [3].

### 3.1.4 SciPy

*SciPy* is a Python-based ecosystem of open-source software for mathematics, science, and engineering [4].

### 3.2 TSNE

T-distributed Stochastic Neighbor Embedding (TSNE) is a machine learning algorithm for visualization high-dimensional data in a low-dimensional space [5].

### 3.3 Standardization

Note that, in this analysis, all values are standardized. In other words, all values are adjusted for the mean value is zero, and standard deviation is 1. If all values in one columns are same, then the column will be discarded.

## 4 Results

4.1 What are the typical patterns in the prox card data? What does a typical day look like for GAStech employees?

#### 4.1.1 General Information of prox Data

First of all, we drew the distribution of movement distance as figure 4. Also, the basic statistics values, such as minimum, maximum, and average, of movement distance is in table 1.

Item	Minimum	Maximum	Average	q1	Median	q3	Standard Deviation
Value	902.44	19999.38	10083.95	5642.54	10688.57	14134.16	4750.46

### 4.1.2 Workflow

With the general information of prox data, we have decided our workflow for question 1 as figure 5.

#### 4.1.3 Movement Direction and Distance

We drew the plot about movement direction and distance with each sub-group as figures 6, 7, and 8. Note that the darkness of arrow is proportioned with number of duplicates.

The movement direction and distance on the first floor is shows as figure 6. In figure 6-(b, c, d), you can see two arrows: one is left-upward arrow, the other is right-downward arrow.




Figure 4: Distribution of Movement Distance




Figure 5: Workflow for Question 1






Figure 6: Movement Direction/Distance on First Floor



(a) 0%-25%


(b) 25%-50%



(c) 50%-75%


(d) 75%-100%

Figure 7: Movement Direction/Distance on Second Floor



(a) 0%-25%

(b) 25%-50%



(c) 50%-75%

(d) 75%-100%

Figure 8: Movement Direction/Distance on Third Floor

#### 4.1.4 Department Distribution

#### 4.1.5 Typical Patterns in prox Data

#### 4.1.6 Typical Day Look for GASTech employees

4.2 Describe up to five of the most interesting patterns that appear in the building data. Describe what is notable about the pattern and explain its possible significance.

#### 4.2.1 General Information of General Building Data

First of section 4.2, we should find about the distribution of general building data. With TSNE technique, we can draw the TSNE plot of general building data as




Figure 9: TSNE for General Building Data

#### 4.2.2 Workflow

Figure 10: Workflow for Question 2

#### 4.2.3 Correlation within General Building Data

We made the correlation heatmap within the general building data to find two columns which have strong positive or negative correlation. The correlation heatmap is as figure 11. Moreover, the R-value distribution with the data which are used in figure 11 is as shown as figure 12.




Figure 11: Correlation Heatmap within General Building Data




Figure 12: R-value Distribution within General Building Data

The basic statistics of these R-values are in table 2.

Table 2: Basic Statistics of R-Values

Item	Minimum	Maximum	Average	q1	Median	q3	Standard Deviation
Value	-0.88	1.0	0.11	-0.12	0.08	0.34	0.37

Furthermore, the extreme values of R-values are in tables 3 and 4.

Table 3: Minimum Values of R-Values

Column1	Column2	R-Value
F_3_Z_11C: Thermostat Temp	F_3_Z_11B VAV REHEAT Damper Position	-0.877076318455652
F_3_Z_11C: Thermostat Temp	F_3_Z_11B SUPPLY INLET Mass Flow Rate	-0.8770746421685551
Supply Side Inlet Temperature	F_3_Z_6: Equipment Power	-0.8764301266869379
Supply Side Inlet Temperature	F_3_Z_6: Lights Power	-0.8764301266869379
Supply Side Inlet Temperature	F_1_Z_4: Lights Power	-0.8743564507417133

As table 3, no combination of columns make R-value to zero. However, as table 4, there are many combinations of columns make R-value 1. In other words, many columns have strong positive correlation with others. However, in table 4, most of combination are (Thermostat Heating Setpoint), (Thermostat Cooling Setpoint), or (Lights Power & Equipment power).

#### 4.2.4 Plots of General Building Data

#### 4.2.5 Interesting Patterns

**4.3 Describe up to five notable anomalies or unusual events you see in the data. Prioritize those issue that are most likely to represent a danger or a serious issue for building operations.**

#### 4.3.1 General Information of Hazium Concentration

In the question 2 or section 4.2, we need to find a danger or a serious issue for building data. Hence, we suppose that a danger will be related with Hazium concentration.

In the figure 13, we can see Hazium concentration of many sources.

#### 4.3.2 Workflow

#### 4.3.3 Find Abnormality in General Building Data

To find patterns which appear in the building data, we should find that normality/abnormality in the building data. However, there are over 400 columns in the general building data; therefore, it is almost impossible to find abnormality column-by-column by human. Hence, we used these four algorithms which are included in scikit-learn: *EllipticEnvelope* [6], *OneClassSVM*, *IsolationForest* [7, 8], and *LocalOutlierFactor* [9].

Moreover, with the data in figure ??, we can display the timeline of abnormality as figure 15.

In the figure 15-(a), we can know that which algorithm consider specific time as abnormal events (yellow marked is abnormal); and, in the figure 15-(b), we can realize that how many algorithms consider specific time as abnormal events.

Table 4: Maximum Values of R-Values

Column1	Column2	R-Value
Water Heater Tank Temperature	Supply Side Outlet Temperature	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_3: Thermostat Heating Setpoint	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_2: Thermostat Heating Setpoint	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_11B: Thermostat Heating Setpoint	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_11A: Thermostat Heating Setpoint	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_10: Thermostat Heating Setpoint	1.0
F_3_Z_7: Thermostat Heating Setpoint	F_3_Z_3: Thermostat Cooling Setpoint	1.0
F_3_Z_7: Thermostat Cooling Setpoint	F_3_Z_2: Thermostat Cooling Setpoint	1.0
F_3_Z_7: Thermostat Cooling Setpoint	F_3_Z_11B: Thermostat Cooling Setpoint	1.0
F_3_Z_7: Thermostat Cooling Setpoint	F_3_Z_11A: Thermostat Cooling Setpoint	1.0
F_3_Z_7: Thermostat Cooling Setpoint	F_3_Z_10: Thermostat Cooling Setpoint	1.0
F_3_Z_6: Thermostat Heating Setpoint	F_3_Z_5: Thermostat Heating Setpoint	1.0
F_3_Z_6: Thermostat Cooling Setpoint	F_3_Z_5: Thermostat Cooling Setpoint	1.0
F_3_Z_6: Lights Power	F_3_Z_6: Equipment Power	1.0
F_3_Z_5: Lights Power	F_3_Z_5: Equipment Power	1.0
F_3_Z_3: Thermostat Heating Setpoint	F_3_Z_2: Thermostat Heating Setpoint	1.0
F_3_Z_3: Thermostat Heating Setpoint	F_3_Z_11B: Thermostat Heating Setpoint	1.0
F_3_Z_3: Thermostat Heating Setpoint	F_3_Z_11A: Thermostat Heating Setpoint	1.0
F_3_Z_3: Thermostat Heating Setpoint	F_3_Z_10: Thermostat Heating Setpoint	1.0
F_3_Z_3: Thermostat Cooling Setpoint	F_3_Z_2: Thermostat Cooling Setpoint	1.0
F_3_Z_3: Thermostat Cooling Setpoint	F_3_Z_11B: Thermostat Cooling Setpoint	1.0
F_3_Z_3: Thermostat Cooling Setpoint	F_3_Z_11A: Thermostat Cooling Setpoint	1.0
F_3_Z_3: Thermostat Cooling Setpoint	F_3_Z_10: Thermostat Cooling Setpoint	1.0
F_3_Z_3: Lights Power	F_3_Z_3: Equipment Power	1.0
(omitted...)	(omitted...)	(omitted...)




Figure 13: Hazium Data from Different Data Sources

Figure 14: Workflow for Question 3




Figure 15: Abnormality by Timeline

#### **4.3.4 Abnormality of Hazium Data**

#### **4.3.5 Correlation between General Building Data and Hazium Data**

#### **4.3.6 Danger for Building Operation**

**4.4 Describe up to three observed relationships between the proximity card data and building data elements. If you find a causal relationship, describe your discovered cause and effect, the evidence you found to support it, and your level of confidence in your assessment of the relationship.**

#### **4.4.1 General Information of Moving Average for General Building Data**

#### **4.4.2 Workflow**

Figure 16: Workflow for Question 4

#### **4.4.3 Frequency of prox Data**

#### **4.4.4 Correlation between General Building Data and prox Data**

#### **4.4.5 Cause and Effect for the Correlation**

## **5 Discussion**

## **References**

- [1] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, *et al.*, “Scikit-learn: Machine learning in python,” *Journal of machine learning research*, vol. 12, no. Oct, pp. 2825–2830, 2011.
- [2] J. D. Hunter, “Matplotlib: A 2d graphics environment,” *Computing in science & engineering*, vol. 9, no. 3, p. 90, 2007.
- [3] W. McKinney, “pandas: a foundational python library for data analysis and statistics,” *Python for High Performance and Scientific Computing*, vol. 14, 2011.
- [4] E. Jones, T. Oliphant, P. Peterson, *et al.*, “Scipy: Open source scientific tools for python,” 2001.
- [5] L. v. d. Maaten and G. Hinton, “Visualizing data using t-sne,” *Journal of machine learning research*, vol. 9, no. Nov, pp. 2579–2605, 2008.
- [6] P. J. Rousseeuw and K. V. Driessens, “A fast algorithm for the minimum covariance determinant estimator,” *Technometrics*, vol. 41, no. 3, pp. 212–223, 1999.
- [7] F. T. Liu, K. M. Ting, and Z.-H. Zhou, “Isolation forest,” in *2008 Eighth IEEE International Conference on Data Mining*, pp. 413–422, IEEE, 2008.
- [8] F. T. Liu, K. M. Ting, and Z.-H. Zhou, “Isolation-based anomaly detection,” *ACM Transactions on Knowledge Discovery from Data (TKDD)*, vol. 6, no. 1, p. 3, 2012.
- [9] M. M. Breunig, H.-P. Kriegel, R. T. Ng, and J. Sander, “Lof: identifying density-based local outliers,” in *ACM sigmod record*, vol. 29, pp. 93–104, ACM, 2000.