



[Sign Index](#)


Sign Image	Sign Code	Description	Size (W x H)
	TES13699 or RX-11	13699	1200 x 1650
	Railway Crossing Position With Target Board 2 Tracks Stop Look For Trains	13908(2)	750 x 1800
	Event Parking restrictions	19086	1200 x 1650
	Stadium Parking	19120	1200 x 1650
	Red Stop Disc Signal (Operational Tram Sign)	332-A3-11-2423	230 x 230
	Compulsory Stop (Operational Tram Sign)	CS2-DRG-352357	450 x 300
	Stopping Place (Operational Tram Sign)	CS2-DRG-352358	450 x 300

Sign Image	Sign Code	Description	Size (W x H)
	Start Single Line Working (Operational Tram Sign)	CS2-DRG-352359	550 x 450
	End Single Line Working (Operational Tram Sign)	CS2-DRG-352360	550 x 450
	Induction Loop (Operational Tram Sign)	CS2-DRG-352361	300 x 450
	Sound Bell (Operational Tram Sign)	CS2-DRG-352362	450 x 400
	Fouling Point (Operational Tram Sign)	CS2-DRG-352363	450 x 300
	Shunt Limit (Operational Tram Sign)	CS2-DRG-352364	450 x 300
	Unidirectional Hazard Marker	D4-1-1B D4-1-1A	3200 x 800 1600 x 400
	Unidirectional Hazard Marker	D4-1-2B D4-1-2A	600 x 600 450 x 450

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Bidirectional Hazard Marker	D4-2-2B D4-2-2A	400 x 1000 300 x 750
	Bidirectional Hazard Marker (for larger size use D4-SA2-1)	D4-2-3B D4-2-3A	3200 x 800 1600 x 400
	Width Marker (L or R) (left shown)	D4-3A D4-3B	225 x 450 450 x 900
	Obstruction Marker	D4-5	1800 x 400
	Chevron Alignment Marker	D4-6S D4-6A D4-6B D4-6C	450 x 600 600 x 750 750 x 900 900 x 1125
	Chevron Median Marker	D4-SA100C D4-SA100B D4-SA100A	200 x 1200 150 x 1200 100 x 1200
	Vertical Chevron Marker	D4-SA101	150 x 900
	Unidirectional Hazard Board	D4-SA1-1	2400 x 400
	Hazard Marker For Convex Nose Assembly on a Low Maintenance Attenuator ONLY	D4-SA1-4	1000 x 450

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Bidirectional Hazard Board	D4-SA2-1	2400 x 400
	Bidirectional Hazard Marker (Smaller)	D4-SA2-S	400 x 600
	Obstruction Board	D4-SA5 D4-5	2400 x 400 1800 x 400
	Hazard Marker For Type F Concrete Safety Barrier ONLY	D4-SA50-1	240 x 445
	Hazard Marker for VCB Concrete Safety Barrier or Temporary Bollard	D4-SA50-2	150 x 450
	Width Marker for ET2000 Terminal Ends (L or R) (right shown)	D4-SA51-1	350 x 700
	Width Marker for SKT Terminal (L or R) (right shown)	D4-SA51-2	490 x 490
	Disability Access Arrow Symbol	DA-1	250 x 250

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Disability Access Train Symbol	DA-101	250 x 250
	Disability Access Zone X Symbol	DA-102	600 x 450
	Disability Access Bus Symbol	DA-2	250 x 250
	Disability Access Parking Symbol	DA-3	250 x 250
	Disability Access Tram Symbol	DA-4	250 x 250
	Disability Access Disabled Symbol	DA-5	250 x 250
	Kilometre Plate	G10-3	450 x 450
	Finger with Distance , Destination and Route No.	G3-3	0 x 0

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Rural Road Name Sign	G3-5	0 x 0
	Finger Board Guide Sign (Refer to G3-SA6)	G3-6	1350 x 200
	Finger Board Guide Sign	G3-SA6-1	1350 x 200
	Fingerboard Guide Sign Double Ended	G3-SA6-2	2700 x 200
	Town Name	G6-1	1350 x 250
	Stream/River/Creek Name	G6-2	1350 x 200
	Gate x	G6-SA101A G6-SA101AA	450 x 150 300 x 100
	Passable to Off-Road Vehicles Only	G6-SA50	1200 x 600
	Controlled Access Road	G6-SA80	600 x 450
	Advance - No (symbol) Next 'xxx' km	G7-10-1B G7-10-1A	1350 x 1800 900 x 1200
	Parking Direction (L or R)	G7-11	870 x 150
	Advance - Service Symbol 'xxx' m on Left (1 symbol) Formerly G7-SA107-1	G7-1-1A MOD G7-1-1B	900 x 1200 1200 x 1800



Sign Image	Sign Code	Description	Size (W x H)
	Parking Direction with Name	G7-12	800 x 850
	Advance - Service Symbol 'xxx' m on Left (2 symbols) Formerly G7-SA107-2	G7-1-2A MOD G7-1-2B	1200 x 1050 1485 x 1485
	Help Phone	G7-13B G7-13A	600 x 600 400 x 400
	Advance Sign - Service Symbol 'xxx' m on Left (3) Formerly G7-SA107-3	G7-1-3B G7-1-3A MOD	2220 x 1485 1200 x 1500
	Advance Sign - Service Symbol 'xxx' m on Left (4) Formerly G7-SA107-4	G7-1-4B G7-1-4A MOD	1485 x 2052 1200 x 1500
	Advance Sign - Service Symbol 'xxx' m on Right (1) Formerly G7-SA107-1	G7-2-1B G7-2-1A MOD	1200 x 1800 900 x 1200
	Advance Sign - Service Symbol 'xxx' m on Right (2) Formerly G7-SA107-2	G7-2-2A MOD G7-2-2B	1200 x 1050 1485 x 1485

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Advance- Service Symbol 'xxx' m on Right (3 symbols) Formerly G7-SA107-3	G7-2-3A MOD G7-2-3B	1200 x 1500 2220 x 1485
	Advance Sign - Service Symbol 'xxx' m on Right (4) Formerly G7-SA107-4	G7-2-4B G7-2-4A MOD	1485 x 2052 1200 x 1500
	Position Sign - Service Symbol (1) L or R Formerly G7-SA106-1	G7-3-1B G7-3-1A MOD	975 x 1350 800 x 900
	Position Sign - Service Symbol (2) L or R Formerly G7-SA106-2	G7-3-2B G7-3-2A MOD	1695 x 1485 1200 x 900
	Position Sign - Service Symbol (3) L or R Formerly G7-SA106-3	G7-3-3B G7-3-3A MOD	1695 x 2050 1200 x 1350
	Position - Service Symbol (4 symbols) L or R Formerly G7-SA106-4	G7-3-4B G7-3-4A MOD	1695 x 2050 1200 x 1350
	Position - Service Symbol (2 symbols) intersection style (L or R) Formerly G7- SA115-2	G7-4-2B G7-4-2A MOD	2565 x 855 1650 x 600
	Position - Service Symbol (3 symbols) intersection style (L or R) Formerly G7-SA115-3	G7-4-3A MOD G7-4-3B	2100 x 600 3195 x 855


<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Position Sign - Service Symbol (4) intersection style (L or R) Formerly G7-SA115-4	G7-4-4A MOD G7-4-4B	2550 x 600 3825 x 855
	Location - Service Symbols (1 symbol) with no direction Formerly G7-SA111-1	G7-6-1B G7-6-1A MOD	1035 x 900 600 x 600
	Location Sign - Service Symbols (2) with no direction Formerly G7-SA111-2	G7-6-2A MOD G7-6-2B	1200 x 600 1695 x 855
	Location Sign - Service Symbols (3) with no direction Formerly G7-SA111-3	G7-6-3A MOD G7-6-3B	1200 x 1050 1695 x 1485
	Location Sign - Service Symbols (4) with no direction Formerly G7-SA111-4	G7-6-4A MOD G7-6-4B	1200 x 1050 1620 x 1420
	Advance - Service Symbol Turn Left 'xxx' m (1 symbol) Formerly G7-SA108-1	G7-7-1B G7-7-1A MOD	1200 x 1800 900 x 1200
	Advance Sign - Service Symbol Turn Left 'xxx' m (2) Formerly G7-SA108-2	G7-7-2A MOD G7-7-2B	1200 x 1050 1890 x 1485
	Advance Sign - Service Symbol Turn Left 'xxx' m (3) Formerly G7-SA108-3	G7-7-3B G7-7-3A MOD	2220 x 1485 1200 x 1500



<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Advance Sign - Service Symbol Turn Left 'xxx' m (4) Formerly G7-SA108-4	G7-7-4B G7-7-4A MOD	1890 x 2115 1200 x 1500
	Advance Sign - Service Symbol Turn Right 'xxx' m (1) Formerly G7-SA108-1	G7-8-1A MOD G7-8-1B	900 x 1200 1200 x 1800
	Advance - Service Symbol Turn Right 'xxx' m (2 symbols) Formerly G7-SA108-2	G7-8-2B G7-8-2A MOD	1965 x 1485 1200 x 1050
	Advance Sign - Service Symbol Turn Right 'xxx' m (3) Formerly G7-SA108-3	G7-8-3B G7-8-3A MOD	1965 x 1485 1200 x 1500
	Advance Sign - Service Symbol Turn Right 'xxx' m (4) Formerly G7-SA108-4	G7-8-4B G7-8-4A MOD	1965 x 2115 1200 x 1500
	Advance - Next (symbol) 'x' km	G7-9-1B G7-9-1A	1200 x 1485 780 x 990
	XXX Rest Area 'x' km On Left	G7-SA1	2100 x 1350


Sign Image	Sign Code	Description	Size (W x H)
	Advance Sign - Service Symbol 'x' km Left/Right -1	G7-SA109-1	900 x 1050
	Advance Sign - Service Symbol 'x' km Left/Right -2	G7-SA109-2	1200 x 900
	Advance Sign - Service Symbol 'x' km Left/Right -3	G7-SA109-3	1200 x 1350
	Advance Sign - Service Symbol 'x' km Left/Right -4	G7-SA109-4	1200 x 1350
	Position Sign - Service Symbol (1)	G7-SA110-1	800 x 900
	Position Sign - Service Symbol (2)	G7-SA110-2	1200 x 900
	Position Sign - Service Symbol (3)	G7-SA110-3	1200 x 1350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Position Sign - Service Symbol (4)	G7-SA110-4	1200 x 1350
	Position Sign - Services Left and Right	G7-SA116	900 x 1050
	Position Sign - Blank Services Left and Right (L and R)	G7-SA117	1200 x 1350
	Supplementary Plate - 'x' km (mounted under service plates)	G7-SA120-1C G7-SA120-1D G7-SA120-1A G7-SA120-1B	900 x 360 1200 x 420 600 x 240 800 x 300
	Supplementary Plate - 'xxx' m (mounted under service plates)	G7-SA120-2B G7-SA120-2A G7-SA120-2D G7-SA120-2C	800 x 300 600 x 240 1200 x 420 900 x 360
	Position Sign - \ or / Service Sign with (1) symbol	G7-SA121-1A G7-SA121-1B	600 x 900 1200 x 1800
	Position Sign - \ or / Service Sign with (2) symbols	G7-SA121-2	1200 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Position Sign - \ or / Service Sign with (3) symbols	G7-SA121-3	1200 x 1350
	Position Sign - \ or / Service Sign with (4) symbols	G7-SA121-4	1200 x 1350
	Location/Advance Sign - Rest Area Facilities Sign	G7-SA122-1	600 x 300
	Rest Area with next Township Directions	G7-SA122-2	600 x 300
	Advance Sign - Rest Area - 1km ON LEFT - TAKE A BREAK	G7-SA123-1	2400 x 1800
	Advance Sign - Rest Area 1 km ON LEFT - STOP REVIVE SURVIVE	G7-SA123-2	2400 x 1800
	Advance Sign - Rest Area 1 km ON LEFT - REST IF TIRED	G7-SA123-3	2400 x 1800
	Advance Sign - Rest Area 1 km ON LEFT - DROWSY DRIVERS DIE	G7-SA123-4	2400 x 1800
	Advance Sign - Rest Area 1 km ON LEFT - SURVIVE THIS DRIVE	G7-SA123-5	2400 x 1800



<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Advance Sign - Rest Area 1 km ON LEFT - FATIGUE IS FATAL	G7-SA123-6	2400 x 1800
	Location/Position Sign - Car Parking / \Truck Parking Rest Area Complex	G7-SA124-1	900 x 1050
	Location/Position Sign - Truck Parking / \Car Parking Rest Area Complex	G7-SA124-2	900 x 1050
	Disability Access Direction Sign - Service Symbol (1)	G7-SA126-1	300 x 600
	Disability Access Direction Sign - Service Symbol (2)	G7-SA126-2	300 x 750
	Disability Access Position Sign - Service Symbol (1)	G7-SA126-7	300 x 300
	Advance Sign - Next Rest Area - XXXX xx	G7-SA127	2700 x 1200
	Advance Sign - Truck Parking 1km ON LEFT - TAKE A BREAK	G7-SA128-1	2400 x 1800



Sign Image	Sign Code	Description	Size (W x H)
	Advance Sign - Truck Parking 1km ON LEFT - STOP REVIVE SURVIVE	G7-SA128-2	2400 x 1800
	Advance Sign - Truck Parking 1km ON LEFT - REST IF TIRED	G7-SA128-3	2400 x 1800
	Advance Sign - Truck Parking 1km ON LEFT - DROWSY DRIVERS DIE	G7-SA128-4	2400 x 1800
	Advance Sign - Truck Parking 1km ON LEFT - SURVIVE THIS DRIVE	G7-SA128-5	2400 x 1800
	Advance Sign - Truck Parking 1km ON LEFT - FATIGUE IS FATAL	G7-SA128-6	2400 x 1800
	Advance Sign - Truck Parking 400m ON LEFT - TAKE A BREAK	G7-SA129-1	2550 x 1800
	Advance Sign - Truck Parking 400m ON LEFT - STOP REVIVE SURVIVE	G7-SA129-2	2550 x 1800
	Advance Sign - Truck Parking 400m ON LEFT - REST IF TIRED	G7-SA129-3	2550 x 1800
	Advance Sign - Truck Parking 400m ON LEFT - DROWSY DRIVERS DIE	G7-SA129-4	2550 x 1800



Sign Image	Sign Code	Description	Size (W x H)
 400m ON LEFT  SURVIVE THIS DRIVE	Advance Sign - Truck Parking 400m ON LEFT - SURVIVE THIS DRIVE	G7-SA129-5	2550 x 1800
 400m ON LEFT  FATIGUE IS FATAL	Advance Sign - Truck Parking 400m ON LEFT - FATIGUE IS FATAL	G7-SA129-6	2550 x 1800
 400m ON LEFT  TAKE A BREAK	Advance Sign - Rest Area - 400m ON LEFT - TAKE A BREAK	G7-SA130-1	2400 x 1800
 400m ON LEFT  STOP REVIVE SURVIVE	Advance Sign - Rest Area - 400m ON LEFT - STOP REVIVE SURVIVE	G7-SA130-2	2400 x 1800
 400m ON LEFT  REST IF TIRED	Advance Sign - Rest Area - 400m ON LEFT - REST IF TIRED	G7-SA130-3	2400 x 1800
 400m ON LEFT  DROWSY DRIVERS DIE	Advance Sign - Rest Area - 400m ON LEFT - DROWSY DRIVERS DIE	G7-SA130-4	2400 x 1800
 400m ON LEFT  SURVIVE THIS DRIVE	Advance Sign - Rest Area - 400m ON LEFT - SURVIVE THIS DRIVE	G7-SA130-5	2400 x 1800
 400m ON LEFT  FATIGUE IS FATAL	Advance Sign - Rest Area - 400m ON LEFT - FATIGUE IS FATAL	G7-SA130-6	2400 x 1800




Sign Image	Sign Code	Description	Size (W x H)
	EV Electric Vehicle Parking	G7-SA131	450 x 900
	Accessible Parking Spaces	G7-SA132	450 x 900
	Accessible Parking	G7-SA133	450 x 600
	Position Sign - < or > Service Sign with (2) symbols	G7-SA134A	450 x 900
		G7-SA134B	600 x 900
	Hospital Precinct - Use under R4-1A/B	G7-SA135-B	600 x 300
		G7-SA135-A	450 x 250
	XXX Rest Area 'x' km On Right	G7-SA2	2100 x 1350
	XXX Rest Area	G7-SA3	2100 x 1350
	XXX Rest Area	G7-SA4	2850 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Tourist Drive Route Marker (with arrow)	G8-9-1	360 x 360
	Tourist Drive Route Marker (route number and end)	G8-9-11	450 x 800
	Tourist Drive Route Marker - End	G8-9-3	360 x 360
	Tourist Drive Route Marker (LorR)	G8-9-7	450 x 800
	Tourist Drive Route Marker (straight ahead)	G8-9-8	450 x 800
	Slow Vehicle Lane Ahead (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-10	900 x 900
	Slow Vehicle Lane 'x' km Ahead (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-11	900 x 1100

Sign Image	Sign Code	Description	Size (W x H)				
 SLOW VEHICLES USE LEFT LANE	Slow Vehicles Use Left Lane (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-12	950 x 1100				
 FORM 1 LANE	Form 1 Lane	G9-15C	1200 x 1600	G9-15A 600 x 800		G9-15B 900 x 1200	
 FORM 2 LANES	Form x Lanes	G9-16C	1200 x 1600	G9-16B 900 x 1200		G9-16A 600 x 800	
 WINDING ROAD ENDS 3 km	Winding Road Ends 'x' km (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-17	1100 x 400				
 NO THROUGH ROAD	No Through Road	G9-18A	600 x 400	G9-18B 900 x 600			
 ROAD CLOSED	Road Closed	G9-20	900 x 550				
 ROAD SUBJECT TO FLOODING INDICATORS SHOW DEPTH	Road Subject to Flooding Indicators Show Depth	G9-21-1	2150 x 800				
 ROAD SUBJECT TO FLOODING INDICATORS SHOW DEPTH	Road Subject to Flooding Indicators Show Depth	G9-21-2	1400 x 1400				

Sign Image	Sign Code	Description	Size (W x H)
	Depth Indicators 0 to 2m, 2 to 4m, 4 to 6m	G9-22-2 G9-22-1 G9-22-3	200 x 2350 200 x 2350 200 x 2350
	Safety Ramp 'x.x' km	G9-24-1A G9-24-1B	2200 x 800 4400 x 1600
	Safety Ramp 'x.x' km	G9-24-2A G9-24-2B	1500 x 1200 3000 x 2400
	Safety Ramp 'xx' m	G9-25-1A G9-25-1B	2200 x 800 4400 x 1600
	Safety Ramp 'xx' m	G9-25-2A G9-25-2B	1500 x 1200 3000 x 2400
	Safety	G9-27A G9-27B	2000 x 750 3000 x 1125
	Ramp	G9-28B G9-28A	2400 x 1125 1600 x 750
	Low Bridge Ahead 'x.x' m High Vehicles Detour (L or R)	G9-3	1700 x 900
	Railway	G9-32	2100 x 450
	Crossing	G9-33	2100 x 450
	Overtaking Lane 'xxx' m Ahead	G9-37	2600 x 1300

Sign Image	Sign Code	Description	Size (W x H)
	Overtaking Lane 'x' km Ahead	G9-38	2600 x 1300
	Load Limit on Bridge 'xx' t Heavy Vehicles Detour (L or R)	G9-4	1700 x 900
	Local Traffic Only	G9-40-1	900 x 600
	Local Traffic Only (Roadworks ONLY)	G9-40-2A G9-40-2B	900 x 600 1200 x 900
	Unsuitable For Large Vehicles	G9-41B G9-41A	600 x 400 450 x 300
	Very Steep Climb 'x' km Not Suitable for T, B, C, & T (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-46	2800 x 1800
	Very Steep Climb Next 'x' km (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-47	3000 x 1800
	Look for Trains	G9-48B G9-48C G9-48A	750 x 750 900 x 900 600 x 600
	On Bridge	G9-49A G9-49C G9-49B	450 x 300 900 x 600 600 x 400


Sign Image	Sign Code	Description	Size (W x H)
	Slow Vehicle Turnout 'xxx' m	G9-50A G9-50B	900 x 900 1200 x 1200
	Detour for High Vehicles (L or R)	G9-5-1	1300 x 350
	Slow Vehicle Turnout (ARR-130)	G9-51B G9-51A	1200 x 1330 900 x 1000
	Alternative Route For Trucks and Buses	G9-52	2400 x 400
	Detour for Heavy Vechicles (L or R)	G9-5-2	1400 x 350
	Very Steep Descent 'x' km Ahead Not Suitable For Trucks Buses Caravans and Trailers	G9-53	2800 x 1800
	Detour for Long Vehicles (L or R)	G9-5-3	1300 x 350
	Take Ticket	G9-54	600 x 350
	Detour for Wide Vehicles (L or R)	G9-5-4	1300 x 350
	Way Out (L or R)	G9-55	875 x 150
	Way Out to (Street Name)	G9-56	950 x 450




Sign Image	Sign Code	Description	Size (W x H)
	Watch For Bicycles	G9-57A G9-57B	900 x 800 1200 x 1067
	Cyclists Dismount	G9-58A G9-58B	450 x 450 600 x 600
	All Bicycles	G9-60A G9-60B	450 x 600 600 x 800
	Bicycle Symbol Use Ramp	G9-62	600 x 1200
	Bicycles Cross Here With Care (L or R)	G9-63	900 x 900
	Bicycles Use Left Shoulder	G9-64	750 x 600
	Bicycles Must Exit	G9-65	600 x 1200
	Supplementary Distance Plate	G9-66	0 x 0

Sign Image	Sign Code	Description	Size (W x H)
	Keep Tracks Clear (Formerly W7-16-1)	G9-67-1B G9-67-1A	750 x 750 600 x 600
	Keep Tracks Clear (Box Marking) (Formerly W7-16-2)	G9-67-2	600 x 1200
	Keep Tracks Clear (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-67-2AA	300 x 600
	Emergency Exit Push Gate	G9-68	400 x 300
	Wrong Way Go Back (Formerly R2-12)	G9-69	2300 x 1470
	No Stopping on Freeway (Formerly R2-18)	G9-70	1400 x 1400
	Service Road Entry	G9-71	600 x 750
	Left Turn From Service Road Only	G9-72	1200 x 1000


Sign Image	Sign Code	Description	Size (W x H)
	Merge Right	G9-73A G9-73B	900 x 900 1200 x 1200
	Railway Crossing Not In Use	G9-74	750 x 600
	Length Limit Ahead 'x.x' m Long Vehicles Detour	G9-75	2100 x 900
	Narrow Bridge Ahead 'x.x' m Wide Vehicles Detour	G9-76	1700 x 900
	Slower Vehicles Use Turnouts Next 'x' km	G9-77	1800 x 750
	'xxx' m	G9-78A G9-78C G9-78B	600 x 200 1200 x 400 900 x 300
	On Right (1 Line)	G9-80-1A G9-80-1B	1800 x 450 3600 x 900
	On Right (2 Line)	G9-80-2A G9-80-2B	1500 x 800 3000 x 1600
	Service Road	G9-81	600 x 400
	Steep Descent	G9-82	3000 x 1400

Sign Image	Sign Code	Description	Size (W x H)
	Long Steep Descent Next 'x' km	G9-83AA G9-83	2400 x 1500 3000 x 1800
	After Signals (May be used with G9-15 or G9-16)	G9-84C G9-84A G9-84B	1200 x 800 600 x 400 900 x 600
	After Roundabout (May be used with G9-15 or G9-16)	G9-85C G9-85B G9-85A	1200 x 800 900 x 600 600 x 400
	Advance Buses Prohibited	G9-87-1A G9-87-1B G9-87-1C	600 x 600 900 x 900 1200 x 1200
	Advance Trucks Prohibited	G9-87-2C G9-87-2A G9-87-2B	1200 x 1200 600 x 600 900 x 900
	No Lines Do Not Overtake	G9-89	1500 x 900
	Reduce Speed	G9-9AA G9-9B G9-9A	450 x 225 1800 x 900 1500 x 750
	No Green Arrows 1 Time Period	G9-SA101-1	750 x 900


Sign Image	Sign Code	Description	Size (W x H)
	No Green Arrows 2 Time Periods	G9-SA101-2	750 x 1150
	Stop Press Button And Wait For Walk Signal	G9-SA102	150 x 215
	Cyclists Press Button And Wait For Green Bicycle Symbol	G9-SA103	150 x 250
	Heavy Vehicle Route (L or R)	G9-SA104	1950 x 600
	Heavy Vehicle Route (L or R)	G9-SA105	2100 x 600
	Diagonal Crossing May Be Permitted Cross Only in Direction of Walk Signal	G9-SA106	150 x 300
	High Vehicles Use Left Lane	G9-SA108	950 x 1100
	High Vehicles Must Use Left / Right Lane	G9-SA109	950 x 1100

Sign Image	Sign Code	Description	Size (W x H)
	Remember Give Way to Peds Bicycles When Turning - (Temporary Signage Only)	G9-SA110	800 x 1120
	Divided Road 'x' km Ahead	G9-SA111B G9-SA111A	1400 x 1400 1000 x 1000
	Distorted Image	G9-SA112B G9-SA112A	750 x 400 450 x 250
	In Case of Breakdown Use Emergency Phone	G9-SA113	1500 x 450
	Road Hazard (ONLY to be used under R4-1)	G9-SA114A G9-SA114B	450 x 300 600 x 400
	No Parking	G9-SA115A G9-SA115B	900 x 200 1200 x 300
	Do Not Queue Over	G9-SA120A G9-SA120B	600 x 750 750 x 900
	Pedestrians Look Both Ways (Use with W8-SA103 only)	G9-SA121	300 x 400


Sign Image	Sign Code	Description	Size (W x H)
 SEALED ROAD km AHEAD	Sealed Road 'x' km Ahead	G9-SA122	1400 x 1400
 SEALED ROAD NEXT km	Sealed Road Next 'x' km	G9-SA123	1400 x 1400
 HIGH VEHICLES USE CENTRE LANE	High Vehicles Use Centre Lane	G9-SA125	1350 x 750
 OVERHEAD SIGNALS x.x m	Overhead Signals 'x.x' m	G9-SA126	1800 x 600
 PEDESTRIANS PUSH BUTTON AND STAND ON YELLOW TILE	Pedestrians Push Button And Stand On Yellow Tile	G9-SA127	150 x 225
 PLEASE ALLOW VEHICLES TO PASS	Please Allow Vehicles to Pass (Install under G9-50)	G9-SA128B G9-SA128A	1200 x 1200 900 x 900
 AHEAD	Speed Limit AHEAD (Use on Vehicle Mounted Frames only for Mobile Work Sites)	G9-SA129	1200 x 450
 40 AHEAD 9:30 AM - 4 PM	Speed Limit AHEAD - Time Based	G9-SA131	450 x 750


Sign Image	Sign Code	Description	Size (W x H)
	Speed Limit On Side Road - Time Based	G9-SA132	450 x 750
	Speed Limit On Side Road - Time Based	G9-SA133	450 x 750
	Children Crossing on Side Road (L or R)	G9-SA134A G9-SA134B	450 x 1050 600 x 1400
	U Turn Facility xxx m Ahead	G9-SA135A G9-SA135B	450 x 600 900 x 1200
	U Turn Facility - (L or R)	G9-SA136A	450 x 600
	Merge Left	G9-SA137A G9-SA137B	900 x 900 1200 x 1200
	Speed Limit 60 on Side Road, School Days - Timed Based	G9-SA138A G9-SA138B	450 x 1050 600 x 1400

Sign Image	Sign Code	Description	Size (W x H)
 A circular speed limit sign with '50' inside. Below it is a double-headed horizontal arrow. Under the arrow, the text '8 - 9 AM' and '3 - 4 PM' is displayed, separated by a vertical line. At the bottom, it says 'SCHOOL DAYS'.	Speed Limit 50 on Side Road, School Days - Timed Based	G9-SA139B G9-SA139A	600 x 1400 450 x 1050
 A rectangular sign with a yellow header containing the word 'REMEMBER' in bold black letters. The main body of the sign has three lines of text: 'KEEP INTERSECTION', 'CLEAR', and 'CLEAR' stacked vertically.	Remember Keep Intersection Clear - (Temporary Signage Only)	G9-SA140 G9-SA140C	600 x 750 900 x 1200
 A square sign featuring a black silhouette of a pedestrian walking towards the left, with a thick black arrow pointing up and to the left above the figure.	All Pedestrians	G9-SA141A	450 x 600
 A circular speed limit sign with '60' inside. Below it is a double-headed horizontal arrow. Under the arrow, the text '8 - 9 AM' and '3 - 4 PM' is displayed, separated by a vertical line. At the bottom, it says 'SCHOOL DAYS'.	Speed Limit 60 Ahead, School Days - Timed Based	G9-SA143B G9-SA143A	600 x 1400 450 x 1050
 A circular speed limit sign with '60' inside. Below it is a double-headed horizontal arrow. Under the arrow, the text '8 - 9 AM' and '3 - 4 PM' is displayed, separated by a vertical line. At the bottom, it says 'SCHOOL DAYS'.	Speed Limit 60 on Side Road, School Days - Timed Based	G9-SA144B G9-SA144A	600 x 1400 450 x 1050
 A rectangular sign. The top section is yellow and contains the word 'SCHOOL' in black. Below this is a circular speed limit sign with '40' inside. The word 'AHEAD' is printed below the speed limit sign. At the bottom, there are two lines of time: '8 - 9 30 AM' and '2 - 4 PM', separated by a vertical line. At the very bottom, it says 'SCHOOL DAYS'.	Speed Limit 40 Ahead, School Days - Timed Based	G9-SA145A G9-SA145B	450 x 1200 600 x 1600


Sign Image	Sign Code	Description	Size (W x H)
	Speed Limit 40 on Side Road, School Days - Timed Based 8 - 9 <sup>30</sup> AM 2 - 4 PM SCHOOL DAYS	G9-SA146B G9-SA146A	600 x 1600 450 x 1200
	Speed Limit 40 on Side Road, School Days - Timed Based (Left or Right) 8 - 9 <sup>30</sup> AM 2 - 4 PM SCHOOL DAYS	G9-SA147A G9-SA147B	450 x 1200 600 x 1600
 AHEAD 8 - 9 AM 3 - 4 PM SCHOOL DAYS	Speed Limit 50 Ahead, School Days - Timed Based	G9-SA148A G9-SA148B	450 x 1050 600 x 1400
 8 - 9 <sup>30</sup> AM 3 - 4 PM SCHOOL DAYS	Speed Limit 50 on Side Road, School Days - Timed Based	G9-SA149B G9-SA149A	600 x 1400 450 x 1050

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
		Watch for Bicycles (only to be used in 40, 50 or 60 km/h speed zones where standard size will not fit)	G9-SA57 350 x 550
		Speed Limit AHEAD (Approval required for use - refer to Manager, Traffic Services Section of DIT)	G9-SA79E 1200 x 2000 G9-SA79D 900 x 1500
		Exit Sign (Approval required for use - refer to Manager, Traffic Services, DPTI)	GE2-3 1800 x 1600
		End Freeway 1 km (Approval required for use - refer to Manager, Traffic Services, DPTI)	GE6-10 2300 x 1500
		Prohibited On Freeway (refer to GE6-SA2-1 or GE6-SA2-2) (Approval required for use - refer to Manager, Traffic Services, DPTI)	GE6-2 1200 x 1200
		Next Service 'x' km	GE6-8 0 x 0
		End Freeway 'x' km (Approval required for use - refer to Manager, Traffic Services, DPTI)	GE6-9 2300 x 1500
		End Expressway 'x' km	GE6-SA112 3000 x 1500
	Ramp X Use with R6-SA108	GE6-SA114 1200 x 300	
	Ramp X (Use with GE2-3)	GE6-SA115 1800 x 450	

Sign Image	Sign Code	Description	Size (W x H)				
	Prohibited on Freeway Pedestrians Bicycles Animals Animal Drawn Vehicles	GE6-SA2-1	1200 x 1350				
	Prohibited on Expressway Pedestrians Bicycles Animals Animal Drawn Vehicles	GE6-SA2-2	1200 x 1350				
	Help Phone Pedestrian Indicator (L or R)	GE7-8	200 x 350				
	Help Phone Distance Plate for Pedestrian Indicator 'xxx' m	GE7-9	200 x 100				
	Wrong Way	GE9-15AA	450 x 300	GE9-15A	600 x 400	GE9-15B	750 x 500
	Merge Right ( Right Only )	GE9-22-2B	2350 x 2015	GE9-22-2A	1750 x 1500		
	Emergency Median Crossing	GE9-23-1A	450 x 450	GE9-23-1B	600 x 600		

Sign Image	Sign Code	Description	Size (W x H)
	Emergency Median Crossing - Distance	GE9-23-2A GE9-23-2B	450 x 600 600 x 800
	Reduce Speed Now (Approval required for use - refer to Manager, Traffic Services, DPTI)	GE9-3	2600 x 2000
	At Intersection (Multi-Message Sign ONLY)	GM-91B	1200 x 300
	At Signals (Multi-Message Sign ONLY)	GM-92B	1200 x 300
	Local Traffic Only (Multi-Message Sign ONLY)	GM9-40-2A	600 x 600
	Cyclists Dismount (Multi-Message Sign ONLY)	GM9-58A	600 x 600
	Speed Limit AHEAD (Multi-Message Sign ONLY)	GM9-79D	600 x 900
	No Lines Do Not Overtake (Multi-Message Sign ONLY)	GM9-89C	1200 x 600
	Do Not Overtake (Multi-Message Sign ONLY) (Replaces G9-SA124M)	GM9-90B	1200 x 300

Sign Image	Sign Code	Description	Size (W x H)
	Car Park Access Only (Multi-Message Sign ONLY)	GM9-SA130A	600 x 600
	No Through Road (Multi-Message Sign ONLY)	GM9-SA18A	600 x 600
	Watch for Bicycles (Multi-Message Sign ONLY)	GM9-SA57A	600 x 600
	Speed Limit AHEAD (Multi-Message Sign ONLY)	GM9-SA79A	600 x 600
	Reduce Speed (Multi-Message Sign ONLY)	GM9-SA9A	600 x 600
	Reduce Speed (Multi-Message Sign ONLY)	GM9-SA9B	1200 x 300
	Bandicoot Symbol (Refer to Traffic Operations Section of DPTI)	IS123	420 x 350
	Duck Symbol (Refer to Traffic Operations Section of DPTI)	IS134	350 x 350

Sign Image	Sign Code	Description	Size (W x H)
	Mallee Fowl Symbol (Refer to Traffic Operations Section of DPTI)	IS135	350 x 350
	Swan Symbol (Refer to Traffic Operations Section of DPTI)	IS147	280 x 350
	Stop (ARR-56)	R1-1B R1-1A	750 x 750 600 x 600
	Give Way (ARR-67,70,71,122)	R1-2C R1-2A R1-2AA R1-2B	1200 x 1200 750 x 750 375 x 375 900 x 900
	Roundabout (ARR-109)	R1-3B R1-3A	900 x 900 750 x 750
	Two Way (ARR-98,132,136)	R2-11A R2-11B	450 x 600 600 x 800
	All Traffic Turn (L or R) (ARR-88 or 89)	R2-14A R2-14B	600 x 800 900 x 1200

Sign Image	Sign Code	Description	Size (W x H)
 U TURN PERMITTED	U Turn Permitted (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-40)	R2-15B R2-15A R2-15AA	600 x 800 450 x 600 300 x 400
 ONE WAY ↑	One Way (Repeater)	R2-17A R2-17B R2-17C	450 x 800 600 x 1050 900 x 1600
 LEFT LANE MUST EXIT	Left Lane Must Exit	R2-19	800 x 1200
 LEFT TURN ON RED PERMITTED AFTER STOPPING	Left Turn on Red Permitted After Stopping (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-59)	R2-20	450 x 800
 RIGHT TURN FROM LEFT ONLY	Right Turn From Left Only (Used in R2-SA62) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-34)	R2-21AA R2-21	300 x 400 800 x 1100
 NO HOOK TURN BY BICYCLES	No Hook Turn by Bicycles (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-36)	R2-22	750 x 750
 ONE WAY ←	One Way (L or R) (ARR-98)	R2-2A R2-2B	450 x 600 600 x 800

Sign Image	Sign Code	Description	Size (W x H)
	One Way (L or R)	R2-2A R2-2B R2-3S	450 x 600 600 x 800 300 x 400
	Keep Left or Keep Right (ARR-99,135)	R2-3B R2-3AA R2-3A	600 x 800 300 x 400 450 x 600
	No Entry	R2-4B R2-4A R2-4C R2-4D R2-4S	600 x 600 450 x 450 750 x 750 900 x 900 300 x 300
	No entry (ARR-100)	R2-4C R2-4A R2-4B R2-4AA R2-4D	750 x 750 450 x 450 600 x 600 300 x 300 900 x 900
	No U Turn (ARR-39)	R2-5C R2-5D R2-5A R2-5AA R2-5B	750 x 750 900 x 900 450 x 450 300 x 300 600 x 600
	No Right Turn and No Left Turn (L or R)	R2-6B R2-6S R2-6A R2-6D	600 x 600 300 x 300 450 x 450 900 x 900

Sign Image	Sign Code	Description	Size (W x H)
		R2-6C	750 x 750
	No Right Turn or No Left Turn (ARR-91)	R2-6B R2-6C R2-6A R2-6AA R2-6D	600 x 600 750 x 750 450 x 450 300 x 300 900 x 900
	No Turns	R2-7A R2-7S R2-7B	450 x 600 300 x 400 600 x 800
	No Turns (ARR-98)	R2-7B R2-7AA R2-7A	600 x 800 300 x 400 450 x 600
	Left Lane Must Turn Left and Right Lane Must Turn Right (L or R) (ARR-88)	R2-9AA R2-9A R2-9C R2-9B	300 x 500 450 x 750 900 x 1500 600 x 1000
 	No Entry-Emergency & Maintenance Vehicles Excepted Gate X	R2-SA101	900 x 600
	Left Turn (Right Turn) Give Way To Pedestrians & Cyclists (Replaces R2-10)	R2-SA102	750 x 750



Sign Image	Sign Code	Description	Size (W x H)
	No Entry To Busway	R2-SA103C R2-SA103B R2-SA103A	900 x 1440 750 x 1200 600 x 960
	Keep Left (used ONLY where back to back median is installed)	R2-SA3	150 x 1150
	Left Lane Must Turn Left Buses & Bicycles Excepted	R2-SA50A R2-SA50B	450 x 1050 600 x 1400
	No Right Turn with single time period Mon - Frid	R2-SA51-1S R2-SA51-1C R2-SA51-1B R2-SA51-1A	300 x 500 900 x 1500 600 x 1000 450 x 750
	No Right Turn with two time periods Mon - Fri	R2-SA51-2A R2-SA51-2C R2-SA51-2S R2-SA51-2B	450 x 900 900 x 1800 300 x 600 600 x 1200
	Right Lane Buses Only	R2-SA57	600 x 750
	No U Turn with single time period Mon - Fri	R2-SA60-1AA R2-SA60-1B R2-SA60-1C R2-SA60-1A	300 x 500 600 x 1000 900 x 1500 450 x 750



Sign Image	Sign Code	Description	Size (W x H)
	No U Turn with two time periods Mon - Fri	R2-SA60-2B R2-SA60-2C R2-SA60-2A R2-SA60-2AA	600 x 1200 900 x 1800 450 x 900 300 x 600
	Right Turn From Left Only Adelaide Metro Buses Only without Times (Approval required for use - refer to Manager, Traffic Services, DPTI)	R2-SA61	300 x 700
	Right Turn From Left Only Adelaide Metro Buses Only with Times (Approval required for use - refer to Manager, Traffic Services, DPTI)	R2-SA62	300 x 1000
	Pedestrian Crossing	R3-1C R3-1A R3-1B	900 x 900 600 x 600 750 x 750
	Safety Zone (ARR-162,190)(Approval required for use - refer to Manager, Traffic Services, DPTI)	R3-2B R3-2A	600 x 600 450 x 450
	Children crossing (flag) (ARR-80)	R3-3	600 x 600
	Pedestrians May Cross Diagonally (L or R) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-230,234)	R3-5A R3-5B	90 x 110 300 x 400

Sign Image	Sign Code	Description	Size (W x H)
	Speed Limit - 50 Other Times	R3-SA101A R3-SA101B	430 x 300 600 x 400
	Speed Limit - 60 Other Times	R3-SA102A R3-SA102B	450 x 300 600 x 400
	Koala Pedestrian Crossing . Formerly R4-SA56 (ARR-80)	R3-SA56B R3-SA56A	600 x 1600 450 x 1200
	Children Crossing - 25 When Lights Flashing	R3-SA57A R3-SA57B	650 x 1400 800 x 1800
	School Zone Speed Limit. Formerly R4-SA58 (ARR-23)	R3-SA58A R3-SA58B	450 x 1555 600 x 2070
	Speed Limit Area (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-22)	R4-10A R4-10B	450 x 750 600 x 1000
	End Speed Limit Area (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-22)	R4-11B R4-11A	600 x 1000 450 x 750


Sign Image	Sign Code	Description	Size (W x H)
	End Speed Restriction (Approval required for use - refer to Manager, Traffic Services DIT) (ARR-21)	R4-12B R4-12C	600 x 1000 800 x 1334
	End 40 Area	R4-13	600 x 200
	You Are Within A 40 Area	R4-14(Illus.)	450 x 750
	Speed Restriction (Approval required for use - refer to Manager, Traffic Services Section DIT) (ARR-21,316)	R4-1A R4-1C R4-1D R4-1B	450 x 600 900 x 1200 1200 x 1600 600 x 800
	Roadwork	R4-3C R4-3B R4-3A	900 x 600 600 x 400 450 x 300
	Shared Zone (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-24)	R4-4	450 x 750
	End Shared Zone (Approval required for use - refer to Manager, Traffic Services Section of DIT) (ARR-24)	R4-5	450 x 750
	Speed Limit - Line Marking (Use on Vehicle Mounted Frames only for Mobile Work Sites)	R4-SA100	1200 x 450






Sign Image	Sign Code	Description	Size (W x H)
	End Speed Limit (Use on Vehicle Mounted Frames only for Mobile Work Sites)	R4-SA101	1200 x 450
	Speed Limit - Time Based	R4-SA102	450 x 650
	School Speed Limit 40 - Time Based School Days.	R4-SA105A R4-SA105B	450 x 1350 600 x 1800
	Speed Limit - Timed Based	R4-SA107	900 x 1300
	Speed Limit - Timed Based	R4-SA108	900 x 1300


Sign Image	Sign Code	Description	Size (W x H)
	End School Zone Speed Limit (ARR-23)	R4-SA59A R4-SA59B	450 x 900 600 x 1200
	End School Zone (km/h) Area	R4-SA60B R4-SA60A	600 x 1200 450 x 900
	End School Zone - End (km/h) Area (Approval required for use - refer to Manager, Traffic Services, DPTI)	R4-SA61A R4-SA61B	450 x 1050 600 x 1400
	Parking Signs (Refer to Australian Standards for designs) (R5-39 requires approval from Manager, Traffic Services, DPTI)	R5-1	0 x 0
	Accessible Parking (Generic sign code only)	R5-10	225 x 450
	Event Parking (Generic sign code only)	R5-2	225 x 450
	Bus Zone	R5-20	225 x 300

Sign Image	Sign Code	Description	Size (W x H)
	No Standing (with Times) School Days (Generic sign code only)	R5-36	225 x 400
	Tow Away Zone (Requires approval from Manager Traffic Services DIT)	R5-39A R5-39B	600 x 225 900 x 337
	No Parking - During Stadium Events (Generic sign code only)	R5-41	225 x 450
	Clearway with one or two time periods periods/days or At All Times (Approval required for use - refer to Manager, Traffic Services, DPTI (ARR-176)	R5-50A R5-50B	600 x 800 900 x 1200
	End Clearway (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-176)	R5-51A R5-51B	600 x 600 900 x 900
	Emergency Stopping Lane Only (L or R) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-95)	R5-58	1500 x 1100
	Parking Area One or two time/day periods (not used on DPTI maintained Rd's)	R5-60B R5-60A	3000 x 1500 2000 x 1000
	Parking Area requiring ticket Time and date period (not used on DPTI maintained Rd's)	R5-61B R5-61A	900 x 1350 600 x 900


Sign Image	Sign Code	Description	Size (W x H)
	Parking Area Two time/day periods (not used on DPTI maintained Rd's)	R5-62B R5-62A	600 x 1065 450 x 800
	End of Parking Area (not used on DPTI maintained roads) (ARR-335)	R5-63A R5-63B	600 x 600 900 x 900
	Area Parking Control Ahead (not used on DPTI maintained Rd's)	R5-64A R5-64B	600 x 600 800 x 800
	Park in Bays Only (not used on DPTI maintained Rd's) (ARR-211)	R5-65A R5-65B	450 x 300 600 x 400
	No Stopping Area - 2 Times (not used on DPTI maintained Rd's)	R5-70B R5-70A	3000 x 1500 2000 x 1000
	No Stopping Area - 1 Time (not used on DPTI maintained Rd's) (ARR-167)	R5-71AA R5-71B R5-71A	450 x 600 900 x 1200 600 x 800
	No Stopping Area - Internal (not used on DPTI maintained Rd's)	R5-72A R5-72B	450 x 800 600 x 1065
	No Stopping Area - End (not used on DPTI maintained Rd's) (ARR-335)	R5-73B R5-73A	600 x 800 450 x 600


Sign Image	Sign Code	Description	Size (W x H)
	No Parking Area - 2 Times (not used on DPTI maintained Rd's)	R5-80	2000 x 1000
	No Parking Area - 1 Time (not used on DPTI maintained Rd's) (ARR-168)	R5-81C R5-81A R5-81B	900 x 1200 450 x 600 600 x 800
	No Parking - Internal (not used on DPTI maintained Rd's)	R5-82A R5-82B	450 x 800 600 x 1065
	End No Parking Area (not used on DPTI maintained Rd's) (ARR-335)	R5-83	450 x 600
	Part Time Bus Lane / Parking - One Time Period	R5-SA100-1N	225 x 600
	Part Time Bus Lane / Parking - One Time Period	R5-SA100-1W	450 x 450
	Part Time Bus Lane / Parking - Two Time Periods	R5-SA100-2N	225 x 800

Sign Image	Sign Code	Description	Size (W x H)
 A rectangular sign featuring a bus icon at the top left. The text "LANE" is followed by two time periods: "6:30 - 9:30 AM MON - FRI" and "3:30 - 6:30 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction. At the bottom, it says "2P" and shows two time periods: "9:30 - 3:30 PM MON - FRI" and "9 AM - 12 PM SAT" with another double-headed arrow.	Part Time Bus Lane / Parking - Two Time Periods	R5-SA100-2W	450 x 450
 A rectangular sign featuring a bicycle icon at the top left. The text "LANE" is followed by two time periods: "6:30 - 9:30 AM MON - FRI" and "3:30 - 6:30 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction. At the bottom, it says "2P" and shows one time period: "9:30 - 3:30 PM MON - FRI" with a double-headed arrow.	Part Time Bicycle Lane / Parking - One Time Period	R5-SA101-1N	225 x 600
 A rectangular sign featuring a bicycle icon at the top left. The text "LANE" is followed by two time periods: "6:30 - 9:30 AM MON - FRI" and "3:30 - 6:30 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction. At the bottom, it says "2P" and shows one time period: "9:30 - 3:30 PM MON - FRI" with a double-headed arrow.	Part Time Bicycle Lane / Parking - One Time Period	R5-SA101-1W	450 x 450
 A rectangular sign featuring a bicycle icon at the top left. The text "LANE" is followed by two time periods: "6:30 - 9:30 AM MON - FRI" and "3:30 - 6:30 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction. At the bottom, it says "2P" and shows two time periods: "9:30 - 3:30 PM MON - FRI" and "9 AM - 12 PM SAT" with a double-headed arrow.	Part Time Bicycle Lane / Parking - Two Time Periods	R5-SA101-2N	225 x 800
 A rectangular sign featuring a bicycle icon at the top left. The text "LANE" is followed by two time periods: "6:30 - 9:30 AM MON - FRI" and "3:30 - 6:30 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction. At the bottom, it says "2P" and shows two time periods: "9:30 - 3:30 PM MON - FRI" and "9 AM - 12 PM SAT" with a double-headed arrow.	Part Time Bicycle Lane / Parking - Two Time Periods	R5-SA101-2W	450 x 450
 A rectangular sign featuring a bicycle icon at the top left. The text "LANE" is followed by two time periods: "7 - 10 AM MON - FRI" and "3 - 7 PM MON - FRI". Below this, a double-headed arrow indicates the lane direction.	Bicycle Lane - Two time periods	R5-SA102	225 x 450
 A rectangular sign featuring a large letter "P" at the top left. The text "PERMITTED IN THIS BAY DURING CLEARWAY PERIOD" is written vertically below it, with a double-headed arrow at the bottom.	Parking Permitted In This Bay During Clearway Period	R5-SA163	225 x 300




Sign Image	Sign Code	Description	Size (W x H)
	Parking (any time period) Permitted In This Bay At All Times	R5-SA164	225 x 300
	No Stopping When Lights Flashing	R5-SA165	225 x 450
	X P Trucks Only Times	R5-SA166	225 x 300
	No Parking / No Stopping - EV Electric Vehicles Excepted	R5-SA167	225 x 450
	Clearway - One Time Period	R5-SA46-1	225 x 300
	Clearway - Two Time Periods	R5-SA46-2	225 x 450
	Buses Prohibited (to enter or travel on a road) (ARR-106)	R6-10-1C R6-10-1A R6-10-1B	1200 x 1200 600 x 600 900 x 900





Sign Image	Sign Code	Description	Size (W x H)
	Trucks Prohibited (to enter or travel on a road) (ARR-104)	R6-10-2B R6-10-2C R6-10-2A	900 x 900 1200 x 1200 600 x 600
	The riding of bicycles is prohibited beyond this sign (ARR-239,242,252)	R6-10-3B R6-10-3C R6-10-3D R6-10-3A	600 x 600 750 x 750 900 x 900 450 x 450
	Low Clearance (m) (ARR-102)	R6-11	1950 x 600
	Clearance (m) (ARR-102)	R6-12	1500 x 600
	No Pedestrians Bicycles Animals Beyond This Point. Also refer to R6-SA101 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-97,229)	R6-13	1200 x 1500
	Stop Here On Red Arrow (ARR-56)	R6-14A R6-14B	450 x 750 675 x 1125
	Pedestrians Prohibited (ARR-228)	R6-15M R6-15B R6-15A	600 x 600 450 x 450 300 x 300
	Low Clearance (m) (Narrow Format)	R6-16	1950 x 180
	Bridge Load Limit (Per Axle Group) (t) (ARR-103)	R6-17	1200 x 750

Sign Image	Sign Code	Description	Size (W x H)
	Buses Must Enter (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-107)	R6-18C R6-18B R6-18A	1200 x 1400 900 x 1050 600 x 700
	Start Freeway Formerly GE6-13 Refer R6-SA108 (Approval required for use - refer to Manager, Traffic Services, DPTI)(ARR-177)	R6-19A R6-19B	1200 x 600 1800 x 900
	No Overtaking Or Passing (ARR-93)	R6-1B R6-1A	1200 x 1440 750 x 900
	Freeway Entrance (Approval required for use - refer to Manager, Traffic Services, DPTI)	R6-20B R6-20A	1800 x 900 1200 x 600
	End Freeway Formerly GE6-11 Refer R6-SA107 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-97,177)	R6-21A R6-21B	900 x 450 1800 x 900
	Trucks & Buses Must Use Low Gear (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-108)	R6-22B R6-22C R6-22A	1400 x 1200 1800 x 1500 1200 x 1000
	End Truck & Bus Low Gear Area (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-108)	R6-23B R6-23A	1500 x 1200 1000 x 800
	Railway Crossing Position With Target Board Formerly W7-6 Replaced by Rail Auth. ONLY (ARR-120)	R6-25C R6-25	1500 x 1000 1350 x 900
	Tramway Crossing Position (ARR-120)	R6-26	1350 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Trucks Must Enter (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-105)	R6-27C R6-27A R6-27B	1200 x 1400 600 x 700 900 x 1050
	Trucks Use Left Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-159)	R6-28C R6-28A R6-28B	1800 x 1800 900 x 900 1200 x 1200
	Keep Left Unless Overtaking Formerly G9-39 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-130)	R6-29B R6-29A R6-29C	1800 x 900 1200 x 600 2400 x 1200
	No Overtaking On Bridge (ARR-94)	R6-2B R6-2A	1200 x 1440 750 x 900
	Median Turning Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-86)	R6-30A R6-30B	600 x 1200 900 x 1800
	Give way to Buses Attached to rear of bus only	R6-31	450 x 450
	End Keep Left Unless Overtaking (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-130)	R6-32	1200 x 800



Sign Image	Sign Code	Description	Size (W x H)
	Overall Length Limit 'x'm	R6-33	1200 x 1350
	Bridge Load Limit (t) Gross (ARR-103)	R6-3A R6-3B	600 x 900 900 x 1350
	Gross Load Limit (t) (ARR-103)	R6-4B R6-4A	900 x 1350 600 x 900
	Stop Here On Red Signal (ARR-56)	R6-6B R6-6A	675 x 1125 450 x 750
	Hand Stop Banner Koala Pedestrian Crossing (double sided) ('AA' size used only at crossings)(ARR-80,101)	R6-7A R6-7B R6-7AA	450 x 450 600 x 600 375 x 375
	Stop/Slow Bar (Stop Face) and Stop Railway Gate sign	R6-8A R6-8B	450 x 450 600 x 600
	Stop On Red Signal (ARR-56)	R6-9	450 x 600


<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	No Peds Bicycles Animals Small Wheeled Vehicles Beyond This Point Except In Emergency (ARR-97,229) At Gates only	R6-SA101	300 x 600
	Fishing From Causeway Prohibited	R6-SA102	900 x 600
	Skaters Permitted (Approval required for use - refer to Manager, Traffic Services, DPTI)	R6-SA103	225 x 300
	All Skaters Prohibited (Approval required for use - refer to Manager, Traffic Services, DPTI)	R6-SA104	225 x 300
	Next 'x'km (mounted under R6-22)	R6-SA105B R6-SA105C R6-SA105AA R6-SA105A	1440 x 450 1800 x 560 900 x 280 1200 x 370
	Next XXXm (mounted under R6-22)	R6-SA106C R6-SA106A R6-SA106B	1800 x 560 1200 x 370 1440 x 450
	End Expressway/Freeway (ARR-97,177)	R6-SA107A R6-SA107B	900 x 450 1800 x 900
	Start Expressway/Freeway (ARR-177)	R6-SA108B R6-SA108A	1800 x 900 1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Clearance x.x m	R6-SA12	2100 x 450
	Fishing From Bridge Prohibited	R6-SA66	900 x 600
	Adelaide Metro Buses Only	R6-SA67	300 x 300
	Adelaide Metro Buses Excepted	R6-SA68	300 x 300
	Tram Only	R7-10E R7-10C R7-10D	1200 x 1600 600 x 800 900 x 1200
	Crossing Arrow - both ways (Use with G9-87-1 & G9-87-2)	R7-11-1D R7-11-1C R7-11-1E	900 x 300 600 x 200 1200 x 400
	Crossing Arrow - one way left (Use with G9-87-1 & G9-87-2)	R7-11-2C R7-11-2E	600 x 200 1200 x 400
	Crossing Arrow - one way right (Use with G9-87-1 & G9-87-2)	R7-11-3E R7-11-3D R7-11-3C	1200 x 400 900 x 300 600 x 200

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Bus Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-154)	R7-1-1D R7-1-1E R7-1-1C	900 x 1200 1200 x 1600 600 x 800
	Truck Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-157)	R7-1-3D R7-1-3E R7-1-3C	900 x 1200 1200 x 1600 600 x 800
	Bicycle Lane (ARR-153,252)	R7-1-4C R7-1-4D R7-1-4B	600 x 800 900 x 1200 450 x 600
	Tram Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-155)	R7-1-5C R7-1-5B R7-1-5D	600 x 800 450 x 600 900 x 1200
	Bus/Bicycle Lane (Approval required for use - refer to Manager, Traffic Services, DPTI)	R7-1-6C R7-1-6D R7-1-6E	600 x 800 900 x 1200 1200 x 1600
	Ahead use with R7-1 only (Also See R7-SA2)	R7-2C R7-2E R7-2D R7-2B	600 x 200 1200 x 400 900 x 300 450 x 150
	Left Lane / Right Lane (L or R) (Use with R7-1 series only)	R7-3C R7-3B R7-3D R7-3E	600 x 400 450 x 300 900 x 600 1200 x 800

Sign Image	Sign Code	Description	Size (W x H)
	End	R7-4D R7-4E R7-4A R7-4B R7-4C	900 x 300 1200 x 400 300 x 100 450 x 150 600 x 200
	Overhead Arrow (Use with R7-1 series only)	R7-5B R7-5D R7-5C R7-5E	450 x 300 900 x 600 600 x 400 1200 x 800
	Left Lane (Used with R6-11 or R6-12)	R7-6-1	1400 x 400
	Kerb Lane (Used with R6-11 or R6-12)	R7-6-2	1400 x 400
	Centre Lane (Used with R6-11 or R6-12)	R7-6-3	1600 x 400
	This Lane (Used with R6-11 or R6-12)	R7-6-4	1600 x 400
	Transit Lane (T2) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-156)	R7-7-1E R7-7-1D R7-7-1C	1200 x 1600 900 x 1200 600 x 800
	Transit Lane (T3) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-156)	R7-7-2C R7-7-2E R7-7-2D	600 x 800 1200 x 1600 900 x 1200
	Bus Only (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-154)	R7-8E R7-8D R7-8C	1200 x 1600 900 x 1200 600 x 800



Sign Image	Sign Code	Description	Size (W x H)
	End Transit Lane (T2) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-156)	R7-9-1E R7-9-1C R7-9-1D	1200 x 1200 600 x 600 900 x 900
	End Transit Lane (T3) (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-157)	R7-9-2C R7-9-2E R7-9-2D	600 x 600 1200 x 1200 900 x 900
	'xxx' m Ahead (For use with R6-22)	R7-SA100A R7-SA100B R7-SA100C	1200 x 800 1440 x 960 1800 x 1200
	Ahead (Also see R7-2)	R7-SA2B R7-SA2A	1800 x 600 1650 x 550
	End	R7-SA4	1650 x 600
	Bicycle Path Only (ARR-239,242,252)	R8-1C R8-1B R8-1A	600 x 800 450 x 600 300 x 400
	Shared Path (ARR-242,252)	R8-2A R8-2B R8-2C	300 x 400 450 x 600 600 x 800
	Separated Path (L or R) (left shown) (ARR-239,252)	R8-3A R8-3C R8-3B	300 x 300 600 x 600 450 x 450

Sign Image	Sign Code	Description	Size (W x H)
	Pedestrian Cyclist and Horses	R8-SA100	300 x 675
	Over 'xx' t GVM	R9-10A R9-10B R9-10C	600 x 400 900 x 600 1200 x 800
	Vehicles Over xxm Long	R9-11-1D R9-11-1C R9-11-1A R9-11-1B(Illust.)	1200 x 1000 900 x 750 450 x 375 600 x 500
	Over xxm Long	R9-11-2AA R9-11-2C R9-11-2A R9-11-2B	450 x 300 1200 x 800 600 x 400 900 x 600
	Times of operation module - single time period	R9-1-1B R9-1-1D R9-1-1AA R9-1-1C R9-1-1A	600 x 450 1200 x 800 300 x 200 900 x 600 450 x 300
	Times of operation Module - two time periods	R9-1-2B R9-1-2AA R9-1-2A R9-1-2C R9-1-2D	600 x 600 300 x 300 450 x 450 900 x 900 1200 x 1200



Sign Image	Sign Code	Description	Size (W x H)
	At All Times (Use of this sign is restricted see AS1742.12)	R9-1-3C R9-1-3D R9-1-3B	900 x 600 1200 x 800 600 x 400
	Regulatory	R9-19B R9-19C R9-19A	900 x 750 1050 x 875 750 x 625
	Buses Excepted (Use with R2-9)	R9-2AA R9-2A R9-2C R9-2B	300 x 200 450 x 300 750 x 500 600 x 400
	Bicycles Excepted (Use with R2-9)	R9-3A R9-3AA R9-3C R9-3D R9-3B	450 x 300 300 x 200 750 x 500 1500 x 300 600 x 400
	Authorised Vehicles Excepted (application Road Traffic Act Regulations ONLY)	R9-4C R9-4A R9-4B	750 x 500 450 x 300 600 x 400
	On Freeway	R9-5C R9-5D	750 x 375 900 x 450
	Next 'x' m (One Line)	R9-6-1B R9-6-1C R9-6-1A	1000 x 200 1200 x 240 750 x 150

Sign Image	Sign Code	Description	Size (W x H)
	Next 'x' m (Two Lines)	R9-6-2A R9-6-2C R9-6-2B	450 x 300 750 x 500 600 x 400
	Next 'x' km (One Line)	R9-7-1B R9-7-1C R9-7-1A	1000 x 200 1200 x 240 750 x 150
	Next 'x' km (Two Lines)	R9-7-2A R9-7-2C R9-7-2B	450 x 300 750 x 500 600 x 400
	AT (Street Name) (formerly R9-SA53-1)	R9-8A R9-8B R9-8C	450 x 450 600 x 600 750 x 750
	One Lane	R9-9B R9-9A	750 x 500 600 x 400
	Busway Buses Excepted	R9-SA101A R9-SA101D R9-SA101C R9-SA101B	450 x 300 900 x 600 750 x 500 600 x 400
	Emergency Vehicles Excepted	R9-SA102A R9-SA102B R9-SA102C	450 x 300 600 x 400 900 x 600
	Fuel Tankers Excepted	R9-SA103B R9-SA103A	600 x 400 450 x 300

Sign Image	Sign Code	Description	Size (W x H)
	Trams Excepted	R9-SA104C R9-SA104B R9-SA104A	750 x 500 600 x 400 450 x 300
	Local Delivery or Pickup Excepted (Use only with R6-10-2) (Refer to Manager Traffic Services Section of DIT before use)	R9-SA105B R9-SA105C R9-SA105A	900 x 750 1200 x 1000 600 x 500
	Over XX.X t (Only use with R6-28) (Approval required for use - refer to Manager, Traffic Services, DPTI)	R9-SA106B R9-SA106C	1200 x 700 1800 x 1050
	On green arrow (only to be used with R2-15)(Approval required for use - refer to Manager, Traffic Services, DPTI)	R9-SA107B R9-SA107A	600 x 800 450 x 600
	Bus Lane Vehicles Excepted (Refer to Manager Traffic Services Section of DIT before use) (ARR-154)	R9-SA108A R9-SA108B	450 x 450 600 x 600
	Heavy Vehicles Excepted	R9-SA109C R9-SA109A R9-SA109B	750 x 500 450 x 300 600 x 400
	Hook Turn Excepted	R9-SA110A R9-SA110B	450 x 300 600 x 400
	Garbage Trucks Excepted	R9-SA111A R9-SA111B R9-SA111C	450 x 300 600 x 400 750 x 500

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Trucks Excepted	R9-SA113C R9-SA113A R9-SA113B	750 x 500 450 x 300 600 x 400
	On Ramp	R9-SA17B R9-SA17C	600 x 400 900 x 600
	Police Vehicles Excepted	R9-SA50C R9-SA50A R9-SA50B	750 x 500 450 x 300 600 x 400
	Ambulances Excepted	R9-SA51B R9-SA51C R9-SA51A	600 x 400 750 x 500 450 x 300
	High Vehicles Excepted	R9-SA52C R9-SA52B R9-SA52A	750 x 500 600 x 400 450 x 300
	AT - (Three lines-name of road ) install in advance of intersection with R2-5, R2-6, R2-7, R2-9 only	R9-SA53-2A R9-SA53-2B R9-SA53-2C	450 x 450 600 x 600 750 x 750
	Emergency and Maintenance Vehicles Excepted (application Road Traffic Act Regulations ONLY)	R9-SA54B R9-SA54A R9-SA54C	600 x 600 450 x 450 750 x 750
	TO - (Two lines - name of road) installed at intersection with R2-5, R2-6, R2-7, R2-9 only	R9-SA55-1A R9-SA55-1C R9-SA55-1B	450 x 300 750 x 500 600 x 400

Sign Image	Sign Code	Description	Size (W x H)
	TO - (Three lines-name of road) installed at intersection with R2-5,R2-6, R2-7, R2-9 only	R9-SA55-2B R9-SA55-2A R9-SA55-2C	600 x 600 450 x 450 750 x 750
	Sat - Sun	R9-SA56	450 x 150
	Dual Times School Days	R9-SA57C R9-SA57D R9-SA57A R9-SA57B	900 x 900 1200 x 1200 450 x 450 600 x 600
	Give Way (Multi-Message Sign ONLY)	RM1-2A	600 x 600
	All Traffic Turn (Multi-Message Sign ONLY)	RM2-14A	600 x 600
	No Entry (Multi-Message Sign ONLY)	RM2-4A	600 x 600
	No Left Turn / No Right Turn (Multi-Message Sign ONLY)	RM2-6A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	End Speed Limit (Multi-Message Sign ONLY)	RM4-12D	600 x 900
	Speed Restriction (Multi-Message Sign ONLY)	RM4-1A	600 x 600
	End Speed Limit (Multi-Message Sign ONLY)	RM4-SA12A	600 x 600
	No Overtaking Or Passing (Multi-Message Sign ONLY)	RM6-1C	1200 x 600
	Stop Here On Red Signal (Multi-Message Sign ONLY)	RM6-6C	1200 x 600
	One Lane (Multi-Message Sign ONLY)	RM9-9A	600 x 600
	Heavy Vehicles Excepted (Multi-Message Sign ONLY)	RM9-SA109A	600 x 600
	Buses Excepted (Multi-Message Sign ONLY)	RM9-SA2A	600 x 600

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Railway Crossing Width Marker Assembly - G9-32 G9-33 D4-3(L) D4-3(R)	RX-9	2550 x 900
	Airport / Name Symbol(L or R or Through)	S109	350 x 350
	Airfield Symbol (L or R or through)	S11	350 x 350
	24 Hr Emergency Service Symbol	S110	350 x 350
	Accommodation Symbol (B&B)	S112-B	420 x 350
	Accommodation Symbol (Cabins)	S112-C	420 x 350
	Accommodation Symbol (Hostel)	S112-HOS	420 x 350
	Accommodation Symbol (Hotel)	S112-HOT	420 x 350


Sign Image	Sign Code	Description	Size (W x H)
 A blue square sign with a white stylized bed icon and the word "MOTEL" below it.	Accommodation Symbol (Motel)	S112-M	420 x 350
 A blue square sign with a white barbecue icon and the word "BARBECUE" below it.	Barbecue Symbol	S113	350 x 350
 A blue square sign with a large yellow stylized 'i' icon.	Accredited Visitor Information Centre Symbol - ONLY Golden 'i'. (Refer to Traffic Operations Section of DPTI)	S114	350 x 350
 A blue square sign with a white bus icon.	Bus (Refer to Traffic Operations Section of DPTI)	S117	350 x 350
 A blue square sign with a large white 'P' icon and a smaller bus icon to its right.	Park 'n' Ride (bus)	S118	420 x 350
 A black square sign featuring a thick black L-shaped arrow pointing to the right.	Hook Turn Symbol (for R2-21s)	S119	420 x 420
 A blue square sign with a white tree and a small bench icon.	Rest Area Symbol	S12	350 x 350
 A blue rectangular sign showing a white silhouette of a road train or truck.	Road Train Symbol (Refer to Traffic Operations Section of DPTI)	S120	1960 x 350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Car Towing Caravan Symbol (Refer to Traffic Operations Section of DPTI)	S125	1400 x 350
	24 hr Fuel Symbol	S126	350 x 350
	Truck Parking Area Symbol	S13	420 x 350
	Ferry or Ferries Symbol (Coastal Waters)	S137	1190 x 350
	Interstate Bus Terminal Symbol (Refer to Traffic Operations Section of DPTI)	S138	420 x 350
	Interstate Train Terminal Symbol (Refer to Traffic Operations Section of DPTI)	S139	420 x 350
	Parking Symbol	S14	350 x 350
	Train / Tram Station Symbol	S140	280 x 350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Park 'n' Ride (train)	S141	420 x 350
	Disabled Parking Symbol	S143	420 x 350
	Train & Bus Station Parking Symbol	S144	420 x 350
	EV Electric Vehicle Charging - For use at rapid charging facilities with min 50 kW in urban areas and 75 kW in rural areas.	S148	350 x 350
	Toilet Symbol	S16	350 x 350
	Fireplace Symbol (see S113 barbecue symbol)	S18	420 x 350
	12 hour Casualty Service Symbol (Clinic)	S1-C	350 x 350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	12 hour Casualty Service Symbol (First Aid)	S1-F	350 x 350
	12 hour Casualty Service Symbol (Hospital)	S1-H	350 x 350
	Phone (Public) Symbol	S2	280 x 350
	Drinking Water Symbol	S20	280 x 350
	Boat Ramp Symbol	S21	420 x 350
	Disabled Access Symbol	S22	280 x 350
	No Truck Parking Symbol (Formerly S108)	S23	350 x 350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Police Symbol (Formerly S101)	S24	350 x 350
	Help Phone Symbol (Formerly S127)	S25	420 x 350
	Caravan Dump Point Symbol (Refer to Traffic Operations Section of DPTI) (Formerly S142)	S26	350 x 350
	Information Bay Symbol (Formerly S124)	S27	350 x 350
	Public Golf Course Symbol (Refer to Traffic Operations Section of DPTI) (Formerly TS145)	S28	350 x 350
	Petrol Symbol - open for at least 12 hrs (Refer to S126 for 24 hr fuel)	S3	350 x 350
	Information Symbol (White I)- Not for accredited Visitor Information Centres. (Refer to Traffic Operations Section of DPTI)	S4	280 x 350

Sign Image	Sign Code	Description	Size (W x H)
	Restaurant Symbol	S5	280 x 350
	Accommodation Symbol	S6	420 x 350
	Refreshment Symbol	S7	420 x 350
	Camping Area Symbol	S8	420 x 350
	Caravan Park Symbol	S9	420 x 350
	Traffic Hazard	T1-10	1200 x 600
	Roadwork 'x' km Ahead	T1-16B T1-16A	2400 x 900 1800 x 600
	Prepare To Stop	T1-18A T1-18B	900 x 600 1200 x 900
	(Symbolic) Stock Ahead (Not to be used in S.A. - refer to TES6396)	T1-19A T1-19B	900 x 600 1200 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Roadwork Ahead	T1-1A T1-1B	1800 x 600 2400 x 900
	New Roundabout	T1-21	1800 x 600
	Changed Signals	T1-22	1200 x 600
	Changed Traffic Conditions (Install for 3 Months max)	T1-23AA T1-23	1200 x 750 1800 x 900
	Roadwork Next 'x' km	T1-24A T1-24B	1800 x 600 2400 x 900
	Roadwork On Side Road	T1-25AA T1-25	900 x 900 1800 x 600
	Road Plant On Side Road	T1-27	1800 x 600
	Next 'x' km	T1-28B T1-28A	900 x 900 600 x 600
	Bridgework 'x' km Ahead	T1-29	1800 x 600
	Bridgework Ahead	T1-2A	1800 x 600
	Signals Ahead (Symbolic)	T1-30	900 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Roadwork Ahead (3 lines)	T1-31AA T1-31	600 x 800 900 x 1200
	Road Plant Ahead (3 lines)	T1-3-1A	900 x 600
	Side Road Closed	T1-32	1500 x 600
	Side Road Closed	T1-32AA	600 x 800
	Road Plant Ahead (2 lines)	T1-3-2B	1800 x 600
	Changed Intersection (Install for 3 months max)	T1-33	1800 x 600
	Traffic Controller (Symbolic)	T1-34B T1-34A	1200 x 900 900 x 600
	Stop Here When Directed	T1-35B T1-35A	1200 x 900 900 x 600
	Grader Ahead	T1-4A	900 x 600
	Workers (Symbolic)	T1-5A T1-5B	900 x 600 1200 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Detour Ahead	T1-6B T1-6A	1800 x 900 1200 x 600
	Next 'x' km	T1-SA102	1200 x 300
	Speed Limit Changed Ahead (3 lines)	T1-SA103A T1-SA103B	1200 x 750 1800 x 1170
	Speed Limit / Changed Ahead hinged	T1-SA104B T1-SA104A	1500 x 750 1200 x 600
	Advance Notice Traffic Signals Switch On (time and date)	T1-SA105	1500 x 900
	Event Ahead Speed Limit Changed (optionally hinged)	T1-SA106	1200 x 900
	Speed Limit Changed to be used with R4-1 or R4-10 ONLY (maximum use 2 months. If a longer time is required refer to Tech. Services)	T1-SA109A T1-SA109C T1-SA109B	450 x 450 900 x 900 600 x 600
	Traffic Accident Ahead	T1-SA11	1200 x 900
	Heavy Vehicle Detour Ahead	T1-SA112	900 x 600
	Heavy Vehicle Detour (variable direction arrows)	T1-SA113	900 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Detour For Heavy Vehicles (L or R)	T1-SA114	2100 x 600
	Signals Not Operating (Refer OI 3.16)	T1-SA116B T1-SA116A	900 x 720 750 x 600
	Caution Vehicle Frequently Stopping (Vehicle Mounted sign)	T1-SA117	1350 x 750
	Signals Not Operating (used at pedestrian facility Refer OI 3.16)	T1-SA118	160 x 210
	Signals Operating Ahead	T1-SA119B T1-SA119A	1200 x 900 900 x 675
	Workers With Speed Limit 25	T1-SA120B T1-SA120A	1800 x 900 1200 x 600
	Narrow Lanes Over Bridge	T1-SA121	1200 x 900
	Left Lane Ends 'x' km Ahead	T1-SA122	1200 x 750
	'x' km Ahead (used with T2-6-1)	T1-SA123	1200 x 300
	Road Closed Ahead	T1-SA134	600 x 800

Sign Image	Sign Code	Description	Size (W x H)
	Linemarking Changed Ahead	T1-SA143	1200 x 750
	Tram Works Ahead (advice to tram drivers only)	T1-SA144	600 x 800
	Bridgework Ahead (3 lines narrow format)	T1-SA2	900 x 1200
	Changed Traffic Conditions (Install for 3 Months max)	T1-SA23D T1-SA23C T1-SA23AA T1-SA23B T1-SA23A	900 x 600 750 x 500 300 x 200 600 x 400 450 x 300
	Road Plant Next 'x' km	T1-SA26	1800 x 600
	Workers (Symbolic)	T1-SA5	600 x 800
	Fuel Spill Ahead	T1-SA50	1200 x 900
	Event Ahead [Reduce Speed]	T1-SA51	1500 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Grader Ahead Rocks On Road Next 'x' km	T1-SA66A	900 x 600
	Event Ahead	T1-SA67D T1-SA67A T1-SA67C T1-SA67B	1200 x 750 450 x 300 800 x 500 600 x 400
	Water Over Road	T2-13B T2-13A	1200 x 900 900 x 600
	End Roadwork (2 line)	T2-16A	1800 x 600
	End Roadwork (3 lines)	T2-17AA T2-17A	600 x 800 900 x 1200
	End Detour	T2-23	1200 x 600
	Two Way Traffic (Symbolic)	T2-24	900 x 600
	Trucks ( Crossing or Entering)(Symbolic)	T2-25	900 x 600
	Road Closed (previously black/yellow - may be used until 31 December 2021)	T2-4	1800 x 300


Sign Image	Sign Code	Description	Size (W x H)
	Lane Status (2 Lanes)	T2-6-1A T2-6-1B	1200 x 900 1800 x 1200
	Lane Status (3 Lanes)	T2-6-2A T2-6-2B	1800 x 900 2400 x 1200
	2 Lane Status (reverse curve)	T2-6-SA101	1200 x 900
	3 Lane Status (2 reverse curves)	T2-6-SA102	1800 x 900
	3 Lane Status	T2-6-SA103	1800 x 900
	3 Lanes Status	T2-6-SA104	1800 x 900
	Lane Status Left Lanes Blocked Right Thru Median	T2-6-SA106	1200 x 900
	3 Lane Status (With Right Turn)	T2-6-SA107	1800 x 900
	3 Lane Status (narrow format)	T2-6-SA108	900 x 900

Sign Image	Sign Code	Description	Size (W x H)
	2 Lane Status (narrow format)	T2-6-SA109	900 x 900
	3 Lane Status (2 Reverse curves thru median)	T2-6-SA110	1200 x 1350
	2 Lane Status (with right turn)	T2-6-SA117	1200 x 900
	4 Lane Status (with left / right turns)	T2-6-SA118	1500 x 900
	2 Lanes Status	T2-6-SA119	1800 x 900
	4 lanes status	T2-6-SA120	1500 x 900
	4 Lanes Status	T2-6-SA3	1800 x 900
	Track Closed	T2-SA101	1350 x 600
	Bridge Closed	T2-SA102	1800 x 300
	Bridgework on Side Road (3 lines)	T2-SA103	900 x 900


Sign Image	Sign Code	Description	Size (W x H)
	End Event	T2-SA104B T2-SA104A	600 x 400 450 x 300
	Do not queue over driveways	T2-SA105A	600 x 600
	Bridge Closed	T2-SA106	1200 x 300
	Farm Machinery (Approval required for use - refer to Manager, Traffic Services, DPTI)	T2-SA109	900 x 600
	End Bridgework (3 lines)	T2-SA54	900 x 1200
	New Work No Lines Marked	T3-11	1500 x 900
	No Lines Do Not Overtake Unless Safe	T3-12	1500 x 900
	Gravel Road	T3-13A T3-13B	900 x 600 1500 x 900
	Loose Surface	T3-14A T3-14B	900 x 600 1500 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Bicycle Path Rough Surface	T3-15	600 x 450
	Advisory Speed 'xx' km/h (2 line)	T3-16-1A T3-16-1B	600 x 600 900 x 900
	Advisory Speed 'xx' km/h (1 line)	T3-16-2B T3-16-2A	1500 x 600 900 x 400
	Slippery (Symbolic)	T3-3B T3-3A	1500 x 900 900 x 600
	Soft Edges	T3-6B T3-6A	1500 x 900 900 x 600
	Rough Surface	T3-7A T3-7B	900 x 600 1500 x 900
	Loose Stones (Symbolic)	T3-9A T3-9B	900 x 600 1500 x 900
	End Blasting Area	T4-3AA T4-3A	1200 x 450 1800 x 600
	Powerline Works In Progress	T4-5	1800 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Smoke Hazard	T4-6B T4-6A	1200 x 900 900 x 600
	Blasting Area Switch Off Radio Transmitters And Mobile Phones	T4-7	1200 x 900
	Vertical Chevron Marker (Temporary)	T4-SA101	150 x 900
	Road Plates in Use	T4-SA108	600 x 800
	Rat Collection Point	T4-SA109	1200 x 930
	Detour > (L or R or S)	T5-1A T5-1B	1200 x 300 1800 x 450
	Temporary Hazard Marker	T5-4	1500 x 450
	Temporary Hazard Marker	T5-5	600 x 600
	Detour Marker (L, R or S)	T5-6	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Temporary Hazard Marker	T5-7	250 x 1200
	Driveway Access	T5-SA101	900 x 600
	Bi-directional Temporary Hazard Marker	T5-SA5	1200 x 600
	Temporary Post Mounted Delineator for Star Dropper	T5-SA52	125 x 170
	School Bus	T6-4	1200 x 230
	Pilot Vehicle Do Not Overtake (Vehicle Mounted)	T6-5A T6-5B	1000 x 350 1200 x 500
	Pilot Vehicle In Use (Vehicle Mounted)	T6-6B T6-6A	1200 x 900 900 x 600
	Linemarking (temporary hazard marker) (L&R)	T6-SA1	1000 x 600
	Survey Vehicle (Refer to Traffic Operations Section, DPTI )	T6-SA109	800 x 600

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	SLOW bat (use on back of R6-8 STOP)	T7-1A T7-1B	450 x 450 600 x 600
	Pedestrians Watch Your Step	T8-1	900 x 600
	Pedestrians (L or R)	T8-2	1200 x 300
	Use Other Footpath	T8-3	900 x 600
	Footpath Closed	T8-4	900 x 600
	Look Both Ways Two-Way Traffic	T8-5	900 x 600
	Shared Path Closed	T8-SA103	900 x 600
	Temporary Advance Notice Sign (advising of Road or Bridgeworks or Community Events)	TES13004A TES13004B	1400 x 1650 1400 x 1950
	Railway Crossing Position With Target Board Stop Look For Trains	TES 13908(1)	750 x 1800

Sign Image	Sign Code	Description	Size (W x H)
	Remember 50 Unless Otherwise Signed	TES15342	1200 x 1050
	SA Government Black Spot Project Sign (install at project commencement / remove at project completion)	TES15567B TES15567A	900 x 1200 600 x 900
	SA Government Funded Project Sign (only projects >\$500,000 / install at project commencement / remove at project completion)	TES17031B TES17031A	3000 x 2000 1800 x 1200
	Keep Track Tracks Clear Xm	TES 18383	1400 x 1800
	Drive on Left (not to be used on road network, property & carpark exits only)	TES18546	450 x 600
	Cross Road Intersection (Unsealed Road Only)	TES18903	750 x 750
	For Roadwork Enquiries Phone (Multi-Message Sign ONLY)	TES18977	1200 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Speed Limit Changed Warning Sign	TES19085	750 x 450
	Red Light & Speed Camera Ahead (< 80 km/h)	TES19687	1350 x 1200
	Red Light & Speed Camera Ahead (>= 80 km/h)	TES19688	1950 x 1650
	Speed Camera Ahead (< 80 km/h)	TES19689	1350 x 1200
	Speed Camera Ahead (>= 80 km/h)	TES19690	1950 x 1650
	Speed Limits Apply 40 On Beach 25 Within 50m of a Person - See OI 4.12 for use.	TES20179	1350 x 900
	Stock on Road	TES6396	900 x 600
	Advance Notice - Roadworks Commencing	TES9571	1350 x 1050

Sign Image	Sign Code	Description	Size (W x H)
	Grain Trucks Crossing (O.I .2.24)	TES9899	1350 x 900
	Lane Status (Multi-Message Sign ONLY)	TM10-10A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-11A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-12A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-13A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-14A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-15A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Lane Status (Multi-Message Sign ONLY)	TM10-16A	600 x 600
	Lane Status - Through Median (Multi-Message Sign ONLY) (Replaces T2-SA6-3M)	TM10-17A	600 x 600
	Lane Through Ahead (Multi-Message Sign ONLY) (Replaces T2-SA6-1M)	TM10-1A	600 x 600
	Lane Closed Ahead (Multi-Message Sign ONLY) (Replaces T2-SA6-2M)	TM10-2A	600 x 600
	Left Lane of Two Lane Closed (Multi-Message Sign ONLY) (Replaces T2-6-1M)	TM10-3A	600 x 600
	Right Lane of Two Lane Closed (Multi-Message Sign ONLY)	TM10-4A	600 x 600
	Two Lanes Ahead (Multi-Message Sign ONLY)	TM10-5A	600 x 600


Sign Image	Sign Code	Description	Size (W x H)
	Two Lanes Closed Ahead (Multi-Message Sign ONLY)	TM10-6A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-7A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-8A	600 x 600
	Lane Status (Multi-Message Sign ONLY)	TM10-9A	600 x 600
	Merge Left (Multi-Message Sign ONLY)	TM10-SA111A	600 x 600
	Merge Right (Multi-Message Sign ONLY)	TM10-SA112A	600 x 600
	Lateral Shift Left - 2 Lanes (Multi-Message Sign ONLY)	TM10-SA113A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Lateral Shift Right - 2 Lanes (Multi-Message Sign ONLY)	TM10-SA114A	600 x 600
	Merge Left - Right Lane (Multi-Message Sign ONLY)	TM10-SA115A	600 x 600
	Merge Right - Left Lane (Multi-Message Sign ONLY)	TM10-SA116A	600 x 600
	Lane Status - Through Arrow - Narrow	TM10-SA117A	300 x 600
	Lane Status - Lane Ends - Narrow	TM10-SA118A	300 x 600
	Lane Status - Right - Narrow	TM10-SA119A	300 x 600
	Lane Status - Left - Narrow	TM10-SA120A	300 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Lane Status - Right Through - Narrow	TM10-SA121A	300 x 600
	Lane Status - Through Left - Narrow	TM10-SA122A	300 x 600
	2 Lanes Status (Multi-Message Sign ONLY)	TM10-SA14C	1200 x 600
	Traffic Hazard (Multi-Message Sign ONLY)	TM1-10A	600 x 600
	Traffic Hazard (Multi-Message Sign ONLY)	TM1-10C	1200 x 600
	Prepare to Stop (Multi-Message sign ONLY)	TM1-18A	600 x 600
	Prepare To Stop (Multi-Message Sign ONLY)	TM1-18B	1200 x 300
	Roadwork Ahead (Multi-Message Sign ONLY)	TM1-1A	600 x 600
	Roadwork Ahead (Multi-Message Sign ONLY) (Replaces T1-1M)	TM1-1B	1200 x 300

Sign Image	Sign Code	Description	Size (W x H)
	Roadwork Ahead (Multi-Message Sign ONLY)	TM1-1C	1200 x 600
	Roadwork On Side Road (Multi-Message Sign ONLY)	TM1-25C	1200 x 600
	Road Plant On Side Road (Multi-Message Sign ONLY)	TM1-27C	1200 x 600
	Next 'xx' km (Multi-Message Sign ONLY)	TM1-28A	600 x 600
	Next 'x' km (Multi-Message Sign ONLY)	TM1-28B	1200 x 300
	Bridgework Ahead (Multi-Message Sign ONLY) (Replaces T1-2M)	TM1-2A	600 x 600
	Bridgework Ahead (Multi-Message Sign ONLY)	TM1-2C	1200 x 600
	Signals Ahead (Symbolic) (Multi-Message Sign ONLY)	TM1-30A	600 x 600
	Road Plant Ahead (Multi-Message Sign ONLY) (Replaces T1-3-1M)	TM1-3-1A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Side Road Closed (Multi-Message Sign ONLY)	TM1-32A	600 x 600
	Road Plant Ahead (Multi-Message Sign ONLY)	TM1-3-2C	1200 x 600
	Traffic Controller (Symbolic) (Multi-Message Sign ONLY)	TM1-34A	600 x 600
	Stop Here When Directed (Multi-Message Sign ONLY)	TM1-35C	1200 x 600
	'x' km Ahead (Multi-Message Sign ONLY)	TM1-36B	1200 x 300
	Surveyors Ahead (Multi-Message Sign ONLY)	TM1-37C	1200 x 600
	Road Hump Ahead (Multi-Message Sign ONLY) (Replaces T1-SA129M)	TM1-38A	600 x 600
	Signal Works Ahead (Multi-Message Sign ONLY)	TM1-39A	600 x 600
	Line Marking Ahead (Multi-Message Sign ONLY)	TM1-40A	600 x 600


Sign Image	Sign Code	Description	Size (W x H)
	Mowing Ahead (Multi-Message Sign ONLY)	TM1-41A	600 x 600
	Tram Works Ahead (Multi-Message Sign ONLY)	TM1-42A	600 x 600
	Road Closed Ahead (Multi-Message Sign ONLY) (Replaces T1-SA134M)	TM1-43A	600 x 600
	Road Closed Ahead (Multi-Message Sign ONLY)	TM1-43C	1200 x 600
	Burning Off Ahead (Multi-Message Sign ONLY)	TM1-44A	600 x 600
	Burning Off Ahead (Multi-Message Sign ONLY)	TM1-44C	1200 x 600
	Traffic Incident Ahead (Multi-Message Sign ONLY)	TM1-45A	600 x 600
	Burning Off Ahead (Multi-Message Sign ONLY)	TM1-45C	1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Queued Traffic Ahead (Multi-Message Sign ONLY)	TM1-46A	600 x 600
	Queued Traffic Symbol (Multi-Message Sign ONLY)	TM1-47A	600 x 600
	Road Side Hazard (Multi-Message Sign ONLY)	TM1-49A	600 x 600
	Grader Ahead (Multi-Message Sign ONLY) (Replaces T1-4M)	TM1-4A	600 x 600
	Watch For Wandering Animals (Multi-Message Sign ONLY)	TM1-50A	600 x 600
	Ahead (Multi-Message Sign ONLY)	TM1-51B	1200 x 300
	Workers (Symbolic) (Multi-Message Sign ONLY)	TM1-5A	600 x 600
	Workers (Symbolic) (Multi-Message Sign ONLY)	TM1-5C	1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Detour Ahead (Multi-Message Sign ONLY)	TM1-6A	600 x 600
	Detour Ahead (Multi-Message Sign ONLY)	TM1-6B	1200 x 300
	Traffic Hazard (Multi-Message Sign ONLY)	TM1-SA10B	1200 x 300
	'xxx' m Ahead (Multi-Message Sign ONLY)	TM1-SA140B	1200 x 300
	Merge 'xxx' m Ahead (Multi-Message Sign ONLY)	TM1-SA141B	1200 x 300
	Bicycle Detour Ahead	TM1-SA145A	600 x 600
	Drive Carefully (Multi-Message Sign ONLY)	TM1-SA147B	1200 x 300
	Expect Delays 'xx' min (Multi-Message Sign ONLY)	TM1-SA149A	600 x 600
	Use Alt Route (Multi-Message Sign ONLY)	TM1-SA150A	600 x 600
	End Roadwork (Multi-Message Sign ONLY)	TM2-17A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	End Roadwork	TM2-17B	1200 x 300
	End Roadwork (Multi-Message Sign ONLY)	TM2-17C	1200 x 600
	End Detour (Multi-Message Sign ONLY)	TM2-23C	1200 x 600
	Two Way Traffic Lane Status (Multi-Message Sign ONLY)	TM2-24A	600 x 600
	Trucks (Symbolic) (Multi-Message Sign ONLY)	TM2-25A	600 x 600
	Roadwork (Multi-Message Sign ONLY)	TM2-26A	600 x 600
	Roadwork (Multi-Message Sign ONLY)	TM2-26B	1200 x 300
	Roadwork (Multi-Message Sign ONLY)	TM2-26C	1200 x 600
	Bridgework (Multi-Message Sign ONLY)	TM2-27A	600 x 600
	Bridgework (Multi-Message Sign ONLY)	TM2-27B	1200 x 300




<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Bridgework (Multi-Message Sign ONLY)	TM2-27C	1200 x 600
	End Bridgework (Multi-Message Sign ONLY)	TM2-28A	600 x 600
	Trenching Works (Multi-Message Sign ONLY) (Replaces T4-SA104-2M)	TM2-29A	600 x 600
	Trenching Works (Multi-Message Sign ONLY) (Replaces T4-SA104-1M)	TM2-29B	1200 x 300
	Mowing (Multi-Message Sign ONLY)	TM2-30B	1200 x 300
	Litter Collection (Multi-Message Sign ONLY) (Replaces T4-SA106-2M)	TM2-31A	600 x 600
	Litter Collection (Multi-Message Sign ONLY) (Replaces T4-SA106-1M)	TM2-31B	1200 x 300
	Utility Repairs (Multi-Message Sign ONLY) (Replaces T4-SA102-2M)	TM2-32A	600 x 600
	Utility Repairs (Multi-Message Sign ONLY) (Replaces T4-SA102-1M)	TM2-32B	1200 x 300



Sign Image	Sign Code	Description	Size (W x H)
	Emergency Works (Multi-Message Sign ONLY) (Replaces T4-SA103-2M)	TM2-33A	600 x 600
	Emergency Works (Multi-Message Sign ONLY) (Replaces T4-SA103-1M)	TM2-33B	1200 x 300
	Survey Works (Multi-Message Sign ONLY) (Replaces T1-SA110M)	TM2-34A	600 x 600
	Surveyors (Multi-Message Sign ONLY)	TM2-35B	1200 x 300
	Road Plates In Use (Multi-Message Sign ONLY) (Replaces T4-SA108-2M)	TM2-36A	600 x 600
	Road Plates In Use (Multi-Message Sign ONLY) (Replaces T4-SA108-1M)	TM2-36C	1200 x 600
	Powerline Works (Multi-Message Sign ONLY)	TM2-37A	600 x 600
	Powerline Works (Multi-Message Sign ONLY)	TM2-37C	1200 x 600
	On Ramp (Multi-Message Sign ONLY)	TM2-38A	600 x 600



<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	On Ramp (Multi-Message Sign ONLY)	TM2-38B	1200 x 600
	Merge Left (Multi-Message Sign ONLY)	TM2-39A	600 x 600
	Merge Left (Multi-Message Sign ONLY)	TM2-39B	1200 x 300
	Merge Right (Multi-Message Sign ONLY)	TM2-40A	600 x 600
	Merge Right (Multi-Message Sign ONLY)	TM2-40B	1200 x 300
	Local Access Only (Multi-Message Sign ONLY)	TM2-41A	600 x 600
	Slow Moving Vehicle (Multi-Message Sign ONLY)	TM2-42A	600 x 600
	Changed Traffic Conditions (Multi-Message Sign ONLY)	TM2-44A	600 x 600
	Oversize Vehicle (Multi-Message Sign ONLY)	TM2-45A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Heavy Vehicles (Multi-Message Sign ONLY)	TM2-46A	600 x 600
	High Vehicles (Multi-Message Sign ONLY)	TM2-47A	600 x 600
	Signals Not Operating Symbolic (Multi-Message Sign ONLY)	TM2-48A	600 x 600
	Signals Not In Use (Multi-Message Sign ONLY)	TM2-49A	600 x 600
	Road Closed (Multi-Message Sign ONLY) (previously black/yellow - may be used until 31 December 2021)	TM2-4B	1200 x 300
	Road Closed (Multi-Message Sign ONLY) (previously black/yellow - may be used until 31 December 2021)	TM2-4C	1200 x 600
	Signals Under Repair (Multi-Message Sign ONLY)	TM2-50A	600 x 600
	Road Hump (Multi-Message Sign ONLY) (Replaces T1-SA130M)	TM2-51A	600 x 600





Sign Image	Sign Code	Description	Size (W x H)
	Boom Barrier (Multi-Message sign ONLY) (Replaces T1-SA146M)	TM2-52A	600 x 600
	Keep Tracks Clear (Multi-Message Sign ONLY) (Replaces T1-SA124M)	TM2-53A	600 x 600
	Tram Only (Multi-Message Sign ONLY) (Replaces T1-SA142M)	TM2-54A	600 x 600
	Tram Works (Multi-Message Sign ONLY)	TM2-55A	600 x 600
	End Tram Works (Multi-Message sign ONLY) (Replaces T2-SA55M)	TM2-56A	600 x 600
	For Roadwork Enquiries (Multi-Message Sign ONLY)	TM2-57C	1200 x 600
	Driveway Access (Multi-Message Sign ONLY)	TM2-SA101A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	End (Multi-Message Sign ONLY)	TM2-SA106A	600 x 600
	End (Multi-Message Sign ONLY)	TM2-SA106C	1200 x 600
	Road Inspection (Multi-Message Sign ONLY)	TM2-SA107A	600 x 600
	Road Inspection (Multi-Message Sign ONLY)	TM2-SA107B	1200 x 300
	Weed Control (Multi-Message Sign ONLY)	TM2-SA110A	600 x 600
	Weed Control (Multi-Message Sign ONLY)	TM2-SA110B	1200 x 300
	Tree Planting (Multi-Message Sign Only)	TM2-SA111A	600 x 600
	Tree Planting (Multi-Message Sign Only)	TM2-SA111B	1200 x 300
	Business And Residential Traffic Only	TM2-SA112A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
 DO NOT QUEUE OVER DRIVEWAYS	Do not queue over driveways	TM2-SA113A	600 x 600
 DO NOT QUEUE OVER DRIVEWAYS	Do not queue over driveways	TM2-SA114	1200 x 600
 ROAD CLOSED	Road Closed (Multi-Message Sign ONLY) (previously black/yellow - may be used until 31 December 2021)	TM2-SA4A	600 x 600
 NEW WORK NO LINES MARKED	New Work No Lines Marked (Multi-Message Sign ONLY)	TM3-11C	1200 x 600
 NO LINES DO NOT OVERTAKE UNLESS SAFE	No Lines Do Not Overtake Unless Safe (Multi-Message Sign ONLY)	TM3-12C	1200 x 600
 GRAVEL ROAD	Gravel Road (Multi-Message Sign ONLY)	TM3-13A	600 x 600
 GRAVEL ROAD	Gravel Road (Multi-Message Sign ONLY)	TM3-13B	1200 x 300
 LOOSE SURFACE	Loose Surface (Multi-Message Sign ONLY)	TM3-14A	600 x 600
 LOOSE SURFACE	Loose Surface (Multi-Message Sign ONLY)	TM3-14B	1200 x 300

Sign Image	Sign Code	Description	Size (W x H)
	'xx' km/h (Multi-Message Sign ONLY)	TM3-16-1A	600 x 600
	No Lines (Multi-Message Sign ONLY)	TM3-17A	600 x 600
	Line Marking (Multi-Message Sign ONLY)	TM3-18A	600 x 600
	Line Marking (Multi-Message Sign ONLY)	TM3-18B	1200 x 300
	Loose Stones (Multi-Message Sign ONLY)	TM3-19B	1200 x 600
	Wet Bitumen (Multi-Message Sign ONLY)	TM3-20A	600 x 600
	Water Over Road (Multi-Message Sign ONLY)	TM3-21A	600 x 600
	Due To Flooding (Multi-Message Sign ONLY)	TM3-22B	1200 x 300
	Fallen Rocks (Multi-Message Sign ONLY)	TM3-23B	1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Road Flooded (Multi-Message Sign ONLY)	TM3-24A	600 x 600
	Deep Edge Drop (Multi-Message Sign ONLY) (Replaces T3-SA101-2M)	TM3-25A	600 x 600
	Slippery (Multi-Message Sign ONLY)	TM3-3A	600 x 600
	Soft Edges (Multi-Message Sign ONLY)	TM3-6A	600 x 600
	Soft Edges (Multi-Message Sign ONLY)	TM3-6B	1200 x 300
	Rough Surface (Multi-Message Sign ONLY)	TM3-7A	600 x 600
	Rough Surface (Multi-Message Sign ONLY)	TM3-7B	1200 x 300
	Loose Stones (Symbolic) (Multi-Message Sign ONLY)	TM3-9A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
 WET PAINT ON ROAD	Wet Paint On Road (Multi-Message Sign ONLY)	TM3-SA101C	1200 x 600
	Deep Edge Drop (Symbolic) (Multi-Message Sign ONLY) refer TES16542 for larger size	TM3-SA102A	600 x 600
 ROAD SURFACING	Road Surfacing (Multi-Message Sign ONLY)	TM3-SA103A	600 x 600
 ROAD SURFACING	Road Surfacing (Multi-Message Sign ONLY)	TM3-SA103B	1200 x 300
 KERBING REPAIRS	Kerbing Repairs (Multi-Message Sign ONLY)	TM3-SA104A	600 x 600
 KERBING REPAIRS	Kerbing Repairs (Multi-Message Sign ONLY)	TM3-SA104B	1200 x 300
 NEW SURFACE	New Surface (Multi-Message Sign ONLY)	TM3-SA105B	1200 x 300
 NO LINES MARKED	No Lines Marked (Multi-Message Sign ONLY)	TM3-SA106A	600 x 600
 NO LINES MARKED	No Lines Marked (Multi-Message Sign ONLY)	TM3-SA106B	1200 x 300
 NO LINES MARKED	No Lines Marked (Multi-Message Sign ONLY)	TM3-SA106C	1200 x 600
 DEEP EDGE DROP	Deep Edge Drop (Multi-Message Sign ONLY)	TM3-SA25B	1200 x 300


Sign Image	Sign Code	Description	Size (W x H)
	Hazardous Material (Multi-Message Sign ONLY)	TM4-10A	600 x 600
	End Blasting Area (Multi-Message Sign ONLY)	TM4-3C	1200 x 600
	Powerline Works In Progress (Multi-Message Sign ONLY)	TM4-5C	1200 x 600
	Smoke Hazard (Multi-Message Sign ONLY) (Replaces T4-6M)	TM4-6A	600 x 600
	Smoke Hazard (Multi-Message Sign ONLY)	TM4-6B	1200 x 600
	UHF Channel (Multi-Message Sign ONLY)	TM4-8A	600 x 600
	UHF Channel (Multi-Message Sign ONLY) (Replaces T1-SA148M)	TM4-8B	1200 x 300
	Bush Fire (Multi-Message Sign ONLY)	TM4-9A	600 x 600
	Bush Fire (Multi-Message Sign ONLY)	TM4-9B	1200 x 300

Sign Image	Sign Code	Description	Size (W x H)
 A yellow rectangular sign with a black border. The text "COVID-19 TESTING" is written in bold black capital letters.	Covid-19 Testing (Multi-Message Sign ONLY)	TM4-SA101A	600 x 600
 A yellow rectangular sign with a black border. The text "DAMAGED BARRIER" is written in bold black capital letters.	DAMAGED BARRIER (Multi-Message Sign ONLY)	TM4-SA109A	600 x 600
 A yellow rectangular sign with a black border. The text "DAMAGED BARRIER" is written in bold black capital letters.	DAMAGED BARRIER (Multi-Message Sign ONLY)	TM4-SA109B	1200 x 300
 A yellow rectangular sign with a black border. The text "PRESCRIBED BURN" is written in bold black capital letters.	Prescribed Burn (Multi-Message Sign ONLY)	TM4-SA112B	1200 x 300
 A yellow rectangular sign with a black border. The text "COVID-19 TESTING QUEUES" is written in bold black capital letters.	COVID-19 TESTING QUEUES	TM4-SA113A	600 x 600
 A yellow rectangular sign with a black border. The text "COVID-19 TRAFFIC ONLY" is written in bold black capital letters.	COVID-19 TRAFFIC ONLY	TM4-SA114A	600 x 600
 A yellow rectangular sign with a black border. The text "NO QUEUING FOR COVID-19 TESTING" is written in bold black capital letters.	No queuing for covid-19 testing	TM4-SA115A	600 x 900
 A yellow rectangular sign with a black border. The text "RAT COLLECTION POINT" is written in bold black capital letters.	Rat Collection Point	TM4-SA116C	1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Rat pick up point	TM4-SA117A	600 x 600
	On Side Road L/R (Multi-Message Sign ONLY)	TM5-10B	1200 x 300
	Detour For Heavy Vehicles L/R (Multi-Message Sign ONLY)	TM5-11C	1200 x 600
	Detour For High Vehicles L/R (Multi-Message Sign ONLY)	TM5-12C	1200 x 600
	< Detour (Multi-Message Sign ONLY) (Left or Right or Straight)	TM5-1B	1200 x 300
	Detour Marker (Multi-Message Sign ONLY)	TM5-6A	600 x 600
	Detour (Multi-Message Sign ONLY)	TM5-7A	600 x 600
	Detour (Multi-Message Sign ONLY)	TM5-7B	1200 x 300
	Horizontal Arrow (Multi-Message Sign ONLY)	TM5-8B	1200 x 300


Sign Image	Sign Code	Description	Size (W x H)
	On Side Road (Multi-Message Sign ONLY) (Replaces T1-25-2M)	TM5-9A	600 x 600
	On Side Road (Multi-Message Sign ONLY) (Replaces T1-25-1M)	TM5-9B	1200 x 300
	Bicycle Detour	TM5-SA101A	600 x 600
	Bicycle Detour	TM5-SA102A	600 x 600
	Proceed When Clear (Multi-Message Sign ONLY)	TM5-SA103B	1200 x 300
	Narrow Footpath Ahead (Multi-Message Sign ONLY)	TM8-10A	600 x 600
	Path Closed Ahead	TM8-11A	600 x 600
	Path Closed (Multi-Message Sign ONLY)	TM8-12A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Pedestrian Hazard (Multi-Message Sign ONLY) (Replaces T8-SA101-2M)	TM8-13A	600 x 600
	Pedestrian Hazard (Multi-Message Sign ONLY) (Replaces T8-SA101-1M)	TM8-13B	1200 x 300
	Cycling Hazard (Multi-Message Sign ONLY) (Replaces T1-SA132-2M)	TM8-14A	600 x 600
	Cycling Hazard (Multi-Message Sign ONLY) (Replace T1-SA132-1M)	TM8-14B	1200 x 300
	Bicycle Lane Closed Ahead	TM8-15A	600 x 600
	Bicycle Lane Closed (Multi-Message Sign ONLY)	TM8-16A	600 x 600
	Symbolic Bicycle Ahead (Multi-Message Sign ONLY)	TM8-17A	600 x 600
	Symbolic Bicycle (Multi-Message Sign ONLY)	TM8-18A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Accessible Path and Pedestrian Path (Multi-Message Sign ONLY)	TM8-19C	1200 x 600
	Pedestrians Watch Your Step (Multi-Message Sign ONLY)	TM8-1C	1200 x 600
	Accessible Path (Multi-Message Sign ONLY)	TM8-20B	1200 x 300
	Pedestrians (Multi-Message Sign ONLY)	TM8-2B	1200 x 300
	Use Other Footpath (Multi-Message Sign ONLY)	TM8-3A	600 x 600
	Footpath Closed (Multi-Message Sign ONLY)	TM8-4A	600 x 600
	Look Both Ways Two-Way Traffic (Multi-Message Sign ONLY)	TM8-5C	1200 x 600
	Look Both Ways (Multi-Message Sign ONLY)	TM8-6A	600 x 600
	Watch Your Step (Multi-Message Sign ONLY)	TM8-7A	600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Symbolic Pedestrians (Multi-Message Sign ONLY)	TM8-8A	600 x 600
	Footpath Closed Ahead (Multi-Message Sign ONLY)	TM8-9A	600 x 600
	Footpath Repairs (Multi-Message Sign ONLY)	TM8-SA102A	600 x 600
	Footpath Repairs (Multi-Message Sign ONLY)	TM8-SA102B	1200 x 300
	Bikeway / Bicycle Path Closed	TM8-SA110A	600 x 600
	Bicycle End Detour	TM8-SA111A	600 x 600
	Pedestrian Wait Here (Multi-Message Sign ONLY)	TM8-SA112A	600 x 600
	Pedestrians	TM8-SA2A	600 x 600

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Footpath Closed (Multi-Message Sign ONLY)	TM8-SA4B	1200 x 300
	Event Ahead (Multi-Message Sign ONLY) (Replaces T1-SA67-2M)	TM9-1A	600 x 600
	Event Ahead (Multi-Message Sign ONLY) (Replaces T1-SA67-1M)	TM9-1B	1200 x 300
	End Event (Multi-Message Sign ONLY) (Replaces T2-SA104-2M)	TM9-2A	600 x 600
	End Event (Multi-Message Sign ONLY) (Replaces T2-SA104-1M)	TM9-2B	1200 x 300
	Event in Progress (Multi-Message Sign ONLY) (Replaces T2-SA105-2M)	TM9-3A	600 x 600
	Event in Progress (Multi-Message Sign ONLY) (Replaces T2-SA105-1M)	TM9-3B	1200 x 300
	Event on Side of Road (Multi-Message Sign ONLY)	TM9-4C	1200 x 600
	Event On Side Road L/R (Multi-Message Sign ONLY)	TM9-5B	1200 x 300
	Community Event Ahead (Multi-Message Sign ONLY) (Replaces T1-SA133M)	TM9-6C	1200 x 600

Sign Image	Sign Code	Description	Size (W x H)
 A yellow square sign with a black border. Inside is a black silhouette of a cyclist in motion, facing right.	Cyclist Racing (Multi-Message Sign ONLY) (Replaces T1-SA127M)	TM9-7A	600 x 600
 A yellow square sign with a black border. Inside is a black silhouette of a runner in mid-stride, facing right.	Runner Symbolic (Multi-Message Sign ONLY) (Replaces T1-SA128M)	TM9-8A	600 x 600
 A yellow square sign with a black border. Inside is the word "EVENT" in bold black letters above a black curved arrow pointing right.	Event Turn Left/Right (Multi-Message Sign ONLY)	TM9-SA107A	600 x 600
 A yellow square sign with a black border. Inside is the word "EVENT" in bold black letters above a large blue letter "P".	Event Parking (Multi-Message Sign ONLY)	TM9-SA108A	600 x 600
 A yellow square sign with a black border. Inside are the words "SPEED LIMIT CHANGED" stacked vertically in bold black letters.	Speed Limit Changed (Multi-Message Sign ONLY)	TM9-SA109A	600 x 600
 A yellow square sign with a black border. Inside is a black silhouette of a man and a woman walking side-by-side.	Event Pedestrian (Multi-Message Sign ONLY)	TM9-SA126A	600 x 600
 A yellow square sign with a black border. Inside are the words "ON SIDE ROAD" stacked vertically in bold black letters.	On Side Road (Multi-Message Sign ONLY)	TM9-SA25A	600 x 600
 A yellow rectangular sign with a black border. Inside are the words "ON SIDE ROAD" stacked horizontally in bold black letters.	On Side Road (Multi-Message Sign ONLY)	TM9-SA25B	1200 x 300

Sign Image	Sign Code	Description	Size (W x H)
	Next 'x' km (Multi-Message Sign ONLY)	TM9-SA28A	600 x 600
	Next 'x' km (Multi-Message Sign ONLY)	TM9-SA28B	1200 x 300
	Aboriginal Heritage Symbol (Refer to Traffic Operations Section of DPTI)	TS1	350 x 350
	Nature Symbol (Refer to Traffic Operations Section of DPTI)	TS105	350 x 350
	Cairn / Monument Symbol (Refer to Traffic Operations Section of DPTI)	TS106	350 x 350
	Lookout Symbol	TS2	350 x 350
	Walking Trail Symbol	TS3	350 x 350
	Heritage Site / Attraction Symbol (Refer to Traffic Operations Section of DPTI) (Formerly TS143)	TS5	350 x 350

Sign Image	Sign Code	Description	Size (W x H)
	Museum Symbol (Formerly TS144)	TS6	350 x 350
	Whale Watching Symbol (Refer to Traffic Operations Section of DPTI) (Formerly TS146)	TS7	350 x 350
	Multi Message Sign	Various	600 x 600
	Turn (L or R)	W1-1B W1-1A W1-1C W1-1D	750 x 750 600 x 600 900 x 900 1200 x 1200
	Reverse Turn (L or R)	W1-2C W1-2A W1-2B W1-2D	900 x 900 600 x 600 750 x 750 1200 x 1200
	Curve (L or R)	W1-3D W1-3A W1-3B W1-3C	1200 x 1200 600 x 600 750 x 750 900 x 900
	Reverse Curve (L or R)	W1-4C W1-4D W1-4B W1-4A	900 x 900 1200 x 1200 750 x 750 600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Winding Road (L or R)	W1-5AA W1-5A W1-5ES W1-5D W1-5B W1-5C	450 x 450 600 x 600 300 x 300 1200 x 1200 750 x 750 900 x 900
	Hairpin Bend (L or R)	W1-7C W1-7D W1-7B W1-7A	900 x 900 1200 x 1200 750 x 750 600 x 600
	Exit Speed ('x' km/h)	W1-9-1AA W1-9-1	900 x 1200 1400 x 1800
	Exit Speed Curve 'xxx' km/h Formerly W1-SA68	W1-9-2AA W1-9-2	900 x 1650 1400 x 2400
	Exit Speed Turn 'xx' km/h	W1-9-3AA W1-9-3	900 x 1800 1400 x 2400
	Exit Speed Reverse Curve 'xx' km/h Formerly W1-SA69	W1-9-4 W1-9-4AA	1400 x 2400 900 x 1650

Sign Image	Sign Code	Description	Size (W x H)
 Exit Speed Hairpin Bend (km/h) Formerly W1-SA67		W1-9-5AA W1-9-5	900 x 1650 1400 x 2400
 GRAVEL ROADS MAXIMUM 80 km/h DRIVE TO THE ROAD CONDITIONS	Gravel Roads MAXIMUM 80 km/h Drive To The Road Conditions (Approval required for other speeds - refer to Manager, Traffic Services, DIT) See OI 4.10 for reference of use.	W1-SA101	900 x 1050
	Truck Tilting with Curve (W1-1) (L or R)	W1-SA50-1B W1-SA50-1A	1500 x 3000 1000 x 2000
	Truck Tilting with Curve (W1-2) (L or R)	W1-SA50-2A W1-SA50-2B	1000 x 2000 1500 x 3000
	Truck Tilting with Curve (W1-3) (L or R)	W1-SA50-3A W1-SA50-3B	1000 x 2000 1500 x 3000
	Truck Tilting with Curve (W1-4) (L or R)	W1-SA50-4B W1-SA50-4A	1500 x 3000 1000 x 2000
	Truck Tilting with Curve (W1-5) (L or R)	W1-SA50-5B W1-SA50-5A	1500 x 3000 1000 x 2000

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Truck Tilting with Curve (W1-7) (L or R)	W1-SA50-6B W1-SA50-6A	1500 x 3000 1000 x 2000
	Curve with two intersections on outside (L or R)	W1-SA64C W1-SA64B	900 x 900 750 x 750
	Exit Speed Winding Road (km/h) (L or R)	W1-SA70AA W1-SA70	900 x 1650 1400 x 2400
	Side Road Intersection on a Curve - inside (LorR) Formerly W1-SA60	W2-10C W2-10B W2-10A W2-10D	900 x 900 750 x 750 600 x 600 1200 x 1200
	Successive Side Road Intersections on a Curve - 1st intersection on RHS Formerly W1-SA66	W2-11D(L) W2-11A(L) W2-11B(L) W2-11C(L)	1200 x 1200 600 x 600 750 x 750 900 x 900
	Successive Side Road Intersections on a Curve - 1st intersection on RHS Formerly W1-SA66	W2-11A(R) W2-11C(R) W2-11D(R) W2-11B(R)	600 x 600 900 x 900 1200 x 1200 750 x 750
	Successive Side Road Intersections on a Curve - 1st intersection on LHS Formerly W1-SA65	W2-12C(L) W2-12A(L) W2-12B(L)	900 x 900 600 x 600 750 x 750

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
		W2-12D(L)	1200 x 1200
	Successive Side Road Intersections on a Curve - 1st intersection on LHS Formerly W1-SA65	W2-12B(R) W2-12D(R) W2-12A(R) W2-12C(R)	750 x 750 1200 x 1200 600 x 600 900 x 900
	Successive Side Road Intersections on a straight (L or R)	W2-13D W2-13A W2-13C W2-13B	1200 x 1200 600 x 600 900 x 900 750 x 750
	T Intersection Beyond a Curve (L or R)	W2-14A W2-14B W2-14D W2-14C	600 x 600 750 x 750 1200 x 1200 900 x 900
	Crossroad on Curve (L or R) Formerly W1-SA61	W2-15C W2-15D W2-15A W2-15B	900 x 900 1200 x 1200 600 x 600 750 x 750
	Side Road Intersection on a Curve - Side Road on Straight Alignment (L or R) Formerly W9-4	W2-16C W2-16B W2-16A W2-16D	900 x 900 750 x 750 600 x 600 1200 x 1200
	Cross Road	W2-1D W2-1C W2-1A W2-1B	1200 x 1200 900 x 900 600 x 600 750 x 750

Sign Image	Sign Code	Description	Size (W x H)
	T Intersection	W2-3D W2-3B W2-3A W2-3C	1200 x 1200 750 x 750 600 x 600 900 x 900
	Side Road Intersection, Straight (L or R)	W2-4D W2-4A W2-4B W2-4C	1200 x 1200 600 x 600 750 x 750 900 x 900
	Roundabout (Ahead)	W2-7B W2-7C W2-7D W2-7A	750 x 750 900 x 900 1200 x 1200 600 x 600
	Staggered Side Road Intersection, Straight (L or R)	W2-8B W2-8C W2-8D W2-8A	750 x 750 900 x 900 1200 x 1200 600 x 600
	Side Road Intersection on Outside of Curve (LorR) Formerly W1-SA56	W2-9C W2-9D W2-9A W2-9B	900 x 900 1200 x 1200 600 x 600 750 x 750
	T Intersection with Multi-laned Divided Road	W2-SA57B W2-SA57C	750 x 750 900 x 900

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	T intersection on bend with side road on o/side of curve (L or R)	W2-SA65B W2-SA65C	750 x 750 900 x 900
	Stop Sign Ahead	W3-1D W3-1C W3-1A W3-1B	1200 x 1200 900 x 900 600 x 600 750 x 750
	Give Way Sign Ahead	W3-2A W3-2B W3-2C W3-2D	600 x 600 750 x 750 900 x 900 1200 x 1200
	Signals Ahead	W3-3-1C W3-3-1B W3-3-1A W3-3-1D	900 x 900 750 x 750 600 x 600 1200 x 1200
	Signals Ahead (FYG)	W3-3-2C W3-3-2D W3-3-2A W3-3-2B	900 x 900 1200 x 1200 600 x 600 750 x 750
	Road Humps Ahead	W3-4B W3-4A	750 x 750 600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Road Humps on Side Road	W3-SA4B W3-SA4A	750 x 750 600 x 600
	Lane Allocation (3 lanes)	W4-10C W4-10B	900 x 900 750 x 750
	Two-way	W4-11D W4-11A W4-11B W4-11C	1200 x 1200 600 x 600 750 x 750 900 x 900
	Narrow Bridge	W4-1B W4-1ES W4-1AA W4-1C W4-1A	750 x 750 300 x 300 450 x 450 900 x 900 600 x 600
	Road Narrows	W4-3A W4-3B W4-3C W4-3ES	600 x 600 750 x 750 900 x 900 300 x 300
	Divided Road	W4-4B W4-4C W4-4A W4-4D	750 x 750 900 x 900 600 x 600 1200 x 1200

Sign Image	Sign Code	Description	Size (W x H)
	Island	W4-5C W4-5A W4-5B	900 x 900 600 x 600 750 x 750
	End Divided Road (W4-4 Divided Road sign inverted)	W4-6B W4-6A W4-6C W4-6D	750 x 750 600 x 600 900 x 900 1200 x 1200
	Low Clearance ('x' m)	W4-8B W4-8C W4-8AA	750 x 750 900 x 900 450 x 450
	Left Lane Ends	W4-9B W4-9C	750 x 750 900 x 900
	Right Lane Ends	W4-SA101B W4-SA101D W4-SA101C	750 x 750 1200 x 1200 900 x 900
	Lane Deviation (with island)	W4-SA102C W4-SA102B	900 x 900 750 x 750
	Lane Allocation (4 lanes)	W4-SA50C W4-SA50B	900 x 900 750 x 750

Sign Image	Sign Code	Description	Size (W x H)
	Replaced by TES13695	W4-SA51	0 x 0
	No Overtaking Unless Both Oncoming Lanes Are Clear	W4-SA52	2700 x 1200
	Two Way Traffic With Dividing Barrier	W4-SA53C W4-SA53B W4-SA53D	900 x 900 750 x 750 1200 x 1200
	Road Hump	W5-10C W5-10B W5-10A	900 x 900 750 x 750 600 x 600
	Crest	W5-11B W5-11A W5-11C	750 x 750 600 x 600 900 x 900
	Steep Descent	W5-12A W5-12C W5-12B	600 x 600 900 x 900 750 x 750
	Steep Climb	W5-13B W5-13A W5-13C	750 x 750 600 x 600 900 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Gate	W5-14B W5-14A W5-14C	750 x 750 600 x 600 900 x 900
	Grid	W5-16B W5-16C W5-16A	750 x 750 900 x 900 600 x 600
	Road Ends	W5-18A W5-18B W5-18C	600 x 600 750 x 750 900 x 900
	Gravel Road	W5-19B W5-19A W5-19C	750 x 750 600 x 600 900 x 900
	Ferry	W5-1A W5-1C W5-1B	600 x 600 900 x 900 750 x 750
	Slippery	W5-20A W5-20C W5-20B	600 x 600 900 x 900 750 x 750
	Trucks Crossing or Entering (from private property)	W5-22B W5-22A W5-22C	750 x 750 600 x 600 900 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Kangaroos	W5-29A W5-29B W5-29C	600 x 600 750 x 750 900 x 900
	Opening Bridge	W5-2A W5-2C W5-2B	600 x 600 900 x 900 750 x 750
	Aircraft	W5-30A W5-30C W5-30B	600 x 600 900 x 900 750 x 750
	Slow Point	W5-33A W5-33B	600 x 600 750 x 750
	Merging Traffic (L or R) (Replaces W5-24)	W5-34B W5-34C W5-34A W5-34D	750 x 750 900 x 900 600 x 600 1200 x 1200
	Added Lane (L or R) Used only with W8-26	W5-35C W5-35A W5-35D	900 x 900 600 x 600 1200 x 1200
	Fire Station	W5-36A W5-36C W5-36B	600 x 600 900 x 900 750 x 750

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Ambulance Station	W5-37B W5-37C W5-37A	750 x 750 900 x 900 600 x 600
	Stock (Replaces W5-27 and W5-28)	W5-38A W5-38B W5-38C	600 x 600 750 x 750 900 x 900
	Fallen Rocks Formerly W5-SA69	W5-42B W5-42A W5-42C	750 x 750 600 x 600 900 x 900
	Uneven Surface (Formerly W5-SA107)	W5-43C W5-43B W5-43A	900 x 900 750 x 750 600 x 600
	Camel (Formerly W5-SA62)	W5-44C W5-44A W5-44B	900 x 900 600 x 600 750 x 750
	Emu	W5-45A W5-45B W5-45C	600 x 600 750 x 750 900 x 900
	Horse (Formerly W5-SA64)	W5-46A W5-46B W5-46C	600 x 600 750 x 750 900 x 900

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Koala (Formerly W5-SA66)	W5-47C W5-47A W5-47B	900 x 900 600 x 600 750 x 750
	Wombat (Formerly W5-SA57)	W5-48A W5-48B W5-48C	600 x 600 750 x 750 900 x 900
	Farm Machinery (Approval required for use - refer to Manager, Traffic Services, DPTI)	W5-50C W5-50B W5-50A	900 x 900 750 x 750 600 x 600
	Horse and Rider	W5-53C W5-53B W5-53A	900 x 900 750 x 750 600 x 600
	Concealed Driveway	W5-55-1C W5-55-1B W5-55-1A	900 x 900 750 x 750 600 x 600
	Concealed Driveways	W5-55-2A W5-55-2B W5-55-2C	600 x 600 750 x 750 900 x 900
	Wildlife	W5-56B W5-56C W5-56A	750 x 750 900 x 900 600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Ford	W5-6A W5-6B W5-6C	600 x 600 750 x 750 900 x 900
	Floodway	W5-7-1C W5-7-1B W5-7-1A	900 x 900 750 x 750 600 x 600
	Floodways (Formerly W5-SA76)	W5-7-2B W5-7-2A W5-7-2C	750 x 750 600 x 600 900 x 900
	Low Level Bridge	W5-8A W5-8C W5-8B	600 x 600 900 x 900 750 x 750
	Dip	W5-9C W5-9B W5-9A	900 x 900 750 x 750 600 x 600
	Cross Wind	W5-SA101A W5-SA101B W5-SA101C	600 x 600 750 x 750 900 x 900
	Creek	W5-SA109B W5-SA109C W5-SA109A	750 x 750 900 x 900 600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Creeks	W5-SA110A W5-SA110C W5-SA110B	600 x 600 900 x 900 750 x 750
	Rocky Creek Bed Track	W5-SA111	750 x 750
	Advisory Tram Speed	W5-SA113A W5-SA113B	300 x 400 450 x 600
	Tram Works	W5-SA114A W5-SA114B	300 x 200 450 x 300
	Dry Weather Road Only (Outback Roads Only)	W5-SA115	750 x 750
	Deer	W5-SA116C W5-SA116A W5-SA116B	900 x 900 600 x 600 750 x 750
	Rough Surface	W5-SA117B W5-SA117C W5-SA117A	750 x 750 900 x 900 600 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Cow (Use for north of dog fence, otherwise use W5-38)	W5-SA63C W5-SA63A W5-SA63B	900 x 900 600 x 600 750 x 750
	Emergency Vehicles	W5-SA70B W5-SA70C	750 x 750 900 x 900
	Tipping Truck (L or R) (without advisory speed)	W5-SA72B	750 x 750
	Warning Gravel Roads Surface Conditions Change Often Drive Carefully (See Managing Unsealed Roads in SA (LGA))	W5-SA73	900 x 1200
	Low Branches (Must be used with W8-SA64)	W5-SA74B	750 x 750
	Forklifts	W5-SA75B W5-SA75C W5-SA75A	750 x 750 900 x 900 600 x 600
	Gap Hazard Formerly W6-SA107	W6-10A W6-10B	600 x 600 750 x 750

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Slippery for Bicycles (bicycle paths only) Formerly W5-SA104	W6-11C W6-11A W6-11B	600 x 600 300 x 300 450 x 450
	Steep Decent Bicycle (bicycle paths only) Formerly W5-SA103	W6-12C W6-12A W6-12B	600 x 600 300 x 300 450 x 450
	Steep Climb Bicycle (bicycle paths only) Formerly W5-SA102	W6-13C W6-13B W6-13A	600 x 600 450 x 450 300 x 300
	Pedestrians (L or R) - (R) has pedestrians facing right and is installed on left side of the road (formerly W6-SA1).	W6-1B W6-1A W6-1C	750 x 750 600 x 600 900 x 900
	Pedestrian Crossing Ahead	W6-2-1C W6-2-1B W6-2-1A	900 x 900 750 x 750 600 x 600
	Pedestrian Crossing Ahead - 45 degrees	W6-2-2A W6-2-2C W6-2-2B	600 x 600 900 x 900 750 x 750
	Pedestrian Crossing Ahead - 90 degrees	W6-2-3A W6-2-3C W6-2-3B	600 x 600 900 x 900 750 x 750

Sign Image	Sign Code	Description	Size (W x H)
	Children (L or R) - (R) has pedestrians facing right and is installed on left side of the road (formerly W6-SA3).	W6-3A W6-3B W6-3C	600 x 600 750 x 750 900 x 900
	Bicycles (Can be used with W8-23)	W6-7C W6-7B W6-7A	900 x 900 750 x 750 600 x 600
	Road Ahead (for use on bicycle paths only)	W6-8B W6-8A	450 x 450 300 x 300
	Bicycles/Pedestrians - See W6-SA110 for Fluoro Yellow Green	W6-9B W6-9C W6-9A	750 x 750 900 x 900 600 x 600
	School Zone (Refer to Speed Limit Guidelines - used above W8-SA108)	W6-SA106B W6-SA106A W6-SA106C	750 x 750 600 x 600 900 x 900
	Pedestrians, bicycles, horses (only to be used at recognised multi-user trail crossing points)	W6-SA109C W6-SA109B	900 x 900 750 x 750
	Pedestrian Bike - See DIT Supplement AS 1742.10	W6-SA110B W6-SA110A	750 x 750 600 x 600


Sign Image	Sign Code	Description	Size (W x H)
	Railway Crossing Ahead Diagammatic - Crossing on Side Road (L or R)	W7-12D W7-12A W7-12B W7-12C	1200 x 1200 600 x 600 750 x 750 900 x 900
	Railway Crossing Ahead Diagrammatic - Crossing on Cross Road (L or R)	W7-13A W7-13B W7-13C	600 x 600 750 x 750 900 x 900
	Railway Crossing Pedestrian Warning - Look for Trains 'x' tracks	W7-14-4	300 x 450
	Railway Crossing Pedestrian Warning - Look For Trains	W7-14-5	300 x 450
	Railway Crossing Pedestrian Warning - Do Not Cross While Lights Are Displayed Or Alarm Sounding 'x' Tracks	W7-14-6	450 x 600
	Railway Gate	W7-15C W7-15B W7-15A	900 x 900 750 x 750 600 x 600
	Railway Crossing Ahead Diagrammatic - Crossing on bar of T intersection (L or R)	W7-17A W7-17C W7-17B	600 x 600 900 x 900 750 x 750

Sign Image	Sign Code	Description	Size (W x H)
	'x' Tracks (Rail Authority only to replace)	W7-2-1A W7-2-1B	600 x 275 800 x 367
	x Tracks (Rail Authority only to replace)	W7-2-2	1000 x 150
	Railway Level Crossing Flashing Light Ahead	W7-4B W7-4C	750 x 750 900 x 900
	Rail Level Crossing Ahead (L or R) - (L) has train facing right and installed on left side of the road.	W7-7A W7-7B W7-7C	600 x 600 750 x 750 900 x 900
	Railway Crossing Ahead Diagrammatic - Right Angle Crossing	W7-8B W7-8A W7-8C	750 x 750 600 x 600 900 x 900
	Railway Crossing Ahead Diagrammatic - Oblique Crossing (L or R)	W7-9C W7-9B W7-9A	900 x 900 750 x 750 600 x 600
	Diagrammatic Warning on Side Road (roundabout) (L or R)	W7-SA101C W7-SA101B	900 x 900 750 x 750
	Diagrammatic Warning on Main Road (after roundabout)	W7-SA102C W7-SA102B	900 x 900 750 x 750

Sign Image	Sign Code	Description	Size (W x H)
	Diagrammatic Warning on Main Road (before roundabout)	W7-SA103B W7-SA103C	750 x 750 900 x 900
	Diagrammatic Warning on Side Road (stagger intersections) (L or R)	W7-SA104B W7-SA104C	750 x 750 900 x 900
	Diagrammatic Warning on Side Road (stagger intersections) (L or R)	W7-SA105B W7-SA105C	750 x 750 900 x 900
	Diagrammatic Warning on Each Side Road (T intersection)	W7-SA50B W7-SA50A W7-SA50C	750 x 750 600 x 600 900 x 900
	USE TES13698	W7-SA53	0 x 0
	Play Ground (formerly W8-SA13)	W8-13A W8-13B W8-13C	600 x 400 750 x 500 900 x 900
	School (formerly W8-SA14)	W8-14C W8-14B W8-14A	900 x 300 750 x 250 600 x 200

Sign Image	Sign Code	Description	Size (W x H)
	Merge Right	W8-15B W8-15C	750 x 500 900 x 600
	One Lane	W8-16C W8-16B W8-16A	900 x 600 750 x 500 600 x 400
	NEXT 'x' km	W8-17-1A W8-17-1D W8-17-1C W8-17-1B	600 x 400 1200 x 800 900 x 600 750 x 500
	Next 'x' m	W8-17-2A W8-17-2B	600 x 400 750 x 500
	Aged (formerly W8-SA18)	W8-18C W8-18A W8-18B	900 x 300 600 x 200 750 x 250
	Blind (formerly W8-SA19)	W8-19B W8-19C W8-19A	750 x 250 900 x 300 600 x 200
	Disabled (formerly W8-SA20)	W8-20C W8-20A W8-20B	900 x 300 600 x 200 750 x 250
	Boggy When Wet	W8-21C W8-21B W8-21A	900 x 600 750 x 500 600 x 400

Sign Image	Sign Code	Description	Size (W x H)
	Crossing Ahead (use only with fluorescent yellow green W3-3-2 or W6-3) (formerly W8-SA22)	W8-22C W8-22A W8-22B	900 x 600 600 x 400 750 x 500
	Crossing Arrows (use only with W6-7,W6-9)	W8-23A W8-23C W8-23B	600 x 200 900 x 300 750 x 250
	Preschool (formerly W8-SA24)	W8-24B W8-24C W8-24A	750 x 250 900 x 300 600 x 200
	Refuge Island (formerly W8-SA25)	W8-25B W8-25A W8-25C	750 x 500 600 x 400 900 x 600
	Added Lane	W8-26D W8-26C	1200 x 800 900 x 600
	Prepare To Stop	W8-27C W8-27B W8-27D	900 x 450 750 x 375 1200 x 600
	Crossing Ramp (for bikeways)	W8-28B W8-28C	750 x 500 900 x 600
	On Bridge When Frosty	W8-29A W8-29C W8-29B	600 x 750 900 x 1125 750 x 937


Sign Image	Sign Code	Description	Size (W x H)
	Advisory Speed	W8-2C W8-2D W8-2B W8-2A	900 x 600 1200 x 800 750 x 500 600 x 400
	On Side Road (L or R) (Also refer to W8-SA3 when yellow/green required )	W8-3C W8-3B W8-3A	900 x 600 750 x 500 600 x 400
	Distance 'xxx' m (Also refer to W8-SA5 when yellow/green required)	W8-5C W8-5A W8-5B	900 x 300 600 x 200 750 x 250
	When Wet	W8-7B W8-7C W8-7A	750 x 500 900 x 600 600 x 400
	When Frosty	W8-8A W8-8C W8-8B	600 x 400 900 x 600 750 x 500
	Under Snow	W8-9C W8-9B W8-9A	900 x 600 750 x 500 600 x 400
	Merge Left	W8-SA101C W8-SA101B W8-SA101D	900 x 600 750 x 500 1200 x 800
	Unfenced Road	W8-SA102B W8-SA102C	750 x 500 900 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Two Way Traffic (Only to be used with G9-SA121)	W8-SA103	300 x 300
	Hiking Trail (only to be used with W6-SA1)	W8-SA104B W8-SA104C W8-SA104A	750 x 500 900 x 600 600 x 400
	'xxx' m Ahead	W8-SA105A W8-SA105B W8-SA105C	600 x 400 750 x 500 900 x 600
	Pedestrian Precinct	W8-SA106A W8-SA106B	600 x 300 750 x 400
	On Side Road	W8-SA107B W8-SA107A W8-SA107C W8-SA107D	750 x 500 600 x 400 900 x 600 1200 x 800
	Distance 'xxx' m AHEAD (Use under W6-SA106)	W8-SA108C W8-SA108B W8-SA108A	900 x 600 750 x 500 600 x 400
	School Bus	W8-SA109B W8-SA109A W8-SA109C	750 x 500 600 x 400 900 x 600
	50 km/h When Lights Flashing	W8-SA110	1060 x 770

Sign Image	Sign Code	Description	Size (W x H)
	70 km/h When Lights Flashing	W8-SA111	1230 x 850
	Slow Down - Used for smaller bicycle warning signs	W8-SA112B W8-SA112A	450 x 300 300 x 225
	Warning	W8-SA113-1A W8-SA113-1B	600 x 400 750 x 500
	School Crossing Ahead	W8-SA114C W8-SA114A W8-SA114B	900 x 780 600 x 520 750 x 650
	Next 'x' m (Fluorescent Yellow Green)	W8-SA17-2B W8-SA17-2A	750 x 500 600 x 400
	Crossing Arrows (use only with W6-SA110)	W8-SA23A W8-SA23B W8-SA23C	600 x 200 750 x 250 900 x 300
	On Side Road (L or R)	W8-SA3C W8-SA3D W8-SA3A W8-SA3B	900 x 600 1200 x 800 600 x 400 750 x 500
	Over Crest	W8-SA54	750 x 500

Sign Image	Sign Code	Description	Size (W x H)
	Mud On Road	W8-SA55	750 x 500
	School Bus	W8-SA56C W8-SA56B W8-SA56A	900 x 600 750 x 500 600 x 400
	Riding Area (Only with W5-59)	W8-SA57	750 x 500
	Distance 'xxx' m	W8-SA5D W8-SA5B W8-SA5A W8-SA5C	1200 x 400 750 x 250 600 x 200 900 x 300
	Watch For Road Trains	W8-SA62B W8-SA62C	750 x 500 900 x 600
	Height Gauge	W8-SA63	750 x 500
	Pruning Planned (Only with W5-SA74)	W8-SA64	750 x 500
	On Green Signal	W8-SA65B W8-SA65C	750 x 500 900 x 600

Sign Image	Sign Code	Description	Size (W x H)
	Modified T-Intersection (L or R)	W9-1B W9-1A W9-1C	750 x 750 600 x 600 900 x 900
	Modified T-Intersection (L or R)	W9-2A W9-2C W9-2B	600 x 600 900 x 900 750 x 750
	Modified Crossroad (L or R)	W9-3A W9-3C W9-3B	600 x 600 900 x 900 750 x 750
	Give Way Ahead (Multi-Message Sign ONLY)	WM3-2A	600 x 600
	4WD Only Symbol (Refer to Traffic Operations Section of DPTI)	WS111	350 x 350
	Kangaroo Symbol (Refer to Traffic Operations Section of DPTI)	WS121	420 x 350
	Cow Symbol (Refer to Traffic Operations Section of DPTI)	WS122	420 x 350

<b>Sign Image</b>	<b>Sign Code</b>	<b>Description</b>	<b>Size (W x H)</b>
	Camel Symbol (Refer to Traffic Operations Section of DPTI)	WS128	420 x 350
	Horse & Rider Symbol (Refer to Traffic Operations Section of DPTI)	WS129	350 x 350
	Wombat Symbol (Refer to Traffic Operations Section of DPTI)	WS130	420 x 350
	Horse Symbol (Refer to Traffic Operations Section of DPTI)	WS131	420 x 350
	Tilting Truck Symbol (Refer to Traffic Operations Section of DPTI)	WS132	350 x 350
	Koala Symbol (Refer to Traffic Operations Section of DPTI)	WS133	240 x 350
	Wild Horse Symbol (Refer to Traffic Operations Section of DPTI)	WS136	420 x 350

Sign Image	Sign Code	Description	Size (W x H)
	Deer Symbol (Refer to Traffic Operations Section of DPTI)	WS137	350 x 350
	Triple Road Train Symbol (Refer to Traffic Operations Section of DPTI)	WS140	2800 x 350
	Semi Truck Symbol	WS141	1050 x 350
	Parking Signs - Refer to Australian Standards for sign sizes and design detail		
	Controlled Access Road (L and R)		

[Home](#)

[About](#)

[Search](#)

Admin Login

#### Search Results -

1193 signs