













Sign Image	Sign Code	Description	Size (W x H)
	No Parking - Internal (not used on DPTI maintained Rd's)	R5-82A R5-82B	450 x 800 600 x 1065
	End No Parking Area (not used on DPTI maintained Rd's) (ARR-335)	R5-83	450 x 600
	Part Time Bus Lane / Parking - One Time Period	R5-SA100-1N	225 x 600
	Part Time Bus Lane / Parking - One Time Period	R5-SA100-1W	450 x 450
	Part Time Bus Lane / Parking - Two Time Periods	R5-SA100-2N	225 x 800
	Part Time Bus Lane / Parking - Two Time Periods	R5-SA100-2W	450 x 450
	Part Time Bicycle Lane / Parking - One Time Period	R5-SA101-1N	225 x 600
	Part Time Bicycle Lane / Parking - One Time Period	R5-SA101-1W	450 x 450
	Part Time Bicycle Lane / Parking - Two Time Periods	R5-SA101-2N	225 x 800
	Part Time Bicycle Lane / Parking - Two Time Periods	R5-SA101-2W	450 x 450
	Bicycle Lane - Two time periods	R5-SA102	225 x 450
	Parking Permitted In This Bay During Clearway Period	R5-SA163	225 x 300

Sign Image	Sign Code	Description	Size (W x H)
		Parking (any time period) Permitted In This Bay At All Times	R5-SA164 225 x 300
		No Stopping When Lights Flashing	R5-SA165 225 x 450
		X P Trucks Only Times	R5-SA166 225 x 300
		No Parking / No Stopping - EV Electric Vehicles Excepted	R5-SA167 225 x 450
		Clearway - One Time Period	R5-SA46-1 225 x 300
		Clearway - Two Time Periods	R5-SA46-2 225 x 450
		Buses Prohibited (to enter or travel on a road) (ARR-106)	R6-10-1C R6-10-1A R6-10-1B 1200 x 1200 600 x 600 900 x 900
		Trucks Prohibited (to enter or travel on a road) (ARR-104)	R6-10-2B R6-10-2C R6-10-2A 900 x 900 1200 x 1200 600 x 600
		The riding of bicycles is prohibited beyond this sign (ARR-239,242,252)	R6-10-3B R6-10-3C R6-10-3D R6-10-3A 600 x 600 750 x 750 900 x 900 450 x 450
	Low Clearance (m) (ARR-102)	R6-11	1950 x 600
	Clearance (m) (ARR-102)	R6-12	1500 x 600
	No Pedestrians Bicycles Animals Beyond This Point. Also refer to R6-SA101 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-97,229)	R6-13	1200 x 1500
	Stop Here On Red Arrow (ARR-56)	R6-14A R6-14B	450 x 750 675 x 1125

Sign Image	Sign Code	Description	Size (W x H)
	Pedestrians Prohibited (ARR-228)	R6-15M R6-15B R6-15A	600 x 600 450 x 450 300 x 300
	Low Clearance (m) (Narrow Format)	R6-16	1950 x 180
	Bridge Load Limit (Per Axle Group) (t) (ARR-103)	R6-17	1200 x 750
	Buses Must Enter (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-107)	R6-18C R6-18B R6-18A	1200 x 1400 900 x 1050 600 x 700
	Start Freeway Formerly GE6-13 Refer R6-SA108 (Approval required for use - refer to Manager, Traffic Services, DPTI)(ARR-177)	R6-19A R6-19B	1200 x 600 1800 x 900
	No Overtaking Or Passing (ARR-93)	R6-1B R6-1A	1200 x 1440 750 x 900
	Freeway Entrance (Approval required for use - refer to Manager, Traffic Services, DPTI)	R6-20B R6-20A	1800 x 900 1200 x 600
	End Freeway Formerly GE6-11 Refer R6-SA107 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-97,177)	R6-21A R6-21B	900 x 450 1800 x 900
	Trucks & Buses Must Use Low Gear (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-108)	R6-22B R6-22C R6-22A	1400 x 1200 1800 x 1500 1200 x 1000
	End Truck & Bus Low Gear Area (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-108)	R6-23B R6-23A	1500 x 1200 1000 x 800
	Railway Crossing Position With Target Board Formerly W7-6 Replaced by Rail Auth. ONLY (ARR-120)	R6-25C R6-25	1500 x 1000 1350 x 900
	Tramway Crossing Position (ARR-120)	R6-26	1350 x 900
	Trucks Must Enter (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-105)	R6-27C R6-27A R6-27B	1200 x 1400 600 x 700 900 x 1050
	Trucks Use Left Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-159)	R6-28C R6-28A R6-28B	1800 x 1800 900 x 900 1200 x 1200

Sign Image	Sign Code	Description	Size (W x H)
	Keep Left Unless Overtaking Formerly G9-39 (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-130)	R6-29B R6-29A R6-29C	1800 x 900 1200 x 600 2400 x 1200
	No Overtaking On Bridge (ARR-94)	R6-2B R6-2A	1200 x 1440 750 x 900
	Median Turning Lane (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-86)	R6-30A R6-30B	600 x 1200 900 x 1800
	Give way to Buses Attached to rear of bus only	R6-31	450 x 450
	End Keep Left Unless Overtaking (Approval required for use - refer to Manager, Traffic Services, DPTI) (ARR-130)	R6-32	1200 x 800
	Overall Length Limit 'x'm	R6-33	1200 x 1350
	Bridge Load Limit (t) Gross (ARR-103)	R6-3A R6-3B	600 x 900 900 x 1350
	Gross Load Limit (t) (ARR-103)	R6-4B R6-4A	900 x 1350 600 x 900
	Stop Here On Red Signal (ARR-56)	R6-6B R6-6A	675 x 1125 450 x 750
	Hand Stop Banner Koala Pedestrian Crossing (double sided) ('AA' size used only at crossings)(ARR-80,101)	R6-7A R6-7B R6-7AA	450 x 450 600 x 600 375 x 375
	Stop/Slow Bat (Stop Face) and Stop Railway Gate sign	R6-8A R6-8B	450 x 450 600 x 600
	Stop On Red Signal (ARR-56)	R6-9	450 x 600