Sign Image	Sign Code	Description	Size (W x H)
	Disability Access Position Sign - Service Symbol (1)	G7-SA126-7	300 x 300
NEXT 🕏	Advance Sign - Next Rest Area - XXXX xx	G7-SA127	2700 x 1200
P 1km ON LEFT	Advance Sign - Truck Parking 1km ON LEFT - TAKE A BREAK	G7-SA128-1	2400 x 1800
P 1km ON LEFT STOP REVIVE SURVIVE	Advance Sign - Truck Parking 1km ON LEFT - STOP REVIVE SURVIVE	G7-SA128-2	2400 x 1800
P 1km ON LEFT	Advance Sign - Truck Parking 1km ON LEFT - REST IF TIRED	G7-SA128-3	2400 x 1800
P ON LEFT  DROWSY DRIVERS DIE	Advance Sign - Truck Parking 1km ON LEFT - DROWSY DRIVERS DIE	G7-SA128-4	2400 x 1800
P 1km ON LEFT SURVIVE THIS DRIVE	Advance Sign - Truck Parking 1km ON LEFT - SURVIVE THIS DRIVE	G7-SA128-5	2400 x 1800
P 0N LEFT  FATIGUE IS FATAL	Advance Sign - Truck Parking 1km ON LEFT - FATIGUE IS FATAL	G7-SA128-6	2400 x 1800
P 400m ON LEFT	Advance Sign - Truck Parking 400m ON LEFT - TAKE A BREAK	G7-SA129-1	2550 x 1800
P 400m ON LEFT STOP REVIVE SURVIVE	Advance Sign - Truck Parking 400m ON LEFT - STOP REVIVE SURVIVE	G7-SA129-2	2550 x 1800
P 400m ON LEFT	Advance Sign - Truck Parking 400m ON LEFT - REST IF TIRED	G7-SA129-3	2550 x 1800
P 400m ON LEFT DROWSY DRIVERS	Advance Sign - Truck Parking 400m ON LEFT - DROWSY DRIVERS DIE	G7-SA129-4	2550 x 1800
P 400m ON LEFT SURVIVE THIS DRIVE	Advance Sign - Truck Parking 400m ON LEFT - SURVIVE THIS DRIVE	G7-SA129-5	2550 x 1800
P 400m ON LEFT FATIGUE IS FATAL	Advance Sign - Truck Parking 400m ON LEFT - FATIGUE IS FATAL	G7-SA129-6	2550 x 1800
400m ON LEFT	Advance Sign - Rest Area - 400m ON LEFT - TAKE A BREAK	G7-SA130-1	2400 x 1800

Sign Image	Sign Code	Description	Size (W x H)
400 m ON LEFT STOP REVIVE SURVIVE	Advance Sign - Rest Area - 400m ON LEFT - STOP REVIVE SURVIVE	G7-SA130-2	2400 x 1800
400 m ON LEFT	Advance Sign - Rest Area - 400m ON LEFT - REST IF TIRED	G7-SA130-3	2400 x 1800
400m ON LEFT DROWSY DRIVERS DIE	Advance Sign - Rest Area - 400m ON LEFT - DROWSY DRIVERS DIE	G7-SA130-4	2400 x 1800
400m ON LEFT SURVIVE THIS DRIVE	Advance Sign - Rest Area - 400m ON LEFT - SURVIVE THIS DRIVE	G7-SA130-5	2400 x 1800
400m ON LEFT FATIGUE IS FATAL	Advance Sign - Rest Area - 400m ON LEFT - FATIGUE IS FATAL	G7-SA130-6	2400 x 1800
P H	EV Electric Vehicle Parking	G7-SA131	450 x 900
P → ←	Accessible Parking Spaces	G7-SA132	450 x 900
<b>★</b>	Accessible Parking	G7-SA133	450 x 600
<b>+</b>	Position Sign - < or > Service Sign with (2) symbols	G7-SA134A G7-SA134B	450 x 900 600 x 900
HOSPITAL PRECINCT	Hospital Precinct - Use under R4-1A/B	G7-SA135-B G7-SA135-A	600 x 300 450 x 250
REST AREA m ON RIGHT	XXX Rest Area 'x' km On Right	G7-SA2	2100 x 1350
REST AREA	XXX Rest Area	G7-SA3	2100 x 1350
REST AREA	XXX Rest Area	G7-SA4	2850 x 900

Sign Image	Sign Code	Description	Size (W x H)
	Tourist Drive Route Marker (with arrow)	G8-9-1	360 x 360
60)	Tourist Drive Route Marker (route number and end)	G8-9-11	450 x 800
END	Tourist Drive Route Marker - End	G8-9-3	360 x 360
<b>60</b> ←	Tourist Drive Route Marker (LorR)	G8-9-7	450 x 800
(60)	Tourist Drive Route Marker (straight ahead)	G8-9-8	450 x 800
SLOW VEHICLE LANE AHEAD	Slow Vehicle Lane Ahead (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-10	900 x 900
SLOW VEHICLE LANE km AHEAD	Slow Vehicle Lane 'x' km Ahead (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-11	900 x 1100
SLOW VEHICLES USE LEFT LANE	Slow Vehicles Use Left Lane (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-12	950 x 1100
FORM 1 LANE	Form 1 Lane	G9-15C G9-15A G9-15B	1200 x 1600 600 x 800 900 x 1200
FORM 2 LANES	Form x Lanes	G9-16C G9-16B G9-16A	1200 x 1600 900 x 1200 600 x 800
WINDING ROAD ENDS 3 km	Winding Road Ends 'x' km (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-17	1100 x 400
NO THROUGH ROAD	No Through Road	G9-18A G9-18B	600 x 400 900 x 600
ROAD CLOSED	Road Closed	G9-20	900 x 550

Sign Image	Sign Code	Description	Size (W x H)
ROAD SUBJECT TO FLOODING INDICATORS SHOW DEPTH	Road Subject to Flooding Indicators Show Depth	G9-21-1	2150 x 800
ROAD SUBJECT TO FLOODING INDICATORS SHOW DEPTH	Road Subject to Flooding Indicators Show Depth	G9-21-2	1400 x 1400
72 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Depth Indicators o to 2m, 2 to 4m, 4 to 6m	G9-22-2 G9-22-1 G9-22-3	200 x 2350 200 x 2350 200 x 2350
SAFETY RAMP	Safety Ramp 'x.x' km	G9-24-1A G9-24-1B	2200 x 800 4400 x 1600
SAFETY RAMP III. km	Safety Ramp 'x.x' km	G9-24-2A G9-24-2B	1500 x 1200 3000 x 2400
SAFETY RAMP	Safety Ramp 'xx' m	G9-25-1A G9-25-1B	2200 x 800 4400 x 1600
SAFETY RAMP	Safety Ramp 'xx' m	G9-25-2A G9-25-2B	1500 x 1200 3000 x 2400
SAFETY	Safety	G9-27A G9-27B	2000 x 750 3000 x 1125
RAMP	Ramp	G9-28B G9-28A	2400 x 1125 1600 x 750
LOW BRIDGE AHEAD  - m  HIGH VEHICLES  DETOUR	Low Bridge Ahead 'x.x' m High Vehicles Detour (L or R)	G9-3	1700 x 900
RAILWAY	Railway	G9-32	2100 x 450
CROSSING	Crossing	G9-33	2100 x 450
OVERTAKING LANE m AHEAD	Overtaking Lane 'xxx' m Ahead	G9-37	2600 x 1300
OVERTAKING LANE km AHEAD	Overtaking Lane 'x' km Ahead	G9-38	2600 x 1300
LOAD LIMIT t ON BRIDGE GROSS HEAVY VEHICLES DETOUR	Load Limit on Bridge 'xx' t Heavy Vehicles Detour (L or R)	G9-4	1700 x 900
LOCAL TRAFFIC ONLY	Local Traffic Only	G9-40-1	900 x 600
LOCAL TRAFFIC ONLY	Local Traffic Only (Roadworks ONLY)	G9-40-2A G9-40-2B	900 x 600 1200 x 900
UNSUITABLE FOR LARGE VEHICLES	Unsuitable For Large Vehicles	G9-41B G9-41A	600 x 400 450 x 300
VERY STEEP CLIMB 7 km AHEAD  NOT SUITABLE FOR TRUCKS BUSES CARAYANS TRAILERS	Very Steep Climb 'x' km Not Suitable for T, B, C,& T (Approval required for use - refer to Manager, Traffic Services, DPTI)	G9-46	2800 x 1800