
























Sign Image	Sign Code	Description	Size (W x H)
	Traffic Accident Ahead	T1-SA11	1200 x 900
	Heavy Vehicle Detour Ahead	T1-SA112	900 x 600
	Heavy Vehicle Detour (variable direction arrows)	T1-SA113	900 x 600
	Detour For Heavy Vehicles (L or R)	T1-SA114	2100 x 600
	Signals Not Operating (Refer OI 3.16)	T1-SA116B T1-SA116A	900 x 720 750 x 600
	Caution Vehicle Frequently Stopping (Vehicle Mounted sign)	T1-SA117	1350 x 750
	Signals Not Operating (used at pedestrian facility Refer OI 3.16)	T1-SA118	160 x 210
	Signals Operating Ahead	T1-SA119B T1-SA119A	1200 x 900 900 x 675
	Workers With Speed Limit 25	T1-SA120B T1-SA120A	1800 x 900 1200 x 600
	Narrow Lanes Over Bridge	T1-SA121	1200 x 900
	Left Lane Ends 'x' km Ahead	T1-SA122	1200 x 750
	'x' km Ahead (used with T2-6-1)	T1-SA123	1200 x 300
	Road Closed Ahead	T1-SA134	600 x 800
	Linemarking Changed Ahead	T1-SA143	1200 x 750
	Tram Works Ahead (advice to tram drivers only)	T1-SA144	600 x 800
	Bridgework Ahead (3 lines narrow format)	T1-SA2	900 x 1200

Sign Image	Sign Code	Description	Size (W x H)
	Changed Traffic Conditions (Install for 3 Months max)	T1-SA23D T1-SA23C T1-SA23AA T1-SA23B T1-SA23A	900 x 600 750 x 500 300 x 200 600 x 400 450 x 300
	Road Plant Next 'x' km	T1-SA26	1800 x 600
	Workers (Symbolic)	T1-SA5	600 x 800
	Fuel Spill Ahead	T1-SA50	1200 x 900
	Event Ahead [Reduce Speed]	T1-SA51	1500 x 900
	Grader Ahead Rocks On Road Next 'x' km	T1-SA66A	900 x 600
	Event Ahead	T1-SA67D T1-SA67A T1-SA67C T1-SA67B	1200 x 750 450 x 300 800 x 500 600 x 400
	Water Over Road	T2-13B T2-13A	1200 x 900 900 x 600
	End Roadwork (2 line)	T2-16A	1800 x 600
	End Roadwork (3 lines)	T2-17AA T2-17A	600 x 800 900 x 1200
	End Detour	T2-23	1200 x 600
	Two Way Traffic (Symbolic)	T2-24	900 x 600
	Trucks ( Crossing or Entering)(Symbolic)	T2-25	900 x 600
	Road Closed (previously black/yellow - may be used until 31 December 2021)	T2-4	1800 x 300
	Lane Status (2 Lanes)	T2-6-1A T2-6-1B	1200 x 900 1800 x 1200
	Lane Status (3 Lanes)	T2-6-2A T2-6-2B	1800 x 900 2400 x 1200

Sign Image	Sign Code	Description	Size (W x H)
	2 Lane Status (reverse curve)	T2-6-SA101	1200 x 900
	3 Lane Status (2 reverse curves)	T2-6-SA102	1800 x 900
	3 Lane Status	T2-6-SA103	1800 x 900
	3 Lanes Status	T2-6-SA104	1800 x 900
	Lane Status Left Lanes Blocked Right Thru Median	T2-6-SA106	1200 x 900
	3 Lane Status (With Right Turn)	T2-6-SA107	1800 x 900
	3 Lane Status (narrow format)	T2-6-SA108	900 x 900
	2 Lane Status (narrow format)	T2-6-SA109	900 x 900
	3 Lane Status (2 Reverse curves thru median)	T2-6-SA110	1200 x 1350
	2 Lane Status (with right turn)	T2-6-SA117	1200 x 900
	4 Lane Status (with left / right turns)	T2-6-SA118	1500 x 900
	2 Lanes Status	T2-6-SA119	1800 x 900
	4 lanes status	T2-6-SA120	1500 x 900
	4 Lanes Status	T2-6-SA3	1800 x 900
	Track Closed	T2-SA101	1350 x 600
	Bridge Closed	T2-SA102	1800 x 300
	Bridgework on Side Road (3 lines)	T2-SA103	900 x 900

Sign Image	Sign Code	Description	Size (W x H)
	End Event	T2-SA104B T2-SA104A	600 x 400 450 x 300
	Do not queue over driveways	T2-SA105A	600 x 600
	Bridge Closed	T2-SA106	1200 x 300
	Farm Machinery (Approval required for use - refer to Manager, Traffic Services, DPTI)	T2-SA109	900 x 600
	End Bridgework (3 lines)	T2-SA54	900 x 1200
	New Work No Lines Marked	T3-11	1500 x 900
	No Lines Do Not Overtake Unless Safe	T3-12	1500 x 900
	Gravel Road	T3-13A T3-13B	900 x 600 1500 x 900
	Loose Surface	T3-14A T3-14B	900 x 600 1500 x 900
	Bicycle Path Rough Surface	T3-15	600 x 450
	Advisory Speed 'xx' km/h (2 line)	T3-16-1A T3-16-1B	600 x 600 900 x 900
	Advisory Speed 'xx' km/h (1 line)	T3-16-2B T3-16-2A	1500 x 600 900 x 400
	Slippery (Symbolic)	T3-3B T3-3A	1500 x 900 900 x 600
	Soft Edges	T3-6B T3-6A	1500 x 900 900 x 600
	Rough Surface	T3-7A T3-7B	900 x 600 1500 x 900
	Loose Stones (Symbolic)	T3-9A T3-9B	900 x 600 1500 x 900