ODOUR THRESHOLD

COMPILATIONS OF
ODOUR THRESHOLD VALUES IN AIR,
WATER AND OTHER MEDIA
(SECOND ENLARGED AND REVISED EDITION)

化合物嗅觉阈值汇编

（原书第二版）

〔荷〕里奥 · 范海默特 著
李智宇 王 凯 冒德寿 蒋举兴 译

科 学 出 版 社

COMPILATIONS OF ODOUR THRESHOLD VALUES IN AIR,WATER AND OTHER MEDIA
(Second Enlarged and Revised Edition)

化合物嗅觉阈值汇编

（原书第二版）

〔荷〕里奥 ·范海默特 著
李智宇　王　凯　冒德寿　蒋举兴译

科　学　出　版　社
北　京

图字：01-2018-5231

内 容 简 介

本书是根据原著2011年第二版翻译的。

化合物嗅觉阈值是表征气味物质特性的重要指标，对关键致香物质鉴定、异味污染的形成机理、恶臭评估以及污染控制有重要意义，是判定化合物对香气和恶臭贡献率的基础性数据。本书共分为三部分，第一部分是空气中的嗅觉阈值，第二部分是水中的嗅觉阈值，第三部分是其他介质中的嗅觉阈值。

本书可作为从事食品、日化产品、香精香料、烟草和药物研究等方面科技工作者的参考书。

图书在版编目(CIP)数据

化合物嗅觉阈值汇编：原书第二版/(荷)里奥 ·范海默特(L.J.van Gemert)著;李智宇等译. —北京：科学出版社，2018.8

书名原文：Compilations of Odour Threshold Values in Air,Water and Other media(Second Enlarged and Revised Edition)

ISBN 978-7-03-058320-8

I.① 化 … II.①里…②李… III.①化合物-嗅觉-阈值-研究 IV.①06-0

中国版本图书馆CIP 数据核字(2018)第164643号

责任编辑：张 析/责任校对：樊雅琼 王萌萌
责任印制：肖 兴/封面设计：东方人华

科 学 出 版 社出版
北京东黄城根北街16号
邮政编码：100717
http://www.sciencep.com

三河市春园印刷有限公司印刷
科学出版社发行 各地新华书店经销
*
2018年8月第 一版 开本：787×10921/16
2018年8月第一次印刷 印张：411/4
字数：880000

定价：198.00元

(如有印装质量问题，我社负责调换)

编译委员会

著　者　里奥·范海默特

主　译　李智宇　王　凯　冒德寿　蒋举兴

副主译　朱瑞芝　张翼鹏　司晓喜　王　猛　高　莉　蔡炳彪

译　者　廖头根　杨国荣　张建荣　曲荣芬　段焰青　侯　春　付　磊　雷　声　王　晋

审　校　王　凯　冒德寿　蒋举兴

译 者 序

19世纪以来，人类就系统开展了嗅觉和味觉阈值的测定工作，这些先驱者包括瓦伦丁、帕西、兹瓦德马格、贝克曼、艾莉森和卡茨等。19世纪70年代，开始有阈值汇编的公开刊物出版，其中由里奥 ·范海默特完成(1977年荷兰国家应用科学研究组织首先出版)的汇编仍是阈值原始数据的最全最新收录，2006年6月，范海默特联合奥勒曼斯 ·庞特及合伙公司首次完成了 Compilations of Odour *Threshold Values in Air,Water and Other Media(Edition 2003)和 Compilations of Flavour Threshold* Values in Air,Water and Other Media(Edition 2003)纸质线装版的出版发行。正如里奥 ·范海默特所说，嗅觉阈值是表征气味物质特性的重要指标，对认识关键致香物质、异味污染的形成机理、恶臭评估以及污染控制有着重要意义，是判定化合物对香气重要性、变质和杂气贡献率的基础性数据。为满足国内读者了解化合物嗅觉阈值的需求，我们特将Compilations of Odour Threshold Values in Air,Water and Other Media(Edition 2011)翻译成《化合物嗅觉阈值汇编(原书第二版)》并予以出版。

本书化合物的中文命名主要参考《GB 2760—2014》和《有机化合物中文命名原则(2010年推荐版)》，一些尚无确切译名的化合物、介质和评价方法等新名词采用直译和意译相结合的方法。鉴于参考文献对读者进行深入研究有很大的帮助，本书予以全文保留。

本书在出版过程中，得到了中国烟草总公司“烟气香与味的感官交互作用研究及在卷烟调香中的应用”(110201802001)和云南中烟工业有限责任公司“云产卷烟本香品类构建关键技术研究与应用”(2018CPO1) 项目的资助。上海应用技术学院香料香精技术与工程学院的肖作兵教授、冯涛教授、牛云蔚教授对本书的翻译提供了许多宝贵意见和建议，在此致以衷心的感谢。

由于译者学识水平有限，本书中难免有不当之处，敬请读者批评指正。

译 者

2018年5月

英文版前言

本书是对第一版的修订和扩充。原版本中的错误已修正，且包含了更多俗名，增加了大量CAS(化学文摘服务)登记号，同时新增了约3000个阈值数据。

收录化合物、阈值数据和参考文献的大体情况如下所示：

介质	化合物	阈值数据	参考文献
空气	1790	4570	740
水	1860	3840	620
其他介质	760	2340	420
合计		10750	

里奥 • 范海默特
2011年8月

序　　言

概述

科学家已从食品、水和空气中鉴定出许多挥发性化合物，如果知道这些化合物的浓度和嗅觉阈值，就可以评估这些物质对食品和饮料气味或香气的重要性，以及对空气和水恶臭污染的贡献率。为便于这种评估，1977年，我们首次出版了化合物在空气和水中的嗅觉阈值汇编(1。在随后几年中，我们还陆续出版了一系列增刊，最新的一期为1984年出版的第五增刊(²。基于原始汇编、增刊和某些补充数据，还出版了这些物质在空气中的标准化人体嗅觉阈值(3。

本书大约收录了8000个阈值数据，总计引用了1350条参考文献，涵盖了1150种化合物在空气中的嗅觉阈值，1580种化合物在水中的嗅觉阈值，以及570种化合物在其他介质中的嗅觉阈值等数据。

嗅觉阈值类型

有两种可辨别的嗅觉阈值即绝对阈值和差别阈值。绝对阈值包括觉察阈值和识别阈值，觉察阈值指能觉察而不必鉴定或识别出刺激物的最低浓度，识别阈值指能鉴定或识别出刺激物的最低浓度。本书中若标明觉察阈值和识别阈值就是此意。差别阈值即某刺激物能被觉察出的两个刺激强度的最小差异量，在本书中未被列举。所有阈值数据均假定是基于鼻腔直接嗅闻的嗅觉感知基础上获取的，当然，也包括其他感觉渠道，如普通化学感觉。

阈值的定义

阈值有不同的定义和计算方法：从将阈值定义为最低(最灵敏被试者)的觉察阈值到最高(最迟钝被试者)的觉察阈值等有所不同，而本书未出于比较需要对这些不同表述作统一化处理。

浓度单位

文献中使用了大量不同的浓度单位，为便于比较，在空气介质中，所有数据尽可能转化为毫克/立方米，水和其他介质则转化为毫克/千克。绝大多数情形下的单位转化是直接的，但当空气中的嗅觉阈值被报道为饱和蒸汽稀释因子或蒸汽压力值时，由于相关表格之间的差异性，情况并非如此。通过这种方式进行转化的阈值数据，依据使用公式的不同，最大差异可达20%。当对水或其他介质阈值数据中的体积单位转化重量单位时，本书未考虑挥发性化合物或介质的密度因素，即被视为相同的。

气相色谱一嗅闻测定法及空气中的嗅觉阈值

在许多参考文献中，文献作者将注射到气相色谱中的进样量直接报道为阈值数据。为了转化为单位体积中质量这种统一量纲，我们假设是在该进样量的物质被稀释到100mL 空气中的条件下进行嗅闻测定的。

介 质

本书一共包括三种介质。化合物在空气和水介质中的嗅觉阈值数据汇编在之前已经出版发行过(1,4。本次汇编除空气和水介质外，还收录了其他介质中的嗅觉阈值数据，并在所有数据之后，均有对介质的简要描述。

原始资料

仅收录来源于原始资料的阈值数据，也就是说，出版物需含有阈值测定过程的真实描述，或首次报道的阈值。当同一小组或实验室报道阈值且并未给出之前发表数据时，收录的则是其首次报道的阈值，在此情况下，请参考相关的原始文献。

命名

对相对简单的化合物，命名原则遵循国际纯粹与应用化学联合会(IUPAC)命名法，还附有俗名，对相对复杂的化合物，尽量使用俗名。若明显是混合物的，并未收录其阈值，有一种情况例外：(Z)-和(E)- 几何异构体，(R)- 和(S)- 光学异构体(非对映异构体)和顺式/反式差向异构体等组成的混合物。

致 谢

在过去30年中，许多人为汇编工作中提供了这样或那样的帮助：一些人帮助寻找含阈值数据的文献，另外一些人帮助改进命名，包括化合物的俗名，还有少部分同志则帮助完成单位的转化，在此，对完成该书的所有贡献者深表感激。同样，我要感谢奥勒曼斯 ·庞特及合伙公司的皮耶特 ·庞特，正是他的大力帮助，本书才顺利出版。2003首次印刷出版的第一版包含相同的阈值数据5。

欢迎各位批评指正

为使汇编尽可能准确和全面，虽付出很多努力和艰辛，但难免有错误和信息丢失，欢迎各位读者向我指出任何错误或疏忽之处。

里奥 · 范海默特
于宰斯特，荷兰

参 考 文 献

(1)L.J.van Gemert&A.H.Nettenbreijer(Eds),Compilation of odour threshold values in air and water, National Institute for Water Supply,Voorburg,and Central Institute for Nutrition and Food Research TNO,Zeist,1977

(2)L.J.van Gemert,Compilation of odour threshold values in air.Supplement V,Report no.A 84.220, Division for Nutrition and Food Research TNO,Zeist,1984

(3)M.Devos,F.Patte,J.Rouault,P.Laffort&L.J.van Gemert,Standardized human olfactory thresholds, IRL Press,Oxford,1990

(4)L.J.van Gemert,Compilations of odour threshold values in air and water,Boelens Aroma Chemical Information Services,1999

(5)L.J.van Gemert,Compilations of odour threshold values in air,water and other media,Boelens Aroma Chemical Information Services,2003

目　　录

第一部分　空气中的嗅觉阈值

空气中嗅觉的觉察阈值(d) 与识别阈值(r),　若非特殊说明，单位为mg/m³

A

abhexone→乙基葫芦巴内酯
acetaldehyde→乙醛
acetamide→乙酰胺

ACETANILIDE,　乙酰苯胺，[103-84-4]

Laffort(1968a)		270

ACETIC ACID,乙酸，[64-19-7]

Passy(1893b,1893c)	d	5～10
Grijns(1906)		49～76
Backman(1917)	r	4.8～5.0
Grijns(1919)		2
Mitsumoto(1926)	r	0.074～0.57
Hesse(1926)	r	0.6
Henning(1927)	d	3.6
Morimura(1934)	r	1.82～1.91
Jung(1936)	d	0.025
Jung(1936)	r	0.05
Balavoine(1943,1948)		300～500
Stone(1963c)	d	3.9
Stone &Bosley(1965)	d	4.2
Endo et al.(1967)		6.5
Takhirov(1969,1974)		0.60
Leonardos et al.(1969)	r	2.5
Homans et al.(1978)		0.37
Nauš(1982)	d	0.5
Nauš(1982)	r	25
Punter(1983)	d	0.09
Homans(1984)		0.93
Walker et al.(1990)		5.0
Nagy(1991)	d	0.37
Blank &Schieberle(1993)		0.03～0.09
Walker et al.(1996)		0.25～2.5
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	0.025

Nagata(2003)	d	0.015
Van Thriel et al.(2006)	d	1.45
Wise et al.(2007);Miyazawa et al.(2009a)	d	0.017～0.020
Miyazawa et al.(2009b)	d	0.001
Cain et al.(2010)	d	0.15
Cometto-Muniz&Abraham(2010b)	d	0.013

ACETIC ANHYDRIDE,乙酸酐，[108-24-7]

Takhirov(1969)		0.49
Hellman &Small(1973,1974)	d	<0.6
Hellman &Small(1973,1974)	r	1.5

acetone→丙酮

acetonitrile→ 乙腈

ACETOPHENONE, 苯乙酮，[98-86-2]

Imasheva(1963)		0.01
Tkach(1965)		0.01
Korneev(1965)		0.01
Gavaudan &Poussel(1966)		0.23
Hellman &Small(1973,1974)	d	1.5
Hellman &Small(1973,1974)	r	2.9
Sävenhed et al.(1985)	d	0.01～0.04
Randebrock(1986)		0.0012

acetyl chloride→氯乙酰

ACETYLDI-tert-BUTYL(METHYL)SILANE, 乙酰基二叔丁基甲基硅烷

Sunderkötter et al.(2010)		>0.5

ACETYLDICYCLOPROPYL(ETHYL)SILANE, 乙酰基二环丙基乙基硅烷

Sunderkötter et al.(2010)		0.025

ACETYLDICYCLOPROPYL(METHYL)SILANE, 乙酰基二环丙基甲基硅烷

Sunderkötter et al.(2010)		0.058

2-acetyl-3,4-dihydro-2H-azole→2-乙酰基-1-吡咯啉

5-ACETYL-2,3-DIHYDRO-1,4-THIAZINE,5-乙酰基-2,3-二氢-1,4-噻嗪，[164524-93-0]

Hofmann &Schieberle(1995,1997); Hofmann et al.(1995)		0.00002～0.00008

2-ACETYL-5,6-DIHYDRO-4H-1,3-THIAZINE,2-乙酰基-5,6-二氢-4H-1,3-噻嗪

Fuganti et al.(2007)		0.00000054

ACETYLDIISOPROPYL(METHYL)SILANE, 乙酰基二异丙基甲基硅烷

Sunderkötter et al.(2010)		0.088

(-)-(9R,10S-10-ACETYL-9,10-DIMETHYLBICYCLO[6.4.0]DODEC-1(8)-ENE,(-)-(9R,10S-10-

乙酰基-9,10-二甲基双环[6.4.0]十二-1(8)-烯
Kraft &Gallo(2010) 0.00019
acetylene→乙炔
acetylene tetrabromide→1,1,2,2-四溴乙烷

7-ACETYL-1,1,3,4,4,6-HEXAMETHYL-1,2,3,4-TETRAHYDRONAPHTHALENE, 吐纳麝香，[1506-02-1]
McGee et al.(1995) d 0.0005～0.005
Traynor(2001) 0.222

1-ACETYL-4-METHYLBENZENE, **对甲基苯乙酮，[122-00-9]**
Appell(1969) 0.00015
Schieberle et al.(1988);Schieberle &Grosch(1988) 0.002～0.0108
Blank et al.(1989) 0.002～0.003

(±)-3a-ACETYL-2,3,4,4aβ,5,6,7,8-0CTAHYDRO-3β,4β,5,5-TETRAMETHYLNAPHTHALENE, (±)-3a- 乙酰基-2,3,4,4aβ,5,6,7,8- 八氢-3β,4β,5,5-四甲基萘
Etzweiler et al.(1992) 0.5

2-ACETYLPYRAZINE,2- 乙酰基吡嗪，[22047-25-2]
Hofmann et al.(1995);
Hofmann &Schieberle(1997) 0.0004

2-ACETYLPYRROLE,2- 乙酰基吡咯，[1072-83-9]
Hofmann &Schieberle(1997) >2

2-ACETYL-1-PYRROLINE,2- 乙酰基-1-吡咯啉，[85213-22-5]
Blank et al.(1989);Schieberle(1990,1991);
Schieberle &Grosch(1991,1994);Hofmann et al.(1995);
Hofmann &Schieberle(1997) 0.00002～0.00004

6-ACETYL-1,2,3,4/2,3,4,5-TETRAHYDROPYRIDINE,6- **乙酰基-1,2,3,4/2,3,4,5-四氢吡啶**
Schieberle(1990);Schieberle &Grosch(1991);
Hofmann et al.(1995);Hofmann &Schieberle(1997) 0.00006

2-ACETYL-2,3,8,8-TETRAMETHYL-1,2,3,4,5,6,7,8-0CTAHYDRONAPHTHALENE,2- 乙酰基-2,3,8,8-四甲基-1,2,3,4,5,6,7,8-八氢萘，[68991-97-9]
Neuner-Jehle &Etzweiler(1991) 0.000003

2-ACETYLTHIAZOLE,2- **乙酰基噻唑，[24295-03-2]**
Hofmann et al.(1995);Hofmann &Schieberle(1997) 0.004～0.0041

2-ACETYL-2-THIAZOLINE,2- 乙酰基-2-噻唑啉，[29926-41-8]
Hofmann &Schieberle(1995,1997);Hofmann et al.(1995) 0.00002～0.00008
Cerny(1998) 0.000016～0.000022
acrolein→丙烯醛

acrylic acid→丙烯酸
acrylonitrile→丙烯腈
active amyl acetate→活性乙酸戊酯
active amyl alcohol→活性戊醇
1-adamantanaldehyde→1-金刚醛
adamsite→二苯胺氯胂
aldehyde C16→草莓醛
allyl alcohol→丙烯醇
allylamine→烯丙胺

7-ALLYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 烯丙基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.000051

allyl caproate→己酸烯丙酯
allyl chloride→氯丙烯

1-ALLYL-2,5-DIMETHOXY-3,4-METHYLENEDIOXYBENZENE, 芹菜脑，[523-80-8]

Tempelaar(1913);Zwaardemaker(1927)	d	610

allyl isocyanide→烯丙基异腈
allyl mercaptan→烯丙基硫醇

1-ALLYL-4-METHOXYBENZENE, 草蒿脑，[140-67-0]

Williams et al.(1977)	d	0.00013

5-ALLYL-1-METHOXY-2,3-METHYLENEDIOXYBENZENE, 肉豆蔻醚，[607-91-0]

Blank &Grosch(1991a)		0.0015

4-ALLYL-2-METHOXYPHENOL,丁香酚，[97-53-0]

Tempelaar(1913);Zwaardemaker(1927)	d	0.2～0.23
Ohma(1922)	d	0.23
Van Anrooij(1931)	d	0.2
Baldus(1936)	d	0.005～0.0055
Baldus(1936)	r	0.007～0.01
Jones(1955c)	r	3.8
Appell(1969)		0.000008
Huber(1984)		0.000076
Randebrock(1986)		0.000022
De Wijk(1989)		0.11
Blank et al.(1989)		0.0002～0.0003
Ferreira et al.(1998)		0.00061

4-ALLYL-1,2-(METHYLENEDIOXY)BENZENE, 黄樟素，[94-59-7]

Tempelaar(1913);Zwaardemaker(1927)	d	0.1～2
Ohma(1922)	d	0.125
Van Anrooij(1931)	d	0.00035
Baldus(1936)	d	0.005

Baldus(1936)	r	0.01
Jones(1955a)	r	0.08
Jones(1955b)	r	0.08～4.8
Jones(1955c)	r	3.0
Appell(1969)		0.00007
Köster(1971)	d	16～30

allyl mustard oil→烯丙基芥子油
ambretone→环十六烯酮
ambrettolide→黄葵内酯

2-AMINOETHANOL, 乙醇胺，[141-43-5]

Weeks et al.(1960)	d	6.5
Weeks et al.(1960)	r	60

6-AMINOHEXANOIC ACID LACTAM, 己内酰胺，[105-60-2]

Krichevskaya(1968)	d	0.30

(R)-(+)-2-AMINO-3-MERCAPTOPROPANOIC ACID,L-半胱氨酸，[52-90-4]

Laska(2010)	d	0.0045

(S)-(-)-2-AMINO-3-MERCAPTOPROPANOIC ACID,D-半胱氨酸，[921-01-7]

Laska(2010)	d	0.0048

(R)-(一)-2-AMINO-4-(METHYLTHIO)BUTANOIC ACID,D-蛋氨酸，[348-67-4]

Laska(2010)	d	0.00022

(S)-(+)-2-AMINO-4-(METHYLTHIO)BUTANOIC ACID,L-蛋氨酸，[63-68-3]

Laska(2010)	d	0.0018

1-AMINONAPHTHALENE,1- 萘胺，[134-32-7]

Backman(1917)	r	0.14～0.29

2-AMINONAPHTHALENE,2- 萘胺，[91-59-8]

Backman(1917)	r	1.4～1.9

AMMONIA, 氨水，[7664-41-7]

Valentin(1848,1850)		21
Grijns(1906)		21.6～42
Fieldner et al.(1921)		37
Smolczyk &Cobler(1930)		0.71～7.1
Geier(1936)	d	1.25
Geier(1936)	r	2.5
Carpenter et al.(1948)		0.7
Smyth(1956)	r	<0. 7
Patty(1962a)		<3. 5
Saifutdinov(1966)		0.50～0.55

Endo et al.(1967)		37
Leonardos et al.(1969)	r	33
Hamanabe et al.(1969)		0.03
Stephens(1971)		2.7
Nishida et al.(1975)	d	1.8～37.8
Hill &Barth(1976)		21
Schoedder(1977)		5.0～7.6
Logtenberg(1978)	d	5.2
Nishida et al.(1979)	d	11.6
Anon.(1980)	d	0.1
Anon.(1980)	r	0.4
Nauš(1982)	d	1.5
Nauš(1982)	r	35
Nagy(1991)	d	3.7
Nagata(2003)	d	1.1
Van Thriel et al.(2006)	d	0.04
Smeets et al.(2007)	d	1.8(静态嗅觉测量法)
Smeets et al.(2007)	d	1.8(动态嗅觉测量法)

amyl acetate→乙酸戊酯
amyl alcohol→戊醇
tert-amyl alcohol→叔戊醇
amyl butyrate→丁酸戊酯
amyl isovalerate→异戊酸戊酯
amyl mercaptan→戊硫醇
tert-amyl mercaptan→叔戊硫醇
amyl propionate→丙酸戊酯
amyl salicylate→水杨酸戊酯

4,16-ANDROSTADIEN-3-ONE,4,16- 二烯-3-雄酮，[4075-07-4]

Kraft &Popaj(2004)	d	0.000002

5a-ANDROST-16-EN-3α-OL,3α- 雄甾烯醇，[1153-51-1]

Bajgrowicz & Fráter(2000)		0.00002
Kraft &Popaj(2004)	d	0.00000067

5a-ANDROST-16-EN-3β-OL,3β- 雄甾烯醇，[7148-51-8]

Kraft &Popaj(2004)	d	0.0053

5a-ANDROST-16-EN-3-ONE, 雄烯酮，[18339-16-7]

Amoore(1977)	d	0.0021
Baydar et al.(1992a,1993)	d	0.000000868
Kraft &Popaj(2004)	d	0.0000004

anethole→茴香脑

ANILINE, 苯胺, [62-53-3]

Tempelaar(1913)	d	0.97
Huijer(1917);Zwaardemaker(1927)	d	46
Backman(1917)	r	5.0～5.8
Geier(1936)	d	1.2～1.5
Geier(1936)	r	2.0～2.5
Jacobson et al.(1958)		38
Tkachev(1963)		0.37
Leonardos et al.(1969)	r	3.8
Öztürk(1976)	d	2.21
Nauš(1982)	d	2
Nauš(1982)	r	20

anisaldehyde→茴香醛

anisole→茴香醚

apiole→ 芹菜脑

ARSINE, 胂, [7784-42-1]

Patty(1962b)		<3.2

artificial musk→人工麝香

azine→吡啶

aziridine→氮丙啶

azolidine→四氢吡咯

B

BENZALDEHYDE, 苯甲醛, [100-52-7]

Backman(1917)	r	0.33～0.50
Rocén(1920)	r	1.7
Ohma(1922)	d	0.44
Katz&Talbert(1930)		0.18
Jones(1955c)	r	4.1
Pliška&Janiček(1965)		13
Knuth(1973)		0.27
Laing(1975)	d	4.3
Nishida et al.(1979)	d	3400
Randebrock(1986)		0.014
Stevens &Cain(1987a)	d	0.43～43
Khiari et al.(1992)	d	<0.01
Von Ranson &Belitz(1992b)	d	0.61
Von Ranson &Belitz(1992b)	r	2.1
McGee et al.(1995)	d	0.1～1
Yang et al.(2008)		0.085

BENZENE, 苯, [71-43-2]

Backman(1917)	r	6.6～6.9
Backman(1918);Zwaardemaker(1927)		5～5.3
Grijns(1919);Zwaardemaker(1927)		420
Schley(1934)	d	8.8
Schley(1934)	r	12
Jones(1954)	r	480～510
Jones(1955c)	r	180
Novikov(1957)		4.9
Deadman &Prigg(1959)	d	9
Gusev(1965)		2.8～4
Nauš(1962)	d	6
May(1966)	d	180
May(1966)	r	310
Elfimova(1966)		2.5
Schutte &Zubek(1967)	r	310
Leonardos et al.(1969)	r	15
Alibaev(1970)		2.9
Dravnieks(1971)		38
Köster(1971)	d	37
Dravnieks &Laffort(1972)		32.5
Laffort &Dravnieks(1973)		14.5
Artho &Koch(1973)		100～1000
Dravnieks(1974)	d	380
Nauš(1982)	d	1.5
Nauš(1982)	r	16
Punter(1983)	d	108
Nagata(2003)	d	8.6

BENZENETHIOL, 苯硫酚，[108-98-5]

Katz&Talbert(1930)		0.0012
Stuiver(1958)	d	0.00014

(2R)-(+)-3-(1,3-benzodioxol-5-y1)-2-methylpropanal→(R)-胡椒基丙醛
(2S)-(-)-3-(1,3-benzodioxol-5-yl)-2-methylpropanal→(S)- 胡椒基丙醛

2,3-BENZOFURAN, 香豆酮，[271-89-6]

Moriguchi et al.(1983)	d	0.048

1,4-BENZOQUINONE, 苯醌，[106-51-4]

Backman(1917)	r	0.047～0.050
Oglesby et al.(1947)		0.44

BENZOYL CHLORIDE,苯甲酰氯，[98-88-4]

Schley(1934)	d	0.012～0.024
Schley(1934)	r	0.012～0.036

BENZYL ACETATE,乙酸苄酯，[140-11-4]

Appell(1969)		0.001
Köster(1971)	d	85～135

benzylbenzene→二苯甲烷

7-BENZYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 苄基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.0068

BENZYLBROMO CYANIDE,溴苯乙腈，[5798-79-8]

Prentiss(1937)		>0.15

BENZYL CHLORIDE,氯化苄，[100-44-7]

Katz &Talbert(1930)		0.21
Leonardos et al.(1969)	r	0.24

benzyl mercaptan→苄硫醇

BENZYLTHIOTOLUENE(dibenzyl sulphide),二苄基硫醚，[538-74-9]

Katz&Talbert(1930)		0.053
Leonardos et al.(1969)	r	0.018

BICYCLO[2.2.1]-5-HEPTENE-2(exo)-CARBOXALDEHYDE,exo-5- 降冰片烯-2-甲醛，[5453-80-5]

Von Ranson &Belitz(1992b)	d	0.34
Von Ranson &Belitz(1992b)	r	1.0

BICYCLO[2.2.1]-5-HEPTENE-2(endo)-CARBOXALDEHYDE,endo-5- 降冰片烯-2-甲醛，[5453-80-5]

Von Ranson &Belitz(1992b)	d	0.90
Von Ranson &Belitz(1992b)	r	2.1

biphenyl→联苯

bis(2-furfuryl)disulphide→二糠基二硫醚

bis(2-(1-mercaptoethyl)furane)disulphide→双[2-(1-巯基乙基)呋喃]二硫醚

bis(2-methyl-3-furyl)disulphide→双(2-甲基-3-呋喃基)二硫醚

BIS(METHYLTHIO)METHANE, 双(甲硫基)甲烷，[1618-26-4]

Gijs et al.(2000)		0.09

borneol→冰片

bornyl acetate→乙酸冰片酯

bornyl salicylate→水杨酸冰片酯

BORON TRIFLUORIDE,三氟化硼，[7637-07-2]

Torkelson et al.(1961)		4.2

bourgeonal→对叔丁基苯丙醛

BROMINE, 溴，[7726-95-6]

Valentin(1848,1850)		3
Henning(1924)	d	0.2

Rupp&Henschler(1967) d <0.065
Rupp &Henschler(1967) r >6.5
Leonardos et al.(1969) r 0.3
Randebrock(1986) 0.90
α-bromoacetophenone→溴代苯乙酮

3-BROMOBENZALDEHYDE, 间溴苯甲醛，[3132-99-8]
Von Ranson &Belitz(1992b) d 1.0
Von Ranson &Belitz(1992b) r 2.0

BROMOBENZENE, 溴苯，[108-86-1]
Backman(1917) r 1.7～2.1
Mateson(1955) 30.5
Punter(1983) d 1.2
bromobenzyl cyanide→溴苯乙腈

BROMOCHLOROIODOMETHANE, 溴氯碘甲烷，[34970-00-8]
Cancho et al.(2001) 1.85

2-BROMO-2-CHLORO-1,1,1-TRIFLUOROETHANE, 氟烷，[151-67-7]
Flemming &Johnstone(1977) r 267

6-BROMO-2,4-DICHLOROANISOLE,2,4-二氯-6-溴苯甲醚
Diaz et al.(2005) 0.0024

6-BROMO-2,5-DICHLOROANISOLE,2,5-二氯-6-溴苯甲醚
Diaz et al.(2005) 0.0016

3-BROMO-2,6-DICHLOROANISOLE,2,6-二氯-3-溴苯甲醚
Diaz et al.(2005) 0.0014

BROMODIIODOMETHANE, 溴二碘甲烷，[557-95-9]
Cancho et al.(2001) 0.52

BROMOETHANE, 溴乙烷，[74-96-4]
Backman(1917) r 12.1～16.0
bromoform→溴仿

1-BROMO-2-METHYLBENZENE, 邻溴甲苯，[95-46-5]
Backman(1917) r 0.10～0.12

1-(2-BROMO-3-METHYLBUTANOYL)UREA, 溴异戊酰脲，[496-67-3]
Backman(1917) r 2.9

2-BROMOPHENOL, 邻溴苯酚，[95-56-7]
Kendall et al.(1968) r 0.000007

1-BROMO-2-PROPANONE, 溴丙酮，[598-31-2]

Prentiss(1937)		0.5

2-bromotoluene→邻溴甲苯
bromural→溴异戊酰脲

1,3-BUTADIENE,1,3- 丁二烯，［106-99-0］

Mullins(1955)	r	169
Deadman &Prigg(1959)	d	2.1
Ripp(1968)		4
Laffort &Dravnieks(1973)		5.8
Hellman &Small(1974)	d	1.0
Hellman &Small(1974)	r	2.4
Jeltes(1975)		0.22
Nagata(2003)	d	0.51

BUTANAL, 正丁醛，［123-72-8］

Backman(1917)	r	0.013～0.014
Pliška &Janiček(1965)		15
Hellman &Small(1973,1974)	d	<0.013
Hellman &Small(1973,1974)	r	0.027
Teranishi et al.(1974)		0.042
Anon.(1980)	d	0.00084
Anon.(1980)	r	0.011
Hall &Andersson(1983)	d	0.20
Cristoph(1983)	r	0.18～0.21
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	8.8
Nagata(2003)	d	0.0019
Cometto-Muniz&Abraham(2010a)	d	0.0013
Laska &Ringh(2010)	d	0.10

BUTANE, 丁烷，［106-97-8］

Patty &Yant(1929)		12000
Mullins(1955)	r	6160
Schneider et al.(1966)		8700
Laffort &Dravnieks(1973)		3000
Artho &Koch(1973)		1～10
Nagata(2003)	d	2880

1,4-BUTANEDIAMINE,腐胺，［110-60-1］

El-Maaytah(1997)		0.088
Greenman et al.(2004)		0.080

2,3-BUTANEDIONE,2,3- 丁二酮，［431-03-8］

Backman(1917)	r	0.003～0.006

Van Anrooij(1931)	d	0.0025
Appell(1969)		0.0026
Artho &Koch(1973)		0.00001
Punter(1975,1979)	d	0.000007
Hall &Andersson(1983)	d	0.0050
Bahnmüller(1983)		0.0007～0.087
Randebrock(1986)		10.2
Blank(1990)		0.015～0.030
Blank et al.(1992)		0.01～0.02
Nagata(2003)	d	0.00018

1-BUTANETHIOL, 丁硫醇，[109-79-5]

Allison &Katz(1919)		18
Katz &Talbert(1930)		0.0037
Deadman &Prigg(1959)	d	0.0015
Blinova(1965)		0.007～0.04
Kniebes et al.(1969)		0.003
Wilby(1969)	r	0.0027
Patte(1978);Patte &Punter(1979)	d	0.003
Nagata(2003)	d	0.000010

2-BUTANETHIOL, 仲丁硫醇，[513-53-1]

Stuiver(1958)	d	0.000002～0.0002
Blanchard(1976)		0.007
Nagata(2003)	d	0.00011

BUTANOIC ACID,正丁酸，[107-92-6]

Passy(1893b,1893c)	d	0.001
Backman(1917)	r	0.02
Allison &Katz(1919)		9
Mitsumoto(1926)	r	0.16～0.17
Hesse(1926)	r	0.1
Hesse(1927)	r	1.5
Tamman &Oelsen(1928)	d	0.09～0.12
Jones(1955a)	r	0.016
Jones(1955b)	r	0.0005～3.6
Jones(1955c)	r	3.0
Kerka &Humphreys(1956)		0.002
Neuhaus(1957)	d	0.001
Neuhaus(1957)	r	0.025
Nader(1958)		0.058
Bocca &Battiston(1964)	d	0.007～0.14
Guadagni(1966)		0.24

Goldenberg(1967)	d	0.0004
Leonardos et al.(1969)	r	0.004
Styazhkin &Khachaturyan(1973)		0.06
Cormack et al.(1974)		0.004
Punter(1975,1979)	d	0.0385
Bedborough &Trott(1979)	d	0.0086
Anon.(1980)	d	0.00035
Anon.(1980)	r	0.0025
Punter(1983)	d	0.014～0.029
Dravnieks et al.(1986)	d	0.018
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	0.013
Nagata(2003)	d	0.00068
Greenman et al.(2004)		0.02
Wise et al.(2007);Miyazawa et al.(2009a)	d	0.00035～0.00086
Cometto-Muniz&Abraham(2010b)	d	0.00094

1-BUTANOL, 正丁醇，[71-36-3]

Passy(1892c)	d	1
Backman(1917)	r	0.35～0.6
Zwaardemaker(1927)		1
Jung(1936)	d	0.158～0.316
Jung(1936)	r	0.474～0.632
Gavaudan et al.(1948)		0.15
Mullins(1955)	r	37.2
Jones(1955a)	r	3.1
Jones(1955b)	r	110～285
Jones(1955c)	r	42
Scherberger et al.(1958)	r	45
Janiček et al.(1960)		20
Nauš(1962)	d	4
Pliška &Janiček(1965)		3000
Gavaudan &Poussel(1966)		1.1
May(1966)	d	33
May(1966)	r	48
Dravnieks &Krotoszynski(1968)		1.35
Khachaturyan &Baikov(1969)		1.2～2
Cain(1969)	r	60
Corbit &Engen(1971)		13～20
Dravnieks &Laffort(1972)		10.0
Baikov &Khachaturyan(1973)		1.2
Laffort &Dravnieks(1973)		0.9
Hellman &Small(1974)	d	0.9

Hellman &Small(1974)	r	3.0
Moskowitz et al.(1974)		186
Jones et al.(1975)		<132
Piggott &Harper(1975)		4～1000
Dravnieks(1976)	d	0.36～10.2
Williams et al.(1977)	d	0.63～1.14
Amoore &Buttery(1978)	d	2.3
Homans et al.(1978)		13.94
Jones et al.(1978)	d	42～105
Laing et al.(1978)	r	10.5
Laing(1982)	d	3.0
Cain et al.(1983);Cain(1989)	d	<4.2
Cristoph(1983)	r	0.7～0.9
Laing(1983)		6.0
Jensen &Flyger(1983)		0.10～2.40
Punter(1983)	d	2.6～5.3
Viswanathan et al.(1983)		1.26～2.4
Homans(1984)		21.5
Murphy &Cain(1985)	d	0.39～4.26
Roos et al.(1985)	d	0.101～0.136
Roos et al.(1985);Don(1986)	d	0.077
Ahlström et al.(1986a)	d	0.136～0.224
Dravnieks et al.(1986)	d	0.51～4.05
Hartigh(1986)	d	0.01～0.292
MacLeod et al.(1986)		0.69
Poostchi et al.(1986)	d	0.99～1.85
Poostchi et al.(1986)	r	3.72～4.02
Cain et al.(1988)		1.4
Dollnick et al.(1988)		0.384
Stevens et al.(1988)	d	0.36～3.3
De Wijk(1989)		4.43
Hermans(1989)		0.015～0.214
Cometto-Muniz &Cain(1990); Cometto-Muniz(1993)	d	5.4
Scharfenberger(1990)		0.5
Cain &Gent(1991)	d	3～9
Laska&Hudson(1991)	d	0.79
Lea &Ford(1991)		2
Nagy(1991)	d	3.1
Nagy(1991)	d	0.591
Cometto-Muniz &Cain(1993)	d	162
Patterson et al.(1993)	d	5.4

Stevens &Dadarwala(1993)	d	0.48～38.4
Dalton et al.(1997a)	d	0.61～5.5
Dalton et al.(1997b)	d	8.2～15.8
Harreveld&Heeres(1997)		0.058～0.53
Wysocki et al.(1997)	d	0.48～9.6
Cometto-Muniz et al.(1999)	d	1.7～3.8
Molhave et al.(2000)	d	11
Ziemer et al.(2000)	d	0.15
Feddes et al.(2001)	d	0.170
Mannebeck &Mannebeck(2002)	d	0.105～0.1739
Smeets &Dalton(2002)	d	42～54
Nagata(2003)	d	0.11
Cometto-Muniz et al.(2004)	d	~0.97
Maxeiner &Mannebeck(2004)	d	0.1323～0.1957
Cometto-Muniz&Abraham(2008)	d	0.024
Polednik et al.(2008)	d	0.2～0.4(室内空气为介质)
Maxeiner(2006)	d	0.1071～0.1251
Maxeiner(2007)	d	0.111～0.130
Ueno et al.(2009)		0.051(三点比较式臭袋法；强制选择模式)
Ueno et al.(2009)		0.26(三点比较式臭袋法；是/否选择模式)
Ueno et al.(2009)		0.16(动态嗅辨仪；强制选择模式)
Ueno et al.(2009)		0.42(动态嗅辨仪；是/否选择模式)
Cain et al.(2010)	d	0.48
Nimmermark(2011)		0.078～1.4

2-BUTANOL, 仲丁醇，[78-92-2]

Jung(1936)	d	7.4
Jung(1936)	r	14.4
Jones(1955c)	r	80
Laffort &Dravnieks(1973)		9
Hellman &Small(1974)	d	0.4
Hellman &Small(1974)	r	1.2
Bedborough &Trott(1979)	d	3.3
Cometto-Muniz &Cain(1993); Cometto-Muniz(1993)	d	285
Ziemer et al.(2000)	d	0.13
Nagata(2003)	d	0.66

(S)-(+)-2-BUTANOL,(d)- 仲丁醇，[4221-99-2]

Punter(1983)	d	59.1

(R)-(-)-2-BUTANOL,(1)- 仲丁醇，[14898-79-4]

Punter(1983)	d	41.8

tert-butanol→叔丁醇

BUTANONE,丁酮，[78-93-3]

Backman(1917)	r	63～70
May(1966)	d	80
May(1966)	r	163
Leonardos et al.(1969)	r	29
Hartung et al.(1971)		7
Mukhitov&Azimbekov(1971)		0.75
Dravnieks &Laffort(1972)		22.0
Artho &Koch(1973)		100～1000
Dravnieks(1974)	d	250
Hellman &Small(1974)	d	5.8
Hellman &Small(1974)	r	16
Anon.(1980)	d	8.4
Anon.(1980)	r	29
Hall &Andersson(1983)	d	61
Doty et al.(1988)	d	16.5～23.9
Scharfenberger(1990)		126
Doty(1991)	d	2.9～51.6
Nagy(1991)	d	4.8
Ziemer et al.(2000)	d	0.21
Nagata(2003)	d	1.3

2-BUTANOYL-2,3-DIHYDRO-1,4-THIAZINE,2- 丁酰基-2,3-二氢-1,4-噻嗪

Hofmann et al.(1995)		>2

2-BUTANOYL-1-PYRROLINE,2- 丁酰基-1-吡咯啉

Schieberle(1991)		>2

(E)-2-BUTENAL, 巴豆醛，[123-73-9]

Katz&Talbert(1930)		0.18～0.57
Teranishi et al.(1974)		0.420
Hall &Andersson(1983)	d	1.7
Nagata(2003)	d	0.067

1-BUTENE, 正丁烯，[106-98-9]

Katz&Talbert(1930)		2.1
Mullins(1955)	r	39.2
Krasovitskaya &Malyarova(1968)		15.4
Knuth(1973)		1.2
Nagata(2003)	d	0.83

2-BUTENE,2- 丁烯，[107-01-7]		
Katz &Talbert(1930)		4.8
(E)-2-BUTENE,(E)-2- 丁烯，[624-64-6]		
Mullins(1955)	r	2700
(Z-2-BUTENE,(Z)-2- 丁烯，[590-18-1]		
Mullins(1955)	r	28.5
2-BUTENE-1-THIOL, 巴豆基硫醇，[5954-72-3]		
Katz&Talbert(1930)		0.00043～0.0014
1-BUTEN-3-ONE, 丁烯酮，[78-94-4]		
Martirosyan(1970)		0.5
3-buten-2-one→丁烯酮		
butiphos→脱叶磷		
BUTOXYBUTANE, 正丁醚，[142-96-1]		
Dravnieks &Laffort(1972)		0.03
Dravnieks(1974)	d	8
Hellman &Small(1974)	d	0.4
Hellman &Small(1974)	r	1.3
2-BUTOXYETHANOL, 乙二醇丁醚，[111-76-2]		
Hellman &Small(1973,1974)	d	0.5
Hellman &Small(1973,1974)	r	1.7
Nagy(1991)	d	1.9
Nagata(2003)	d	0.21
2-BUTOXYETHYLACETATE, 乙二醇丁醚乙酸酯，[112-07-2]		
Hellman &Small(1973,1974)	d	0.7
Hellman &Small(1973,1974)	r	1.3
Nagy(1991)	d	6.5
1-BUTOXY-2-PROPANOL,1- 丁氧基-2-丙醇, [5131-66-8]		
Ziemer et al.(2000)	d	1.3
Nagata(2003)	d	0.87
BUTYL ACETATE,乙酸丁酯，[123-86-4]		
Backman(1917)	r	1.3～1.7
Jung(1936)	d	0.044
Jung(1936)	r	0.044～0.13
Scherberger et al.(1958)	r	96
Gofmekler(1960)		0.6
Pliška &Janiček(1960)		190
Nauš(1962)	d	0.7

May(1966)	d	35
May(1966)	r	55
Köster(1971)	d	480～1750
Dravnieks &Laffort(1972)		0.04
Dravnieks(1974)	d	3
Hellman &Small(1974)	d	0.03
Hellman &Small(1974)	r	0.18
Anon.(1980)	d	0.32
Anon.(1980)	r	2.4
Cristoph(1983)	r	0.46～0.55
Scharfenberger(1990)		4
Cometto-Muniz &Cain(1991,1993);		
Cometto-Muniz(1993)	d	11.5
Nagy(1991)	d	1
Nagy(1991)	d	0.521
Patterson et al.(1993)	d	7.7
Ziemer et al.(2000)	d	0.061
Cometto-Muniz et al.(2002)		0.00062
Cometto-Muniz et al.(2003)		0.009
Nagata(2003)	d	0.077
Cometto-Muniz et al.(2004)	d	~0.015
Komthomg et al.(2006)		165～1570
Cometto-Muniz et al.(2008)	d	0.020
Cain &Schmidt(2009)	d	0.010

2-BUTYL ACETATE,乙酸仲丁酯，[105-46-4]

Cometto-Muniz &Cain(1993);		
Cometto-Muniz(1993)	d	22.6
Nagata(2003)	d	0.012

sec-butyl acetate→乙酸仲丁酯

tert-BUTYL ACETATE,乙酸叔丁酯，[540-88-5]

Cometto-Muniz &Cain(1993);		
Cometto-Muniz(1993)	d	6.2
Nagata(2003)	d	0.34
Cain &Schmidt(2009)	d	0.038

butyl acrylate→丙烯酸正丁酯

butyl alcohol→正丁醇

sec-butyl alcohol→仲丁醇

(d)-sec-butyl alcohol→(d)-仲丁醇

(1)-sec-butyl alcohol→(1)-仲丁醇

tert-butyl alcohol→叔丁醇

BUTYLAMINE, 正丁胺，[109-73-9]

Scherberger et al.(1960)		<0.36
Sutton(1962a)		<3
Hellman &Small(1973,1974)	d	0.24
Hellman &Small(1973,1974)	r	0.72
Laing et al.(1978)	r	41.7
Nagata(2003)	d	0.51

2-BUTYLAMINE, 仲丁胺，[13952-84-6]

Nagata(2003)	d	0.51

sec-butylamine→仲丁胺
tert-butylamine→叔丁胺

4-BUTYLBENZALDEHYDE, **对丁基苯甲醛，[1200-14-2]**

Von Ranson &Belitz(1992b)	d	0.058
Von Ranson &Belitz(1992b)	r	0.11

4-tert-BUTYLBENZALDEHYDE, 对叔丁基苯甲醛，[939-97-9]

Von Ranson &Belitz(1992b)	d	0.065
Von Ranson &Belitz(1992b)	r	0.19

BUTYLBENZENE, 正丁苯，[104-51-8]

Cometto-Muniz(1993);		
Cometto-Muñiz & Cain(1994)	d	23.4
Nagata(2003)	d	0.047
Cometto-Muniz&Abraham(2009b)	d	0.014

7-BUTYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 丁基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.00026

BUTYL BUTANOATE, **丁酸丁酯**，[109-21-7]

Nagata(2003)	d	0.028

butyl butyrate→丁酸丁酯
tert-butylcarbylamine→异氰酸叔丁酯
butyl cellosolve→乙二醇丁醚
butyl cellosolve acetate→乙二醇丁醚乙酸酯

4-tert-BUTYLCYCLOHEXYL ACETATE,鸢尾酯，[32210-23-4]

Randebrock(1986)		0.00069
Laska &Hudson(1991)	d	0.86

2-BUTYL-5,6-DIHYDRO-3,5-DIMETHYLPYRAZINE,2-丁基-5,6-二氢-3,5-二甲基吡嗪

Kurniadi et al.(2003)		0.0168
Kurniadi(2003)	r	0.336

3-BUTYL-5,6-DIHYDRO-2,5-DIMETHYLPYRAZINE,3- **丁基-5,6-二氢-2,5-二甲基吡嗪**

Kurniadi et al.(2003) >2
Kurniadi(2003) r >40

3-BUTYL-5,6-DIHYDRO-4H-ISOBENZOFURAN-1-ONE,3- 丁基-5,6-二氢-4H-异苯并呋喃-1-酮,[141120-37-8]
Nitz et al.(1992) 0.005

4-BUTYL-4,5-DIHYDROPHTHALIDE, 洋川芎内酯A,[62006-39-7]
Nitz et al.(1992) 5

5-BUTYLDIHYDRO-2(3H)-THIOPHENONE, 丙位硫代辛内酯
Roling et al.(1998);Engel(1999) 0.0003
2-butyl-3,5-dimethyl-5,6-dihydropyrazine→2-丁基-5,6-二氢-3,5-二甲基吡嗪
3-butyl-2,5-dimethyl-5,6-dihydropyrazine→3-丁基-5,6-二氢-2,5-二甲基吡嗪

4-tert-BUTYL-2,6-DIMETHYL-3,5-DINITROACETOPHENONE, 酮麝香，[81-14-1]
Kraft & Frater(2001) 0.0001
Traynor(2001) 0.0012

5-BUTYL-2,3-DIMETHYLPYRAZINE,5- 丁基-2,3-二甲基吡嗪，[15834-78-3]
Wagner et al.(1999) >2

3-BUTYL-2,5-DIMETHYLPYRAZINE,3- 丁基-2,5-二甲基吡嗪，[40790-29-2]
Wagner et al.(1999) >2

2-BUTYL-3,5-DIMETHYLPYRAZINE,2- 丁基-3,5-二甲基吡嗪，[50888-63-6]
Wagner et al.(1999) 0.18

5-sec-BUTYL-2,3-DIMETHYLPYRAZINE,5- 仲丁基-2,3-二甲基吡嗪，[3226-30-0]
Wagner et al.(1999) >2

3-sec-BUTYL-2,5-DIMETHYLPYRAZINE,3- 仲丁基-2,5-二甲基吡嗪，[70303-41-2]
Wagner et al.(1999) >2

2-sec-BUTYL-3,5-DIMETHYLPYRAZINE,2- 仲丁基-3,5-二甲基吡嗪，[70303-43-4]
Wagner et al.(1999) >2
2-butyldimethyltetrahydropyrazine→2-丁基二甲基四氢吡嗪

1-tert-BUTYL-3,5-DIMETHYL-2,4,6,-TRINITROBENZENE, 二甲苯麝香，[81-15-2]
Backman(1917) r 0.009
Allison &Katz(1919) 0.04
Katz &Talbert(1930) 0.00059
butyl ether→正丁醚

BUTYLFORMATE, 甲酸丁酯，[592-84-7]
May(1966) d 70
May(1966) r 90

Nagata(2003)	d	0.37

(3S,3aS,7aR)-3-BUTYLHEXAHYDROPHTHALIDE,(3S,3aS,7aR)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		0.0013

(3R,3aR,7aS)-3-BUTYLHEXAHYDROPHTHALIDE,(3R,3aR,7aS)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		>1.25

(3S,3aS,7aS)-3-BUTYLHEXAHYDROPHTHALIDE,(3S,3aS,7aS)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		0.25

(3R,3aR,7aR)-3-BUTYLHEXAHYDROPHTHALIDE,(3R,3aR,7aR)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		>1.25

(3S,3aR,7aS)-3-BUTYLHEXAHYDROPHTHALIDE,(3S,3aR,7aS)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		0.25

(3R,3aS,7aR)-3-BUTYLHEXAHYDROPHTHALIDE,(3R,3aS,7aR)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		0.125

(3S,3aR,7aR)-3-BUTYLHEXAHYDROPHTHALIDE,(3S,3aR,7aR)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		>1.25

(3R,3aS,7aS)-3-BUTYLHEXAHYDROPHTHALIDE,(3R,3aS,7aS)-3- 丁基六氢苯肽

Bartschat et al.(1997b)		>1.25

tert-BUTYL(1-HYDROXY-1-METHYLETHYL)DIMETHYLSILANE, 叔丁基(1-羟基-1-甲基乙基)二甲基硅烷

Sunderkötter et al.(2010)		0.001

BUTYL2-HYDROXYPROPANOATE ,乳酸丁酯，[138-22-7]

Ziemer et al.(2000)	D	0.000000029

butyl iodide→正丁基碘

butyl isobutyrate→异丁酸丁酯

tert-BUTYL ISOCYANIDE,异氰酸叔丁酯，[7188-38-7]

Stone &Pryor(1967)	d	1.67
Stone &Pryor(1967)	r	1.67

butyl isovalerate→异戊酸丁酯

butyl lactate→乳酸丁酯

butyl mercaptan→丁硫醇

sec-butyl mercaptan→仲丁硫醇

tert-butyl mercaptan→叔丁硫醇

2-BUTYL-3-MERCAPTOPROPANAL,2- 丁基-3-巯基丙醛

Vermeulen &Collin(2002)		0.004

2-BUTYL-3-MERCAPTO-1-PROPANOL,2- 丁基-3-巯基-1-丙醇

Vermeulen et al.(2003)		0.00005

2-BUTYL-3-MERCAPTOPROPYL ACETATE,2-丁基-3-巯基-1-丙基乙酸酯

Vermeulen &Collin(2003)		0.01

butyl methacrylate→甲基丙烯酸丁酯

1-tert-BUTYL-2-METHOXY-4-METHYL-3,5-DINITROBENZENE, **葵子麝香**，[83-66-9]

Appell(1969)		0.00000009
Etzweiler et al.(1980)		0.00019
Randebrock(1986)		0.000045

2-sec-BUTYL-3-METHOXYPYRAZINE,2- **仲丁基-3-甲氧基吡嗪**，[24168-70-5]

Wagner et al.(1999)		0.000003

1-tert-BUTYL-4-METHYLBENZENE,对叔丁基甲苯，[98-51-1]

Hine et al.(1954)	r	<30.5

BUTYL 3-METHYLBUTANOATE,异戊酸丁酯，[109-19-3]

Nagata(2003)	d	0.078

4-tert-butyl-α-methyldihydrocinnamaldehyde→铃兰醛
(2R)-4-tert-butyl-a-methyldihydrocinnamaldehyde→(2R)-铃兰醛
(2S)-4-tert-butyl-a-methyldihydrocinnamaldehyde→(2S)-铃兰醛

BUTYL2-METHYLPROPANOATE, 异丁酸丁酯，[97-87-0]

Nagata(2003)	d	0.13
Komthong et al.(2006)		6.07

BUTYL2-METHYL-2-PROPENOATE, **甲基丙烯酸丁酯，[97-88-1]**

Piringer &Granzer(1984)		0.1

2-BUTYL-3-METHYLPYRAZINE,2- 丁基-3-甲基吡嗪，[15987-00-5]

Wagner et al.(1999)		0.095～0.26

5-BUTYL-2-METHYLPYRAZINE,5- 丁基-2-甲基吡嗪，[29461-04-9]

Wagner et al.(1999)		0.095～0.26

6-BUTYL-2-METHYLPYRAZINE,6- 丁基-2-甲基吡嗪，[32184-46-6]

Wagner et al.(1999)		0.095～0.26

1-tert-BUTYL-3-METHYL-2,4,6-TRINITROBENZENE, **人工麝香，[547-94-4]**

Passy(1892a)	d	0.00000005～0.000001
Passy(1892b)	d	0.000005～0.00001
Zwaardemaker(1914)	d	0.001

3-(4-tert-BUTYLPHENYL)-2-METHYLPROPANAL, **铃兰醛，[80-54-6]**

Doszczak et al.(2007)		0.0001

(2R)-3-(4-tert-BUTYLPHENYL)-2-METHYLPROPANAL,(2R)- 铃兰醛

Bartschat et al.(1997a)		0.01

(2S)-3-(4-tert-BUTYLPHENYL)-2-METHYLPROPANAL,(2S)- 铃兰醛

Bartschat et al.(1997a)		>2.5

3-(4-tert-BUTYLPHENYL)PROPANAL, 对叔丁基苯丙醛，[18127-01-0]

Doszczak et al.(2007)		0.00016
Olsson &Laska(2010)	d	0.1～0.2

3-BUTYLPHTHALIDE, 芹菜甲素，[6066-49-5]

Nitz et al.(1992)		7

BUTYL PROPANOATE,丙酸丁酯，[590-01-2]

Nagata(2003)	d	0.19

BUTYL 2-PROPENOATE,丙烯酸正丁酯，[141-32-2]

Anon.(1969)		0.53
Van Gemert(1973)	d	0.005～0.01
Anon.(1980)	d	0.0015
Anon.(1980)	r	0.014
Piringer &Granzer(1984)		0.01
Nagata(2003)	d	0.0029

butyl propionate→丙酸丁酯

2-BUTYLPYRIDINE,2- 丁基吡啶，[5058-19-5]

Schieberle(1993)		0.0018

BUTYL SALICYLATE,水杨酸丁酯，[2052-14-4]

Baldus(1936)	d	0.005～0.007
Baldus(1936)	r	0.01

2-BUTYLTETRAHYDRODIMETHYLPYRAZINE,2- 丁基二甲基四氢吡嗪

Kurniadi(2003)	r	>40

trans-3-BUTYLTETRAHYDROPHTHALIDE, 反-新蛇床内酯，[3553-29-5]

Nitz et al.(1992)		2

SBUTYL THIOACETATE,硫代乙酸S 正丁酯

Gijs et al.(2000)		0.12

BUTYLTHIOBUTANE, 二丁基硫醚，[544-40-1]

Katz&Talbert(1930)		0.090
Fuller et al.(1964)	r	0.00088

SBUTYL THIOBUTANOATE,硫代丁酸S 正丁酯

Cavaillé-Lefebvre et al.(1998)	d	1.12

tert-BUTYLTHIO-2-METHYLPROPANE, 二叔丁基硫醚，[107-47-1]

Gijs et al.(2000)		0.32
SBUTYL THIOPENTANOATE,硫代戊酸S 正丁酯		
Cavaillé-Lefebvre et al.(1998)	d	1.88
SBUTYL THIOPROPANOATE,硫代丙酸S 正丁酯		
Cavaillé-Lefebvre et al.(1998)	d	0.45

4-tert-butyltoluene→对叔丁基甲苯

2-BUTYNE, 巴豆炔，[503-17-3]		
Mullins(1955)	r	70.3

butyraldehyde→正丁醛
butyric acid→正丁酸

C

camphene→莰烯
camphor→樟脑
(S)-(一)-camphor→(1)-樟脑
capric acid→癸酸
caproic acid→己酸
caprolactam→己内酰胺
caprylaldehyde→辛醛
caprylic acid→辛酸
carbitol→二甘醇乙醚
carbitol acetate→乙基卡必醇乙酸酯

CARBON DIOXIDE,二氧化碳，[124-38-9]		
Lötsch et al.(1997)		540000～1080000
Shusterman &Balmes(1997a,1997b)		486000
Melzner et al.(2011)	d	95400(鼻前刺激，鼻呼吸)
Melzner et al.(2011)	d	81000(鼻前刺激，口呼吸)
Melzner et al.(2011)	d	75600(鼻后刺激，鼻呼吸)
Melzner et al.(2011)	d	70200(鼻后刺激，口呼吸)
CARBON DISULPHIDE,二硫化碳，[75-15-0]		
Deadman &Prigg(1959)	d	0.07
Hildenskiold(1959)		0.05
Frantikova(1962)		1.3
Baikov(1963)		0.08～0.5
Leonardos et al.(1969)	r	0.65
Nauš(1982)	d	0.1
Nauš(1982)	r	1
Kleinschmidt(1983)	r	98.9
Moriguchi et al.(1983)	d	0.11
Don(1986)	d	0.18

Nagy(1991)	d	3.9
Nagy(1991)	d	1.269
Nagata(2003)	d	0.65

carbonic chloride→光 气

carbon tetrachloride→四氯化碳

CARBONYL CHLORIDE,光气，[75-44-5]

Fieldner et al.(1921)		23
Suchier(1929)		4
Schley(1934)	d	0.5
Schley(1934)	r	0.5～1
Prentiss(1937)		4.4
Patty(1962c)		2.0
Leonardos et al.(1969)	r	4.0

CARBONYL SULPHIDE,硫化羰，[463-58-1]

Polgar et al.(1975)		0.25
Nagata(2003)	d	0.14

3-carene→3- 蒈 烯

(+)-3-carene→3- 蒈 烯

δ3-carene→3- 蒈烯

carvacrol→香芹酚

carvone→ 香芹酮

(d)-carvone→(d)- 香 芹 酮

(1)-carvone→ (1)-香芹酮

β-caryophyllene→石竹烯

cellosolve→ 乙二醇单乙醚

cellosolve acetate→乙二醇单乙醚乙酸酯

cervolide→麝香内酯

chloral→三氯乙醛

chloral hydrate→水 合 三 氯 乙 醛

CHLORINE, 氯，[7782-50-5]

Fieldner et al.(1921);Prentiss(1937)		10
Smolczyk &Cobler(1930)		1.43～14.3
Takhiroff(1957)		0.8
Beck(1959)		0.15～0.3
Styazhkin(1963)		0.7
Rupp &Henschler(1967)	d	0.06～0.15
Rupp&Henschler(1967)	r	0.3
Leonardos et al.(1969)	r	0.6
Kramer(1974)		3.2～7.8
Dixon &Ikels(1977)	d	0.23

Nauš(1982)	d	3
Nauš(1982)	r	10
Randebrock(1986)		0.18
Nagata(2003)	d	0.14

CHLORINE DIOXIDE,二氧化氯，[10049-04-4]

Vincent et al.(1946)		42

CHLOROACETIC ACID,氯乙酸，[79-11-8]

Backman(1917)	r	0.6
Smith &Hochstettler(1969)	r	0.05

α-chloroacetophenone→α-氯乙酰苯

2-CHLOROANILINE, 邻氯苯胺，[95-51-2]

Punter(1983)	d	0.69

3-CHLOROANILINE, 间氯苯胺，[108-42-9]

Punter(1983)	d	1.11

4-CHLOROANILINE, 对氯苯胺，[106-47-8]

Kazakova(1968)		0.09
Punter(1983)	d	1.58

2-CHLOROANISOLE, 邻氯苯甲醚，[766-51-8]

Strube &Buettner(2010)		0.01433

3-CHLOROANISOLE, 间氯苯甲醚，[2845-89-8]

Strube &Buettner(2010)		0.03445

4-CHLOROANISOLE, 对氯苯甲醚，[623-12-1]

Strube &Buettner(2010)		0.0029

10-CHLORO-5,10-DIHYDROPHENARSAZINE, 二苯胺氯胂，[578-94-9]

Prentiss(1937)		2.5

CHLOROBENZE, 氯苯，[108-90-7]

Backman(1917)	r	7.5～8.1
Mateson(1955)		21.6
Tarkhova(1965)		0.4
Leonardos et al.(1969)	r	0.97
Smith &Hochstettler(1969)	r	3
Punter(1983)	d	5.9
Don(1986)	d	1.0
Nagy(1991)	d	4.5
Cometto-Muniz(1993); Cometto-Muñiz & Cain(1994)	d	59.3

2-CHLORO-1,3-BUTADIENE, 氯丁二烯，［126-99-8］

Mnatsakanyan(1962)		0.4～2.0
Nyström(1948)	r	500～1000

1-CHLOROBUTANE,1- 氯丁烷，［109-69-3］

Mullins(1955)	r	450
Hellman &Small(1973,1974)	d	33
Hellman &Small(1973,1974)	r	51

2-CHLORO-2-BUTENE,2- 氯-2-丁烯，［4461-41-0］

McCawley(1942)		1110～3700

1-CHLORO-1-(CHLOROETHYLTHIO)ETHANE,1,1'- 二氯二乙基硫醚

Katz&Talbert(1930)		0.015

2-CHLORO-1-(2-CHLOROETHYLTHIO)ETHANE, 芥子气，［505-60-2］

Prentiss(1937)		1.3

1-CHLORO-2-(1-CHLOROISOPROPOXY)PROPANE, 二氯异丙醚，［108-60-1］

Punter(1983)	d	0.19～0.36

1-CHLORODECANE, 氯癸烷，［1002-69-3］

Mullins(1955)	r	21.7

CHLORODIFLUOROMETHANE, 氟利昂22,［75-45-6］

Braker &Mossman(1980)		708000

CHLORODIIODOMETHANE, 氯二碘甲烷，［638-73-3］

Cancho et al.(2001)		0.77

CHLORODIPHENYLARSINE, 二苯氯胂，［712-48-1］

Prentiss(1937)		0.3

1-CHLORO-2,3-EPOXYPROPANE, 表氯醇，［106-89-8］

Toxicity data sheet(1959)		38～46
Fomin(1966)		0.3

CHLOROETHANE, 氯乙烷，［75-00-3］

Backman(1917)	r	10～12
Nagy(1991)	d	>1000

2-CHLOROETHANOL, 氯乙醇，［107-07-3］

Semenova et al.(1980)		1.2

CHLOROETHENE, 氯乙烯，［75-01-4］

Hori et al.(1972)		520～910

chloroform→氯仿

1-CHLOROHEPTANE, 氯庚烷，[629-06-1]

Mullins(1955)	r	157

CHLOROIODOMETHANE, 氯碘甲烷，[593-71-5]

Cancho et al.(2001)		1.4

CHLOROMETHANE, 氯甲烷，[74-87-3]

Leonardos et al.(1969)	r	>21

5-CHLORO-2-METHYLANILINE,5- 氯邻甲苯胺，[95-79-4]

Punter(1983)	d	0.10

1-CHLORO-2-METHYLBENZENE, 邻氯甲苯，[95-49-8]

Backman(1917)	r	0.95～1.4

1-CHLORO-3-NITROBENZE, 间硝基氯苯，[121-73-3]

Andreescheva(1968)		0.02

2-CHLOROPHENOL, 邻氯苯酚，[95-57-8]

Katz &Talbert(1930)		0.019
Kendall et al.(1968)	r	0.0005

4-CHLOROPHENOL, 对氯苯酚，[106-48-9]

Kendall et al.(1968)	r	0.001

3-CHLOROPHENYL ISOCYANATE,间氯苯异氰酸酯，[2909-38-8]

Zibireva(1967)		0.015

4-CHLOROPHENYL ISOCYANATE,对氯苯异氰酸酯，[104-12-1]

Zibireva(1967)		0.010

chloropicrin→氯化苦

chloroprene→ 氯丁二烯

3-CHLOROPROPENE, 氯丙烯，[107-05-1]

Toxicity data sheet(1958a)		9.3～18.6
Torkelson et al.(1959)		3～9
Leonardos et al.(1969)	r	1.5

α-chlorotoluene→氯化苄

2-chlorotoluene→ 邻氯甲苯

5-chloro-o-toluidine→5- 氯邻甲苯胺

CHLOROTRIFLUOROMETHANE, 氟利昂13,[75-72-9]

Braker &Mossman(1980)		854000

2-CHLOROVINYLDICHLOROARSINE,路易斯毒气，[541-25-3]

Prentiss(1937)		14

1,8-cineole→1,8-桉叶素

cinnamaldehyde→ 肉桂醛
(Z)-cinnamaldehyde→(Z)- 肉桂醛
cinnamic alcohol→肉桂醇
cinnamyl alcohol→肉桂醇
citral→柠檬醛
citral a→香叶醛
citral b→橙花醛
citronellal→香茅醛
citronellol→香茅醇
β-citronellol→ 香茅醇
(R)-(+)-citronellol→(R)-(+)- 香茅醇
(S)-(-)-citronellol→(S)- (一)-香茅醇
citronellyl acetate→乙酸香茅酯

COUMARIN, 香豆素，[91-64-5]

Passy(1892a,1892b)	d	0.01～0.05
Tempelaar(1913)	d	0.00078
Backman(1917)	r	0.015～0.044
Katz&Talbert(1930)		0.020
Appell(1969)		0.000007
Randebrock(1986)		0.000083

coumarone→ 香豆酮
m-cresol→ 间甲酚
o-cresol→ 邻甲酚
p-cresol→ 对甲酚
p-cresyl acetate→乙酸对甲苯酯
crotonaldehyde→ 巴豆醛
crotyl mercaptan→巴豆基硫醇
cumarone→香豆酮
cumene→ 异丙苯
cumene hydroperoxide→过氧化氢异丙苯
cuminaldehyde→枯茗醛

CYANODIPHENYLARSINE, 二苯基胂甲腈，[23525-22-6]

Flury(1921)	<0.005
Prentiss(1937)	0.3

CYANOGEN, 氰，[460-19-5]

Braker &Mossman(1980)	>533

CYANOGEN CHLORIDE,氯化氰，[506-77-4]

Prentiss(1937)	2.5

cyclamen aldehyde一兔耳草醛
cyclemone→2- 乙酰基-2,3,8,8-四甲基-1,2,3,4,5,6,7,8-八氢萘

5-CYCLOBUTYLPENTANAL,5- 环丁基戊醛

Von Ranson &Belitz(1992b)	d	0.0042
Von Ranson &Belitz(1992b)	r	0.0070

CYCLO-1,3-ETHYLENEDIOXY-1,3-TRIDECANEDIONE, 昆仑麝香，[105-95-3]

Traynor(2001)		0.066

CYCLOHEPTADECANONE, 二氢灵猫酮，[3661-77-6]

Eykman(1927)	d	0.0017～0.0035

CYCLOHEXADECANONE, 异麝香酮，[2550-52-9]

Eykman(1927)	d	0.0025～0.0066

5-CYCLOHEXADECEN-1-ONE, 环十六烯酮，[37609-25-9]

Traynor(2001)		0.116

CYCLOHEXANE, 环己烷，[110-82-7]

Schley(1934)	d	39
Schley(1934)	r	120
Jones(1955c)	r	900
Alibaev(1970)		1.8
Stone et al.(1972)	d	35.6
Dravnieks &Laffort(1972)		315
Laffort &Dravnieks(1973)		165
Dravnieks(1974)	d	2700
Nagata(2003)	d	8.5

CYCLOHEXANECARBOXALDEHYDE, 环己基甲醛，[2043-61-0]

Von Ranson &Belitz(1992b)	d	0.0020
Von Ranson &Belitz(1992b)	r	0.025

CYCLOHEXANOL, 环己醇，[108-93-0]

Dobrinsky(1964)		0.24
Punter(1983)	d	0.64
Van Thriel et al.(2006)	d	2.01

CYCLOHEXANONE, 环己酮，[108-94-1]

Dobrinsky(1964)		0.21
Stone et al.(1967)	d	1.15
Köster(1971)	d	790～880
Stone et al.(1972)	d	1.6
Hellman &Small(1973,1974)	d	0.48
Hellman &Small(1973,1974)	r	0.48
Davis(1973)	d	2
Laing(1975)	d	40
Laing(1983)		1.0～2.4

Laska &Hudson(1991)	d	0.88～1.2
Ziemer et al.(2000)	d	1.1
Van Thriel et al.(2006)	d	5.27

CYCLOHEXENE, 环已烯，［110-83-8］

Deadman &Prigg(1959)	d	0.6

1-CYCLOHEXENE-1-CARBOXALDEHYDE,1-环己烯-1-甲醛，［1192-88-7］

Von Ranson &Belitz(1992b)	d	0.88
Von Ranson &Belitz(1992b)	r	5.3

2-CYCLOHEXENE-1-CARBOXALDEHYDE, 2- **环己烯-1-甲醛**

Von Ranson &Belitz(1992b)	d	0.75
Von Ranson &Belitz(1992b)	r	13

3-CYCLOHEXENE-1-CARBOXALDEHYDE, 1, 2, 3, 6- 四氢苯甲醛，［100-50-5］

Von Ranson &Belitz(1992b)	d	0.015
Von Ranson &Belitz(1992b)	r	0.35

CYCLOHEXYLAMINE, 环已胺，［108-91-8］

Van Thriel et al.(2006)	d	9.83

4-CYCLOHEXYLBUTANAL, 4- **环己基丁醛**

Von Ranson &Belitz(1992b)	d	0.20
Von Ranson &Belitz(1992b)	r	0.32

3-CYCLOHEXYLENEPROPANAL, 3- **环己烯丙醛**

Von Ranson &Belitz(1992b)	d	0.00019
Von Ranson &Belitz(1992b)	r	0.061

CYCLOHEXYLETHANAL, **环己基乙醛**

Von Ranson &Belitz(1992b)	d	0.16
Von Ranson &Belitz(1992b)	r	0.25

3-CYCLOHEXYLPROPANAL, 3- 环己基丙醛，［4361-28-8］

Von Ranson &Belitz(1992b)	d	0.21
Von Ranson &Belitz(1992b)	r	0.28

3-CYCLOHEXYL-(E)-2-PROPENAL, 3- **环己基-**(E)-2-**丙烯醛**

Von Ranson &Belitz(1992b)	d	0.025
Von Ranson &Belitz(1992b)	r	0.044

3-CYCLOHEXYL-(Z)-2-PROPENAL, 3- **环己基-**(Z-2- **丙烯醛**

Von Ranson &Belitz(1992b)	d	0.0014
Von Ranson &Belitz(1992b)	r	0.097

CYCLOMUSK, 环麝香，［84012-64-6］

Kraft & Fráter(2001		0.0045

CYCLOOCTANE, 环辛烷，[292-64-8]

Stone et al.(1972)	d	3.6

cyclopentadecanolide→环十五内酯

CYCLOPENTADECANONE, 黄蜀葵酮，[502-72-7]

Eykman(1927)	d	0.0133～0.0236
Traynor(2001)		0.165

CYCLOPENTADIENE, 环戊二烯，[542-92-7]

Deadman &Prigg(1959)	d	5

CYCLOPENTANOL, 环戊醇，[96-41-3]

Köster(1971)	d	4200～8700

CYCLOPENTANONE, 环戊酮，[120-92-3]

Köster(1968a,1971)	d	31～1120

4-CYCLOPENTYLBUTANAL,4- 环戊基丁醛

Von Ranson &Belitz(1992b)	d	0.0070
Von Ranson &Belitz(1992b)	r	0.070

3-CYCLOPENTYLPROPANAL,3- 环戊基丙醛

Von Ranson &Belitz(1992b)	d	0.0056
Von Ranson &Belitz(1992b)	r	0.033

7-CYCLOPROPYLHEPTANAL, 7- 环丙基庚醛

Von Ranson &Belitz(1992b)	d	0.0019
Von Ranson &Belitz(1992b)	r	0.0062

6-CYCLOPROPYLHEXANAL, 6- 环丙基己醛

Von Ranson &Belitz(1992b)	d	0.00028
Von Ranson &Belitz(1992b)	r	0.0028

CYCLOPROPYL(1-HYDROXY-1-METHYLETHYL)DIISOPROPYLSILANE, 环丙基(1-羟基-1-甲基乙基)二异丙基硅烷

Sunderkötter et al.(2010)		0.0013

5-CYCLOPROPYLPENTANAL, 5- 环丙基戊醛

Von Ranson &Belitz(1992b)	d	0.013
Von Ranson &Belitz(1992b)	r	0.015

cyclotene→甲基环戊烯醇酮

CYCLOTETRADECANONE, 环十四酮，[3603-99-4]

Eykman(1927)	d	0.0241～0.0315

0-cymene→邻伞花烃

p-cymene→对伞花烃

D

β-damascenone→(E)-β-大马酮

DECABORANE,十硼烷，[17702-41-9]

Krackow(1953)		0.3

(E,E)-2,4-DECADIENAL,(E,E)-2,4-　癸二烯醛，[25152-84-5]

Teranishi et al.(1974)		0.00018
Gasser &Grosch(1990a)		0.00004～0.00016
Yang et al.(2008)		0.0023

(E,Z)-2,4-DECADIENAL,(E,Z-2,4-　癸二烯醛，[25152-83-4]

Lin et al.(2001)		0.00001

(Z-1,5-DECADIEN-3-OL,(Z-1,5-　癸二烯-3-醇

Schieberle &Buettner(2001)		0.001～0.01

(Z-1,5-DECADIEN-3-ONE,(Z-1,5-　癸二烯-3-酮

Schieberle&Buettner(2001)		0.0001～0.001

(R)-y-decalactone→(R)-y- 癸内酯
(S)-y-decalactone→(S)-y- 癸内酯
(R)-δ-decalactone→(R)-δ- 癸内酯
(S)-δ-decalactone→(S)-δ-癸内酯

DECANAL, 癸醛，[112-31-2]

Pliška&Janiček(1965)		3.8
Guadagni(1966)		0.001
Randebrock(1971)		0.00025
Teranishi et al.(1974)		0.005
Cristoph(1983)	r	0.03～0.04
Randebrock(1986)		0.00062
Lindell(1991)	d	0.051
Von Ranson &Belitz(1992a)	d	0.063
Von Ranson &Belitz(1992a)	r	0.094
Nagata(2003)	d	0.0026
Yang et al.(2008)		0.0026

DECANE, 癸烷，[124-18-5]

Laffort &Dravnieks(1973)		11.3
Nagy(1991)	d	160
Nagata(2003)	d	3.6

2,5-DECANEDIONE,2,5-　癸二酮，[51575-16-7]

Guth &Grosch(1989)		0.65～1.3

3,5-DECANEDIONE,3,5- 癸二酮，[5336-67-4]

Guth &Grosch(1989)		0.0075～0.0149

4,5-DECANEDIONE,4,5- 癸二酮，[122404-66-4]

Guth &Grosch(1989)		>17.0

DECANOIC ACID, 癸酸，[334-48-5]

Passy(1892b,1892c)	d	0.05
Backman(1917)	r	0.08～0.09

1-DECANOL, 癸醇，[112-30-1]

Backman(1917)	r	0.10～0.17
Mullins(1955)	r	19.4
Pliška(1962)		2.6
Punter(1983)	d	0.44
Cristoph(1983)	r	0.07～0.09
Nagata(2003)	d	0.0050

2-DECANONE,2- 癸酮，[693-54-9]

Teranishi et al.(1974)		0.060
Hall &Andersson(1983)	d	0.11

(E)-2-DECENAL,(E)-2- 癸烯醛，[3913-81-3]

Teranishi et al.(1974)		0.0027
Hall&Andersson(1983)	d	0.0049
Von Ranson &Belitz(1992a)	d	0.077
Von Ranson &Belitz(1992a)	r	0.077
Yang et al.(2008)		0.0027

(Z)-2-DECENAL,(Z)-2- 癸烯醛，[2497-25-8]

Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.0031

(E)-3-DECENAL,(E)-3- 癸烯醛

Von Ranson &Belitz(1992a)	d	0.025
Von Ranson &Belitz(1992a)	r	0.16

(Z)-3-DECENAL,(Z)-3- 癸烯醛，[69891-94-7]

Von Ranson &Belitz(1992a)	d	0.0062
Von Ranson &Belitz(1992a)	r	0.025

(E)-4-DECENAL,(E)-4- 癸烯醛，[65405-70-1]

Von Ranson &Belitz(1992a)	d	0.025
Von Ranson &Belitz(1992a)	r	0.071

(Z)-4-DECENAL,(Z)-4- 癸烯醛，[21662-09-9]

Von Ranson &Belitz(1992a)	d	0.0031
Von Ranson &Belitz(1992a)	r	0.022
(E)-5-DECENAL,(E)-5- 癸烯醛，[60671-72-9]		
Von Ranson &Belitz(1992a)	d	0.034
Von Ranson &Belitz(1992a)	r	0.068
(Z-5-DECENAL,(Z)-5- 癸烯醛，[21662-11-3]		
Von Ranson &Belitz(1992a)	d	0.056
Von Ranson &Belitz(1992a)	r	0.10
(E)-6-DECENAL,(E)-6- 癸烯醛，[147159-48-6]		
Jung et al.(1992)		0.003～0.005
Von Ranson &Belitz(1992a)	d	0.0019
Von Ranson &Belitz(1992a)	r	0.0019
(Z-6-DECENAL,(Z)-6- 癸烯醛，[105683-99-6]		
Jung et al.(1992)		0.00002～0.00004
(E)-7-DECENAL,(E)-7- 癸烯醛		
Von Ranson &Belitz(1992a)	d	0.019
Von Ranson &Belitz(1992a)	r	0.022
(Z)-7-DECENAL,(Z)-7- 癸烯醛，[21661-97-2]		
Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.0025
9-DECENAL,9- 癸烯醛，[39770-05-3]		
Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.0093
1-DECENE, 癸烯，[872-05-9]		
Koszinowski&Piringer(1983)		37
1-DECEN-3-OL,1- 癸烯-3-醇，[51100-54-0]		
Koszinowski&Piringer(1983)		0.37
Schieberle&Buettner(2001)		0.001～0.01
1-DECEN-3-ONE,1- 癸烯-3-酮，[56606-79-2]		
Koszinowski&Piringer(1983)		0.001
Schieberle &Buettner(2001)		约0.0001
DECYL ACETATE,乙酸癸酯，[112-17-4]		
Laska &Hudson(1991)	d	47.6
Cometto-Muñiz & Cain(1991);		
Cometto-Muniz(1993)	d	2.6
decyl alcohol→癸醇		

decyl aldehyde→癸醛
decyl chloride→氯癸烷
(-)-dehydrogeosmin→（一）-脱氢土臭素
(+)-dehydrogeosmin→(+)- 脱氢土臭素
(+)-(6R)-dehydromintlactone→(+)- 脱氢薄荷呋喃内酯

(-)-(R)-8,9-DEHYDROTHEASPIRONE, （一）-(R)-8,9-脱氢茶香螺酮

Serra et al.(2007)		0.0137

(+)-(S)-8,9-DEHYDROTHEASPIRONE, (+)-(S)-8,9-脱氢茶香螺酮

Serra et al.(2007)		0.0098

diacetone alcohol→二丙酮醇
diacetyl→2,3- 二酮
diallylamine→二烯丙基胺
diallyl disulphide→二烯丙基二硫醚
diallyl sulphide→二烯丙基硫醚
diallyl tetrasulphide→二烯丙基四硫醚
1,2-diaminopropane→丙二胺
diamyl sulphide→戊硫醚
dibenzyl sulphide→二苄基硫醚

DIBORANE, 乙硼烷，[19287-45-7]

Krackow(1953)		2～4

1,2-DIBROMOBENZENE, **邻二溴苯，[583-53-9]**

Backman(1917)	r	0.024～0.033

2,6-DIBROMO-3-CHLOROANISOLE,2,6- 二溴-3-氯苯甲醚

Diaz et al.(2005)		0.0018

2,6-DIBROMO-4-CHLOROANISOLE,2,6- **二溴-4-氯苯甲醚**

Diaz et al.(2005)		0.0018

2,3-DIBROMO-1-CHLOROPROPANE,2,3- 二溴-1-氯丙烷，[96-12-8]

Torkelson &Rowe(1981)		0.1～0.3

1,2-DIBROMOETHANE, **二溴乙烷，[106-93-4]**

Olmstead(1972)	r	<77

DIBROMOIODOMETHANE, **二溴碘甲烷，[593-94-2]**

Cancho et al.(2001)		0.8

DIBUTYLAMINE, 二丁胺，[111-92-2]

Hellman &Small(1973,1974)	d	0.42
Hellman &Small(1973,1974)	r	1.4
Laing et al.(1978)	r	2.76

Bahnmüller(1984)		0.44～4.069

DIBUTYL PHTHALATE,增塑剂DBP,[84-74-2]

Menshikova(1972)		0.26

dibutyl sulphide→二丁基硫醚

di-tert-butyl sulphide→二叔丁基硫醚

DICHLOROACETIC ACID,二氯乙酸，[79-43-6]

Backman(1917)	r	0.23

3,4-DICHLOROANILINE,3,4- 二氯苯胺，[95-76-1]

Andreescheva(1968)		0.047
Punter(1983)	d	0.29

2,3-DICHLOROANISOLE,2,3- 二氯苯甲醚，[1984-59-4]

Strube &Buettner(2010)		0.0168

2,4-DICHLOROANISOLE,2,4- **二氯苯甲醚，[553-82-2]**

Nijssen(1988)	d	0.0066
Strube &Buettner(2010)		0.01853

2,5-DICHLOROANISOLE,2,5- 二氯苯甲醚，[1984-58-3]

Strube &Buettner(2010)		0.0444

2,6-DICHLOROANISOLE,2,6- **二氯苯甲醚，[1984-65-2]**

Sävenhed et al.(1985)	d	0.001～0.004
Strube &Buettner(2010)		0.0006

3,4-DICHLOROANISOLE,3,4- 二氯苯甲醚，[36404-30-5]

Strube &Buettner(2010)		0.01763

3,5-DICHLOROANISOLE,3,5- 二氯苯甲醚，[33719-74-3]

Strube &Buettner(2010)		0.46738

1,2-DICHLOROBENZENE, **邻二氯苯，[95-50-1]**

Backman(1917)	r	0.12
Hollingsworth et al.(1958)		<300
Punter(1983)	d	4.2

1,4-DICHLOROBENZENE，对二氯苯，[106-46-7]

Hollingsworth et al.(1956)		<90
Punter(1983)	d	0.73

2,4-dichloro-6-bromoanisole→2,4- 二氯-6-溴苯甲醚

2,5-dichloro-6-bromoanisole→2,5- 二氯-6-溴苯甲醚

2,6-dichloro-3-bromoanisole⇒2,6- 二氯-3-溴苯甲醚

1,1'-dichlorodiethyl sulphide→1,1'-二氯二乙基硫醚

DICHLORODIFLUOROMETHANE 氟利昂12 [75-71-8]

Braker &Mossman(1980)		988000

1,2-DICHLOROETHANE,1,2- 二氯乙烷，[107-06-2]

McCawley(1942)		1200～4000
Jones(1955c)	r	1500
Borisova(1957)		17.5～23.2
Scherberger et al.(1958)	r	820
Irish(1962)		200
May(1966)	d	450
May(1966)	r	750
Dravnieks &ODonnell(1971)		190
Hellman &Small(1974)	d	25
Hellman &Small(1974)	r	165
Kleinschmidt(1983)	r	350

1,1-DICHLOROETHENE, 偏氯乙烯，[75-35-4]

Rylova(1953)		200
Janiček et al.(1960)		5500
Irish(1962)		2000～4000

(E)-1,2-DICHLOROETHENE,(E)-1,2- 二氯乙烯，[156-60-5]

Lehmann &Schmidt-Kehl(1936)		1100

DICHLOROETHYLARSINE, 二氯乙胂，[598-14-1]

Flury(1921)		0.17～0.85
Prentiss(1937)		1

β,β’-dichlorethyl sulphide→芥子气
dichloroisopropylether→二氯异丙醚

DICHLOROMETHANE, 二氯甲烷，[75-09-2]

Lehmann &Schmidt-Kehl(1936)		1100
Scherberger et al.(1958)	r	1530
May(1966)	d	550
May(1966)	r	790
Leonardos et al.(1969)	r	730
Basmadshijewa et al.(1970)	d	4.1～33.2
Don(1986)	d	640
Nagata(2003)	d	560

DICHLOROMETHYLARSINE, 二氯甲基胂，[593-89-5]

Prentiss(1937)		0.8

2,4-DICHLOROPHENOL,2,4- 二氯苯酚，[120-83-2]

Punter(1983)	d	0.00027

1,2-DICHLOROPROPANE,1,2-二氯丙烷，[78-87-5]

Hellman &Small(1974)	d	1.2
Hellman &Small(1974)	r	2.4
Nagy(1991)	d	40

1,3-DICHLOROPROPENE,1,3-二氯丙烯，[542-75-6]

Torkelson &Oyen(1977)		<4.5

dicyclopentadiene→双环戊二烯
α-dicyclopentadiene→双环戊二烯

DICYCLOPROPYL(ETHYL)(1-HYDROXY-1-METHYLETHYL)SILANE, 双环丙基(乙基)(1-羟基-1-甲基乙基)硅烷

Sunder kötter et al.(2010)		0.0021

DICYCLOPROPYL(1-ETHYL-1-HYDROXYPROPYL)METHYLSILANE, 双环丙基(1-乙基-1-羟基丙基)甲基硅烷

Sunder kötter et al.(2010)		0.040

DICYCLOPROPYL(1-HYDROXY-1-METHYLETHYL)ISOPROPYLSILANE, 双环丙基(1-羟基-1-甲基乙基)异丙基硅烷

Sunder kötter et al.(2010)		0.00040

DICYCLOPROPYL(1-HYDROXY-1-METHYLETHYL)METHYLSILANE, 双环丙基(1-羟基-1-甲基乙基)甲基硅烷

Sunder kötter et al.(2010)		0.0016

rac-DICYCLOPROPYL(1-HYDROXY-1-METHYLPROPYL)METHYLSILANE,rac-双环丙基(1-羟基-1-甲基丙基)甲基硅烷

Sunder kötter et al.(2010)		0.021

DICYCLOPROPYL(METHYL)SILANOL, 双环丙基(甲基)硅醇

Sunder kötter et al.(2010)		0.125

(-)-(R)-3,4-didehydro-7,8-dihydro-y-ionone→(-)-(R)-3,4-二脱氢-7,8-二氢-y-紫罗兰酮
(+)-(S)-3,4-didehydro-7,8-dihydro-y-ionone→(+)-(S)-3,4-二脱氢-7,8-二氢-y-紫罗兰酮
(-)-(R)-3,4-didehydro-y-ionone→(-)-(R)-3,4-二脱氢-y-紫罗兰酮
(+)-(S)-3,4-didehydro-y-ionone→(+)-(S)-3,4-二脱氢-y-紫罗兰酮

DIETHANOLAMINE, 二乙醇胺，[111-42-2]

England et al.(1978)	r	1.2

DIETHYLAMINE，二乙胺，[109-89-7]

Geier(1936)	d	0.01～0.1
Geier(1936)	r	2.25～5
Kosiborod(1968)		0.084
Hellman &Small(1973)	d	0.42
Hellman &Small(1973)	r	1.5

Hellman &Small(1974)	d	0.06
Hellman &Small(1974)	r	0.18
Cormack et al.(1974)		0.09
Laing et al.(1978)	r	42.9
Tkachev(1978)		0.044～0.558
Anon.(1980)	d	0.09
Anon.(1980)	r	0.9
Laing(1982)	d	4.0
Nagata(2003)	d	0.14

2-DIETHYLAMINOETHANOL, 二乙氨基乙醇，[100-37-8]

Hellman &Small(1973,1974)	d	0.05
Hellman &Small(1973,1974)	r	0.19

1,2-DIETHYLBENZENE, 邻二乙苯，[135-01-3]

Nagata(2003)	d	0.052

1,3-DIETHYLBENZENE, **间二乙苯，[141-93-5]**

Nagata(2003)	d	0.39

1,4-DIETHYLBENZENE, 对二乙苯，[105-05-5]

Nagata(2003)	d	0.0021

m-diethylbenzene→间二乙苯
o-diethylbenzene→ 邻二乙苯
p-diethylbenzene→ 对二乙苯

2,3-DIETHYL-5,6-DIHYDRO-5-METHYLPYRAZINE,2,3- **二乙基-5,6-二氢-5-甲基吡嗪**

Kurniadi et al.(2003)		0.000004
Kurniadi(2003)	r	0.00008

DIETHYL 2,3-DIHYDROXYBUTANEDIOATE,**酒石酸二乙酯，[13811-71-7]**

Backman(1917)	r	0.078

diethyl disulphide→二乙基二硫醚
diethylene glycol ethyl ether→二甘醇乙醚
N,N-diethylethanolamine→ 二乙氨基乙醇
diethyl ether→乙醚
diethyl ketone→3-戊酮

2,3-DIETHYL-5-METHYLPYRAZINE,2,3- **二乙基-5-甲基吡嗪，[18138-04-0]**

Fors(1984);Fors &Olofsson(1985)	d	0.023
Cerny(1992)		0.000009～0.000018
Czerny et al.(1996);Grosch et al.(1996);		
Wagner et al.(1999)		0.00001～0.000014

2,3-diethyl-5-methyl-5,6-dihydropyrazine→2,3- 二乙基-5,6-二氢-5-甲基吡嗪

DIETHYL OXALATE,**草酸二乙酯，**[95-92-1]

Backman(1917)	r	0.5

DIETHYL PHTHALATE,增塑剂DEP,[84-66-2]

Wünsche et al.(1995)	d	0.33～3.3

2,3-DIETHYLPYRAZINE,2,3- 二乙基吡嗪，[15707-24-1]

Fors(1984);Fors&Olofsson(1985)	d	0.050
Wagner et al.(1999)		0.0066

2,5-DIETHYLPYRAZINE,2,5- **二乙基吡嗪，[13238-84-1]**

Wagner et al.(1999)		0.0017～0.074

2,6-DIETHYLPYRAZINE,2,6 二乙基吡嗪，[13067-27-1]

Wagner et al.(1999)		0.0017～0.074

DIETHYL SELENIDE,二乙基硒，[627-53-2]

Katz &Talbert(1930)		0.0067

DIETHYL SUCCINATE,**琥珀酸二乙酯，[123-25-1]**

Tempelaar(1913)	d	0.79

diethyl sulphide→乙硫醚

diethyl tartrate→酒石酸二乙酯

2,3-DIETHYLTETRAHYDRO-5-METHYLPYRAZINE,2,3- 二乙基四氢-5-甲基吡嗪

Kurniadi et al.(2003)		0.0043
Kurniadi(2003)	r	0.086

0,SDIETHYL THIOCARBONATE,0乙基黄原酸乙酯

Breme et al.(2009)		0.002

diethyl trisulphide→二乙基三硫醚

difurfuryl disulphide→二糠基二硫醚

3,4-dihydro-2H-azole→1-吡咯啉

(6R)-5,6-DIHYDRO-3,6-DIMETHYL-2(4H)-BENZOFURANONE,(+)- 脱氢薄荷呋喃内酯，[75640-26-5]

Güntert et al.(2001)		0.0031
Buhr(2006)		0.001

5,6-DIHYDRO-2,5-DIMETHYL-3-PENTYLPYRAZINE,5,6- 二氢-2,5-二甲基-3-戊基吡嗪

Kurniadi et al.(2003)		>2
Kurniadi(2003)	r	>40

5,6-DIHYDRO-3,5-DIMETHYL-2-PENTYLPYRAZINE,5,6- 二氢-3,5-二甲基-2-戊基吡嗪

Kurniadi et al.(2003)		0.0032
Kurniadi(2003)	r	0.064

5,6-DIHYDRO-2,5-DIMETHYL-3-PROPYLPYRAZINE,5,6- 二氢-2,5-二甲基-3-丙基吡嗪

Kurniadi et al.(2003) >2
Kurniadi(2003) r >40

5,6-DIHYDRO-3,5-DIMETHYL-2-PROPYLPYRAZINE,5,6- **二氢-3,5-二甲基-2-丙基吡嗪**
Kurniadi et al.(2003) 0.0025
Kurniadi(2003) r 0.05

2,5-DIHYDROFURAN,2,5- 二氢呋喃，[1191-99-7]
Nagata(2003) d 0.27
(R)-(+)-dihydro-a-ionone→(R)-(+)- 二氢-a-紫罗兰酮
(S)-(-)-dihydro-α-ionone→(S)- (一)-二氢-a- 紫罗兰酮
dihydro-β-ionone→β- 二氢紫罗兰酮
(R)-(-)-dihydro-y-ionone→(R)-(-)- 二氢-y-紫罗兰酮
(S)-(+)-dihydro-y-ionone→(S)-(+)- 二氢-y-紫罗兰酮

6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-5-(4H)-INDANONE,6,7- **二氢-1,1,2,3,3-五甲基-5-(4H)-茚酮**
Bachmann &Pesaro(1990);
Bachmann et al.(1992) 0.0025
5,6-dihydro-2,3,5-trimethylpyrazine→2,3- 二氢-2,5,6-三甲基吡嗪

2,3-DIHYDRO-2,5,6-TRIMETHYLPYRAZINE,2,3- **二氢-2,5,6-三甲基吡嗪，[65826-70-2]**
Kurniadi(2003) r 0.2

1,2-DIHYDROXYETHANE DIACETATE,乙二醇二乙酸酯，[111-55-7]
Hellman &Small(1974) d 0.6
Hellman &Small(1974) r 1.8
2,4-dihydroxy-3-methyl-2-hexenoic acid lactone→乙基葫芦巴内酯
a,2-dihydroxytoluene→ 水杨醇
diisoamyl sulphide→二异戊基硫醚
diisobutyl carbinol→二异丁基甲醇
diisobutyl ketone→二异丁基酮

1,6-DIISOCYANATOHEXANE,1,6- **二异氰酸己烷，[822-06-0]**
Kimmerle(1971) 0.035～0.07

2,4-DIISOCYANATO-1-METHYLBENZENE,2,4- **甲苯二异氰酸酯，[584-84-9]**
Zapp(1957) 2.8
Henschler et al.(1962) 0.14～0.35
Chizhikov(1963) 0.2
Leonardos et al.(1969) r 15
2,6-DIISOCYANATO-1-METHYLBENZENE,2,6- 甲苯二异氰酸酯，[91-08-7]
Henschler et al.(1962) 0.14～0.35

DIISOPROPANOLAMINE,二异丙醇胺，[110-97-4]

England et al.(1978)	r	0.07

diisopropyl→二异丙烷

DIISOPROPYLAMINE, 二异丙胺，[108-18-9]

Hellman &Small(1974)	d	0.56
Hellman &Small(1974)	r	1.6
England et al.(1978)	r	17.4

diisopropyl sulphide→二异丙基硫醚

diketene→二乙烯酮

dill ether→莳萝醚

dimethoate→乐果

(2,2-DIMETHOXYETHYL)BENZENE, 苯乙二甲缩醛，[101-48-4]

Appell(1969)		0.0006

DI-2-METHOXYPHENYL CARBONATE,愈创木酚碳酸酯，[553-17-3]

Backman(1917)	r	0.0011～0.0012

N,N-DIMETHYLACETAMIDE, 二甲基乙酰胺，[127-19-5]

Leonardos et al.(1969)	r	170

DIMETHYLAMINE, 二甲胺，[124-40-3]

Geier(1936)	d	0.65～1.0
Geier(1936)	r	2.2～3.0
Taylor &Bodurtha(1960)		1.1
Leonardos et al.(1969)	r	0.085
Stephens(1971)		0.16
Prusakov et al.(1976)		0.01～0.03
Tkachev(1978)		0.030
Anon.(1980)	d	0.0014
Anon.(1980)	r	0.023
Nagata(2003)	d	0.059
Van Thriel et al.(2006)	d	7.75

2-DIMETHYLAMINOETHANOL,N,N 二甲基乙醇胺，[108-01-0]

Hellman &Small(1974)	d	0.05
Hellman &Small(1974)	r	0.16
England et al.(1978)	r	2.0

5β,10-DIMETHYL-des-A-18-nor-ANDROSTAN-13β-OL,5β,10- 二甲基-脱-A-18-降雄甾烷-13β-醇

Kraft &Popaj(2004)	d	0.090

5β,10-DIMETHYL-des-A-18-nor-ANDROSTAN-14a-OL,5β,10- 二甲基-脱-A-18-降雄甾烷-14a-醇

Kraft &Popaj(2004)	d	0.046

2,5-DIMETHYLANILINE,对二甲苯胺，[95-78-3]

Backman(1917)	r	0.25～0.30

N,N-DIMETHYLANILINE,N,N二甲基苯胺，[121-69-7]

Backman(1917)	r	0.8～1.0
Geier(1936)	d	0.005～0.1
Geier(1936)	r	0.05～0.25
Deadman &Prigg(1959)	d	0.012

1,2-DIMETHYLBENZENE, 邻二甲苯，[95-47-6]

Backman(1917)	r	1.0～1.2
Backman(1918)		0.8
Stuiver(1958)	d	2.1
Nauš(1962)	d	1
Köster(1968a,1971)	d	11
Anon.(1980)	d	0.77
Anon.(1980)	r	3.1
Punter(1983)	d	23.6
Nagata(2003)	d	1.6

1,3-DIMETHYLBENZENE, 间二甲苯，[108-38-3]

Backman(1917)	r	1.1～1.3
Stuiver(1958)	d	0.35
Gusev(1965)		0.6～1.9
Dravnieks &O'Donnell(1971)		1.3
Köster(1965,1968a,b,1971)	d	0.6～86
Anon.(1980)	d	0.52
Anon.(1980)	r	2.4
Punter(1983)	d	1.5～4.9
Don(1986);Hoshika et al.(1993)	d	0.52～0.54
Hoshika et al.(1993)	d	0.052
Nagata(2003)	d	0.18

1,4-DIMETHYLBENZENE, 对二甲苯，[106-42-3]

Backman(1917)	r	1.4～1.5
Stuiver(1958)	d	0.6
Leonardos et al.(1969)	r	2
Köster(1968a,1971)	d	8
Knuth(1973)		0.8
Anon.(1980)	d	0.52
Anon.(1980)	r	2.2
Punter(1983)	d	9.1
Nagata(2003)	d	0.25

3,6-DIMETHYLBENZO-[b]-FURAN-2(3H)-ONE,3,6-苯并二甲基-[b]-呋喃-2-(3H)-酮

Güntert et al.(2001) 0.0008

(3R,6)-DIMETHYLBENZO-[b]-FURAN-2(3H)-ONE,(R)-3,6- 苯并二甲基-[b]-呋喃-2-(3H)-酮
Güntert et al.(2001) 0.0008

(3S,6)-DIMETHYLBENZO-[b]-FURAN-2(3H)-ONE,(S)-3,6- 苯并二甲基-[b]-呋喃-2-(3H)-酮
Güntert et al.(2001) 0.0008

(±)-(1R*,9'R*,10'S*)-1-(9',10'-DIMETHYLBICYCLO[6.4.0]DODEC-1'(8)-EN-10'-YL)ETHAN-1-OL,(±)-(1R*,9'R*,10'R*)-1-(9',10'- 二甲基双环[6.4.0]十二-1'(8)-10'-烯基)乙基-1-醇
Kraft &Gallo(2004) 0.305

(±)-(1R*,9'S*,10'R*)-1-(9',10'-DIMETHYLBICYCLO[6.4.0]DODEC-1'(8)-EN-10'-YL)ETHAN-1-OL,(±)-(1R*,9'S*,10'R*)-1-(9',10'-二甲基双环[6.4.0]十二-1'(8)-10'-烯基)乙基-1-醇
Kraft &Gallo(2004) 0.0081

2,2-DIMETHYLBUTANE, 新己烷，[75-83-2]
Nagata(2003) d 70

2,3-DIMETHYLBUTANE, 二异丙烷，[79-29-8]
Nagata(2003) d 1.5

2,2-DIMETHYL-3-BUTANONE, 甲基叔丁基酮，[75-97-8]
Backman(1917) r 0.65-0.95
Nagata(2003) d 0.18

5,5-DIMETHYL-1,3-CYCLOHEXANEDIONE, 双甲酮，[126-81-8]
Stone et al.(1967);Stone(1979) d 42.9

2,4-DIMETHYL-3-CYCLOHEXENECARBOXALDEHYDE, 女贞醛，[68039-49-6]
Wünsche et al.(1995) d 0.00076

1"-(3",3"'-DIMETHYLCYCLOHEX-1"-ENYL)ETHOXYCARBONYLMETHYL PROPANOATE, 1"-(3'",3'"-二甲基环己基-1'"'-烯)乙氧基羰基甲基丙酸酯
Kraft &Eichenberger(2004) 0.0006

1"-(5",5"'-DIMETHYLCYCLOHEX-1"-ENYL)ETHOXYCARBONYLMETHYL PROPANOATE, 1"-(5'",5'"-二甲基环己基-1'"'-烯)乙氧基羰基甲基丙酸酯
Kraft &Eichenberger(2004) 0.011

2'-[1"-(3",3"'-DIMETHYLCYCLOHEX-1"-ENYL)ETHOXY]-2'-METHYLPROPYL PROPANOATE, 2'-[1"-(3'",3'"-二甲基环己基-1""-烯)乙氧基]-2'-甲基丙基丙酸酯
Kraft &Eichenberger(2004) 0.0002

2'-[1"-(5",5"'-DIMETHYLCYCLOHEX-1"-ENYL)ETHOXY]-2'-METHYLPROPYL PROPANOATE, 2'-[1"-(5'",5'"-二甲基环己基-1'-烯)乙氧基]-2'-甲基丙基丙酸酯
Kraft &Gallo(2004) 0.0009

3,4-dimethylcyclopentenolone→3,4-二甲基环戊烯醇酮

(8S,9S,10R,13R,14S)-10,13-dimethyl-1,2,6,7,8,9,11,12,14,15-decahydrocyclopenta[a]phenanthren-3-one→4,16-二烯-3-雄酮

trans-1,10-DIMETHYL-trans-9-DECALOL,土臭素，[19700-21-1]

Sävenhed etal.(1985)	d	0.00005～0.0002
Khiari et al.(1992)		<0.0005
Nagata(2003)	d	0.000049
Ömür-Ozbek et al.(2007)		0.00021

1,1-DIMETHYL-2,3-DIHYDRO-1H-5,9-DIOXACYCLOHEPTA[f]INDEN-7-ONE,1,1-二甲基-2,3-二氢-1H-5,9-二氧环庚[f 吖啶-7-酮

Kraft &Eichenberger(2003)		0.00055

(EIZ)-1,2-DIMETHYL-2,3-DIHYDRO-1H-5,9-DIOXACYCLOHEPTA[fINDEN-7-ONE,(EIZ)-1,1-二甲基-2,3-二氢-1H-5,9-二氧环庚[f 吖啶-7-酮

Kraft &Eichenberger(2003)		0.00116

dimethyl disulphide→二甲基二硫醚

N,N-dimethylethanolamine→N,N-二甲基乙醇胺

dimethyl ether→甲醚

(S)-4-(6,6-DIMETHYL-2-ETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(S)-4-(6,6-二甲基-2-乙基-2-环己烯基)-3-丁烯-2-酮

Luparia et al.(2008)		0.000085

N,N-DIMETHYLFORMAMIDE ,N,N 二甲基甲酰胺，[68-12-2]

Odoshashvili(1962)		0.14
Leonardos et al.(1969)	r	300

2,5-DIMETHYLFURAN,2,5- 二甲基呋喃，[625-86-5]

Artho &Koch(1973)		100～1000

2,5-DIMETHYL-3-FURANTHIOL,2,5- 二甲基-3-呋喃硫醇，[55764-23-3]

Gasser &Grosch(1990a)		0.0000035～0.000014

3-(2,5-DIMETHYL)FURYLDITHIO-3-(2,5-DIMETHYL)FURAN, 双(2,5-二甲基-3-呋喃基)二硫化物，[28588-73-0]

Etzweiler(1993)		0.00005～0.00016

2,6-DIMETHYL-4-HEPTANOL, 二异丁基甲醇，[108-82-7]

Hellman &Small(1974)	d	0.19
Hellman &Small(1974)	r	0.28

2,6-DIMETHYL-4-HEPTANONE, 二异丁基酮，[108-83-8]

Hellman &Small(1973,1974)	d	<0.6
Hellman &Small(1973,1974)	r	1.8
Nagy(1991)	d	9.3

(3R,3aR,7aS)-3,6-DIMETHYL-2,3,3a,4,5,7a-HEXAHYDROBENZOFURAN,(3S,4R,8R)-3,9- 环氧-1-对薄荷烯
Blank et al.(1989) 0.0008～0.0016

(3S, 3aS, 7aR)-3, 6-DIMETHYL-2, 3, 3a, 4, 5, 7a-HEXAHYDROBENZOFURAN, 莳萝醚，[70786-44-6]
Blank et al.(1989);Blank &Grosch(1991a) 0.020～0.040

(3R,3aS,7aR)-3,6-DIMETHYL-2,3,3a,4,5,7a-HEXAHYDROBENZOFURAN,(3R,4S,8R)-3,9- 环氧-1-对薄荷烯
Blank et al.(1989) 0.020～0.040

(1S*)-1-[(1S*)-1,5-DIMETHYL-5-HEXENYL]-4-METHYL-3-CYCLOHEXENYL-1-OL,(1S*)-1-[(1S*)-1,5-二甲基-5-己烯基]-4-甲基-3-环己烯基-1-醇
Braun et al.(2003) d 0.081

1, 1-DIMETHYLHYDRAZINE, 1, 1- 二甲基肼，[57-14-7]
Jacobson et al.(1955) 15～35
Rumsey &Cesta(1970) <0.75

0, 0-DIMETHYL(1-HYDROXY-2, 2, 2-TRICHLOROETHYL)PHOSPHONATE, 敌百虫，[52-68-6]
Kaloyanova et al.(1967) 28
Tabokova(1968,1969) 0.2

0,O-DIMETHYL S[2-(1-METHYLCARBAMOYLETHYLTHIO)ETHYL]PHOSPHORODITHIO-ATE, 蚜灭多，[2275-23-2]
Ubaidullaev&Madzhidov(1978) 0.026

0,O-DIMETHYL S(N-METHYLCARBAMOYLMETHYL)PHOSPHORODITHIOATE,乐果，[60-51-5]
Kaloyanova et al.(1968) 0.01

2, 5-DIMETHYL-3-(METHYLDITHIO)FURAN, 2, 5- 二甲基-3-(甲基二硫)呋喃，[61197-06-6]
Etzweiler(1993) 0.00057

2, 2-DIMETHYL-3-METHYLENEBICYCLO[2. 2. 1]HEPTANE, 莰烯，[79-92-5]
Cristoph(1983) r 26～30

6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE,β- 烯，[127-91-3]
Cristoph(1983) r 35～38
Lindell(1991) d 8.9
Cometto-Muniz et al.(1998b);
Cometto-Muniz(1999) d 65
Nagata(2003) d 0.18

(1S)-(一)-6, 6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE,(-)-β- 蒎烯，[18172-67-3]
Jagella &Grosch(1998) >2

(R)-(-)-4-(6,6-DIMETHYL-2-METHYLENE-3-CYCLOHEXEN-1-YL)-2-BUTANONE,(-)-(R)-3,4-二脱氢-7,8-二氢-x-紫罗兰酮

Serra et al.(2006) 0.0994

(S)-(+)-4-(6,6-DIMETHYL-2-METHYLENE-3-CYCLOHEXEN-1-YL)-2-BUTANONE,(+)-(S)-3,4-二脱氢-7,8-二氢-γ紫罗兰酮

Serra et al.(2006) 0.092

(R)-(-)-(3E)-4-(2,2-DIMETHYL-6-METHYLENE-4-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(-)-(R)-3,4-二脱氢-γ-紫罗兰酮

Serra et al.(2006) 0.00025

(S)-(+)-(3E)-4-(2,2-DIMETHYL-6-METHYLENE-4-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(+)-(S)-3,4-二脱氢-γ-紫罗兰酮

Serra et al.(2006) 0.00008

(1R)-(-)-4-(2,2-DIMETHYL-6-METHYLENE-1-CYCLOHEXYL)-2-BUTANONE,(R)-(-)- 二氢-y 紫罗兰酮

Brenna et al.(2002) 0.0062

(1S)-(+)-4-(2,2-DIMETHYL-6-METHYLENE-1-CYCLOHEXYL)-2-BUTANONE,(S)-(+)- 二氢-y-紫罗兰酮

Brenna et al.(2002) 0.039

(1R)-(-)-4-(2,2-DIMETHYL-6-METHYLENE-1-CYCLOHEXYL)-3-BUTEN-2-ONE,(R)- (一)-y-紫罗兰酮

Fuganti et al.(2000);Brenna et al.(2002) 0.0108～0.011

(1S)-(+)-4-(2,2-DIMETHYL-6-METHYLENE-1-CYCLOHEXYL)-3-BUTEN-2-ONE,(S)-(+)-γ 紫罗兰酮

Fuganti et al.(2000);Brenna et al.(2002) 0.00007

2,5-DIMETHYL-3-(METHYLTHIO)FURAN,2,5- 二甲基-3-(甲硫基)呋喃，[63359-63-7]

Etzweiler(1993) 0.0107～0.0245

0,O-DIMETHYL O(p-NITROPHENYL)PHOSPHOROTHIOATE,甲基对硫磷，[298-00-0]

Akhmedov(1968) 0.0125

3,7-DIMETHYL-2,6-OCTADIENAL, 柠檬醛，[5392-40-5]

Passy(1892a,1892b)	d	0.1～0.5
Tempelaar(1913);Zwaardemaker(1927)	d	0.062～0.1
Backman(1917)	r	0.06～0.09
Ohma(1922)	d	0.13
Schneider &Wolf(1955)		0.027
Schneider et al.(1958)		0.12
Appell(1969)		0.0005

Köster(1971)	d	0.17～0.19
Etzweiler et al.(1980)		0.020
Randebrock(1986)		0.00015

3,7-DIMETHYL-(E)-2,6-OCTADIENAL, 香叶醛,［141-27-5］

Bocca &Battiston(1964)	d	0.04
Cristoph(1983)	r	0.055～0.07
Schieberle &Grosch(1988)		0.012

3,7-DIMETHYL-(Z-2,6-0CTADIENAL, 橙花醛,［106-26-3］

Cristoph(1983)	r	0.03～0.05
Schieberle &Grosch(1988)		0.0088

3,7-DIMETHYL-(E)-2,6-0CTADIEN-1-OL, 香叶醇,［106-24-1］

Cristoph(1983)	r	0.15～0.20
Randebrock(1986)		0.000012
De Wijk(1989)		1.29
Wünsche et al.(1995)	d	0.00071
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	0.6

3,7-DIMETHYL-(Z)-2,6-OCTADIEN-1-OL, 橙花醇,［106-25-2］

Schwarz(1955)		0.0015
Cristoph(1983)	r	3.2～3.7
Ferreira et al.(1998)		0.049

3,7-DIMETHYL-1,6-OCTADIEN-3-OL, 芳樟醇,［78-70-6］

Fuller et al.(1964)	r	0.11
Appell(1969)		0.0014
Etzweiler et al.(1980)		0.0033
Schieberle &Grosch(1988); Blank et al.(1989)		0.0004～0.0012
Laska &Hudson(1991)	d	0.044～0.090
Müller(1992)		0.0005
Wünsche et al.(1995)	d	0.0013
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	6.0
Ferreira et al.(1998)		0.0044
Güntert et al.(2001)		0.002
Tacke &Metz(2008)		0.0024

(S- **(+)-3,7-DIMETHYL-1,6-0CTADIEN-3-OL,(d)-** 芳樟醇,［126-90-9］

Cristoph(1983)	r	0.035～0.040
Jagella &Grosch(1998)		0.0029
Maas et al.(1993)		0.14

(R)-(一)-3,7-DIMETHYL-1,6-OCTADIEN-3-OL,(1)- 芳樟醇，[126-91-0]

Cristoph(1983)	r	0.009～0.011
Jagella &Grosch(1998)		0.000036
Maas et al.(1993)		0.006～0.01

3,7-DIMETHYL-(E)-2,6-OCTADIEN-1-YL ACETATE,乙酸香叶酯，[105-87-3]

Cristoph(1983)	r	12.0～18.0

3,7-DIMETHYL -(Z)-2,6-0CTADIEN-1-YL ACETATE,乙酸橙花酯，[141-12-8]

Cristoph(1983)	r	20.0-25.0

3,7-DIMETHYL-1,6-OCTADIEN-3-YL ACETATE,乙酸芳樟酯，[115-95-7]

Tempelaar(1913)	d	0.093
Van Anrooij(1931)	d	0.04
Cristoph(1983)	r	4.0～6.0

(R)-(-)-3,7-DIMETHYL-1,6-0CTADIEN-3-YL ACETATE,(R)-(-)-乙酸芳樟酯，[16509-46-9]

Maas et al.(1993)		>3

(S)-(+)-3,7-DIMETHYL-1,6-0CTADIEN-3-YL ACETATE,(S-(+)-乙酸芳樟酯

Maas et al.(1993)		>3

3,7-DIMETYL-2,4-OCTANEDIONE,3,7- 二甲基-2,4-辛二酮

Guth &Grosch(1989)		0.0010～0.0020

3,7-DIMETHYL-1-OCTANOL, 四氢香叶醇，[106-21-8]

Randebrock(1986)		0.00079

(E)-3,7-DIMETHYL-1,3,6-0CTATRIENE,(E)-β 罗勒烯，[3779-61-1]

Güntert et al.(2001)		0.0187

(Z)-3,7-DIMETHYL-1,3,6-OCTATRIENE,(Z)-β 罗勒烯，[3338-55-4]

Güntert et al.(2001)		0.010

2,6-DIMETHYL-(Z,E)-2,5,7-0CTATRIENYL ACETATE,(Z,E)-8-罗勒烯乙酸酯

Güntert et al.(2001)		0.0004

2,6-DIMETHYL-(Z,Z)-2,5,7-OCTATRIENYL ACETATE,(Z,Z)-8-罗勒烯乙酸酯

Güntert et al.(2001)		0.005

3,7-DIMETHYL-6-OCTENAL, 香茅醛，[106-23-0]

Fuller et al.(1964)	r	0.0052
Appell(1969)		0.0003
Cristoph(1983)	r	0.05～0.065
Randebrock(1986)		0.00044

3,7-DIMETHYL-6-OCTEN-1-OL, 香茅醇，[106-22-9]

Tempelaar(1913);Zwaardemaker(1927)	d	0.28～2.8

Appell(1969) 0.00012
Cristoph(1983) r 0.8～1.0
Ferreira et al.(1998) 0.0465

(R)-(+)-3,7-DIMETHYL-6-OCTEN-1-OL,(R)-(+)-香茅醇，[1117-61-9]
Maas et al.(1993) 0.04～0.05

(S)-(—)-3,7-DIMETHYL-6-OCTEN-1-OL,(S)-(—)-香茅醇，[7540-51-4]
Maas et al.(1993) 0.04～0.05

3,7-DIMETHYL-6-OCTEN-1-YL ACETATE,乙酸香茅酯，[150-84-5]
Cristoph(1983) r 1.0～1.1

4,8-DIMETHYL-2-OXABICYCLO[3.3.1]-7-NONEN-3-ONE,4,8-二甲基-2-氧杂二环[3.3.1]-7-壬烯-3-酮
Buhr(2006) >0.1

(3R,3aR,6R,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aR,6R,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aR,6R,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aR,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aR,6S,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aR,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aR,6S,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aR,6S,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aS,6R,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aS,6R,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aS,6R,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aS,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aS,6R,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aS,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aS,6S,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aS,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3R,3aS,6S,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3R,3aS,6S,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aR,6R,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aR,6R,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aR,6R,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aR,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aR,6S,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aR,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aS,6R,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aS,6R,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aS,6R,7aS)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aS,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aS,6S,7aR)-3,6-dimethyl-3a,4,5,6,7a-pentahydro-2(3H)-benzofuranone→(3S,3aS,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

(3S,3aS,6S,7aS)-3,6-dimethyl-3a,4,5,6,7a-hexahydro-2(3H)-benzofuranone→(3S,3aS,6S,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮

2,2-DIMETHYLPENTANE,2,2- 二甲基戊烷，[590-35-2]

Nagata(2003)	d	156

2,3-DIMETHYLPENTANE,2,3- 二甲基戊烷，[565-59-3]

Nagata(2003)	d	18

2,4-DIMETHYLPENTANE,2,4- 二甲基戊烷，[108-08-7]

Dravnieks(1974)	d	3000
Dravnieks &Laffort(1972)		870
Nagata(2003)	d	3.9

3,5-DIMETHYL-2-PENTYLPYRAZINE,3,5- 二甲基-2-戊基吡嗪，[50888-62-5]

Wagner et al.(1999)		0.024

2,3-DIMETHYLPHENOL,2,3- 二甲基苯酚，[526-75-0]

Stuiver(1958)	d	0.0005

2,4-DIMETHYLPHENOL,2,4- 二甲基苯酚，[105-67-9]

Backman(1917)	r	0.001
Stuiver(1958)	d	0.0005～0.4

2,5-DIMETHYLPHENOL,2,5- 二甲基苯酚，[95-87-4]

Backman(1917)	r	2.0～2.3
Stuiver(1958)	d	0.0005

2,6-DIMETHYLPHENOL,2,6- 二甲基苯酚，[576-26-1]

Stuiver(1958)	d	0.0002

3,4-DIMETHYLPHENOL,3,4- 二甲基苯酚，[95-65-8]

Stuiver(1958)	d	0.003

3,5-DIMETHYLPHENOL,3,5- 二甲基苯酚，[108-68-9]

Stuiver(1958)	d	0.00004

2,2-DIMETHYLPROPANAL, 特戊醛，[630-19-3]

Von Ranson &Belitz(1992a)	d	6.9
Von Ranson &Belitz(1992a)	r	13

N,N-DIMETHYL-1,3-PROPANEDIAMINE,N,N 二甲基-1,3-丙二胺，[111-33-1]

Nagy(1991)	d	>0.2

2,3-DIMETHYL-5-(Z-1-PROPENYL)PYRAZINE,2,3- 二甲基-5-(Z-1-丙烯基)吡嗪

Wagner et al.(1999)		>2

2,5-DIMETHYL-3-(Z-1-PROPENYL)PYRAZINE,2,5-二甲基-3-(Z-1-丙烯基)吡嗪
Wagner et al.(1999) >2

3,5-DIMETHYL-2-(Z-1-PROPENYL)PYRAZINE,3,5-二甲基-2-(Z-1-丙烯基)吡嗪
Wagner et al.(1999) 0.000057

2,3-DIMETHYL-5-(E-1-PROPENYL)PYRAZINE,2,3-二甲基-5-(E-1-丙烯基)吡嗪
Wagner et al.(1999) >2

2,5-DIMETHYL-3-(E-1-PROPENYL)PYRAZINE,2,5-二甲基-3-(E-1-丙烯基)吡嗪
Wagner et al.(1999) >2

3,5-DIMETHYL-2-(E-1-PROPENYL)PYRAZINE,3,5-二甲基-2-(E-1-丙烯基)吡嗪
Wagner et al.(1999) 0.0018

2,3-DIMETHYL-5-(2-PROPENYL)PYRAZINE,2,3-二甲基-5-(2-丙烯基)吡嗪
Wagner et al.(1999) >2

2,5-DIMETHYL-3-(2-PROPENYL)PYRAZINE,2,5-二甲基-3-(2-丙烯基)吡嗪
Wagner et al.(1999) >2

3,5-DIMETHYL-2-(2-PROPENYL)PYRAZINE,3,5-二甲基-2-(2-丙烯基)吡嗪
Wagner et al.(1999) 0.3

2,3-DIMETHYL-5-PROPYLPYRAZINE,2,3-二甲基-5-丙基吡嗪，[32262-98-9]
Grosch et al.(1996);Wagner et al.(1999) >1.2

2,5-DIMETHYL-3-PROPYLPYRAZINE ,2,5-二甲基-3-丙基吡嗪，[18433-97-1]
Grosch et al.(1996);Wagner et al.(1999) >2

3,5-DIMETHYL-2-PROPYLPYRAZINE ,3,5-二甲基-2-丙基吡嗪，[32350-16-6]
Grosch et al.(1996);Wagner et al.(1999) 0.023～0.024

2,3-DIMETHYLPYRAZINE,2,3-二甲基吡嗪，[5910-89-4]
Fors(1984);Fors &Olofsson(1985) d 0.90
Grosch et al.(1996);Wagner et al.(1999) 0.88

2,5-DIMETHYLPYRAZINE,2,5-二甲基吡嗪，[123-32-0]
Fors(1984);Fors &Olofsson(1985) d 0.17
Grosch et al.(1996);Wagner et al.(1999) 1.82

2,6-DIMETHYLPYRAZINE,2,6-二甲基吡嗪，[108-50-9]
Fors(1984);Fors &Olofsson(1985) d 0.25
Grosch et al.(1996);Wagner et al.(1999) 1.72

2,6-DIMETHYLPYRIDINE,2,6-二甲基吡啶，[108-48-5]
Moriguchi et al.(1983) d 0.003

3,4-DIMETHYLPYRIDINE,3,4-二甲基吡啶，[583-58-4]

Moriguchi et al.(1983) d 0.005

3,5-DIMETHYLPYRIDINE,3,5- 二甲基吡啶，[591-22-0]
Moriguchi et al.(1983) d 0.005

3,7-DIMETHYL-3-SILA-1,6-OCTADIEN-3-OL, 硅杂芳樟醇
Tacke &Metz(2008) 0.018
a,p-dimethylstyrene→对异丙烯基甲苯
dimethyl sulphide→二甲基硫醚

3,6-DIMETHYL-2,4,5,7a-TETRAHYDRO-1-BENZOFURAN,3,9- 环氧-1,4(8)-对水芹烯
Blank et al.(1989) 0.001～0.002

3,6-DIMETHYL-4,5,6,7-TETRAHYDRO-1-BENZOFURAN, 薄荷呋喃，[494-90-6]
Blank et al.(1989) 0.0001～0.0002

(6R)-3,6-DIMETHYL-4,5,6,7-TETRAHYDRO-1-BENZOFURAN,(+)- 薄荷呋喃，[17957-94-7]
Güntert et al.(2001) 0.0004

(6R,7aR)-3,6-DIMETHYL-5,6,7-7a-TETRAHYDRO-2(4H)-BENZOFURANONE, 薄荷内酯，[38049-04-6]
Güntert et al.(2001) 0.0028
Buhr(2006) 0.0045

(6R,7aS)-3,6-DIMETHYL-5,6,7,7a-TETRAHYDRO-2(4H)-BENZOFURANONE, 异薄荷内酯，[76684-66-1]
Güntert et al.(2001) 0.00125
Buhr(2006) 0.0045

(6S,7aS)-3,6-DIMETHYL-5,6,7,7a-TETRAHYDRO-2(4H)-BENZOFURANONE,(E)- 薄荷内酯
Buhr(2006) 0.006

(3R,3aR,7aR)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3R,3aR,7aR)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)- 苯并呋喃酮
Buhr(2006) 0.014

(3R,3aR,7aS)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3R,3aR,7aS)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮
Buhr(2006) >0.1

(3R,3aS,7aR)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3R,3aS,7aR)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.00025

(3R,3aS,7aS)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3R,3aS,7aS)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.008

(3S,3aR,7aR)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3S,3aR,7aR)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006) 0.00005

(3S,3aR,7aS)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3S,3aR,7aS)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006) 0.080

(3S,3aS,7aR)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3S,3aS,7aR)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006) 0.00000001

(3S,3aS,7aS)-3,6-DIMETHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,(3S,3aS,7aS)-3,6-二甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006) 0.000007

(2R,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2R,4R)-2,4-二甲基-2-(1,1,3,3-四甲基-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0005

(2S,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2S,4R)-2,4-二甲基-2-(1,1,3,3-四甲基-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0031

(2R,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2R,4S)-2,4-二甲基-2-(1,1,3,3-四甲基-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.001

(2S,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2S,4S)-2,4-二甲基-2-(1,1,3,3-四甲基-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.010

(2R,4R)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,8-DISILA-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2R,4R)-2,4-二甲基-2-(5,5,8,8-四甲基-5,8-二硅杂-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.00031

(2R,4S)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,8-DISILA-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2R,4S)-2,4-二甲基-2-(5,5,8,8-四甲基-5,8-二硅杂-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.00031

(2S,4R)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,8-DISILA-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2S,4R)-2,4-二甲基-2-(5,5,8,8-四甲基-5,8-二硅杂-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.0068

(2S,4S)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,8-DISILA-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2S,4S)-2,4-二甲基-2-(5,5,8,8-四甲基-5,8-二硅杂-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.0063

(2R,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYLINDAN-5-YL)-1,3-DIOXOLANE,(2R,4R)-2,4-二甲基-2-(1,1,3,3-四甲基茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0025

(2S,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYLINDAN-5-YL)-1,3-DIOXOLANE,(2S,4R)-2,4-二甲基-2-(1,1,3,3-四甲基茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.018

(2R,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYLINDAN-5-YL)-1,3-DIOXOLANE,(2R,4S)-2,4-二甲基-2-(1,1,3,3-四甲基茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0015

(2S,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYLINDAN-5-YL)-1,3-DIOXOLANE,(2S,4S)-2,4-二甲基-2-(1,1,3,3-四甲基茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.020

(2R,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-2-0XA-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2R,4R)-2,4-二甲基-2-(1,1,3,3-四甲基-2-氧杂-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0018

(2S,4R)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-2-0XA-1,3-DISILAINDAN-5-YL)-1,3-DIOXoLANE,(2S,4R)-2,4-二甲基-2-(1,1,3,3-四甲基-2-氧杂-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.017

(2R,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-2-0XA-1,3-DISILAINDAN-5-YL)-1,3-DIOXoLANE,(2R,4S)-2,4-二甲基-2-(1,1,3,3-四甲基-2-氧杂-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.0029

(2S,4S)-2,4-DIMETHYL-2-(1,1,3,3-TETRAMETHYL-2-0XA-1,3-DISILAINDAN-5-YL)-1,3-DIOXOLANE,(2S,4S)-2,4-二甲基-2-(1,1,3,3-四甲基-2-氧杂-1,3-二硅杂茚满-5-基)-1,3-二氧环戊烷

Nätscher et al.(2010) 0.022

(2R,4R)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2R,4R)-2,4-二甲基-2-(5,5,8,8-四甲基-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.0004

(2R,4S)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2R,4S)-2,4-二甲基-2-(5,5,8,8-四甲基-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b) 0.00054

(2S,4R)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2S,4R)-2,4-二甲基-2-(5,5,8,8-四甲基-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b)		0.0125

(2S,4S)-2,4-DIMETHYL-2-(5,5,8,8-TETRAMETHYL-5,6,7,8-TETRAHYDRO-2-NAPHTHYL)-1,3-DIOXOLANE,(2S,4S)-2,4-二甲基-2-(5,5,8,8-四甲基-5,6,7,8-四氢-2-萘基)-1,3-二氧环戊烷

Büttner et al.(2007b)		0.002

(+)-(Z)-5-(2,3-DIMETHYLTRICYCLO[2.2.1.0²,6]-3-HEPTYL)-2-METHYL-2-PENTEN-1-OL,(+)-(Z)-α- 檀香醇

Bajgrowicz et al.(1998)		0.0074

(±)-(2R*,3S*,7S*)-2,3-DIMETHYLTRICYCLO[7.6.0.0³,7]PENTADEC-1(9)-EN-4-ONE,(±)-(2R*,3S*,7S*)-2,3-二甲基三环[7.6.0.0³,7]十五烷-1(9)-烯-4-酮

Kraft &Gallo(2004)		0.0049

dimethyl tetrasulphide→二甲基四硫醚

dimethyl trisulphide→二甲基三硫醚

DIMETHYL TRITHIOCARBONATE,三硫代碳酸二甲酯，[2314-48-9]

Katz &Talbert(1930)		0.033

4,6-dinitro-0-cresol 4,6-二硝基邻甲酚

dioxane→二噁烷

1,4-DIOXANE, 二噁烷，[123-91-1]

Wirth &Klimmer(1937)	d	10
May(1966)	d	620
May(1966)	r	1000
Köster(1968a,1971)	d	45～9400
Dravnieks &Laffort(1972)		30.6
Hellman &Small(1973,1974)	d	2.9
Hellman &Small(1973,1974)	r	6.5
Dravnieks(1974)	d	270
Nagy(1991)	d	46

3,6-DIOXA-1-OCTANOL, 二甘醇乙醚，[111-90-0]

Hellman &Small(1973,1974)	d	<1.2
Hellman &Small(1973,1974)	r	6.0

3,6-DIOXAOCTYL-1 ACETATE,乙基卡必醇乙酸酯，[112-15-2]

Hellman &Small(1974)	d	0.19
Hellman &Small(1974)	r	1.1

1,3-DIOXOLANE,1,3- 二氧环戊烷，[646-06-0]

Hellman &Small(1974)	d	51
Hellman &Small(1974)	r	192

DIPHENYL, 联苯，[92-52-4]

Solomin(1961)		0.06

Nagy(1991)	d	0.0033

DIPHENYLAMINE, 二苯胺，[122-39-4]

Backman(1917)	r	0.15～0.17
Nagy(1991)	d	1.3

diphenyl ether→二苯醚

DIPHENYLMETHANE,二苯甲烷，[101-81-5]

Punter(1983)	d	0.41

DIPHENYLMETHANE 4,4’-DIISOCYANATE,二苯基甲烷-4,4'-二异氰酸酯，[101-68-8]

Woolrich(1982)		4

diphenyl sulphide→二苯硫醚
diphosgene→氯甲酸三氯甲酯

DI-2-PROPENYLAMINE, 二烯丙基胺，[124-02-7]

Hine et al.(1960)		8

DIPROPYLAMINE, 二丙胺，[142-84-7]

Hellman &Small(1974)	d	0.08
Hellman &Small(1974)	r	0.40

dipropyl disulphide→二丙基二硫醚
dipropyl sulphide→二丙基硫醚
ditan→二苯甲烷
3,4-dithiahexane→二乙基二硫醚
4,5-dithiaoctane→二丙基二硫醚
2,3-dithiapentane→乙基甲基二硫醚
2,4-dithiapentane→双(甲硫基)甲烷
3,3’-dithiobis(2,5-dimethylfuran)→双(2,5-二甲基-3-呋喃基)二硫化物
3,3'-dithiobis(2-methylfuran)→双(2-甲基-3-呋喃基)二硫醚
divinyl sulphide→二乙烯基硫醚
DMDS→二甲基二硫醚

(Z-1,5-DODECADIEN-3-OL,(Z)-1,5- 十二碳二烯-3-醇

Schieberle &Buettner(2001)		0.1～1

(Z-1,5-DODECADIEN-3-ONE,(Z)-1,5- 十二碳二烯-3-酮

Schieberle &Buettner(2001)		0.0011

(R)-y-dodecalactone→ (R)-y-十二内酯
(S)-y-dodecalactone→ (S)-y-十二内酯
(R)-δ-dodecalactone→ (R)-δ-十二内酯
(S)-δ-dodecalactone→ (S)-δ-十二内酯

DODECANAL, 月桂醛，[112-54-9]

Cristoph(1983)	r	0.014～0.020
Von Ranson &Belitz(1992a)	d	0.033

Von Ranson &Belitz(1992a)	r	0.033

DODECANE,十二烷，[112-40-3]

Laffort &Dravnieks(1973)		37
Patte(1978);Patte &Punter(1979)	d	50
Lindell(1991)	d	11.8
Nagata(2003)	d	0.77

1-DODECANETHIOL, 十二硫醇，[112-55-0]

Kendall et al.(1968)	r	0.0008
Patte(1978);Patte &Punter(1979)	d	0.0000009

DODECANOIC ACID,**月桂酸，**[143-07-7]

Passy(1893b,1893c)	d	0.1
Backman(1917)	r	0.004～0.005

1-DODECANOL, 月桂醇，[112-53-8]

Backman(1917)	r	0.02
Mullins(1955)	r	25.5
Pliška(1962)		2.1
Punter(1983)	d	1.2

(E)-2-DODECENAL,(E)-2- 十二烯醛，[20407-84-5]

Von Ranson &Belitz(1992a)	d	0.0073
Von Ranson &Belitz(1992a)	r	0.011

(Z)-2-DODECENAL,(Z)-2- 十二烯醛，[81149-96-4]

Von Ranson &Belitz(1992a)	d	0.047
Von Ranson &Belitz(1992a)	r	0.088

(E)-3-DODECENAL,(E)-3- **十二烯醛**

Von Ranson &Belitz(1992a)	d	0.044
Von Ranson &Belitz(1992a)	r	0.044

(Z)-3-DODECENAL,(Z)-3- 十二烯醛，[68141-15-1]

Von Ranson &Belitz(1992a)	d	0.000036
Von Ranson &Belitz(1992a)	r	0.0069

(E)-8-DODECENAL,(E)-8- **十二烯醛**

Von Ranson &Belitz(1992a)	d	0.033
Von Ranson &Belitz(1992a)	r	0.036

1-DODECEN-3-OL,1- 十二烯-3-醇，[4048-42-4]

Koszinowski&Piringer(1983)		3.7
Schieberle&Buettner(2001)		0.1～1

(R)-cis-6-y-dodecenolactone→ (R)-(Z)-6-y-十二碳烯酸内酯

(S)-cis-6-y-dodecenolactone→(S)-(Z)-6-y-十二碳烯酸内酯

1-DODECEN-3-ONE, 1- 十二烯-3-酮，[58879-39-3]

Koszinowski&Piringer(1983)		0.18
Schieberle&Buettner(2001)		0.01～0.1

DODECYL ACETATE, 乙酸月桂酯，[112-66-3]

Cometto-Muniz &Cain(1991); Cometto-Muniz(1993)	d	0.41

tert-dodecyl mercaptan→2-甲基-2-十一碳硫醇

duotal→ 愈创木酚碳酸酯

durene→ 杜 烯

E

epichlorohydrin→ 表氯醇

1,4-EPOXYBUTANE, 四氢呋喃，[109-99-9]

May(1966)	d	90
May(1966)	r	180
Popov(1970)		0.27
Kendall et al.(1968)	r	7.3～10.2
Nagy(1991)	d	18

trans-2,3-EPOXYDECANAL, 反-2,3-环氧癸醛，[102369-06-2]

Buettner &Schieberle(2001); Schieberle &Buettner(2001)		0.0037

4,5-EPOXY-(E)-2-DECENAL,4,5- 环氧-(E)-2- 癸烯醛

Heiler &Schieberle(1996)		0.000002

trans-4,5-EPOXY-(E)-2-DECENAL, 反-4,5-环氧-(E)-2- 癸烯醛，[134454-31-2]

Guth &Grosch(1990)		0.0000005～0.000005
Schieberle &Grosch(1991); Buettner &Schieberle(2001); Schieberle &Buettner(2001)		0.0000006～0.0000025

trans-2,3-EPOXYDODECANAL, 反-2,3-环氧月桂醛

Buettner &Schieberle(2001); Schieberle&Buettner(2001)		0.0154

trans-4,5-EPOXY-(E)-2-DODECENAL, 反-4,5-环氧-(E)-2-月桂烯醛

Buettner &Schieberle(2001); Schieberle &Buettner(2001)		0.000006

1,2-EPOXYETHANE, 环氧乙烷，[75-21-8]

Jacobson et al.(1956)		1260
Yuldashev(1965)		1.5

Hellman &Small(1974) d 470
Hellman &Small(1974) r 900

trans-2,3-EPOXYHEPTANAL, 反-2,3-环氧庚醛
Buettner &Schieberle(2001);
Schieberle &Buettner(2001) 0.0069

trans-4,5-EPOXY-(E)-2-HEPTENAL, 反-4,5-环氧-(E)-2-庚烯醛
Schieberle &Grosch(1991);
Buettner &Schieberle(2001);
Schieberle &Buettner(2001) >1

trans-2,3-EPOXYHEXANAL, 反-2,3-环氧己醛
Buettner &Schieberle(2001);
Schieberle &Buettner(2001) 0.0063

3,9-epoxy-1,4(8)-p-menthadiene→3,9-环氧-1,4(8)-对水芹烯
(1R)-3,9-epoxy-3,8(9)-p-menthadiene→薄荷呋喃
(3S,4R,8R)-3,9-epoxy-1-p-menthene→(3S,4R,8R)-3,9-环氧-1-对薄荷烯
(3R,4S,8R)-3,9-epoxy-1-p-menthene→(3R,4S,8R)-3,9-环氧-1-对薄荷烯
(3R,4S,8S)-3,9-epoxy-1-p-menthene→(3R,4S,8S)-3,9-环氧-1-对薄荷烯

trans-2,3-EPOXYNONANAL, 反-2,3-环氧壬醛
Buettner &Schieberle(2001);
Schieberle &Buettner(2001) 0.0035

trans-4,5-EPOXY-(E)-2-NONENAL, 反-4,5-环氧-(E)-2-壬烯醛，[128386-31-2]
Guth &Grosch(1990) 0.00025～0.0010
Schieberle &Grosch(1991);
Buettner &Schieberle(2001);
Schieberle&Buettner(2001) 0.00007～0.00028

trans-2,3-EPOXYOCTANAL, 反-2,3-环氧辛醛，[104595-96-2]
Buettner &Schieberle(2001);
Schieberle&Buettner(2001) 0.0026

trans-4,5-EPOXY-(E)-2-0CTENAL, 反-4,5-环氧-(E)-2-辛烯醛，[134452-45-2]
Schieberle &Grosch(1991);
Buettner &Schieberle(2001);
Schieberle &Buettner(2001) 0.007～0.028

2,3-EPOXYPROPANAL, 缩水甘油醛，[765-34-4]
Hine et al.(1961) <2.9

1,2-EPOXYPROPANE, 环氧丙烷，[75-56-9]
Jacobson et al.(1956) 473
Hellman &Small(1974) d 24

Hellman &Small(1974)	r	84

trans-2,3-EPOXYUNDECANAL, 反-2,3-环氧十一醛

Buettner &Schieberle(2001);		
Schieberle &Buettner(2001)		0.0061

4,5-EPOXY(E)-2-UNDECENAL,4,5- 环氧-(E)-2-十一烯醛

Heiler &Schieberle(1996)		0.00004

trans-4,5-EPOXY-(E)-2-UNDECENAL, 反-4,5-环氧-(E)-2- 十一烯醛，[134346-43-3]

Schieberle &Grosch(1991);		
Buettner &Schieberle(2001);		
Schieberle&Buettner(2001)		0.000015～0.00006

estragole→草蒿脑

ESTRA-1,3,5(10),16-TETRAEN-3-OL, 雌甾四烯，[1159-90-9]

Kraft &Popaj(2004)	d	0.008

ETHANAL, 乙醛，[75-07-0]

Zwaardemaker(1914)	d	0.7
Backman(1917)	r	0.062～0.075
Katz &Talbert(1930)		0.12
Balavoine(1943)		10
Pliška &Janiček(1965)		1800
Gofmekler(1967,1968)	d	0.012
Leonardos et al.(1969)	r	0.38
Hartung et al.(1971)		0.005
Takhirov(1974)		0.49
Teranishi et al.(1974)		0.041
Anon.(1980)	d	0.0027
Anon.(1980)	r	0.027
Nauš(1982)	d	1
Nauš(1982)	r	10
Nagy(1991)	d	0.09
Nagata(2003)	d	0.0027

ETHANAMIDE, 乙酰胺，[60-35-5]

Backman(1917)	r	140～160

ETHANE, 乙烷，[74-84-0]

Mullins(1955)	r	899000
Laffort &Dravnieks(1973)		25000

1,2-ETHANEDIAMINE, 乙二胺，[107-15-3]

Hellman &Small(1974)	d	3.2

Hellman &Small(1974)	r	11

1,2-ETHANEDIOL,乙二醇，[107-21-1]

Nagy(1991)	d	13

1,2-ETHANEDITHIOL,1,2- 乙二硫醇，[540-63-6]

Katz&Talbert(1930)		0.12

ETHANESELENOL,乙硒醇，[593-69-1]

Katz&Talbert(1930)		0.00013

ETHANETHIOL, 乙硫醇，[75-08-1]

Allison &Katz(1919)		46
Katz&Talbert(1930)		0.00066～0.0076
Thomas et al.(1943)		0.005
Stuiver(1958)	d	0.0001
Sales(1958)		0.0025～0.0045
Blinova(1965)		0.006～0.03
Endo et al.(1967)		0.00065
Leonardos et al.(1969)	r	0.0025
Wilby(1969)	r	0.001
Blanchard(1976)		0.016
Selyuzhitskii et al.(1976)		0.000095
Whisman et al.(1978)		0.00025～0.0005
Bedborough &Trott(1979)	d	0.00033
Anon.(1980)	d	0.000043
Anon.(1980)	r	0.00073
Cristoph(1983)	r	0.0008～0.0009
Stevens et al.(1987); Stevens &Cain(1987b)	d	0.0019～0.021
Nagata(2003)	d	0.000022

ethanoic acid→乙酸

ETHANOL, 乙醇，[64-17-5]

Passy(1892c)	d	250
Parker &Stabler(1913)	r	17
Backman(1917)	r	175～200
Grijns(1919);Zwaardemaker(1927)		2600
Henning(1924)	d	183
Jung(1936)	d	7.8
Jung(1936)	r	11.7～14
Balavoine(1943)		10000
Mullins(1955)	r	9230
Scherberger et al.(1958)	r	665

Janiček et al.(1960)		884
Nauš(1962)	d	2
Pliška &Janiček(1965)		76000
Ubaidullaev(1966b)		7.1
Guadagni(1966)		100
May(1966)	d	93
May(1966)	r	190
Leonardos et al.(1969)	r	19
Dravnieks &Laffort(1972)		640
Dravnieks(1974)	d	1350
Nishida et al.(1979)	d	302
Anon.(1980)	d	0.64
Anon.(1980)	r	11.6
Nauš(1982)	d	2
Nauš(1982)	r	20
Cristoph(1983)	r	8.7～9.2
Cometto-Muniz &Cain(1990); Cometto-Muniz(1993)	d	154
Scharfenberger(1990)		988
Nagy(1991)	d	36
Nagata(2003)	d	0.99
Cain et al.(2006)	d	0.17
Cometto-Muniz &Abraham(2008)	d	0.62

ethanolamine→乙醇胺

ETHANOYL CHLORIDE,氯乙酰，[75-36-5]

Schley(1934)	d	0.11
Schley(1934)	r	0.11

ETHENE, 乙烯，[74-85-1]

Mullins(1955)	r	1180
Deadman &Prigg(1959)	d	125
Krasovitskaya &Malyarova(1968)		20
Laffort &Dravnieks(1973)		1100
Hellman &Small(1974)	r	310
Hellman &Small(1974)	d	480

ETHENYL ACETATE,乙酸乙烯酯，[108-05-4]

Gofmekler(1960)		1
Deese &Joyner(1969)	r	<1.4
Hellman &Small(1973,1974)	d	0.4
Hellman &Small(1973,1974)	r	1.4

ETHENYLBENZENE, 苯乙烯，[100-42-5]

Wolf et al.(1956)		43～258
Deadman &Prigg(1959)	d	0.11
Li-Sheng(1961)		0.02
Stalker(1963)	d	0.073
Mühlen(1968)	r	4.3
Leonardos et al.(1969)	r	0.2～0.4
Smith &Hochstettler(1969)	r	0.2
Dravnieks &Laffort(1972)		1.7
Hellman &Small(1973,1974)	d	0.22-0.64
Hellman &Small(1973,1974)	r	0.64
Dravnieks(1974)	d	8
Anon.(1980)	d	0.14
Anon.(1980)	r	0.73
Don(1986);Hoshika et al.(1993)	d	0.068
Randebrock(1986)		0.012
Nagy(1991)	d	1.3
Hoshika et al.(1993)	d	0.14
Nagata(2003)	d	0.15
Dalton et al.(2007)	d	26.4

ETHENYL CYANIDE, 丙烯腈，[107-13-1]

Stalker(1963)	d	3.4
Leonardos et al.(1969)	r	47
Nagata(2003)	r	19

2-ETHENYL-5,6-DIHYDRO-3,5-DIMETHYLPYRAZINE, 2-乙烯基-5,6-二氢-3,5-二甲基吡嗪

Kurniadi(2003)	r	0.00002

3-ETHENYL-5,6-DIHYDRO-2,5-DIMETHYLPYRAZINE, 3-乙烯基-5,6-二氢-2,5-二甲基吡嗪

Kurniadi(2003)	r	0.16

2-ethenyl-3,5-dimethyl-5,6-dihydropyrazine→2-乙烯基-5,6-二氢-3,5-二甲基吡嗪

3-ethenyl-2,5-dimethyl-5,6-dihydropyrazine→3-乙烯基-5,6-二氢-2,5-二甲基吡嗪

5-ETHENYL-2,3-DIMETHYLPYRAZINE, 5-乙烯基-2,3-二甲基吡嗪，[160818-30-4]

Wagner et al.(1999)		>2

3-ETHENYL-2,5-DIMETHYLPYRAZINE, 3-乙烯基-2,5-二甲基吡嗪，[80935-98-4]

Czerny et al.(1996);Wagner et al.(1999)		0.84～0.87

2-ETHENYL-3,5-DIMETHYLPYRAZINE, 2-乙烯基-3,5-二甲基吡嗪，[157615-33-3]

Czerny et al.(1996);Grosch et al.(1996); Wagner et al.(1999)		0.00001～0.000012

2-ETHENYL-3-ETHYL-5-METHYLPYRAZINE, 2-乙烯基-3-乙基-5-甲基吡嗪，[181589-32-2]

Czerny et al.(1996);Grosch et al.(1996);

Wagner et al.(1999)		0.00001～0.000014

3-ETHENYL-2-ETHYL-5-METHYLPYRAZINE, 3-乙烯基-2-乙基-5-甲基吡嗪

Czerny et al.(1996);Grosch et al.(1996); Wagner et al.(1999)		0.095～0.11

5-ETHENYL-2-ETHYL-3-METHYLPYRAZINE, 5-乙烯基-2-乙基-3-甲基吡嗪

Grosch et al.(1996)		>0.8
Wagner et al.(1999)		1.04

5-ETHENYL-3-ETHYL-2-METHYLPYRAZINE, 5-乙烯基-3-乙基-2-甲基吡嗪

Grosch et al.(1996)		>0.8
Wagner et al.(1999)		1.04

4-ETHENYL-2-METHOXYPHENOL, 对乙烯基愈创木酚，[7786-61-0]

Blank et al.(1989,1992)		0.0004～0.0008
Yang et al.(2008)		0.0028

2-ETHENYL-3-METHYLPYRAZINE, 2-乙烯基-3-甲基吡嗪，[25058-19-9]

Wagner et al.(1999)		0.087

5-ETHENYL-4-METHYLTHIAZOLE, 5-乙烯基-4-甲基噻唑，[1759-28-0]

Gijs et al.(2000)		0.3

ETHENYLPYRAZINE, 乙烯基吡嗪，[4177-16-6]

Fors(1984);Fors &Olofsson(1985)	d	0.33
Wagner et al.(1999)		>2

2-ETHENYLPYRIDINE, 2-乙烯基吡啶，[100-69-6]

Sutton(1962b)		1.3

ether→乙醚

2-ETHOXY-3,4-DIHYDRO-1,2-PYRAN, 2-乙氧基-3,4-二氢-1,2-吡喃，[103-75-3]

Hellman &Small(1974)	d	0.1
Hellman &Small(1974)	r	0.5

ETHOXYETHANE, 乙醚，[60-29-7]

Passy(1892a,b,d)	d	0.5～4
Allison &Katz(1919)		5833
Grijns(1919)		<50
Henning(1924)	d	0.75
Zwaardemaker(1927)		1
Jung(1936)	d	35
Jung(1936)	r	35
Scherberger et al.(1958)	r	210
Flemming &Johnstone(1977)	r	4.8

Nagy(1991)	d	0.95

2-ETHOXYETHANOL, 乙二醇单乙醚，[110-80-5]

May(1966)	d	90
May(1966)	r	180
Hellman &Small(1973,1974)	d	1.1
Hellman &Small(1973,1974)	r	2.0
Nagy(1991)	d	11.6
Nagata(2003)	d	2.1

2-ETHOXYETHYL ACETATE,乙二醇单乙醚乙酸酯，[111-15-9]

Hellman &Small(1973,1974)	d	0.3
Hellman &Small(1973,1974)	r	0.7
Nagy(1991)	d	0.48
Nagata(2003)	d	0.26

1-ETHOXY-2,4-HEXADIENE,1- 乙氧基-2,4-己二烯，[56752-54-6]

Chisholm&Samuels(1992)		1.15

2-ETHOXY-3,5-HEXADIENE,2- 乙氧基-3,5-己二烯，[56752-55-7]

Chisholm &Samuels(1992)		0.0013

3-ETHOXY-4-HYDROXYBENZALDEHYDE, 乙基香兰素，[121-32-4]

Randebrock(1971)		0.000007
Randebrock(1986)		0.000027

1-ETHOXYNAPHTHALENE,1- 乙氧基萘，[5328-01-8]

Backman(1917)	r	0.0008

2-ETHOXYNAPHTHALENE,2- 乙氧基萘，[93-18-5]

Backman(1917)	r	0.009～0.015

ETHYL ACETATE,乙酸乙酯，[141-78-6]

Backman(1917)	r	15～17.5
Allison &Katz(1919)		686
Jung(1936)	d	3.6
Jung(1936)	r	3.6～5.4
Jones(1955c)	r	155
Clausen et al.(1955)	d	4.8
Gofmekler(1960)		0.6
Janiček et al.(1960)		1120
May(1966)	d	180
May(1966)	r	270
Laffort &Dravnieks(1973)		27
Hellman &Small(1973,1974)	d	23

Hellman &Small(1973,1974)	r	48
Anon.(1980)	d	0.9
Anon.(1980)	r	5.0
Bahnmüller(1983)		3.7～25
Cristoph(1983)	r	4.6～5.0
Randebrock(1986)		0.34
Scharfenberger(1990)		141
Cometto-Muniz &Cain(1991); Cometto-Muniz(1993)	d	623
Nagy(1991)	d	28
Ziemer et al.(2000)	d	4.6
Nagata(2003)	d	3.1
Higuchi&Masuda(2004)	d	2.0～3.0
Komthong et al.(2006)		1030
Van Thriel et al.(2006)	d	5.36
Cometto-Muniz et al.(2008)	d	0.88
Ueno et al.(2009)		1.3(三点比较式臭袋法；强制选择)
Ueno et al.(2009)		6.1(三点比较式臭袋法；是/否选择)
Ueno et al.(2009)		4.7(动态嗅辨仪；强制选择)
Ueno et al.(2009)		4.3(动态嗅辨仪；是/否选择)

ethyl acetoacetate→乙酰乙酸乙酯

ethyl acid succinate→琥珀酸单乙酯

ethyl acrylate→丙烯酸乙酯

ethyl alcohol→乙醇

ETHYLAMINE, 乙胺，[75-04-7]

Tkachev(1969)		0.05
Hellman &Small(1974)	d	0.5
Hellman &Small(1974)	r	1.5
Laing et al.(1978)	r	6.5
Nagata(2003)	d	0.083

ethyl amyl ketone→3-辛酮

N-ETHYLANILINE,N 乙基苯胺，[103-69-5]

Backman(1917)	r	1.7～2.0

4-ETHYLBENZALDEHYDE, 对乙基苯甲醛，[4748-78-1]

Von Ranson &Belitz(1992b)	d	0.013
Von Ranson &Belitz(1992b)	r	0.040

ETHYLBENZENE, 乙苯，[100-41-4]

Ivanov(1964)		2～2.6

Köster(1971)	d	0.4
Nagy(1991)	d	1.9
Khiari et al.(1992)		<0.01
Cometto-Muniz(1993);		
Cometto-Muniz&Cain(1994)	d	78.3
Nagata(2003)	d	0.73
Cometto-Muniz&Abraham(2009b)	d	0.026

ETHYL BENZOATE,苯甲酸乙酯，[93-89-0]

Jung(1936)	d	0.05～0.1
Jung(1936)	r	0.15～0.2
Janiček et al.(1960)		6.7
Sfiras &Demeiliers(1967)	r	0.62
Appell(1969)		0.0006

7-ETHYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 乙基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.00011

ETHYL BUTANOATE,丁酸乙酯，[105-54-4]

Tempelaar(1913)	d	0.28
Backman(1917)	r	0.13～0.23
Cristoph(1983)	r	0.002～0.003
Roos et al.(1985)	d	0.000060～0.000090
Roos et al.(1985);Don(1986)	d	0.000030
Hartigh(1986)	d	0.000017～0.000023
Randebrock(1986)		0.00058
Marin et al.(1988)		0.02～0.11
Hermans(1989)		0.000016～0.000991
Lea&Ford(1991)		0.1
Guth(1997)		0.0025
Guth(1997)		0.2(空气中乙醇浓度为55.6毫克/升)
Buettner &Schieberle(2001a,2001b)		0.0027
Nagata(2003)	d	0.00019
Atanasova et al.(2005)	d	0.0036～0.0217
Atanasova et al.(2005)	r	0.0040～0.1261
Komthong et al.(2006)		22.9
Schmidt &Cain(2010)	d	0.000053

2-ETHYL-1-BUTANOL,2- 乙基-1-丁醇，[97-95-0]

Hellman &Small(1974)	d	0.3
Hellman &Small(1974)	r	3.2

7-(2'-ETHYLBUTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(2'- 乙基丁基)苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.0047

ethyl butyrate→丁酸乙酯
ethyl caprate→癸酸乙酯
ethyl caproate→己酸乙酯
ethyl caprylate→辛酸乙酯
ethyl carbanilate→苯胺基甲酸乙酯
ethyl chloride→氯乙烷
ethyl citronellyl oxalate→草酸香茅基乙酯

ETHYL CYCLOHEXANECARBOXYLATE,环己基甲酸乙酯，[3289-28-9]

Sfiras &Demeiliers(1967)	r	0.85
Guth &Grosch(1991)		0.000003～0.000012

ethyl cyclohexanoate→环己基甲酸乙酯

ETHYL 3-CYCLOHEXENECARBOXYLATE,3-环己烯羧酸乙酯，[15111-56-5]

Sfiras &Demeiliers(1967)	r	0.77

ETHYL DECANOATE,癸酸乙酯，[110-38-3]

Backman(1917)	r	0.0024～0.0032
Schwarz(1955)		0.0013
Goldenberg(1967)	d	0.0012
Ferreira et al.(1998)		0.53

ethyl dichloroarsine→二氯乙胂

2-ETHYL-5,6-DIHYDRO-3,5-DIMETHYLPYRAZINE,2-乙基-5,6-二氢-3,5-二甲基吡嗪

Kurniadi et al.(2003)		0.000002
Kurniadi(2003)	r	0.00004

3-ETHYL-5,6-DIHYDRO-2,5-DIMETHYLPYRAZINE,3-乙基-5,6-二氢-2,5-二甲基吡嗪

Kurniadi et al.(2003)		0.000227
Kurniadi(2003)	r	0.00454

5-ETHYLDIHYDRO-2(3H)-THIOPHENONE,γ 硫代己内酯

Roling et al.(1998);Engel(1999)		0.011

ETHYLDIMETHYLAMINE,乙基二甲胺，[598-56-1]

Kohler &Homans(1980);Homans(1984)		1.4～1.9

2-ethyl-3,5-dimethyl-5,6-dihydropyrazine→2-乙基-5,6-二氢-3,5-二甲基吡嗪
3-ethyl-2,5-dimethyl-5,6-dihydropyrazine→3-乙基-5,6-二氢-2,5-二甲基吡嗪

ETHYL 3,7-DIMETHYL-6-OCTEN-1-YL OXALATE,草酸香茅基乙酯，[60788-25-2]

Kraft(2004a)		0.014

2-ETHYL-3,5-DIMETHYLPYRAZINE,2-乙基-3,5-二甲基吡嗪，[13925-07-0]

Cerny(1992);Cerny &Grosch(1994)		0.000007～0.000014

Czerny et al.(1996);Grosch et al.(1996);		
Wagner et al.(1999)		0.00001～0.000011
Kurniadi(2003)	r	0.00004

3-ETHYL-2,5-DIMETHYLPYRAZINE,3-乙基-2,5-二甲基吡嗪，[13360-65-1]

Fors(1984);Fors &Olofsson(1985)	d	0.020
Cerny &Grosch(1994);Grosch et al.(1996)		0.00245～0.0025
Wagner et al.(1999)		0.0036

5-ETHYL-2,3-DIMETHYLPYRAZINE,5-乙基-2,3-二甲基吡嗪，[15707-34-3]

Cerny &Grosch(1994)		>0.095
Grosch et al.(1996);Wagner et al.(1999)		0.2

ETHYLDITHIOETHANE，二乙基二硫醚，[110-81-6]

Hermanides(1909)	r	0.0003
Zwaardemaker(1914)	d	0.0003
Wilby(1969)	r	0.023
Gijs et al.(2000)		0.09
Nagata(2003)	d	0.01

ETHYL DODECANOATE,月桂酸乙酯，[106-33-2]

Backman(1917)	r	0.002

ethylene→乙烯

ethylene brassylate→昆仑麝香

ethylene bromide→1,2-二溴乙烷

ethylene chloride→1,2-二氯乙烷

ethylene chlorohydrine→氯乙醛

ethylenediamine→乙二胺

ethylene dibromide→1,2-二溴乙烷

ethylene dichloride→1,2-二氯乙烷

ETHYLENE 1,12-DODECANEDIOATE,十二碳二酸乙二醇酯，[54982-83-1]

Traynor(2001)		0.105

ethylene glycol→乙二醇

ethylene glycol n-butyl ether→乙二醇丁醚

ethylene glycol ethyl ether→乙二醇单乙醚

ethylene glycol methyl ether→乙二醇单甲醚

ETHYLENEIMINE，氮丙啶，[151-56-4]

Carpenter et al.(1948)		3.6
Berzins(1967)		1.25～3.5

ethylene oxide→环氧乙烷

ethylene sulphide→环硫乙烷

ETHYL ETHOXYDITHIOFORMATE,黄原酸乙酯，[151-01-9]

Deadman &Prigg(1959)	d	0.03

ethyl ethoxy propionate→3-乙氧基丙酸乙酯

ETHYL 3-ETHOXYPROPANOATE,3-乙氧基丙酸乙酯，[763-69-9]

Nagy(1991)	d	0.11
Ziemer et al.(2000)	d	0.0011

ETHYL N-ETHYLCARBAMATE,N乙基氨基甲酸乙酯，[623-78-9]

Backman(1917)	r	1.0～1.1

ETHYL FORMATE,甲酸乙酯，[109-94-4]

Backman(1917)	r	54～61
Nagata(2003)	d	8.1
Van Thriel et al.(2006)	d	90.9

ethyl glycol→乙二醇单乙醚

p-ethylguaiacol→对乙基愈创木酚

4-ethylguaiacol→对乙基愈创木酚

ETHYLHEPTANOATE, 庚酸乙酯，[106-30-9]

Backman(1917)	r	0.16～0.21
Ferreira et al.(1998)		0.039
Cometto-Muniz et al.(2004)	d	0.21～0.65
Cometto-Muniz et al.(2005)	d	0.24

(R)-2-ETHYLHEXANAL,(R)-2-乙基己醛

Bartschat &Mosandl(1998)		>2.5

(S)-2-ETHYLHEXANAL,(S-2-乙基己醛

Bartschat &Mosandl(1998)		>2.5

ETHYLHEXANOATE, 己酸乙酯，[123-66-0]

Backman(1917)	r	0.0043～0.0049
Schwarz(1955)		0.03
Cristoph(1983)	r	0.006～0.010
Berger et al.(1985)	d	0.01～0.02
Marin et al.(1988)		0.029～0.041
Guth(1997)		0.009
Guth(1997)		0.09(空气中乙醇浓度为55.6毫克/升)
Ferreira et al.(1998)		0.0485
Buettner &Schieberle(2001a,2001b)		0.003
Komthong et al.(2006)		18.1～27.4

2-ETHYL-1-HEXANOL,2-乙基己醇，[104-76-7]

Hellman &Small(1973,1974)	d	0.40

Hellman &Small(1973,1974) r 0.74
Nagy(1991) d 0.8

ETHYL(E)-2-HEXENOATE,(E)-2- 己烯酸乙酯，[27829-72-7]
Berger et al.(1985) d 0.14～0.20

ETHYL(E)-3-HEXENOATE,(E)-3- 己烯酸乙酯，[26553-46-8]
Berger et al.(1985) d 0.25～0.50

ETHYL(Z)-3-HEXENOATE,(Z)-3- 己烯酸乙酯，[64187-83-3]
Berger et al.(1985) d 0.01～0.02

2-ETHYLHEXYL ACETATE,乙酸-2-乙基己酯，[103-09-3]
Hellman &Small(1974) d 0.7
Hellman &Small(1974) r 1.4
2-ethylhexyl acrylate→2-乙基己基丙烯酸酯
2-ethylhexyl methacrylate→2-乙基己基甲基丙烯酸酯

2-ETHYLHEXYL 2-METHYL-2-PROPENOATE,2-乙基己基甲基丙烯酸酯，[688-84-6]
Piringer &Granzer(1984) 0.8

2-ETHYLHEXYL 2-PROPENOATE,2-乙基己基丙烯酸酯，[103-11-7]
Hellman &Small(1974) d 0.55
Hellman &Small(1974) r 1.35
Piringer &Granzer(1984) 0.6

(R)-ETHYL 3-HYDROXYHEXANOATE,(R)-3-羟基己酸乙酯
Buettner &Schieberle(2001a,2001b) 0.0021

(S)-ETHYL 3-HYDROXYHEXANOATE,(S)-3-羟基己酸乙酯
Buettner &Schieberle(2001a,2001b) 0.264

5-ETHYL-3-HYDROXY-4-METHYL-2(5H)-FURANONE, 乙基葫芦巴内酯，[698-10-2]
Huber(1984) 0.0000002
Blank et al.(1992);Hofmann &Schieberle(1997);
Blank(1997,2002) 0.000002～0.000004(嗅辨仪，FFAP 色谱柱)
Blank(1997,2002) 0.002～0.004(嗅辨仪，SE-54 色谱柱)

2-ETHYL-4-HYDROXY-5-METHYL-3(2H)-FURANONE,2- 乙基-4-羟基-5-甲基-3(2H)-呋喃酮，[27538-10-9]
Blank &Schieberle(1993) 0.0001～0.0002

ETHYL 2-HYDROXYPROPANOATE,乳酸乙酯，[97-64-3]
Backman(1917) r 8

5-ETHYLIDENEBICYCLO[2.2.1]-2-HEPTENE, 乙叉降冰片烯，[16219-75-3]

Kinkead et al.(1971a)		0.035～0.07
Hellman &Small(1974)	d	0.1
Hellman &Small(1974)	r	0.4

ethylidenenorbornene→ 乙叉降冰片烯

ethyl iodide→碘乙烷

ethyl isobutyrate→异丁酸乙酯

ETHYL ISOTHIOCYANATE,乙基芥子油，[542-85-8]

Katz &Talbert(1930)		6.1

ethyl isovalerate→异戊酸乙酯

ethyl lactate→乳酸乙酯

ethyl laurate→月桂酸乙酯

ethyl mercaptan→乙硫醇

ETHYL 2-MERCAPTOACETATE,巯基乙酸乙酯，[623-51-8]

Deadman &Prigg(1959)	d	0.008

2-ETHYL-3-MERCAPTOPROPANAL,2- 乙基-3-巯基丙醛

Vermeulen &Collin(2002)		0.13

2-ETHYL-3-MERCAPTO-1-PROPANOL,2- 乙基-3-巯基-1-丙醇

Vermeulen et al.(2003)		0.0001

2-ETHYL-3-MERCAPTOPROPYLACETATE,2- 乙基-3-巯基丙基乙酸酯

Vermeulen &Collin(2003)		0.11

ethyl methacrylate→甲基丙烯酸乙酯

4-ETHYL-2-METHOXYPHENOL, 对乙基愈创木酚，[2785-89-9]

Blank et al.(1992)		0.00001～0.00003

METHYL-2-METHYLANILINE,N 乙基-2-甲基苯胺，[94-68-8]

Nagata(2003)	d	0.14

1-ETHYL-2-METHYLBENZENE, 邻甲乙苯，[611-14-3]

Nagata(2003)	d	0.36

1-ETHYL-3-METHYLBENZENE, 间甲乙苯，[620-14-4]

Nagata(2003)	d	0.088

1-ETHYL-4-METHYLBENZENE, 对甲乙苯，[622-96-8]

Nagata(2003)	d	0.041

ETHYL2-METHYLBUTANOATE,2- 甲基丁酸乙酯，[7452-79-1]

Cristoph(1983)	r	0.00006～0.00012
Marin et al.(1988)		0.0012～0.0028

Lea &Ford(1991)		0.01
Guth &Grosch(1991);Rychlik(1998)		0.00006～0.00024
Komthong et al.(2006)		0.968～11.7

ETHYL 3-METHYLBUTANOATE,异戊酸乙酯，[108-64-5]

Tempelaar(1913)	d	4.6
Backman(1917)	r	0.4～0.5
Cristoph(1983)	r	0.00007～0.0001
Ferreira et al.(1998)		0.0084
Nagata(2003)	d	0.000069

ethyl 2-methylbutyrate→2-甲基丁酸乙酯
ethyl 3-methylbutyrate→异戊酸乙酯
ethyl methyl disulphide→乙基甲基二硫醚
ethyl methyl phenyl glycidate→草莓醛

ETHYL 3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,草莓醛，[77-83-8]

Balavoine(1948)		0.00001
Appell(1969)		0.0000007

ETHYL2-METHYLPROPANOATE, 异丁酸乙酯，[97-62-1]

Backman(1917)	r	0.86～1.06
Appell(1969)		0.0035
Cristoph(1983)	r	0.0003～0.0005
Blank(1990)		0.0001～0.0002
Guth(1997)		0.0003
Guth(1997)		0.038(空气中乙醇浓度为55.6毫克/升)
Nagata(2003)	d	0.00011

ETHYL2-METHYL-2-PROPENOATE, 甲基丙烯酸乙酯，[97-63-2]

Piringer &Granzer(1984)		0.05

2-ETHYL-3-METHYLPYRAZINE,2-乙基-3-甲基吡嗪，[15707-23-0]

Fors(1984);Fors&Olofsson(1985)	d	0.15
Wagner et al.(1999)		0.035

2-ETHYL-5-METHYLPYRAZINE,2-乙基-5-甲基吡嗪，[13360-64-0]

Fors(1984);Fors&Olofsson(1985)	d	0.036

5-ETHYL-2-METHYLPYRIDINE,5-乙基-2-甲基吡啶，[104-90-5]

Kendall et al.(1968)	r	0.013
Hellman &Small(1974)	d	0.03
Hellman &Small(1974)	r	0.04
Dravnieks et al.(1986)	d	0.004

ethyl methyl sulphide→甲基乙基硫醚

3-ETHYL-6-METHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,3-乙基-6-甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006)	d	0.050

ETHYL2-(METHYLTHIO)ACETATE, 甲硫基乙酸乙酯，[4455-13-4]

Berger et al.(1985)	d	2.0～3.0

ETHYL 3-(METHYLTHIO)PROPANOATE,3-甲硫基丙酸乙酯，[13327-56-5]

Berger et al.(1985)	d	0.01～0.02

N-ETHYLMORPHOLINE,4-乙基吗啡啉，[100-74-3]

Hellman &Small(1974)	d	0.4
Hellman &Small(1974)	r	1.2

4-ethylmorpholine→4-乙基吗啡啉

ethyl mustard oil→乙基芥子油

ethyl a-naphthyl ether→1-乙氧基萘

ethyl β-naphthyl ether→2-乙氧基萘

ETHYL NONANOATE,壬酸乙酯，[123-29-5]

Backman(1917)	r	0.009～0.011
Schwarz(1955)		0.01

ETHYL OCTANOATE,辛酸乙酯，[106-32-1]

Backman(1917)	r	0.002
Schwarz(1955)		0.01
Ferreira et al.(1998)		0.022
Rychlik(1998)		0.040

(R)-4-ETHYLOCTANOIC ACID,(R)-4-乙基辛酸

Karl et al.(1994)	r	<0.026

(S)-4-ETHYLOCTANOIC ACID,(S)-4-乙基辛酸

Karl et al.(1994)	r	<0.012

ETHYL 3-OXOBUTANOATE,乙酰乙酸乙酯，[141-97-9]

Backman(1917)	r	0.016～0.020

ethyl pelargonate→壬酸乙酯

3-ETHYLPENTANE,3-乙基戊烷，[617-78-7]

Nagata(2003)	d	1.5

ETHYL PENTANOATE,戊酸乙酯，[539-82-2]

Backman(1917)	r	0.26～0.42
Stone(1963b,1963c)	d	0.33～0.39

Cristoph(1983)	r	0.0003～0.0004
Nagata(2003)	d	0.00058

3-ETHYLPHENOL, 间乙基苯酚，[620-17-7]

Blank(1990)		0.001～0.002

ETHYL PHENYLACETATE,苯乙酸乙酯，[101-97-3]

Schieberle(1998)		0.0033～0.0134

ETHYL N-PHENYLCARBAMATE,苯胺基甲酸乙酯，[1013-75-8]

Backman(1917)	r	0.036～0.053

ETHYL PROPANOATE,丙酸乙酯，[105-37-3]

Backman(1917)	r	0.3～0.5
Cristoph(1983)	r	0.8～1.0
Randebrock(1986)		0.20
Nagata(2003)	d	0.029
Cometto-Muniz et al.(2004)	d	~1.3
Cometto-Muniz et al.(2005)	d	1.1
Komthong et al.(2006)		15.1～40.3

ETHYL 2-PROPENOATE,丙烯酸乙酯，[140-88-5]

Leonardos et al.(1969)	r	0.0019
Hellman &Small(1973,1974)	d	0.0010
Hellman &Small(1973,1974)	r	0.0015
Anon.(1980)	d	0.00082
Anon.(1980)	r	0.0053
Piringer &Granzer(1984)		0.001
Nagy(1991)	d	0.013
Nagata(2003)	d	0.0011
Van Thriel et al.(2006)	d	0.000027

ethyl propionate→丙酸乙酯

ETHYLPYRAZINE, 乙基吡嗪，[13925-00-3]

Fors(1984);Fors &Olofsson(1985)	d	0.25
Wagner et al.(1999)		>2

2-ETHYLPYRIDINE,2- 乙基吡啶，[100-71-0]

Schieberle(1993)		0.057

ETHYL SALICYLATE,水杨酸乙酯，[118-61-6]

Backman(1917)	r	0.12
Baldus(1936)	d	0.0035
Baldus(1936)	r	0.005

ethyl selenomercaptan→乙硒醇

ETHYL SILICATE,正硅酸乙酯，[78-10-4]

Smyth &Seaton(1940)	d	<720
Hellman &Small(1974)	d	31
Hellman &Small(1974)	r	43

ethylsotolon→ 乙基葫芦巴内酯

2-ETHYLTETRAHYDRO-3,5-DIMETHYLPYRAZINE,2-乙基四氢-3,5-二甲基吡嗪

Kurniadi et al.(2003)		0.0019
Kurniadi(2003)	r	0.038

3-ETHYLTETRAHYDRO-2,5-DIMETHYLPYRAZINE,3-乙基四氢-2,5-二甲基吡嗪

Kurniadi et al.(2003)		0.07
Kurniadi(2003)	r	1.4

SETHYL THIOACETATE,硫代乙酸乙酯，[625-60-5]

Gijs et al.(2000)		0.14

SETHYL THIOBUTANOATE,**硫代丁酸乙酯**

Cavaillé-Lefebvre et al.(1998)	d	1.16

ETHYLTHIOETHANE,乙硫醚，[352-93-2]

Allison &Katz(1919)		12
Katz&Talbert(1930)		0.010
Deadman &Prigg(1959)	d	0.0045
Wilby(1969)	r	0.022
Ifaedi(1972)		0.31
Anon.(1980)	d	0.0014
Anon.(1980)	r	0.02
Gijs et al.(2000)		0.022
Nagata(2003)	d	0.00012

ethyl thioglycolate→巯基乙酸乙酯

SETHYL THIOHEXANOATE,**硫代己酸乙酯**

Cavaillé-Lefebvre et al.(1998)	d	1.31

ethyl 2-thiolacetate→巯基乙酸乙酯

SETHYL THIO-3-METHYLBUTANOATE,**硫代异戊酸乙酯**

Cavaillé-Lefebvre et al.(1998)	d	3.56

SETHYL THIO-2-METHYLPROPANOATE,**硫代异丁酸乙酯**

Cavaillé-Lefebvre et al.(1998)	d	2.94

SETHYL THIOPROPANOATE,**硫代丙酸乙酯**

Gijs et al.(2000)		0.07

m-ethyltoluene→间甲乙苯
o-ethyltoluene→邻甲乙苯

p-ethyltoluene→ 对甲乙苯
ethyl-o-toluidine→N-乙基-2-甲基苯胺

(1S,2S,1'S,3'R,5'R)-1-ETHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]HEX-3-YLMETHYL)CYCLOPROPYLMETHANOL,(1S,2S,1'S,3'R,5′R)-1-乙基-2-(1,2,2-三甲基双环[3.1.0]己基-3-甲基)环丙基甲醇

Bajgrowicz &Fráter(2000)		0.00004

(1R,2R,1'S,3'R,5′R)-1-ETHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]HEX-3-YLMETHYL)CYCLOPROPYLMETHANOL,(1R,2R,1'S,3'R,5'R)-1-乙基-2-(1,2,2-三甲基双环[3.1.0]己基-3-甲基)环丙基甲醇

Bajgrowicz &Fráter(2000)		>0.25

(1S,2S,1'R,3'S,5′R)-1-ETHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]HEX-3-YLMETHYL)CYCLOPROPYLMETHANOL,(1S,2S,1'R,3'S,5′R)-1-乙基-2-(1,2,2-三甲基双环[3.1.0]己基-3-甲基)环丙基甲醇

Bajgrowicz & Fráter(2000)		0.099

(1R,2R,1'R,3'S,5′R)-1-ETHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]HEX-3-YLMETHYL)CYCLOPROPYLMETHANOL,(1R,2R,1'R,3'S,5'R)-1-乙基-2-(1,2,2-三甲基双环[3.1.0]己基-3-甲基)环丙基甲醇

Bajgrowicz &Fráter(2000)		0.0031

ETHYLTRITHIOETHANE, 二乙基三硫醚，[3600-24-6]

Wilby(1969)	r	0.0054

ETHYL UNDECANOATE,十一酸乙酯，[627-90-7]

Schwarz(1955)		0.005
Goldenberg(1967)	d	0.0003

ethylurethane→N- 乙基氨基甲酸乙酯
ethyl valerate→戊酸乙酯
ethylvanillin→ 乙基香兰素
ethyl vinyl ketone→1-戊烯-3-酮
ethyl xanthate→黄原酸乙酯

ETHYNE, 乙炔，[74-86-2]

Deadman &Prigg(1959)	d	240
Babin et al.(1965)		1300～2750
Nagy(1991)	d	510

eucalyptol→1,8-桉叶素
eugenol→丁香酚
exaltolide→环十五内酯
exaltone→ 黄蜀葵酮

F

fenchone→ 葑酮
fenchyl alcohol→葑醇
(E)-filbertone→ (E)-榛子酮

fixolide→吐纳麝香
(+)-florhydral⑧→ (+)-花青醛
(-)-florhydral⑧→ (-)-花青醛
(-)-(2R,4R)-florol⑧→(-)-(2R,4R)- 铃兰吡喃
(-)-(2R,4S)-florol®→(-)-(2R,4S)- 铃兰吡喃
(+)-(2S,4R)-florol⑧→(+)-(2S,4R)- 铃兰吡喃
(+)-(2S,4S)-florol⑧→(+)-(2S,4S)- 铃兰吡喃

FLUORINE, 氟，[7782-41-4]

Belles(1965)		0.15～0.30

fluorotrichloromethane→氟利昂11
formaldehyde→ 甲醛

FORMIC ACID,**甲酸，**[64-18-6]

Passy(1893b,1893c)	d	25～50
Zwaardemaker(1914)	d	640
Backman(1917)	r	21～24
Schley(1934)		3.0～6.0
Guadagni(1966)		450
Nauš(1982)	d	2
Nauš(1982)	r	20
Kleinschmidt(1983)	r	453
Cometto-Muñiz et al.(1998a)		
Cometto-Muniz(1999)	d	14.5
Van Thriel et al.(2006)	d	12.4
Cometto-Muniz&Abraham(2010b)	d	0.98

4-formyl-2-methoxyphenol→香兰素

2-FORMYL-5-METHYLTHIOPHENE,2- 甲酰基-5-甲基噻吩，[13679-70-4]

Gasser &Grosch(1990a)		0.00175～0.0074

furamintone=3,6- 二甲基苯并-[b]- 呋喃-2-(3H)- 酮
(R)-furamintone→(R)-3,6- 二甲基苯并-[b]- 呋喃-2-(3H)- 酮
(S)-furamintone→(S)-3,6- 二甲基苯并-[b]- 呋喃-2-(3H)- 酮

FURAN, **呋喃，**[110-00-9]

Nagata(2003)	d	28

2,5-FURANDIONE, 马来酐，[108-31-6]

Grigorieva(1964)		1.0～1.3

furaneol→ 菠萝酮
2-furanmethanethiol→ 糠硫醇

2-FURANMETHANOL, 糠醇，[98-00-0]

Jacobson et al.(1958)		32

FURFURAL，糠醛，[98-01-1]

Ubaidullaev(1961)		1.0
Appell(1969)		0.008
Makeicheva(1978)		0.98
Bedborough &Trott(1979)	d	0.25
Nagy(1991)	d	2.8

furfuryl alcohol→ 糠醇

2-FURFURYLDITHIO-2-FURYLMETHANE，二糠基二硫醚，[4437-20-1]

Gasser &Grosch(1990b)		0.00000015～0.0000006

2-FURFURYLDITHIOMETHANE，糠基甲基二硫醚，[57500-00-2]

Gasser &Grosch(1990b)		0.00004～0.00017

furfuryl mercaptan→糠硫醇

2-furfuryl methyl disulphide→糠基甲基二硫醚

2-FURFURYL2-METHYL-3-FURYL DISULPHIDE,2-**糠基-(2-甲基-3-呋喃基)二硫醚**

Hofmann &Schieberle(1995)		0.0000004～0.0000016

2-furfuryl methyl sulphide→糠基甲基硫醚

2-FURFURYL3-OXO-2-BUTYL DISULPHIDE,2-**糠基-(3-氧代-2-丁基)二硫醚**

Hofmann &Schieberle(1995)		0.000004～0.000016

2-furfurylthiol→糠硫醇

2-FURFURYLTHIOMETHANE，糠基甲基硫醚，[1438-91-1]

Gasser &Grosch(1990b)		0.0004～0.0016

2-FURYLMETHANETHIOL，糠硫醇，[98-02-2]

Gasser &Grosch(1990a,b)		0.000004～0.00002
Blank et al.(1992)		0.00001～0.00002
Miyazawa et al.(2009a)	d	0.0000049

G

galaxolide→佳乐麝香

(-)-(1R,2S)-georgywood®→(-)-(1R,2S)-2-乙酰基-1,2,3,4,5,6,7,8-八氢-1,2,8,8-四甲基萘

(+)-(1S,2R)-georgywood®→(+)-(1S,2R)-2-乙酰基-1,2,3,4,5,6,7,8-八氢-1,2,8,8-四甲基萘

geosmin→土臭素

geranial→香叶醛

geraniol→ 香叶醇

geranyl acetate→乙酸香叶酯

glutaraldehyde→1,5-戊二醛

glycidaldehyde→缩水甘油醛

glycol diacetate→二乙酸乙二醇酯

guaiacol→愈创木酚

guaiacol carbonate→愈创木酚碳酸酯

H

habanolide→环十五烯内酯
halothane→氟烷
helional→胡椒基丙醛
heliotropine→洋茉莉醛

(E,E)-2,4-HEPTADIENAL,(E,E)-2,4- 庚二烯醛，[4313-03-5]

Hall &Andersson(1983)	d	0.057

(Z)-1,5-HEPTADIEN-3-OL,(Z)-1,5- 庚二烯-3-醇

Schieberle &Buettner(2001)	d	0.001～0.1

(Z)-1,5-HEPTADIEN-3-ONE,(Z-1,5- 庚二烯-3-酮

Schieberle &Buettner(2001)	d	0.0000006

(R)-y-heptalactone→ (R)-γ-庚内酯
(S)-y-heptalactone→ (S)-y-庚内酯
heptaldehyde→庚醛

HEPTANAL, 庚醛，[111-71-7]

Backman(1917)	r	0.009～0.010
Deadman &Prigg(1959)	d	0.006
Pliška &Janiček(1965)		9.5
Teranishi et al.(1974)		0.033
Hall &Andersson(1983)	d	0.26
Cristoph(1983)	r	0.04～0.05
Lindell(1991)	d	0.061
Khiari et al.(1992)		0.02
Von Ranson &Belitz(1992a)	d	0.064
Von Ranson &Belitz(1992a)	r	0.15
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	0.14
Nagata(2003)	d	0.00085
Yang et al.(2008)		0.0009
Laska &Ringh(2010)	d	0.26

HEPTANE, 庚烷，[142-82-5]

Patty &Yant(1929)		410
Mullins(1955)	r	2240
Jones(1955c)	r	750
May(1966)	d	930
May(1966)	r	1350
Laffort &Dravnieks(1973)		165
Nagy(1991)	d	110
Nagata(2003)	d	2.7

HEPTANOIC ACID,庚酸，[111-14-8]

Passy(1893b,1893c)	d	0.3
Backman(1917)	r	2.6～3.3
Hendriks(1979)	d	0.033
Punter(1983)	d	0.022

1-HEPTANOL,正庚醇，[111-70-6]

Passy(1895)	d	1
Backman(1917)	r	0.1～0.2
Zwaardemaker(1927)		0.1
Pliška(1962)		17
Stone(1963b,1963c)	d	1.1
Stone et al.(1967)	d	0.05
Corbit &Engen(1971)		1
Laing(1975)	d	2.4
Punter(1983)	d	0.21
Cristoph(1983)	r	0.16～0.20
Cometto-Muniz &Cain(1990); Cometto-Muniz(1993)	d	0.48～0.53
Lea &Ford(1991)		10
Nagy(1991)	d	1.6
Nagata(2003)	d	0.023

2-HEPTANOL,2-庚醇，[543-49-7]

Acree et al.(1976)		0.1

4-HEPTANOL,4-庚醇，[589-55-9]

Cometto-Muniz &Cain(1993); Cometto-Muniz(1993)	d	39.4

2-HEPTANONE,2-庚酮，[110-43-0]

Stone et al.(1962)	d	0.90
Pangborn et al.(1964)	d	0.82
Teranishi et al.(1974)		0.840
Hall &Andersson(1983)	d	1.3
Nagy(1991)	d	1.2
Nagy(1991)	d	0.398
Cometto-Muniz &Cain(1993); Cometto-Muniz(1993)	d	3.3
Cometto-Muniz et al.(1999)	d	0.29～0.65
Ziemer et al.(2000)	d	0.045
Nagata(2003)	d	0.032
Cometto-Muniz et al.(2004)	d	~0.47
Cain et al.(2008)	d	0.062

Cometto-Muniz et al.(2008);		
Cometto-Muniz &Abraham(2009a)	d	0.023
Yang et al.(2008)		0.0035

(E)-2-HEPTENAL,(E)-2- 庚烯醛，[18829-55-5]

Teranishi et al.(1974)		0.034
Eriksson et al.(1976)	d	0.14
Hall&Andersson(1983)	d	0.25
Guth(1991)		0.0525
Von Ranson &Belitz(1992a)	d	2.4
Von Ranson &Belitz(1992a)	r	2.8

(Z)-2-HEPTENAL,(Z)-2- 庚烯醛，[57266-86-1]

Von Ranson &Belitz(1992a)	d	0.056
Von Ranson &Belitz(1992a)	r	0.22

(E)-3-HEPTENAL,(E)-3- **庚烯醛**

Von Ranson &Belitz(1992a)	d	0.16
Von Ranson &Belitz(1992a)	r	0.47

(Z)-3-HEPTENAL,(Z)-3- 庚烯醛，[21662-18-0]

Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.016

(E)-4-HEPTENAL,(E)-4- 庚烯醛，[929-22-6]

Von Ranson &Belitz(1992a)	d	0.034
Von Ranson &Belitz(1992a)	r	0.034

(Z)-4-HEPTENAL,(Z)-4- 庚烯醛，[6728-31-0]

Von Ranson &Belitz(1992a)	d	0.0034
Von Ranson &Belitz(1992a)	r	0.040

6-HEPTENAL,6- **庚烯醛**

Von Ranson &Belitz(1992a)	d	0.0090
Von Ranson &Belitz(1992a)	r	0.031

1-HEPTENE, 正庚烯，[592-76-7]

Koszinowski&Piringer(1983)		37
Nagata(2003)	d	1.5

1-HEPTEN-3-OL,1- 庚烯-3-醇，[4938-52-7]

Koszinowski&Piringer(1983)		0.07
Schieberle &Buettner(2001)		0.01～0.1

(E)-3-HEPTEN-2-ONE,(E)-3- 庚烯-2-酮，[5609-09-6]

Teranishi et al.(1974)		0.060

1-HEPTEN-3-ONE, 1-　庚烯-3-酮，[2918-13-0]

Koszinowski&Piringer(1983)		0.0007
Buettner &Schieberle(2001a); Schieberle &Buettner(2001)		0.00008

HEPTYL ACETATE, 乙酸庚酯，[112-06-1]

Cristoph(1983)	r	1.9～2.8
Cometto-Muniz &Cain(1991); Cometto-Muniz(1993)	d	6.3

HEPTYLBENZENE,　庚基苯，[1078-71-3]

Cometto-Muniz(1993); Cometto-Muniz &Cain(1994)	d	4.0

7-HEPTYLBENZO[b][1,4]DIOXEPIN-3-ONE,7-　庚基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.00165

heptyl chloride→氯庚烷

2-HEPTYL-5, 6-DIHYDRO-3, 5-DIMETHYLPYRAZINE, 2-　庚基-5, 6-二氢-3, 5-二甲基吡嗪

Kurniadi et al.(2003)		>2
Kurniadi(2003)	r	>40

3-HEPTYL-5, 6-DIHYDRO-2, 5-DIMETHYLPYRAZINE, 3-　庚基-5, 6-二氢-2, 5-二甲基吡嗪

Kurniadi et al.(2003)		>2
Kurniadi(2003)	r	>40

2-heptyl-3, 5-dimethyl-5, 6-dihydropyrazine→2-庚基-5, 6-二氢-3, 5-二甲基吡嗪

3-heptyl-2, 5-dimethyl-5, 6-dihydropyrazine→3-庚基-5, 6-二氢-2, 5-二甲基吡嗪

2-heptyldimethyltetrahydropyrazine→2- 庚基二甲基四氢吡嗪

2-HEPTYLTETRAHYDRODIMETHYLPYRAZINE, 2-　庚基二甲基四氢吡嗪

Kurniadi(2003)	r	>40

6-HEPTYLTETRAHYDRO-2H-THIOPYRAN-2-ONE, δ　硫代十二内酯

Roling et al.(1998);Engel(1999)		0.005

hexachloran→六六六

1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,α-　六六六，[319-84-6]

Miryakubova(1970)		0.32

HEXACHLORO-1, 3-CYCLOPENTADIENE,　六氯环戊二烯，[77-47-4]

Treon et al.(1955)		1.7

HEXADECANE,　十六烷，[544-76-3]

Patte(1978);Patte &Punter(1979)	d	0.5

(E,E)-2,4-HEXADIENAL,　山梨醛，[142-83-6]

Teranishi et al.(1974)		0.0018

2,4-HEXADIEN-1-OL,2,4- 己二烯-1-醇，[111-28-4]

Chisholm &Samuels(1992) 0.787

3,5-HEXADIEN-2-OL,3,5- 己二烯-2-醇，[3280-51-1]

Chisholm &Samuels(1992) 6.02

(Z-1,5-HEXADIEN-3-OL,(Z-1,5- 己二烯-3-醇

Schieberle &Buettner(2001) 0.01～0.1

(Z)-1,5-HEXADIEN-3-ONE,(Z)-1,5- 己二烯-3-酮

Schieberle&Buettner(2001) 约0.00001

hexahydroazine→哌啶

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN, 佳乐麝香，[1222-05-5]

Baydar et al.(1992a,1993) d 0.000489

Frater et al.(1997);Kraft & Fráter(2001) 0.0009～0.0017

Traynor(2001) 0.042

(-)-(4S,7R)-1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN,(-)-(4S,7R)- 佳乐麝香

Frater et al.(1997);Fráter et al.(1999) 0.0003～0.00063

(-)-(4S,7S)-1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN,(-)-(4S,7S)- 佳乐麝香

Frater et al.(1997);Fráter et al.(1999) 0.0006～0.001

(+)-(4R,7S)-1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN,(+)-(4R,7S)- 佳乐麝香

Frater et al.(1997); Fráter et al.(1999) 0.13～0.2

(+)-(4R,7R)-1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN,(+)-(4R,7R)- 佳乐麝香

Frater et al.(1997);Fráter et al.(1999) 0.4～0.44

(1R*,1'R*)-3',4',5',6',7',8'-HEXAHYDRO-3,3,1',8',8'-PENTAMETHYL-1'H-SPIRO(CYCLOPENTANE-1,2'-NAPHTHALEN)-2-ONE,(1R*,1'R)-3'',4',5',6',7',8'- 六氢-3,3,1',8',8'-五甲基-1'H 螺(环戊烷-1,2'-萘基)-2-酮

Kraft et al.(2006a) 0.0007

(1R*,3R*,1'R)-3',4',5'6',7,8'-HEXAHYDRO-3,1',8',8'-TETRAMETHYL-1'H-SPIRO(CYCLOPENTANE-1,2'-NAPHTHALEN)-2-ONE,(1R*,3R*,1'R*)-3',4',5',6',7,8'-六氢-3,1',8',8'-四甲基-1'H 螺(环戊烷-1,2′-萘基)-2-酮

Kraft et al.(2006a) 0.0018

(1R*,3S*,1'R*)-3',4'5',6',7',8'-HEXAHYDRO-3,1',8',8'-TETRAMETHYL-1'H-SPIRO(CYCLOPENTANE-1,2'-NAPHTHALEN)-2-ONE,(1R*,3S*,1'R)-3'',4',5',6',7',8'- 六氢-3,1',8',8'-四甲基-1'H-螺(环戊烷

-1,2'-萘基)-2-酮

Kraft et al.(2006a)		0.000094

(1R*,1'S*)-3',4',5',6',7',8'-HEXAHYDRO-1',8',8'-TRIMETHYL-1'HSPIRO(CYCLOPENTANE-1,2'-NAPHTHALEN)-2-ONE,(1R*,1'S*)-3',4',5',6',7',8'-六氢-1',8,8'-三甲基-1'H 螺(环戊烷-1,2'-萘基)-2-酮

Kraft et al.(2006a)		0.0017

(R)-y-hexalactone→ (R)-y-己内酯

(S)-y-hexalactone→ (S)-γ-己内酯

1-(1,1,2,3,3,6-HEXAMETHYL-1H-INDAN-5-YL)ETHANONE, 粉檀麝香，[15323-35-0]

Kraft & Fráter(2001)		0.0067

1,1,2,3,3,6-hexamethyl-4,5,6,7-tetrahydro-5-indanone→1,1,2,3,3,6- 六甲基-4,5,6,7-四氢-5-茚酮

3,5,5,6,8,8-hexamethyl-1,2,3,4,5,6,7,8-octahydro-2-naphthalenone→3,5,5,6,8,8- 六甲基-1,2,3,4,5,6,7,8-八氢-2-萘酮

HEXANAL, 己醛，[66-25-1]

Dravnieks &Laffort(1972)		0.25
Teranishi et al.(1974)		0.039
Eriksson et al.(1976)	d	0.067
Logtenberg(1978)	d	0.028
Hendriks(1979)	d	0.029～0.054
Hall &Andersson(1983)	d	0.043
Cristoph(1983)	r	0.02～0.04
Ulrich &Grosch(1988b);Grosch(1989)		0.065～0.098
Guth(1991)		0.030
Lindell(1991)	d	0.025
Khiari et al.(1992)		0.02
Von Ranson &Belitz(1992a)	d	0.034
Von Ranson &Belitz(1992a)	r	0.16
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	0.33
Nagata(2003)	d	0.0011
Komthong et al.(2006)		84.5
Yang et al.(2008)		0.0011
Ueno et al.(2009)		0.00082(三点比较式臭袋法；强制选择)
Ueno et al.(2009)		0.0028(三点比较式臭袋法；是/否选择)
Ueno et al.(2009)		0.0039(动态嗅辨仪；强制选择)
Ueno et al.(2009)		0.0020(动态嗅辨仪；是/否选择)
Cometto-Muniz &Abraham(2010a)	d	0.0014
Laska&Ringh(2010)	d	0.23

HEXANE, 己烷，[110-54-3]

Patty &Yant(1929)		875
Laffort &Dravnieks(1973)		230
De Wijk(1989)		107
Nagata(2003)	d	5.3

1,6-HEXANEDIAMINE,1,6- 己二胺，[124-09-4]

Kulakov(1964)		0.0032

1-HEXANETHIOL, 己硫醇，[111-31-9]

Kay et al.(1967)		11.8
Patte(1978);Patte &Punter(1979)	d	0.00002
Nagata(2003)	d	0.000072

HEXANOIC ACID,己酸，[142-62-1]

Passy(1893b,1893c)	d	0.04
Tempelaar(1913);Zwaardemaker(1927)	d	0.5～0.52
Backman(1917)	r	0.23
Zwaardemaker &Komuro(1921)	d	0.33
Hesse(1926)	r	2.3
Hesse(1927)	r	3.5
Dubrovskaya(1969)		0.07～0.1
Punter(1983)	d	0.020
Cometto-Muniz et al.(1998a); Cometto-Muniz(1999)	d	0.012
Nagata(2003)	d	0.0029
Wise et al.(2007);Miyazawa et al.(2009a)	d	0.0047～0.010
Cometto-Muniz &Abraham(2010b)	d	0.0048

1-HEXANOL, 正己醇，[111-27-3]

Backman(1917)	r	1.0～1.3
Mullins(1955)	r	9.94
Pliška(1962)		65
Cain(1969)	r	3.5
Stone et al.(1972)	d	1.5
Dravnieks &Laffort(1972)		0.01
Dravnieks(1974)	d	0.3
Hellman &Small(1974)	d	0.04
Hellman &Small(1974)	r	0.38
Punter(1983)	d	1.93
Cristoph(1983)	r	0.10～0.15
Cometto-Muniz&Cain(1990); Cometto-Muniz(1993)	d	4.0
Ferreira et al.(1998)		0.74
Nagata(2003)	d	0.025

Komthong et al.(2006)		12.3
Cometto-Muniz&Abraham(2008)	d	0.034

2-HEXANOL,2- 己醇，[626-93-7]

Dravnieks(1974)	d	50

2-HEXANONE,2- 己酮，[591-78-6]

Backman(1917)	r	0.28～0.35
Hall &Andersson(1983)	d	4.7
Nagata(2003)	d	0.098

2-HEXANOYL-1-PYRROLINE,2- 己酰基-1-吡咯啉

Schieberle(1991)		>2

(E)-2-HEXENAL, 叶醛，[6728-26-3]

Teranishi et al.(1974)		0.034
Eriksson et al.(1976)	d	0.63
Hall &Andersson(1983)	d	0.48
Lea &Ford(1991)		1
Guth &Grosch(1991)		0.05～0.2
Von Ranson &Belitz(1992a)	d	0.79
Von Ranson &Belitz(1992a)	r	1.8
Yang et al.(2008)		0.0031

(Z)-2-HEXENAL,(Z)-2- 己烯醛，[16635-54-4]

Von Ranson &Belitz(1992a)	d	0.088
Von Ranson &Belitz(1992a)	r	1.2

(E)-3-HEXENAL,(E)-3- 己烯醛，[69112-21-6]

Von Ranson &Belitz(1992a)	d	>0.79
Von Ranson &Belitz(1992a)	r	>0.79

(Z-3-HEXENAL,(Z)-3- 己烯醛，[6789-80-6]

Teranishi et al.(1974)		0.0022
Ulrich &Grosch(1988a)		0.0040～0.011
Ulrich &Grosch(1988b)		0.0004～0.0011
Grosch(1989)		0.0006～0.0016
Guth &Grosch(1991)		0.00009～0.00036
Von Ranson &Belitz(1992a)	d	≤0.0012
Von Ranson &Belitz(1992a)	r	0.0027

(E)-4-HEXENAL,(E)-4- 己烯醛，[25166-87-4]

Teranishi et al.(1974)		0.0026
Von Ranson &Belitz(1992a)	d	0.0029
Von Ranson &Belitz(1992a)	r	0.014

5-HEXENAL,5- 己烯醛，[764-59-0]

Von Ranson &Belitz(1992a)	d	0.012
Von Ranson &Belitz(1992a)	r	0.027

1-HEXENE, 正己烯，[592-41-6]

Nagata(2003)	d	0.48

(Z)-3-HEXEN-1-OL, 叶醇，[928-96-1]

Cain et al.(1987)	d	0.078
Guth &Grosch(1991)		0.004～0.016
Wünsche et al.(1995)	d	0.013

1-HEXEN-3-OL,1- 己烯-3-醇，[4798-44-1]

Koszinowski&Piringer(1983)		0.07
Schieberle &Buettner(2001)		0.001～0.01

1-HEXEN-3-ONE,1- 己烯-3-酮，[1629-60-3]

Koszinowski&Piringer(1983)		0.0007
Blank et al.(1989)		0.00002～0.00004
Schieberle &Buettner(2001)		0.00001～0.0001

(Z)-3-HEXENYL ACETATE,乙酸叶醇酯，[3681-71-8]

Guth &Grosch(1991)		0.009～0.036

2-HEXOXYETHANOL, 乙二醇单己醚，[112-25-4]

Nagy(1991)	d	2.5

HEXYL ACETATE,乙酸己酯，[142-92-7]

Stone et al.(1972)	d	2.3
Acree et al.(1976)		0.1
Cristoph(1983)	r	0.07～0.09
Cometto-Muniz &Cain(1991);		
Cometto-Muniz(1993)	d	3.7
Nagata(2003)	d	0.011
Komthong et al.(2006)		73.7～179
Cometto-Muniz et al.(2008)	d	0.017

sec-hexyl acetate→乙酸仲己酯

hexyl alcohol→正己醇

HEXYLAMINE,己胺，[111-26-2]

Dravnieks et al.(1986)	d	0.062～0.13

4-HEXYLBENZALDEHYDE, 对己基苯甲醛，[49763-69-1]

Von Ranson &Belitz(1992b)	d	0.31
Von Ranson &Belitz(1992b)	r	0.80

HEXYLBENZENE, 苯己烷，[1077-16-3]
Cometto-Muniz(1993);
Cometto-Muñiz & Cain(1994) d 4.2
Cometto-Muñiz & Abraham(2009b) d 0.029

7-HEXYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 己基苯并[b][1,4] 二氧杂环-3-庚酮
Kraft &Eichenberger(2003) 0.000019

HEXYL BUTANOATE,丁酸己酯，[2639-63-6]
Lea &Ford(1991) 5

hexyl butyrate→丁酸己酯

2-HEXYL-5,6-DIHYDRO-3,5-DIMETHYLPYRAZINE,2- 己基-5,6-二氢-3,5-二甲基吡嗪
Kurniadi et al.(2003) >2
Kurniadi(2003) r >40

3-HEXYL-5,6-DIHYDRO-2,5-DIMETHYLPYRAZINE,3- 己基-5,6-二氢-2,5-二甲基吡嗪
Kurniadi et al.(2003) >2
Kurniadi(2003) r >40

5-HEXYLDIHYDRO-2(3H)-THIOPHENONE,γ 硫代癸内酯
Roling et al.(1998);Engel(1999) 0.003

2-hexyl-3,5-dimethyl-5,6-dihydropyrazine→2-己基-5,6-二氢-3,5-二甲基吡嗪
3-hexyl-2,5-dimethyl-5,6-dihydropyrazine→3-己基-5,6-二氢-2,5-二甲基吡嗪

2-HEXYL-3,4-DIMETHYLPYRAZINE,2- 己基-3,4-二甲基吡嗪
Wagner et al.(1999) >2

2-hexyldimethyltetrahydropyrazine→2-己基二甲基四氢吡嗪
hexylene glycol→2-甲基-2,4-戊二醇
hexyl mercaptan→己硫醇

2-HEXYLPYRIDINE,2- 己基吡啶，[1129-69-7]
Schieberle(1993) 0.001

2-HEXYLTETRAHYDRODIMETHYLPYRAZINE,2-己基二甲基四氢吡嗪
Kurniadi(2003) r >40

homofuraneol→酱油酮

HYDRAZINE, 肼，[302-01-2]
Jacobson et al.(1955) 3.9～5.2
Jacobson et al.(1958) 5.2

hydrocinnamaldehyde→氢化肉桂醛
hydrocinnamyl alcohol→氢化肉桂醇

HYDROGEN CHLORIDE,氯化氢，[7647-01-0]
Schley(1934) 4.5

Elfimova(1959)		0.1～0.2
Heyroth(1962)	d	1.5～7.5
Styazhkin(1963)		0.2
Melekhina(1968)	d	0.39
Leonardos et al.(1969)	r	15
Takhirov(1974)		0.38
Nauš(1982)	d	7
Nauš(1982)	r	15
Van Thriel et al.(2006)	d	0.09

HYDROGEN CYANIDE,氢氰酸，[74-90-8]

Sherrard(1928)		6
Smolczyk &Cobler(1930)		＜1. 1
Prentiss(1937)		1
Artho &Koch(1973)		0.01～0.1
Braker &Mossman(1980)	r	2.2～5.6

HYDROGEN FLUORIDE,氟化氢，[7664-39-3]

Sadilova(1968)		0.03

HYDROGEN SELENIDE,硒化氢，[7783-07-5]

Dudley &Miller(1941)		＜1

HYDROGEN SULPHIDE,硫化氢，[7783-06-4]

Valentin(1848,1850)		2
Lehmann(1897)		＜2
Kulka &Homma(1910)		0.2～0.3
Henderson &Haggard(1922)		<0.001
Henning(1924)	d	0.0001
Katz&Talbert(1930)		0.18
Thomas et al.(1943)		0.035
Loginova(1957)		0.040
Duan-Fen-Djuy(1959)		0.012～0.03
Sanders &Dechant(1961)		0.04～0.10
Baikov(1963)		0.014～0.03
Young &Adams(1966)		0.008～0.011
Cederlof et al.(1966)		0.01
Sakuma et al.(1967)		0.007
Endo et al.(1967)		1.4
Basmadzhieva&Argirova(1968)		0.012
Adams et al.(1968)		0.0047～0.0090
Leonardos et al.(1969)	r	0.00066～0.0066
Pomeroy &Cruse(1969)		0.0042～0.042
Wilby(1969)	r	0.0063

Lindvall(1970)	d	0.00021～0.0016
Stephens(1971)		0.067
Randebrock(1971)		0.012
Nishida et al.(1975)	d	0.0014～0.055
Winkler(1975)	d	0.003
Winkler(1975)	r	0.03
Hill&Barth(1976)		0.0007
Williams et al.(1977)	d	0.27
Logtenberg(1978)	d	0.002
Nishida et al.(1979)	d	0.074
Winneke et al.(1979)	d	0.00265
Thiele(1979)		0.0016
Bedborough &Trott(1979)	d	0.0036
Brunekreef &Harssema(1980)		0.0011～0.0024
Anon.(1980)	d	0.0007
Anon.(1980)	r	0.0078
Thiele et al.(1981)		0.0013～0.0053
Thiele(1982)		0.0028
Nauš(1982)	d	0.1
Nauš(1982)	r	5
Jensen &Flyger(1983)		0.0038～0.0067
Kobal&Thiele(1983)		0.0022
Bahnmüller(1983)		0.0014～0.023
Moriguchi et al.(1983)	d	0.0007
Bahnmüller(1984)		0.0012～0.0073
Thiele(1984)		0.0018
Roos et al.(1985)	d	0.00085～0.00105
Roos et al.(1985)&Don(1986); Hoshika et al.(1993)	d	0.0004～0.00043
Randebrock(1986)		0.0096
Heeres et al.(1986)		0.0004～0.0052
Dollnick et al.(1988)		0.00166
Winneke et al.(1988)		0.0015～0.0026
Hermans(1989)		0.000056～0.001545
Nagy(1991)	d	0.0055
Hoshika et al.(1993)	d	0.0007
Lötsch et al.(1997)		0.14～2.8
Mannebeck &Mannebeck(2002)	d	0.000491～0.000946
Nagata(2003)	d	0.00057
Greenman et al.(2004)		0.022
McGinley &McGinley(2004)		0.00070～0.003
McGinley &McGinley(2004)	r	0.00064～0.0013

McGinley &McGinley(2004)	d	0.00057～0.00142
McGinley &McGinley(2004)	r	0.00071～0.0032
Glindemann et al.(2006)	d	0.001
Ueno et al.(2009)		0.00045(三点比较式臭袋法；强制选择)
Ueno et al.(2009)		0.0018(动态嗅辨仪；强制选择)

2-HYDROXYBENZALDEHYDE, 水杨醛，[90-02-8]

Tempelaar(1913)	d	0.014
Backman(1917)	r	0.38～0.41

3-HYDROXYBUTANOIC ACID,3-羟基丁酸，[300-85-6]

Backman(1917)	r	42

3-HYDROXY-3-BUTENOIC ACID LACTONE,二乙烯酮，[674-82-8]

Feldman(1967)		0.019

hydroxycitronellal→ 羟基香茅醛

(R)-4-HYDROXYDECANOIC ACID LACTONE,(R)-γ-癸内酯

Buhr(2006)		0.0125

(S)-4-HYDROXYDECANOIC ACID LACTONE,(S)-γ癸内酯

Buhr(2006)		0.0125

(R)-5-HYDROXYDECANOIC ACID LACTONE,(R)-δ-癸内酯

Buhr(2006)		0.0006

(S)-5-HYDROXYDECANOIC ACID LACTONE,(S)-δ-癸内酯

Buhr(2006)		0.0020

2-HYDROXY-3-DECANONE,2- 羟基-3-癸酮

Neuser et al.(2000)	r	1～1.2

3-HYDROXY-2-DECANONE,3- 羟基-2-癸酮

Neuser et al.(2000)	r	7～8

2-HYDROXY-3,4-DIMETHYL-2-CYCLOPENTEN-1-ONE,3,4- 二甲基环戊烯醇酮，[21835-00-7]

Blank et al.(1992);Blank(1997,2002)		0.00005～0.0001(嗅辨仪，FFAP 色谱柱)
Blank(1997,2002)		0.001～0.002(嗅辨仪，OV-1701 色谱柱)

3-HYDROXY-4,5-DIMETHYL-2(5H)-FURANONE, 葫芦巴内酯，[28664-35-9]

Blank et al.(1992);Blank &Schieberle(1993); Hofmann &Schieberle(1997); Blank(1997,2002)		0.00001～0.00002(嗅辨仪，FFAP 色谱柱)

Blank(1997,2002) 0.0006～0.0012(嗅辨仪，OV-1701 色谱柱)

4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE, 菠萝酮，[3658-77-3]

Blank et al.(1992);Blank &Schieberle(1993);
Schieberle&Grosch(1994);Blank(1997,2002) 0.0005～0.0015(嗅辨仪，FFAP 色谱柱)

Blank(1997,2002) 0.001～0.002(嗅辨仪，OV-1701 色谱柱)

7-HYDROXY-3,7-DIMETHYLOCTANAL, 羟基香茅醛，[107-75-5]

Randebrock(1986) 0.0000069

(1R*,4S*)-1-HYDROXY-1,4-DIMETHYLSPIRO[4.6]-2-UNDECANONE,(1R*,4S*)-1- 羟基-1,4-二甲基螺[4.6]-2-十一酮

Kraft et al.(2005) 0.184

4-HYDROXY-2,5-DIMETHYL-3(2H)-THIOPHENE,4- 羟基-2,5-二甲基-3(2H)-噻吩

Hofmann &Schieberle(1997) 0.0016

(±)-(1R*,3S*,6S*,7S*,8S*)-3-HYDROXY-6,8-DIMETHYLTRICYCLO[5.3.1.0³.8]UNDECAN-2-ONE,
(±)-(1R*,3S*,6S*,7S*,8S*)-3-羟基-6,8-二甲基三环[5.3.1.0³.8]十一烷-2-酮

Kraft et al.(2006b) 0.0021

(±)-(1R*,3S*,7S*,8S*)-3-HYDROXY-6,8-DIMETHYLTRICYCLO[5.3.1.0³.8]UNDEC-5-EN-2-ONE,
(±)-(1R*,3S*,7S*,8S*)-3-羟基-6,8-二甲基三环[5.3.1.0³8]十一烷-5-烯-2-酮

Kraft et al.(2006b) 0.0014

(R)-4-HYDROXYDODECANOIC ACID LACTONE,(R)-x十二内酯

Buhr(2006) 0.0008

(S)-4-HYDROXYDODECANOIC ACID LACTONE,(S)-γ十二内酯

Buhr(2006) 0.0060

(R)-5-HYDROXYDODECANOIC ACID LACTONE,(R)-δ十二内酯

Buhr(2006) 0.012

(S)-5-HYDROXYDODECANOIC ACID LACTONE,(S)-&十二内酯

Buhr(2006) 0.0004

(R)-(Z)-4-HYDROXY-6-DODECENOIC ACID LACTONE,(R)-(Z)-6-y十二碳烯酸内酯

Guichard et al.(1991) 0.000062～0.000082

(S)-(Z)-4-HYDROXY-6-DODECENOIC ACID LACTONE,(S)-(Z)-6-y十二碳烯酸内酯

Guichard et al.(1991) 0.000002～0.000052

rac-(1-HYDROXYETHYLDIISOPROPYL(METHYL)SILANE,rac-(1- 羟基乙基)二异丙基甲基硅烷

Sunderkötter et al.(2010) 0.026

(R)-4-HYDROXYHEPTANOIC ACID LACTONE,(R)-γ-庚内酯
Buhr(2006) 0.0050

(S)-4-HYDROXYHEPTANOIC ACID LACTONE,(S)-γ庚内酯
Buhr(2006) 0.0050

2-HYDROXY-3-HEPTANONE,2- 羟基-3-庚酮，[71467-29-3]
Neuser et al.(2000) r 1～1.5

3-HYDROXY-2-HEPTANONE,3- 羟基-2-庚酮
Neuser et al.(2000) r 4～5

2-HYDROXY-4E-HEPTEN-3-ONE,2- 羟基-4E-庚烯-3-酮
Neuser et al.(2000) r 0.5～0.8

3-HYDROXY-4E-HEPTEN-2-ONE,3- 羟基-4E-庚烯-2-酮
Neuser et al.(2000) r 2.5～3

16-HYDROXY-7-HEXADECENOIC ACID LACTONE,黄葵内酯，[28645-51-4]
Traynor(2001) 0.124

(1R*,4R)-1-HYDROXY-1,4,7,7,9,9-HEXAMETHYLSPIRO[4.5]-2-DECANONE,(1R*,4R*)-1- 羟基-1,4,7,7,9,9-六甲基螺[4.5]-2-癸酮
Kraft et al.(2005) 0.051

(R)-4-HYDROXYHEXANOIC ACID LACTONE,(R)-y己内酯
Buhr(2006) 0.375

(S)-4-HYDROXYHEXANOIC ACID LACTONE,(S-y-己内酯
Buhr(2006) 0.375

(R)-5-HYDROXYHEXANOIC ACID LACTONE,(R)-δ-己内酯
Buhr(2006) >0.1

(S)-5-HYDROXYHEXANOIC ACID LACTONE,(S)-δ-己内酯
Buhr(2006) >0.1

2-HYDROXY-3-HEXANONE,2- 羟基-3-己酮
Neuser et al.(2000) r 5～6

3-HYDROXY-2-HEXANONE,3- 羟基-2-己酮
Neuser et al.(2000) r 9～10

4-(2-HYDROXYISOPROPYL)-1-METHYL-1-CYCLOHEXENE,α- 松油醇，[98-55-5]
Hermanides(1909) r 0.185
Zwaardemaker(1914,1927) d 0.18～0.2
Backman(1917) r 0.15～0.23

Zwaardemaker&Komuro(1921)	d	0.39
Baldus(1936)	d	0.01
Baldus(1936)	r	0.0125
Cristoph(1983)	r	100～110
Ferreira et al.(1998)		0.0208
Molhave et al.(2000)	d	0.86

4-HYDROXY-3-METHOXYBENZALDEHYDE,香兰素，［121-33-5］

Passy(1892a,b,d)	d	0.00007～0.005
Tempelaar(1913);Zwaardemaker(1927)	d	0.00018～0.0002
Backman(1917)	r	0.0015～0.0020
Baldus(1936)	d	0.000001
Baldus(1936)	r	0.000004
Appell(1969)		0.000001
Randebrock(1971)		0.000006
Herrmann &Abd EI Salam(1980a,b)		0.08～0.12
Kleinschmidt(1983)	r	0.578
Randebrock(1986)		0.000033
Blank et al.(1989,1992)		0.0006～0.0012

2-HYDROXY-3-METHYL-2-CYCLOPENTEN-1-ONE, 甲基环戊烯醇酮，［80-71-7,765-70-8］

Blank(1997,2002)		0.01～0.02(嗅辨仪，SE-54 色谱柱)
Blank(1997,2002)		0.01～0.02(嗅辨仪，FFAP 色谱柱)
Miyazawa et al.(2009a)	d	0.026

cis-(5R)-HYDROXY-(4R)-METHYLDECANOIC ACID LACTONE,顺-(5R)-羟基-(4R)-甲基癸内酯

Bartschat et al.(1995) 0.3

cis-(5S)-HYDROXY-(4S)-METHYLDECANOIC ACID LACTONE,顺-(5S)-羟基-(4S)-甲基癸内酯

Bartschat et al.(1995) 0.0013

trans-(5R)-HYDROXY-(4S)-METHYLDECANOIC ACID LACTONE,反-(5R)-羟基-(4S)-甲基癸内酯

Bartschat et al.(1995) 0.5

trans-(5S)-HYDROXY-(4R)-METHYLDECANOIC ACID LACTONE,反-(5S)-羟基-(4R)-甲基癸内酯

Bartschat et al.(1995) 1

(1-HYDROXY-1-METHYLETHYL)DIISOPROPYL(METHYL)SILANE,(1-羟基-1-甲基乙基)二异丙基甲基硅烷

Sunderkötter et al.(2010) 0.010

rac-(1-HYDROXY-1-METHYLETHYL)ISOBUTYL(ISOPROPYL)METHYLSILANE,rac-(1-羟基-1-甲基乙基)异丁基异丙基甲基硅烷

Sunderkötter et al.(2010) 0.114

(1-HYDROXY-1-METHYLETHYL)TRIISOPROPYLSILANE,(1-羟基-1-甲基乙基)三异丙基硅烷

Sunderkötter et al.(2010) 0.0025

(1-HYDROXY-1-METHYLETHYL)TRIVINYLSILANE,(1-羟基-1-甲基乙基)三乙烯基硅烷
Sunderkötter et al.(2010) 0.0045

3-HYDROXY-4-METHYLHEPTANOIC ACID,3-羟基-4-甲基庚酸
Natsch et al.(2006) 0.109(气相色谱嗅觉阈值)
Natsch et al.(2006) 0.00017(动态稀释嗅辨法)

2-HYDROXY-4-METHYL-3-HEPTANONE,2-羟基-4-甲基-3-庚酮
Neuser et al.(2000) r 0.8～1.2

3-HYDROXY-4-METHYL-2-HEPTANONE,3-羟基-4-甲基-2-庚酮
Neuser et al.(2000) r 2～2.5

2-HYDROXY-5-METHYL-3-HEXANONE,2-羟基-5-甲基-3-己酮，[246511-74-0]
Neuser et al.(2000) r 4～5

3-HYDROXY-5-METHYL-2-HEXANONE,3-羟基-5-甲基-2-己酮，[163038-04-8]
Neuser et al.(2000) r 8～9

4-HYDROXY-3-METHYLOCTANOIC ACID LACTONE,威士忌内酯，[39212-23-2]
Atanasova et al.(2005) d 0.0031～0.0475
Atanasova et al.(2005) r 0.0049～0.0775

cis-4-HYDROXY-3-METHYLOCTANOIC ACID LACTONE,顺-威士忌内酯，[55013-32-6]
Abbott et al.(1995) 0.000001

trans-4-HYDROXY-3-METHYLOCTANOIC ACID LACTONE,反-威士忌内酯，[39638-67-0]
Abbott et al.(1995) 0.00002

(12R)-(-)-14-HYDROXY-12-METHYL-9-0XATETRADECANOIC ACID LACTONE,(-)-(12R)-12-甲基-9-氧杂-14-十四内酯
Kraft & Fráter(2001 0.00009

4-HYDROXY-4-METHYL-2-PENTANONE, 二丙酮醇，[123-42-2]
Hellman &Small(1974) d 1.3
Hellman &Small(1974) r 5.2
Nagy(1991) d 60
Nagy(1991) d 37.418

3-HYDROXY-6-METHYL-2(2H)-PYRANONE,3-羟基-6-甲基-2(2H)-吡喃酮
Hofmann &Schieberle(1997) 0.00076

1-HYDROXY-1-METHYLSPIRO[4.5]-2-DECANONE,1-羟基-1-甲基螺[4.5]-2-癸酮
Kraft et al.(2005) 0.0635

(12R)-14-HYDROXY-12-METHYL-9(Z)-TETRADECENOIC ACID LACTONE,(12R,9Z)-12-甲基-

14-十四-9-烯内酯
Kraft & Fráter(2001)　0.00005

2-HYDROXY-5-(METHYLTHIO)-3-PENTANONE,2-　羟基-5-甲硫基-3-戊酮
Neuser et al.(2000)　r　0.15～0.2

3-HYDROXY-5-(METHYLTHIO)-2-PENTANONE,3-　羟基-5-甲硫基-2-戊酮
Neuser et al.(2000)　r　0.05～0.1

1-HYDROXYNAPHTHALENE,α-　萘酚，[90-15-3]
Backman(1917)　r　0.0030～0.0052

2-HYDROXYNAPHTHALENE,β　萘酚，[135-19-3]
Backman(1917)　r　0.23～0.30

4-HYDROXYNONANOIC ACID LACTONE,γ壬内酯，[104-61-0]
Appell(1969)　0.0000008

(R)-4-HYDROXYNONANOIC ACID LACTONE,(R)-y-壬内酯
Buhr(2006)　0.0045

(S)-4-HYDROXYNONANOIC ACID LACTONE,(S)-y-壬内酯
Buhr(2006)　0.0045

(R)-5-HYDROXYNONANOIC ACID LACTONE,(R)-δ-壬内酯
Buhr(2006)　0.0013

(S)-5-HYDROXYNONANOIC ACID LACTONE,(S)-δ-壬内酯
Buhr(2006)　0.0020

2-HYDROXY-3-NONANONE,2-　羟基-3-壬酮
Neuser et al.(2000)　r　1～1.2

3-HYDROXY-2-NONANONE,3-　羟基-2-壬酮
Neuser et al.(2000)　r　5～6

(R)-4-HYDROXYOCTANOIC ACID LACTONE,(R)-x辛内酯
Buhr(2006)　0.0018

(S)-4-HYDROXYOCTANOIC ACID LACTONE,(S)-γ辛内酯
Buhr(2006)　0.0018

(R)-5-HYDROXYOCTANOIC ACID LACTONE,(R)-δ辛内酯
Buhr(2006)　0.0125

(S)-5-HYDROXYOCTANOIC ACID LACTONE,(S)-δ辛内酯
Buhr(2006)　0.0125

2-HYDROXY-3-0CTANONE,2- 羟基-3-辛酮

Neuser et al.(2000) r 0.4～0.5

3-HYDROXY-2-0CTANONE, 3- 羟基-2-辛酮

Neuser et al.(2000) r 2.5～3

2-HYDROXY-4(E)-OCTEN-3-ONE, 2- 羟基-4(E)-辛烯-3-酮

Neuser et al.(2000) r 0.2～0.3

3-HYDROXY-4(E)-OCTEN-2-ONE,3- 羟基-4(E)- 辛烯-2-酮

Neuser et al.(2000) r 0.8～1

16-HYDROXY-10-0XAHEXADECANOIC ACID LACTONE,10-氧杂十六内酯，[1725-01-5]

Traynor(2001) 0.094

16-HYDROXY-11-OXAHEXADECANOIC ACID LACTONE, 麝香R-1,[3391-83-1]

Traynor(2001) 0.084

16-HYDROXY-12-0XAHEXADECANOIC ACID LACTONE,麝香内酯，[6707-60-4]

Traynor(2001) 0.168

15-HYDROXYPENTADECANOIC ACID LACTONE,环十五内酯，[106-02-5]

Amoore(1977) d 0.18

Randebrock(1986) 0.000013

Kraft & Fráter(2001) 0.0021

Traynor(2001) 0.098

15-HYDROXY-11(12)-PENTADECENOIC ACID LACTONE,环十五烯内酯，[34902-57-3]

Traynor(2001) 0.166

(1R*,4R*,5S,9R*)-1-HYDROXY-1,4,7,7,9-PENTAMETHYLSPIRO[4.5]-2-DECANONE,(1R*,4R*, 5S*,9R*)-1-羟基-1,4,7,7,9-五甲基螺[4.5]-2-癸酮

Kraft et al.(2005) 0.018

(1R*,4S*,5S*,9R*)-1-HYDROXY-1,4,7,7,9-PENTAMETHYLSPIRO[4.5]-2-DECANONE,(1R*,4.S*, 5S*,9R*)-1-羟基-1,4,7,7,9-五甲基螺[4.5]-2-癸酮

Kraft et al.(2005) 0.000067

(+)-(1S,4R,5R,9S)-1-HYDROXY-1,4,7,7,9-PENTAMETHYLSPIRO[4.5]-2-DECANONE,(+)-(1S, 4R,5R,9S)-1-羟基-1,4,7,7,9-五甲基螺[4.5]-2-癸酮

Kraft et al.(2005) 0.000027

3-HYDROXY-2-PENTANONE,3- 羟基-2-戊酮，[3142-66-3]

Neuser et al.(2000) r 5～6

2-HYDROXY-3-PENTANONE, 2- 羟基-3-戊酮，[5704-20-1]

Neuser et al.(2000) r 2.5～3

3-HYDROXY-4-PHENYL-2-BUTANONE,3-羟基-4-苯基-2-丁酮，[5355-63-5]

Neuser et al.(2000)	r	0.75～1

2-HYDROXYPROPANOIC ACID,乳酸，[50-21-5]

Endo et al.(1967)		9

(R)-4-HYDROXYTETRADECANOIC ACID LACTONE,(R)-δ十四内酯

Buhr(2006)		0.188

(S)-4-HYDROXYTETRADECANOIC ACID LACTONE,(S)-&十四内酯

Buhr(2006)		0.188

(1R*,4S*,5R*,7R*,9S)-1-HYDROXY-1,4,7,9-TETRAMETHYLSPIRO[4.5]-2-DECANONE,(1R*,4.S*,5R*,7R*,9S*)-1-羟基-1,4,7,9-四甲基螺[4.5]-2-癸酮

Kraft et al.(2005)		0.032

(1R*,4R*,5R*,7R*,9S*)-1-HYDROXY-1,4,7,9-TETRAMETHYLSPIRO[4.5]-2-DECANONE,(1R*,4R*,5R*,7R*,9S)-1-羟基-1,4,7,9-四甲基螺[4.5]-2-癸酮

Kraft et al.(2005)		0.335

(±)-(5R*,6R*)-6-HYDROXY-1,1,6-TRIMETHYLSPIRO[4.5]DECAN-7-ONE,(±)-(5R*,6R*)-6-羟基-1,1,6-三甲基螺[4.5]-7-癸酮

Kraft &Bruneau(2007)		0.0172

(±)-6-HYDROXY-2,2,6-TRIMETHYLSPIRO[4.5]DECAN-7-ONE,(±)-6-羟基-2,2,6-三甲基螺[4.5]-7-癸酮

Kraft &Bruneau(2007)		0.233

4-HYDROXYUNDECANOIC ACID LACTONE,桃醛，[104-67-6]

Appell(1969)		0.0000006
Huber(1984)		0.000044
Buhr(2006)		0.0008
Buhr(2006)		0.0045

5-HYDROXYUNDECANOIC ACID LACTONE, δ-十一内酯

Buhr(2006)		0.060
Buhr(2006)		0.0008

I

INDENE, 茚，[95-13-6]

Deadman &Prigg(1959)	d	0.02
Moriguchi et al.(1983)	d	0.013

INDOLE, 吲哚，[120-72-9]

Tempelaar(1913)	d	0.0006
Punter(1975,1979)	d	0.0071
Etzweiler et al.(1980)		0.00004

Randebrock(1986)		0.000033
Nagata(2003)	d	0.0014
Yang et al.(2008)		0.0081

IODINE, 碘，[7553-56-2]

Randebrock(1986)		10.1

IODOBENZENE, 碘苯，[591-50-4]

Backman(1917)	r	0.024～0.037

1-IODOBUTANE, 正丁基碘，[542-69-8]

Dravnieks &Laffort(1972)	d	4.6
Dravnieks(1974)		60

IODOETHANE,碘乙烷，[75-03-6]

Backman(1917)	r	8～9

iodoform→ 碘仿

1-IODO-2-METHYLBENZENE, 邻碘甲苯，[615-37-2]

Backman(1917)	r	0.009

2-IODOPHENOL,邻碘苯酚，[533-58-4]

Kendall et al.(1968)	r	0.000009

2-iodotoluene→邻 碘 甲 苯
a-ionone→α- 紫罗兰酮
(R)-(+)-α-ionone→(R)-(+)-α- 紫罗兰酮
(S)-(一)-a-ionone→(S)- (一)-α-紫罗兰酮
(d)-α-ionone→(R)-(+)-α- 紫罗兰酮
(1)-α-ionone→(S)- (一)-α-紫罗兰酮
β-ionone→β- 紫罗兰酮
(+)-cis-y-irone→(+)- 顺-y-鸢尾酮
(-)-cis-y-irone→ (-)-顺-y-鸢尾酮
(+)-trans-y-irone→(+)- 反-y-鸢尾酮
(-)-trans-y-irone→ (一)-反-y-鸢尾酮
a-irone=α-鸢尾酮
isoamyl acetate→乙酸异戊酯
isoamyl alcohol→异戊醇
isoamyl butyrate→丁酸异戊酯
isoamyl isovalerate→异戊酸异戊酯
isoamyl mercaptan→异戊硫醇
isoamyl propylate→丙酸异戊酯
isobutane→ 异丁烷
isobutanol→ 异丁醇

2-ISOBUTOXYETHANOL，乙二醇单异丁醚，[4439-24-1]

Hellman &Small(1974)	d	0.09
Hellman &Small(1974)	r	0.55

ISOBUTYL ACETATE,乙酸异丁酯，[110-19-0]

Backman(1917)	r	1.9～2.1
May(1966)	d	17
May(1966)	r	34
Hellman &Small(1974)	d	1.7
Hellman &Small(1974)	r	2.4
Cristoph(1983)	r	0.42～0.52
Nagata(2003)	d	0.038
Komthong et al.(2006)		21.1～612

isobutyl acrylate→丙烯酸异丁酯

isobutyl alcohol→异丁醇

ISOBUTYLAMINE，异丁胺，[78-81-9]

Nagata(2003)	d	0.0045

ISOBUTYL BUTANOATE,丁酸异丁酯，[539-90-2]

Backman(1917)	r	0.06～0.10
Laing(1975)	d	18
Nagata(2003)	d	0.0094

isobutyl butyrate→丁酸异丁酯

isobutyl cellosolve→乙二醇单异丁醚

4-ISOBUTYL-2,6-DIMETHYL-3,5-DINITROACETOPHENONE,4-异丁基-2,6-二甲基-3,5-二硝基苯乙酮

Huber(1984)		0.0001

5-ISOBUTYL-2,3-DIMETHYLPYRAZINE,5-异丁基-2,3-二甲基吡嗪，[32263-00-6]

Wagner et al.(1999)		>2

3-ISOBUTYL-2,5-DIMETHYLPYRAZINE,3-异丁基-2,5-二甲基吡嗪，[32736-94-0]

Wagner et al.(1999)		>2

2-ISOBUTYL-3,5-DIMETHYLPYRAZINE,2-异丁基-3,5-二甲基吡嗪，[70303-42-3]

Wagner et al.(1999)		>2

isobutylene→异丁烯

ISOBUTYL FORMATE,甲酸异丁酯，[542-55-2]

Nagata(2003)	d	2.1

isobutyl isobutyrate→异丁酸异丁酯

isobutyl isovalerate→异戊酸异丁酯

isobutyl mercaptan→异丁硫醇

2-ISOBUTYL-3-METHOXYPYRAZINE,2- 异丁基-3-甲氧基吡嗪，[24683-00-9]

Blank et al.(1992)		0.000002～0.000004
Khiari et al.(1992)		0.000005
Wagner et al.(1999)		0.000003

ISOBUTYL 3-METHYLBUTANOATE,异戊酸异丁酯，[589-59-3]

Backman(1917)	r	1.6
Nagata(2003)	d	0.034

ISOBUTYL2-METHYLPROPANOATE, 异丁酸异丁酯，[97-85-8]

Punter(1983)	d	3.7
Nagy(1991)	d	2.9
Nagata(2003)	d	0.44

(-)-(2R,4R)-2-ISOBUTYL-4-METHYLTETRAHYDRO-2H-PYRAN-4-OL,(-)-(2R,4R)- 铃兰吡喃

Abate et al.(2004)		0.00121

(-)-(2R,4S)-2-ISOBUTYL-4-METHYLTETRAHYDRO-2H-PYRAN-4-OL,(-)-(2R,4S)- 铃兰吡喃

Abate et al.(2004)		0.52

(+)-(2S,4R)-2-ISOBUTYL-4-METHYLTETRAHYDRO-2H-PYRAN-4-OL,(+)-(2S,4R)- 铃兰吡喃

Abate et al.(2004)		>0.6

(+)-(2S,4S)-2-ISOBUTYL-4-METHYLTETRAHYDRO-2H-PYRAN-4-OL,(+)-(2S,4S)- 铃兰吡喃

Abate et al.(2004)		0.026

ISOBUTYL PROPANOATE,丙酸异丁酯，[540-42-1]

Backman(1917)	r	0.39～0.43
Nagata(2003)	d	0.11

ISOBUTYL 2-PROPENOATE,丙烯酸异丁酯，[106-63-8]

Hellman &Small(1974)	d	0.01
Hellman &Small(1974)	r	0.05
Nagata(2003)	d	0.0047

isobutyraldehyde→异丁醛

isobutyric acid→异丁酸

isocaproic acid→异己酸

iso-α-irone→ 异-α-鸢尾酮

(d)-iso-a-irone→ (d)-异-α-鸢尾酮

(l)-iso-a-irone→ (l)-异-α-鸢尾酮

isomintlactone→异薄荷内酯

isooctanol→异辛醇

isooctylalcohol→异辛醇

isopentane→异戊烷

isopentanol→异戊醇

ISOPENTYL ACETATE,乙酸异戊酯，[123-92-2]

Hermanides(1909)	r	0.09
Zwaardemaker(1914)	d	0.09
Backman(1917)	r	0.18～0.29
Katz&Talbert(1930)		0.018
Jung(1936)	d	0.2
Jung(1936)	r	0.2
Kerka &Humphreys(1956)		0.2
Pliška &Janiček(1965)		5
Appell(1969)		0.004
Nishida et al.(1979)	d	1100
Punter(1983)	d	0.070～0.084
Cristoph(1983)	r	0.015～0.020
Don(1986)	d	0.075
Lea &Ford(1991)		0.5
Laska &Hudson(1991)	d	0.13～0.14
Hoshika et al.(1997)	r	8
Langridge(2004)		0. 2259(鼻前)
Langridge(2004)		0. 0107(鼻后)
Atanasova et al.(2005)	d	0.018～0.919
Atanasova et al.(2005)	r	0.067～0.918
Komthong et al.(2006)		1950

ISOPENTYL BUTANOATE,丁酸异戊酯，[106-27-4]

Backman(1917)	r	0.13～0.14
Cain &Gent(1991)	d	0.07～0.20

ISOPENTYL FORMATE,甲酸异戊酯，[110-45-2]

Komthong et al.(2006)		149

ISOPENTYL 3-METHYLBUTANOATE,异戊酸异戊酯，[659-70-1]

Backman(1917)	r	0.64
Katz &Talbert(1930)		0.046

ISOPENTYL PROPANOATE,丙酸异戊酯，[105-68-0]

Backman(1917)	r	0.17～0.23
Komthong et al.(2006)		31.3

isophorone→异佛尔酮

isopral→三氯异丙醇

isoprene→异戊二烯

isopropanol→异丙醇

ISOPROPENYLBENZENE,异丙烯苯，[98-83-9]

Wolfet al.(1956)		48～240

Minaev(1966)		0.1
Hellman &Small(1974)	d	0.25
Hellman &Small(1974)	r	0.75
Nagy(1991)	d	2.2

ISOPROPENYL CYANIDE,甲基丙烯腈，[126-98-7]

Pozzani et al.(1968)	d	19
Nagata(2003)	d	8.1

4-ISOPROPENYL-1-CYCLOHEXEN-1-CARBOXALDEHYDE, 紫苏醛，[2111-75-3]

Cristoph(1983)	r	0.26～0.34

1-ISOPROPENYL-4-METHYLBENZENE, **对异丙烯基甲苯，[1195-32-0]**

Schieberle et al.(1988)		0.665～2.660

2-ISOPROPENYL-5-METHYL-1-CYCLOHEXANONE, **异胡薄荷酮，[529-00-0]**

Benzo et al.(2007)		0.00076

4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE, 柠檬烯，[138-86-3]

Fuller et al.(1964)	r	0.058
Appell(1969)		0.01
Dravnieks et al.(1986)	d	1.7
Nagata(2003)	d	0.21
Langridge(2004)		1.6878(鼻前)
Langridge(2004)		0.0539(鼻后)

(R)-(+)-4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE,(d)- 柠檬烯，[5989-27-5]

Cristoph(1983)	r	2.2～2.3
Randebrock(1986)		0.0059
Stevens &Cain(1987a)	d	0.056～5.6
De Wijk(1989)		4.70
Blank &Grosch(1991a)		0.7
Jagella &Grosch(1998)		0.135
Cometto-Muniz et al.(1998b);		
Cometto-Muňiz(1999)	d	55
Buettner&Schieberle(2001a,2001b)		0.424
Benzo et al.(2007)		0.113～0.137
Cain et al.(2007a)	d	0.045

(S)-(一)-4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE,(1)- 柠檬烯，[5989-54-8]

Randebrock(1986)		0.0084
Jagella&Grosch(1998)		0.270
Cometto-Muniz et al.(1998b);		
Cometto-Muniz(1999)	d	25
Molhave et al.(2000)	d	12

5-ISOPROPENYL-1-METHYL-2-CYCLOHEXEN-1-ONE, 香芹酮，[99-49-0]

Tempelaar(1913);Zwaardemaker(1927)	d	0.5～0.55
Langridge(2004)		0.0077(鼻前)
Langridge(2004)		0.0002(鼻后)

(S)-(+)-5-ISOPROPENYL-1-METHYL-2-CYCLOHEXEN-1-ONE,(d)- 香芹酮，[2244-16-8]

Cristoph(1983)	r	0.30～0.40
Blank &Grosch(1991a)		0.03

(R)-(-)-5-ISOPROPENYL-1-METHYL-2-CYCLOHEXEN-1-ONE,(1)- 香芹酮，[6485-40-1]

Amoore(1982)	d	0.034
Cristoph(1983)	r	0.10～0.12
Marin et al.(1988)		0.017～0.025
Schieberle &Grosch(1989);		
Rychlik et al.(1998)		0.0166
Laska &Hudson(1991)	d	0.085～0.15

3-(3-ISOPROPENYLPHENYL)BUTANAL,3-(3-异丙烯苯基)丁醛

Chalk(1990)		0.0007

2-ISOPROPOXYPROPANE,异丙醚，[108-20-3]

Hellman &Small(1974)	d	0.07
Hellman &Small(1974)	r	0.22

ISOPROPYL ACETATE,乙酸异丙酯，[108-21-4]

Backman(1917)	r	27～33
Jung(1936)	d	1.9
Jung(1936)	r	1.9～2.9
May(1966)	d	140
May(1966)	r	170
Hellman &Small(1974)	d	2.1
Hellman &Small(1974)	r	3.8
Scharfenberger(1990)		68
Nagy(1991)	d	9.4
Nagata(2003)	d	0.67

ISOPROPYLAMINE, 异丙胺，[75-31-0]

Hellman &Small(1974)	d	0.5
Hellman &Small(1974)	r	1.7
Nagata(2003)	d	0.06

isopropyl alcohol→异丙醇

2-ISOPROPYLBENZALDEHYDE, 邻异丙基苯甲醛

Von Ranson &Belitz(1992b)	d	0.018
Von Ranson &Belitz(1992b)	r	0.077

3-ISOPROPYLBENZALDEHYDE, **间异丙基苯甲醛，[34246-57-6]**

Von Ranson &Belitz(1992b)	d	0.053
Von Ranson &Belitz(1992b)	r	0.59

4-ISOPROPYLBENZALDEHYDE, 枯茗醛，[122-03-2]

Von Ranson &Belitz(1992b)	d	0.086
Von Ranson &Belitz(1992b)	r	0.14

ISOPROPYLBENZENE, 异丙苯，[98-82-8]

Solomin(1964)		0.06
Elfimova(1966)		0.025
Köster(1971)	d	0.25
Turk(1973)	r	4.8～6.4
Hellman &Small(1974)	d	0.04
Hellman &Small(1974)	r	0.23
Anon.(1980)	d	0.074
Anon.(1980)	r	0.54
Punter(1983)	d	0.65
Bahnmüller(1983)		0.017～1.19
Nagy(1991)	d	0.6
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	5.3
Nagata(2003)	d	0.041

ISOPROPYLBENZENE HYDROPEROXIDE, **过氧化氢异丙苯，[80-15-9]**

Solomin(1964)		0.03

ISOPROPYL BUTANOATE, 丁酸异丙酯，[638-11-9]

Nagata(2003)	d	0.033

isopropyl butyrate→丁酸异丙酯

4-ISOPROPYL-1,3-CYCLOHEXADIEN-1-CARBOXALDEHYDE,4-异丙基-1,3-环己二烯-1-甲醛， [1197-15-5]

Blank et al.(1989)		0.001～0.002

5-ISOPROPYL-2,3-DIMETHYLPYRAZINE, 5-异丙基-2,3-二甲基吡嗪，[40790-21-4]

Wagner et al.(1999)		>2

3-ISOPROPYL-2,5-DIMETHYLPYRAZINE, 3-异丙基-2,5-二甲基吡嗪，[40790-20-3]

Wagner et al.(1999)		>2

2-ISOPROPYL-3,5-DIMETHYLPYRAZINE, 2-异丙基-3,5-二甲基吡嗪，[101613-23-4]

Wagner et al.(1999)		1.12

isopropyl ether→异丙醚

ISOPROPYL FORMATE,甲酸异丙酯，[625-55-8]

Nagata(2003) d 1.0

4-ISOPROPYLIDENE-1-METHYL-3-CYCLOHEXANONE, **长叶薄荷酮，[89-82-7]**

Tempelaar(1913);Zwaardemaker(1927) d 0.084～0.1
Benzo et al.(2007) 0.000884(嗅辨仪分析法)
Benzo et al.(2007) 0.00187(动态稀释嗅辨法)

isopropyl isobutyrate→异丁酸异丙酯
isopropyl mercaptan→异丙硫醇

4-ISOPROPYL-8-MERCAPTO-1-METHYL-1-CYCLOHEXENE,1-对薄荷烯-8-硫醇，[71159-90-5]

Huber(1984) d 0.000001

2-ISOPROPYL-3-METHOXYPYRAZINE,2- **异丙基-3-甲氧基吡嗪，[25773-40-4]**

Buttery et al.(1969) 0.0000036
Sävenhed et al.(1985) d ≤0.000003
Blank et al.(1992) 0.0000005～0.000001
Khiari et al.(1992) 0.000005
Wagner et al.(1999) 0.000002

1-ISOPROPYL-2-METHYLBENZENE, **邻伞花烃，[527-84-4]**

Backman(1917) r 0.004～0.005

1-ISOPROPYL-4-METHYLBENZENE, 对伞花烃，[99-87-6]

Backman(1917) r 0.012
Cristoph(1983) r 2.1～2.4
Schieberle et al.(1988);
Schieberle &Grosch(1988) 0.196～0.785
Cometto-Muniz et al.(1998b);
Cometto-Muniz(1999) d 7.2

trans-5-ISOPROPYL-2-METHYLBICYCLO[3.1.0]-2-HEXANOL, 反-水合桧烯，[17699-16-0]

Cristoph(1983) r 9.2～10.0

1-ISOPROPYL-4-METHYLBICYCLO[3.1.0]-3-HEXANONE, α- 侧柏酮，[546-80-5]

Köster(1971) d 19～35

4-ISOPROPYL-1-METHYL-1,3-CYCLOHEXADIENE, α- 松油烯，[99-86-5]

Cristoph(1983) r 2.35～2.45
Cometto-Muniz et al.(1998b);
Cometto-Muniz(1999) d 7.9

4-ISOPROPYL-1-METHYL-1,4-CYCLOHEXADIENE,γ 松油烯，[99-85-4]

Cristoph(1983) r 1.4～1.6
Lindell(1991) d 2.5
Cometto-Muniz et al.(1998b);

Cometto-Muniz(1999) d 55

4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,a- 水芹烯，[99-83-2]
Cristoph(1983) r 2.9～3.9

(R)-(-)-4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,(1)-a- 水芹烯，[4221-98-1]
Jagella &Grosch(1998) 0.093

(S)-(+)-4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,(d)-α- 水芹烯，[2243-33-6]
Blank &Grosch(1991a) 0.7
Jagella &Grosch(1998) 0.040

(1S,2R,5S)-(+)-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(d)- 薄荷脑，[15356-60-2]
Doll&Bournot(1949) d 0.9
Doll &Bournot(1949) r 2.1

(1R,2S,5R)-(-)-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(1)- 薄荷脑，[2216-51-5]
Doll &Bournot(1949) d 0.9
Doll&Bournot(1949) r 2.1
Marin et al.(1988) 2.17～2.55

2-ISOPROPYL-5-METHYLCYCLOHEXANONE, 异薄荷酮，[36977-92-1]
Benzo et al.(2007) 0.040451

2-ISOPROPYL-5-METHYLCYCLOHEXANONE, 薄荷酮，[10458-14-7]
Marin et al.(1988) 0.021～2.2
Yang et al.(2008) 0.0047

4-ISOPROPYL-1-METHYL-1-CYCLOHEXENE,1- 对薄荷烯，[5502-88-5]
Cristoph(1983) r 7.4～7.7

1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL,4- 萜烯醇，[562-74-3]
Cristoph(1983) r 11.7～12.2
Schieberle &Grosch(1988) 0.59

(R)-1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL, (一)-4-萜品醇，[20126-76-5]
Maas et al.(1993) >3

(S)-1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL,(+)-4- 萜品醇，[2438-10-0]
Maas et al.(1993) >3

1-ISOPROPYL-4-METHYLENEBICYCLO[3.1.0]HEXANE, 桧烯，[3387-41-5]
Cristoph(1983) r 1.5～3.0
Jagella&Grosch(1998) >2

5-ISOPROPYL-2-METHYLPHENOL, 香芹酚，[499-75-2]
Tempelaar(1913);Zwaardemaker(1927) d 0.1
Backman(1917) r 0.011～0.017

Van Anrooij(1931) d 0.18

2-ISOPROPYL-5-METHYLPHENOL, 百里香酚，[89-83-8]

Tempelaar(1913);Zwaardemaker(1927) d 0.038～0.04
Backman(1917) r 0.056～0.075
Van Anrooij(1931) d 0.04
Baldus(1936) d 0.05
Baldus(1936) r 0.1

ISOPROPYL2-METHYLPROPANOATE, **异丁酸异丙酯，[617-50-5]**

Nagata(2003) d 0.19

3-(3-ISOPROPYLPHENYL)BUTANAL，异丙苯基丁醛

Chalk(1990) 0.00007

(+)-3-(3-ISOPROPYLPHENYL)BUTANAL,(+)- 花青醛

Abate et al.(2002) 0.000035

(-)-3-(3-ISOPROPYLPHENYL)BUTANAL, (一)-花青醛

Abate et al.(2002) 0.00088

ISOPROPYL PROPANOATE,**丙酸异丙酯，[637-78-5]**

Nagata(2003) d 0.020
isopropyl propionate→丙酸异丙酯

2-(ISOPROPYLTHIO)PROPANE, 二异丙基硫醚，[625-80-9]

Wilby(1969) r 0.018
Gijs et al.(2000) 0.007

(1R,2S,4R,2'S)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1R,2S,4R,2’S)-1,7,7-三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz &Frank(2001) 0.0002

(1R,2S,4R,2'R)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1R,2S,4R,2’R)-1,7,7-三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz &Frank(2001) 0.040

(1S,2R,4S,2'R)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1S,2R,4S,2’R)-1,7,7-三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz &Frank(2001) 0.088

(1S,2R,4S,2'S)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1S,2R,4S,2’S)-1,7,7-三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz &Frank(2001) 0.040

(1R,2R,4R,2'R)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1R,2R,4R,2'R)-1,7,7- 三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz&Frank(2001) 0.004

(1R,2R,4R,2'S)-2'-ISOPROPYL-1,7,7-TRIMETHYLSPIRO[BICYCLO[2.2.1]HEPTANE-2,4'-(1,3-DIOXANE)],(1R,2R,4R,2'S)-1,7,7- 三甲基-2-异丙基螺[双环[2.2.1]庚烷-2,4'-(1,3-二噁烷)]

Bajgrowicz &Frank(2001) 0.250

isopulegone→ 异胡薄荷酮

isovaleraldehyde→异戊醛

isovaleric acid→异戊酸

K-L

kilval→蚜 灭 多

kilwal→ 蚜灭多

KRYPTON, 氪气，[7439-90-9]

Laffort &Gortan(1987) 6700000

lactic acid→乳酸

lauric acid→月桂酸

lauryl acetate→乙酸月桂酯

laurylaldehyde→月桂醛

(S)-lavandulol→(S)- 薰衣草醇

(R)-lavandulol→(R)- 薰衣草醇

leaf alcohol→叶 醇

leaf aldehyde→叶 醛

(2R,2'R,5'R)-lilac alcohol→(2R,2'R,5'R)-紫丁香醇

(2R,2'R,5'S)-lilac alcohol→(2R,2'R,5'S)-紫丁香醇

(2R,2'S,5'R)-lilac alcohol→(2R,2'S,5'R)-紫丁香醇

(2R,2'S,5'S)-lilac alcohol→(2R,2'S,5'S)-紫丁香醇

(2S,2'R,5'R)-lilac alcohol→(2S,2'R,5'R)-紫丁香醇

(2S,2'R,5'S)-lilac alcohol→(2S,2'R,5'S)-紫丁香醇

(2S,2'S,5'R)-lilac alcohol→(2S,2'S,5'R)-紫丁香醇

(2S,2'S,5'S)-lilac alcohol→(2S,2'S,5'S)-紫丁香醇

(2R,2'R,5'R)-lilac aldehyde→(2R,2'R,5'R)-紫丁香醛

(2R,2'R,5'S)-lilac aldehyde→(2R,2'R,5'S)-紫丁香醛

(2R,2'S,5'R)-lilac aldehyde→(2R,2'S,5'R)-紫丁香醛

(2R,2'S,5'S)-lilac aldehyde→(2R,2'S,5'S)-紫丁香醛

(2S,2'R,5'R)-lilac aldehyde→(2S,2'R,5'R)-紫丁香醛

(2S,2'R,5'S)-lilac aldehyde→(2S,2'R,5'S)-紫丁香醛

(2S,2'S,5'R)-lilac aldehyde→(2S,2'S,5'R)-紫丁香醛

(2S,2'S,5'S)-lilac aldehyde→(2S,2'S,5'S)-紫丁香醛

lilial→ 铃兰醛

lily aldehyde→铃兰醛

limdrostanol→5β,10- 二甲基-脱-A-18-降雄甾烷-13β-醇

limonene→柠檬烯
(4R)-(+)-limonene→ (d)-柠檬烯
(4S)-(-)-limonene→(1)- 柠檬烯
(d)-limonene→(d)- 柠檬烯
(1)-limonene→(1)- 柠檬烯
linalool→芳樟醇
(d)-linalool→(d)- 芳樟醇
(1)-linalool→(1)- 芳樟醇
R-(一)-linalool→(1)- 芳樟醇
S-(+)-linalool→(d)- 芳樟醇
linalyl acetate→乙酸芳樟酯
(R)-(-)-linayl acetate→(R)-(-)-乙酸芳樟酯
(S)-(+)-linayl acetate→(S)-(+)-乙酸芳樟酯
linden ether→3,9-环氧-1,4(8)-对水芹烯
(+)-a-longipinene→ 长 叶 烯
2,6-lutidine→2,6-二甲基吡啶
3,4-lutidine→3,4-二甲基吡啶
3,5-lutidine→3,5-二甲基吡啶

M

trans-(2R,3R)-magnolione→ 反-(2R,3R)-3-(2- 氧代丙基)-2-戊基环戊酮
cis-(一)-(2R,3S)-magnolione→顺-(一)-(2R,3S)-3-(2-氧代丙基)-2-戊基环戊酮
cis-(+)-(2S,3R)-magnolione→ 顺-(+)-(2S,3R)-3-(2- 氧代丙基)-2-戊基环戊酮
trans-(2S,3S)-magnolione→ 反-(2S,3S)-3-(2- 氧代丙基)-2-戊基环戊酮
maleic anhydride→马来酐
maple lactone→甲基环戊烯醇酮
1,3-p-menthadien-7-al→4- 异丙基-1,3-环己二烯-1-甲醛
p-menthan-3-one→ 胡薄荷酮
1-p-menthene→ 1-对薄荷烯

p-MENTH-1-EN-3-[2-METHYL-1,3-BUTADIENYL]-8-OL, 对薄荷-1-烯-3-[2-甲基-1,3-丁二烯]-8-醇

Krings et al.(2006)		<1

1-p-menthene-8-thiol→1- 对薄荷烯-8-硫醇
menthofuran→薄荷呋喃
(+)-(6R)-menthofuran→(+)- 薄荷呋喃

MENTHOL,薄荷脑，[89-78-1]

Tempelaar(1913);Zwaardemaker(1927)	d	68
Backman(1917)	r	0.16～0.31
Baldus(1936)	d	0.0004
Baldus(1936)	r	0.0005
Doll &Bournot(1949)	d	0.9
Doll &Bournot(1949)	r	2.1
Murphy(1983)	d	1.7～3.3

Kleinschmidt(1983) r 3.33
Randebrock(1986) 0.039
Cometto-Muniz &Cain(1990);
Cometto-Muniz(1993) d 0.13
(d)-menthol→(d)- 薄荷脑
(1)-menthol→(1)-薄荷脑
menthone→薄荷酮

MERCAPTOACETALDEHYDE, 巯基乙醛，[4124-63-4]

Vermeulen &Collin(2006) 0.00006

MERCAPTOACETIC ACID,巯基乙酸，[68-11-1]

Dravnieks et al.(1986) d 0.0008
mercaptoacetone→1- 巯基-2-丙酮

1-MERCAPTO-3-BUTANOL,1- 巯基-3-丁醇

Vermeulen et al.(2003) 0.00005

3-MERCAPTO-1-BUTANOL,3- 巯基-1-丁醇

Vermeulen et al.(2003) 0.001

1-MERCAPTO-2-BUTANONE,1- 巯基-2-丁酮

Vermeulen &Collin(2006) 0.004

3-MERCAPTO-2-BUTANONE,3- 巯基-2-丁酮，[40789-98-8]

Hofmann &Schieberle(1995) 0.0002～0.0008
Vermeulen &Collin(2006) 0.006

1-MERCAPTO-3-BUTANONE,1- 巯基-3-丁酮

Vermeulen et al.(2003) 0.0001

3-MERCAPTOBUTANAL,3- 巯基丁醛

Vermeulen &Collin(2002) 0.04

3-MERCAPTOBUTYL ACETATE,3-巯基丁基乙酸酯，[89534-38-3]

Vermeulen &Collin(2003) 0.009

1-MERCAPTO-3-BUTYL ACETATE,1-巯基-3-丁基乙酸酯

Vermeulen &Collin(2003) 0.03
3-mercapto-2-butylpropanal→2- 丁基-3-巯基丙醛
3-mercapto-2-butyl-1-propanol→2- 丁基-3-巯基-1-丙醇
3-mercapto-2-butylpropyl acetate→2-丁基-3-巯基-1-丙基乙酸酯

2-MERCAPTO-1-CYCLOHEXANOL,2- 巯基-1-环己醇

Vermeulen &Collin(2006) 0.005/0.015(不同的对映异构体)

1-MERCAPTO-3,3-DIMETHYL-2-BUTANONE,1- 巯基频哪酮

Vermeulen &Collin(2006) 0.002

3-MERCAPTO-2,2-DIMETHYL-1-PROPANOL,3- 巯基-2,2-二甲基-1-丙醇
Vermeulen &Collin(2006) 0.00004

2-MERCAPTOETHANOL,2- 巯基乙醇，[60-24-2]
Vermeulen &Collin(2006) 0.24

2-(1-MERCAPTOETHYL)FURAN,2-(1- 巯基乙基)呋喃
Hofmann &Schieberle(1997) 0.000009

2-(1-MERCAPTOETHYL)FURYLDITHIO-2-(1-MERCAPTOETHYL)FURAN, 双[2-(1-巯基乙基)呋喃]二硫醚
Hofmann &Schieberle(1997) 0.000005
3-mercapto-2-ethylpropanal→2-乙基-3-巯基丙醛
3-mercapto-2-ethyl-1-propanol→2- 乙基-3-巯基-1-丙醇
3-mercapto-2-ethylpropyl acetate→2-乙基-3-巯基丙基乙酸酯

2-(1-MERCAPTOETHYL)THIOPHENE,2-(1- 巯基乙基)噻吩
Hofmann &Schieberle(1997) 0.000016

N(2-MERCAPTOETHYL)-1,3-THIAZOLIDINE,N(2- 巯基乙基)-1,3-四氢噻唑
Engel&Schieberle(2002) 0.000005

3-MERCAPTOHEPTANAL,3- 巯基庚醛
Vermeulen &Collin(2002) 0.0003

3-MERCAPTO-1-HEPTANOL,3- 巯基-1-庚醇
Vermeulen et al.(2003) 0.00006

7-MERCAPTO-1-HEPTANOL,7- 巯基-1-庚醇
Vermeulen &Collin(2006) 0.012

3-MERCAPTOHEPTYLACETATE,3- 巯基庚基乙酸酯，[548774-80-7]
Vermeulen &Collin(2003) 0.0006

3-MERCAPTOHEXANAL,3- 巯基己醛，[51755-72-7]
Vermeulen &Collin(2002) 0.00003

3-MERCAPTO-1-HEXANOL,3- 巯基-1-己醇，[51755-83-0]
Vermeulen et al.(2003) 0.00004

(R)-3-MERCAPTO-1-HEXANOL,(R)-3- 巯基-1-己醇，[90180-88-4]
Steinhaus et al.(2009) 0.00008

(S)-3-MERCAPTO-1-HEXANOL,(S)-3- 巯基-1-己醇，[90180-90-8]
Steinhaus et al.(2009) 0.00007

6-MERCAPTO-1-HEXANOL,6- 巯基-1-己醇，[1633-78-9]

Vermeulen &Collin(2006) 0.019

4-MERCAPTO-2-HEXANOL,4-巯基-2-己醇
Vermeulen et al.(2001) 0.0002/0.0006(不同的非对映异构体)
5-mercaptohexan-3-0l→4-巯基-2-己醇

2-MERCAPTO-4-HEXANONE,2-巯基-4-己酮
Vermeulen et al.(2001) 0.0002
5-mercaptohexan-3-one→2-巯基-4-己酮
6-mercapto-2-hexanone→6-巯基-2-己酮

1-MERCAPTO-5-HEXANONE,6-巯基-2-己酮
Vermeulen &Collin(2006) 0.0003

2-MERCAPTO-4-HEXYL ACETATE,2-巯基-4-己基乙酸酯
Vermeulen &Collin(2003) 0.004/0.03(不同的非对映异构体)

3-MERCAPTOHEXYL ACETATE,3-巯基己基乙酸酯，[136954-20-6]
Vermeulen &Collin(2003) 0.0002

(R)-3-MERCAPTOHEXYL ACETATE,(R)-3-巯基己基乙酸酯
Steinhaus et al.(2009) 0.0001

(S)-3-MERCAPTOHEXYL ACETATE,(S)-3-巯基己基乙酸酯
Steinhaus et al.(2009) 0.00003

3-MERCAPTO-2-METHYLBUTANAL,3-巯基-2-甲基丁醛
Vermeulen &Collin(2002) 0.00002

3-MERCAPTO-3-METHYLBUTANAL,3-巯基-3-甲基丁醛
Vermeulen &Collin(2002) 0.0006

3-MERCAPTO-2-METHYL-1-BUTANOL,3-巯基-2-甲基-1-丁醇，[227456-33-9]
Vermeulen et al.(2003) 0.0001

(1)-3-MERCAPTO-2-METHYL-1-BUTANOL,(1)-3-巯基-2-甲基-1-丁醇
Acuna et al.(2003,2004) 0.0004

(d)-3-MERCAPTO-2-METHYL-1-BUTANOL,(d)-3-巯基-2-甲基-1-丁醇
Acuna et al.(2003,2004) 0.000004

3-MERCAPTO-3-METHYL-1-BUTANOL,3-巯基-3-甲基-1-丁醇，[34300-94-2]
Vermeulen et al.(2003) 0.004

3-MERCAPTO-2-METHYLBUTYL ACETATE,3-巯基-2-甲基丁基乙酸酯
Vermeulen &Collin(2003) 0.02/0.02(不同的非对映异构体)

3-MERCAPTO-3-METHYLBUTYLACETATE,3-巯基-3-甲基丁基乙酸酯，[50746-09-3]
Vermeulen &Collin(2003) 0.003

Miyazawa et al.(2009a) d 0.00010

3-MERCAPTO-3-METHYLBUTYL FORMATE,3-巯基-3-甲基丁基甲酸酯，[50746-10-6]

Blank &Grosch(1991b,1992);
Blank et al.(1992) 0.0000002～0.0000004

3-MERCAPTO-2-METHYL-5-HEXANOL,3-巯基-2-甲基-5-己醇
Vermeulen et al.(2001) 0.00002/0.00002(不同的非对映异构体)

3-MERCAPTO-2-METHYL-5-HEXANONE,3-巯基-2-甲基-5-己酮，[181356-02-5]
Vermeulen et al.(2001) 0.0003

4-MERCAPTO-5-METHYL-2-HEXYL ACETATE,4-巯基-5-甲基-2-己基乙酸酯
Vermeulen &Collin(2003) 0.05/0.08(不同的非对映异构体)

3-MERCAPTO-2-METHYLPENTANAL,3-巯基-2-甲基戊醛，[227456-28-2]
Vermeulen &Collin(2002) 0.001/0.00003(不同的非对映异构体)

3-MERCAPTO-2-METHYL-1-PENTANOL,3-巯基-2-甲基-1-戊醇，[227456-30-6]
Vermeulen et al.(2003) 0.00004/0.00007(不同的非对映异构体)

(2R,3S)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2R,3S)-3-巯基-2-甲基-1-戊醇
Sabater-Lüntzel et al.(2000);
Widder et al.(2001,2002) d 0.00000007～0.0000002

(2S,3R)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2S,3R)-3-巯基-2-甲基-1-戊醇
Sabater-Lüntzel et al.(2000) d 0.000003～0.000007

4-MERCAPTO-3-METHYL-2-PENTANOL,4-巯基-3-甲基-2-戊醇
Vermeulen et al.(2001) 0.000001
Vermeulen et al.(2003) 0.000001/0.0006(不同的非对映异构体)

4-MERCAPTO-4-METHYL-2-PENTANOL,4-巯基-4-甲基-2-戊醇，[31539-84-1]
Vermeulen et al.(2001) 0.00009

4-MERCAPTO-3-METHYL-2-PENTANONE,4-巯基-3-甲基-2-戊酮
Vermeulen et al.(2001) 0.0002/0.004(不同的非对映异构体)
Vermeulen &Collin(2002) 0.00098(不同的非对映异构体)

4-MERCAPTO-4-METHYL-2-PENTANONE,4-巯基-4-甲基-2-戊酮，[19872-52-7]
Vermeulen et al.(2001);Vermeulen &Collin(2002) 0.00004
2-mercapto-2-methyl-4-pentanone→4-巯基-4-甲基-2-戊酮

3-MERCAPTO-2-METHYLPENTYL ACETATE,3-巯基-2-甲基戊基乙酸酯
Vermeulen &Collin(2003) 0.0007

4-MERCAPTO-3-METHYL-2-PENTYL ACETATE,4-巯基-3-甲基-2-戊基乙酸酯
Vermeulen &Collin(2003) 0.001/0.02(不同的非对映异构体)

4-MERCAPTO-4-METHYL-2-PENTYL ACETATE,4-巯基-4-甲基-2-戊基乙酸酯
Vermeulen &Collin(2003) 0.08

3-MERCAPTO-2-METHYLPROPANAL,3- 巯基-2-甲基丙醛
Vermeulen &Collin(2002) 0.03

3-MERCAPTO-2-METHYL-1-PROPANOL,3- 巯基-2-甲基-1-丙醇，[56160-79-3]
Vermeulen et al.(2003) 0.0007

(3R)-3-MERCAPTO-2-METHYL-1-PROPANOL,(3R)-3- 巯基-2-甲基-1-丙醇
Vermeulen &Collin(2006) 0.038

(3S)-3-MERCAPTO-2-METHYL-1-PROPANOL,(3S)-3- 巯基-2-甲基-1-丙醇
Vermeulen &Collin(2006) 0.006

1-MERCAPTO-2-METHYL-2-PROPANOL,1- 巯基-2-甲基-2-丙醇
Vermeulen &Collin(2006) 0.005

3-MERCAPTO-2-METHYLPROPYL ACETATE,3-巯基-2-甲基丙基乙酸酯
Vermeulen &Collin(2003) 0.211

3-MERCAPTO-1-NONANOL,3- 巯基-1-壬醇
Vermeulen et al.(2003) 0.0008

4-MERCAPTO-2-NONANOL,4- 巯基-2-壬醇
Vermeulen et al.(2003) 0.00002/0.00008(不同的非对映异构体)

4-MERCAPTO-2-NONANONE,4- 巯基-2-壬酮
Vermeulen et al.(2003) 0.0002

3-MERCAPTONONYL ACETATE,3-巯基壬基乙酸酯
Vermeulen &Collin(2003) 0.15

4-MERCAPTO-2-NONYL ACETATE,4-巯基-2-壬基乙酸酯
Vermeulen &Collin(2003) 0.44/1.15(不同的非对映异构体)

3-MERCAPTOOCTANAL,3- 巯基辛醛
Vermeulen &Collin(2002) 0.00001

3-MERCAPTO-1-OCTANOL,3- 巯基-1-辛醇
Vermeulen et al.(2003) 0.00004

8-MERCAPTO-1-OCTANOL,8- 巯基-1-辛醇
Vermeulen &Collin(2006) 0.033

3-MERCAPTOOCTYL ACETATE,3-巯基辛基乙酸酯
Vermeulen &Collin(2003) 0.009

3-MERCAPTOPENTANAL,3- 巯基戊醛

Vermeulen &Collin(2002) 0.01

1-MERCAPTO-3-PENTANOL,1- 巯基-3-戊醇

Vermeulen et al.(2003) 0.0005

3-MERCAPTO-1-PENTANOL,3- 巯基-1-戊醇

Vermeulen et al.(2003) 0.00001

4-MERCAPTO-2-PENTANOL,4- 巯基-2-戊醇

Vermeulen et al.(2001) 0.00002/0.0002(不同的非对映异构体)

3-MERCAPTO-2-PENTANONE,3- 巯基-2-戊酮，[67633-97-0]

Gasser &Grosch(1990a) 0.000045～0.00018

Hofmann &Schieberle(1995) 0.00005～0.0002

Kerscher&Grosch(1998) 0.00015

4-MERCAPTO-2-PENTANONE,4- 巯基-2-戊酮，[92585-08-5]

Vermeulen et al.(2001) 0.0003

Vermeulen &Collin(2002) 0.00069

5-mercapto-2-pentanone→5-巯基-2-戊酮

1-MERCAPTO-3-PENTANONE,1- 巯基-3-戊酮

Vermeulen et al.(2003);

Vermeulen &Collin(2006) 0.00009

2-MERCAPTO-3-PENTANONE,2- 巯基-3-戊酮，[17042-24-9]

Kerscher &Grosch(1998) 0.0006

1-MERCAPTO-4-PENTANONE,1- 巯基-4-戊酮

Vermeulen &Collin(2006) 0.00002

1-MERCAPTO-3-PENTYL ACETATE,1-巯基-3-戊基乙酸酯

Vermeulen &Collin(2003) 0.04

3-MERCAPTOPENTYL ACETATE,3-巯基戊基乙酸酯

Vermeulen &Collin(2003) 0.01

4-MERCAPTO-2-PENTYL ACETATE,4-巯基-2-戊基乙酸酯

Vermeulen &Collin(2003) 0.008/0.02(不同的非对映异构体)

1-mercaptopinacolone→1-巯基频哪酮

3-MERCAPTOPROPANAL,3- 巯基丙醛

Vermeulen &Collin(2002) 0.0006

(2R)-2-MERCAPTO-1-PROPANOL,(2R)-2- 巯基-1-丙醇

Vermeulen &Collin(2006) 0.01

3-MERCAPTO-1-PROPANOL,3- 巯基-1-丙醇，[19721-22-3]

Vermeulen et al.(2003);Vermeulen &Collin(2006)		0.002～0.003

1-MERCAPTO-2-PROPANOL,1-巯基-2-丙醇，[1068-47-9]

Vermeulen &Collin(2006)		0.046

1-MERCAPTO-2-PROPANONE,1-巯基-2-丙酮，[24653-75-6]

Hofmann &Schieberle(1995)		0.0017～0.0068
Vermeulen &Collin(2006)		0.019

3-MERCAPTOPROPYL ACETATE,3-巯基丙基乙酸酯

Vermeulen &Collin(2003)		0.009

mesidine→均三甲苯胺
mesitylene→均三甲苯
mesityl oxide→4-甲基-3-戊烯-2-酮
mesotan→水杨酸甲氧基甲酯
methacrolein→异丁烯醛
methacrylic acid→甲基丙烯酸
methacrylonitrile→甲基丙烯腈

METHANAL，甲醛，[50-00-0]

Backman(1917)	r	0.033～0.036
Melekhina(1958)		0.07
Buchberg et al.(1961)		1.1～2.2
Pliška & Janiček(1965)		12000
Sgibnev(1968)		0.3～0.4
Leonardos et al.(1969)	r	1.2
Feldman &Bonashevskya(1971)		0.073
Takhirov(1974)		0.065
Makeicheva(1978)		0.077
Anon.(1980)	d	0.49
Anon.(1980)	r	2.3
Berglund et al.(1984);		
Ahlström et al.(1986b)	d	0.06
Berglund et al.(1987)	d	0.14～0.21
Winneke et al.(1988)		0.15～0.29
Nagy(1991)	d	2.2
Berglund &Nordin(1992)	d	0.066～0.11
Berglund &Esfandabad(1992)		0. 18(气味)
Berglund&Esfandabad(1992)		0. 69(刺激)
Nagata(2003)	d	0.6

METHANE，甲烷，[74-82-8]

Laffort &Gortan(1987)		1900000

METHANETHIOL，甲硫醇，[74-93-1]

Katz &Talbert(1930)		0.081
Bozza&Colombo(1949)		1
Freudenberg &Reichert(1955)		0.0005
Guadagni(1966)		0.0002
Endo et al.(1967)		1.1
Leonardos et al.(1969)	r	0.0042
Wilby(1969)	r	0.002
Hamanabe et al.(1969)		0.0002
Sanders et al.(1970)		0.0019
Selyuzhitskii(1972)		0.0005
Artho &Koch(1973)		0.000000000001
Blanchard(1976)		0.003
Williams et al.(1977)	d	0.0000003
Nishida et al.(1979)	d	0.038
Bedborough &Trott(1979)	d	0.00016
Anon.(1980)	d	0.00024
Anon.(1980)	r	0.0013
Nagy(1991)	d	0.0024
Nagata(2003)	d	0.00014
Greenman et al.(2004)		0.00048
Glindemann et al.(2006)	d	0.001

methanoic acid→甲酸

METHANOL, 甲醇，[67-56-1]

Passy(1892c)	d	1000
Zwaardemaker(1914)	d	600
Backman(1917)	r	900～1000
Grijns(1919);Zwaardemaker(1927)		2150
Jung(1936)	d	23.4～54.6
Jung(1936)	r	54.6～62.4
Gavaudan et al.(1948)		150
Mullins(1955)	r	19300
Scherberger et al.(1958)	r	1950
Chao-Chen-Tzi(1959)		4.3
Janiček et al.(1960)		4000
Pliška &Janiček(1965)		260000
May(1966)	d	7800
May(1966)	r	11700
Ubaidullaev(1966a)		4.5
Leonardos et al.(1969)	r	130
Hellman &Small(1974)	d	5.5
Hellman &Small(1974)	r	69
Anon.(1980)	d	74

Anon.(1980)	r	260
Nauš(1982)	d	4
Nauš(1982)	r	10
Cometto-Muñiz & Cain(1990); Cometto-Muniz(1993)	d	2096
Scharfenberger(1990)		1975
Nagata(2003)	d	43

methional→3-甲硫基丙醛 •

methionol→3-甲硫基丙醇

methone→双甲酮

4-METHOXYBENZALDEHYDE,茴香醛,[123-11-5]

Van Anrooij(1931)	d	0.034
Blank et al.(1989)		0.0001～0.0002

METHOXYBENZENE,茴香醚,[100-66-3]

Hendriks(1979)	d	0.56
Punter(1983)	d	1.5

1-METHOXYBUTYL ACETATE,1-甲氧基丁基乙酸酯

Nagy(1991)	d	0.68

6-METHOXY-2,6-DIMETHYLHEPTANAL, 甲氧基甜瓜醛,[62439-41-2]

Mueller(2007)		0.00192

6-METHOXY-2,6-DIMETHYLOCTANAL,6- 甲氧基-2,6-二甲基辛醛

Mueller(2007)		0.00078

2-METHOXY-3,5-DIMETHYLPYRAZINE,2- 甲氧基-3,5-二甲基吡嗪

Czerny &Grosch(2000)	d	0.000000001

3-METHOXY-2,5-DIMETHYLPYRAZINE,3- 甲氧基-2,5-二甲基吡嗪,[19846-22-1]

Czerny &Grosch(2000)	d	0.056

2-METHOXYETHANOL, 乙二醇单甲醚,[109-86-4]

May(1966)	d	190
May(1966)	r	280
Hellman &Small(1973,1974)	d	<0.3
Hellman &Small(1973,1974)	r	0.7

2-METHOXYETHYL ACETATE,乙二醇甲醚乙酸酯,[110-49-6]

Hellman &Small(1973,1974)	d	1.6
Hellman &Small(1973,1974)	r	3.1

1-METHOXY-3-HEPTANETHIOL,1- 甲氧基-3-庚硫醇

Van de Waal et al.(2001)		0.00000082

1-METHOXY-3-HEXANETHIOL,1- 甲氧基-3-己硫醇		
Van de Waal et al.(2001)		0.00000036
(R)-1-METHOXY-3-HEXANETHIOL,(R)-1- 甲氧基-3-己硫醇		
Van de Waal et al.(2001)		0.00000109
(S)-1-METHOXY-3-HEXANETHIOL,(S)-1- 甲氧基-3-己硫醇		
Van de Waal et al.(2001)		0.00000004
methoxy melonal→甲氧基甜瓜醛		
METHOXYMETHANE, 甲醚，[115-10-6]		
Nagy(1991)	d	430
Nagy(1991)	d	303.967
1-METHOXY-3-METHYL-3-BUTANETHIOL,1- 甲氧基-3-甲基-3-丁硫醇，[94087-83-9]		
Guth &Grosch(1991)		0.00000008～0.0000003
1-METHOXY-4-METHYL-3-PENTANETHIOL,1- 甲氧基-4-甲基-3-戊硫醇		
Van de Waal et al.(2001)		0.000043
2-METHOXY-2-METHYLPROPANE,甲基叔丁基醚，[1634-04-4]		
Smith &Duffy(1995)	d	0.11
Smith &Duffy(1995)	r	0.22
Prah et al.(1994);Schulman(2001)	d	0.63
methoxymethyl salicylate→水杨酸甲氧基甲酯		
1-METHOXYNAPHTHALENE,1- 甲氧基萘，[2216-69-5]		
Backman(1917)	r	0.0008～0.0009
2-METHOXYNAPHTHALENE,2- 甲氧基萘，[93-04-9]		
Passy(1892a)	d	0.001～0.005
Backman(1917)	r	0.008～0.016
Sävenhed et al.(1985)	d	0.001～0.004
2-METHOXYPHENOL, 愈创木酚，[90-05-1]		
Hermanides(1909)	r	0.0037
Zwaardemaker(1914,1927)	d	0.0037～0.004
Backman(1917)	r	0.0025
Zwaardemaker &Komuro(1921)	d	0.64
Dravnieks et al.(1986)	d	0.0026
Guth &Grosch(1991)		0.0001～0.0008
Ferreira et al.(1998)		0.0004
Atanasova et al.(2005)	d	0.00020～0.00062
Atanasova et al.(2005)	r	0.00037～0.00452
Yang et al.(2008)		0.0015

1-METHOXY-2-PROPANOL, 丙二醇甲醚，[107-98-2]

Stewart et al.(1970)	d	37
Nagy(1991)	d	121
Nagy(1991)	d	30.908

1-METHOXY-4-(1-PROPENYL)BENZENE, 茴香脑，[104-46-1]

Tempelaar(1913)	d	0.14
Rocén(1920)	r	0.19
Laska &Hudson(1991)	d	0.057
Langridge(2004)		0.0218(鼻前)
Langridge(2004)		0.0018(鼻后)

1-METHOXY-2-PROPYL ACETATE, 丙二醇甲醚乙酸酯，[108-65-6]

Nagy(1991)	d	0.7
Ziemer et al.(2000)	d	0.016

2-methoxy-4-vinylphenol→对乙烯基愈创木酚

N-METHYLACETANILIDE,N 甲基乙酰苯胺，[579-10-2]

Backman(1917)	r	0.42～0.51

METHYL ACETATE, 乙酸甲酯，[79-20-9]

Zwaardemaker(1914,1927)	d	2
Backman(1917)	r	67
Gofmekler(1960)		0.5
Janiček et al.(1960)		5250
Nauš(1962)	d	0.7
May(1966)	d	550
May(1966)	r	900
Anon.(1980)	d	22
Anon.(1980)	r	63
Scharfenberger(1990)		579
Cometto-Muniz &Cain(1991); Cometto-Muniz(1993)	d	8628
Nagata(2003)	d	5.1

p-methyl acetophenone→对甲基苯乙酮

methyl acrylate→丙烯酸甲酯

methyl alcohol→甲 醇

METHYLAMINE, 甲胺，[74-89-5]

Leonardos et al.(1969)	r	0.027
Nishida et al.(1975)	d	0.065
Nishida et al.(1979)	d	6.1
Anon.(1980)	d	0.0012
Anon.(1980)	r	0.012

Hill &Barth(1976)		0.027
Nagy(1991)	d	0.23
Nagata(2003)	d	0.046

METHYL2-AMINOBENZOATE, 氨茴酸甲酯，[134-20-3]

Passy(1892d)	d	0.005～0.4
Zwaardemaker(1914,1927)	d	0.006
Katz&Talbert(1930)		0.058
Appell(1969)		0.000006

2-(METHYLAMINO)ETHANOL,2- 甲基氨基乙醇，[109-83-1]

Hellman &Small(1974)	d	3.1
Hellman &Small(1974)	r	10.5

METHYL3-AMINO-4-HYDROXYBENZOATE, 邻卡因，[536-25-4]

Backman(1917)	r	0.2～1.9

methyl amyl ketone→2-庚酮

2-METHYLANILINE, 邻甲苯胺，[95-53-4]

Huijer(1917)	d	29
Backman(1917)	r	4.0～5.4
Stuiver(1958)	d	0.11

3-METHYLANILINE, 间甲苯胺，[108-44-1]

Huijer(1917)	d	26
Backman(1917)	r	3.0～3.9
Stuiver(1958)	d	2

4-METHYLANILINE, 对甲苯胺，[106-49-0]

Huijer(1917)	d	14
Backman(1917)	r	1.0～1.3
Stuiver(1958)	d	0.12

N-METHYLANILINE,N 甲基苯胺，[100-61-8]

Backman(1917)	r	6.9～8.6

4-METHYLANISOLE, 大茴香醚，[104-93-8]

Appell(1969)		0.0002

methyl anthranilate→氨茴酸甲酯

2-METHYLBENZALDEHYDE, 邻甲基苯甲醛，[529-20-4]

Von Ranson &Belitz(1992b)	d	0.0096
Von Ranson &Belitz(1992b)	r	0.038

3-METHYLBENZALDEHYDE, 间甲基苯甲醛，[620-23-5]

Von Ranson &Belitz(1992b)	d	0.60

Von Ranson &Belitz(1992b)	r	0.89

4-METHYLBENZALDEHYDE, 对甲基苯甲醛，[104-87-0]

Von Ranson &Belitz(1992b)	d	0.0012
Von Ranson &Belitz(1992b)	r	0.0072

methylbenzene→甲苯

4-METHYLBENZENETHIOL, 对甲苯硫酚，[106-45-6]

Katz &Talbert(1930)		0.014

METHYL BENZOATE,苯甲酸甲酯，[93-58-3]

Appell(1969)		0.0025
Randebrock(1986)		0.0015

7-METHYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 甲基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.000031

α-methyl-1,3-benzodioxole-5-propanal→胡椒基丙醛

2-METHYL-1,3-BUTADIENE, 异戊二烯，[78-79-5]

Artho &Koch(1973)		1～10
Nagata(2003)	d	0.13

(R)-2-METHYLBUTANAL,(R)-2- 甲基丁醛

Bartschat &Mosandl(1998)		0.1

(S)-2-METHYLBUTANAL,(S)-2- 甲基丁醛

Bartschat &Mosandl(1998)		0.01

3-METHYLBUTANAL, 异戊醛，[590-86-3]

Bedborough &Trott(1979)	d	0.0016
Blank(1990);Blank et al.(1992); Schieberle &Grosch(1994)		0.002～0.006
Nagata(2003)	d	0.00035

(E)-2-METHYLBUTANAL OXIME O-METHYLETHER,(E)-2-甲基丁醛肟甲醚

Nussbaumer &Hostettler(1996)		0.001

(Z)-2-METHYLBUTANAL OXIME O-METHYL ETHER,(Z)-2-甲基丁醛肟甲醚

Nussbaumer &Hostettler(1996)		0.001

2-METHYLBUTANE, 异戊烷，[78-78-4]

Nagata(2003)	d	3.8

3-METHYL-1-BUTANETHIOL, 异戊硫醇，[541-31-1]

Katz&Talbert(1930)		0.0018
Nagata(2003)	d	0.0000033

2-METHYL-2-BUTANETHIOL, 叔戊硫醇，[1679-09-0]

Deadman &Prigg(1959)	d	0.0015

METHYL BUTANOATE,丁酸甲酯，[623-42-7]

Tempelaar(1913);Zwaardemaker(1927)	d	0.077～0.1
Nagata(2003)	d	0.030

2-METHYLBUTANOIC ACID,2-甲基丁酸，[116-53-0]

Punter(1983)	d	0.020

3-METHYLBUTANOIC ACID,异戊酸，[503-74-2]

Backman(1917)	r	0.07～0.13
Hesse(1926)	r	3.0
Schwarz(1955)		0.008
Kerka&Humphreys(1956)		0.005
Amoore(1977);Amoore &Buttery(1978)	d	0.0041～0.0042
Hendriks(1979)	d	0.0007～0.001
Anon.(1980)	d	0.00022
Anon.(1980)	r	0.0018
Punter(1983)	d	0.0052～0.0069
Dravnieks et al.(1986)	d	0.014
Blank &Schieberle(1993)		0.001～0.002
Nagata(2003)	d	0.00033
Greenman et al.(2004)		0.0018

2-METHYL-1-BUTANOL, 活性戊醇，[137-32-6]

Backman(1917)	r	1.4～1.7
Hellman &Small(1973,1974)	d	0.14
Hellman &Small(1973,1974)	r	0.83
Cristoph(1983)	r	0.9～1.0
Komthong et al.(2006)		329

(S)-(-)-2-METHYL-1-BUTANOL,(S)-（一)-2-甲基-1-丁醇，[1565-80-6]

Passy(1892c)	d	0.6

3-METHYL-1-BUTANOL, 异戊醇，[123-51-3]

Passy(1892c)	d	0.1
Backman(1917)	r	0.26
Jung(1936)	d	0.08
Jung(1936)	r	0.16
Bahnmüller(1983)		0.019～0.547
Bahnmüller(1984)		0.030～0.16
Dollnick et al.(1988)		0.116
Guth(1997)		0.125
Guth(1997)		6.3(空气中乙醇浓度为55.6毫克/升)
Ferreira et al.(1998)		2.8

Nagata(2003)	d	0.0061

2-METHYL-2-BUTANOL, 叔戊醇，[75-85-4]

Passy(1892c)	d	20～40
Backman(1917)	r	2.0～3.0
Nagata(2003)	d	0.32

3-METHYL-2-BUTANONE, **甲基异丙基酮，[563-80-4]**

Backman(1917)	r	15～17
Nagata(2003)	d	1.8

3-METHYL-2-BUTENE-1-THIOL, 异戊烯基硫醇，[5287-45-6]

Mayer(1996)		0.000013～0.000026
Vermeulen &Collin(2006)		0.0000005

3-METHYL-3-BUTEN-2-ONE, 甲基异丙烯基酮，[814-78-8]

Rowe &Wolf(1962)		1

2-METHYLBUTYLACETATE, 活性乙酸戊酯，[624-41-9]

Cristoph(1983)	r	0.14～0.21

3-methylbutyl acetate→乙酸异戊酯

7-(2'-METHYLBUTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(2'-甲基丁基)苯并[b][1,4] 二氧杂环-**3-庚酮**

Kraft &Eichenberger(2003)		0.00008

7-(3'-METHYLBUTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(3'-甲基丁基)苯并[b][1,4] 二氧杂环-**3-庚酮**

Kraft &Eichenberger(2003)		0.000014

methyl-tert-butyl ether→甲基叔丁基醚
methyl butyl ketone→2-己酮
methyl sec.butyl ketone→甲基仲丁基酮
methyl tert-butyl ketone→甲基叔丁基酮

(3-METHYLBUTYLTHIO)-3-METHYLBUTANE, **二异戊基硫醚，[544-02-5]**

Katz &Talbert(1930)		0.021

methyl butyrate→丁酸甲酯
α-methylbutyric acid→2-甲基丁酸
methyl cellosolve→乙二醇单甲醚
methyl cellosolve acetate→乙二醇甲醚乙酸酯
methylchavicol→ 草蒿脑
methyl chloride→氯甲烷
methylchloroform→ 1,1,1- 三氯乙烷
methyl p-cresol→大茴香醚

METHYL CYANIDE,乙腈，[75-05-8]

Pozzani et al.(1959) <67
Dravnieks &Laffort(1972) 285
Dravnieks(1974) d 1950
Nagata(2003) d 22
methyl 2-cyanoacrylate→2-氰基丙烯酸甲酯

METHYL 2-CYANO-2-PROPENOATE,2-氰基丙烯酸甲酯，[137-05-3]
McGee et al.(1968) 4.5～13.5

METHYLCYCLOHEXANE, 甲基环己烷，[108-87-2]
Nagata(2003) d 0.60

2-METHYLCYCLOHEXANONE,2- 甲基环己酮，[583-60-8]
Van Thriel et al.(2006) d 0.83

3-METHYLCYCLOPENTADECANONE, 麝香酮，[541-91-3]
Traynor(2001) 0.029

(3R)-(-)-3-METHYLCYCLOPENTADECANONE,(R)- (一)-麝香酮
Kraft & Fráter(2001) 0.0021

3-METHYLCYCLOPENTADECENONE, 麝香烯酮，[82356-51-2]
Traynor(2001) 0.184

METHYLCYCLOPENTANE, 甲基环戊烷，[96-37-7]
Nagata(2003) d 5.8
3-methyl-1,2-cyclopentanedione→甲基环戊烯醇酮
methylcyclopentenolone→甲基环戊烯醇酮

(E)-2-METHYLCYCLOPROPAN-1-CARBALDEHYDE,(E)-2- 甲基环丙基-1-醛
Von Ranson &Belitz(1992b) d 0.22
Von Ranson &Belitz(1992b) r 0.22

(Z-2-METHYLCYCLOPROPAN-1-CARBALDEHYDE,(Z)-2- 甲基环丙基-1-醛
Von Ranson &Belitz(1992b) d 0.34
Von Ranson &Belitz(1992b) r 0.34

6-[(E)-2-METHYLCYCLOPROP-1-YL]HEXANAL,6-[(E)-2- 甲基-1-环丙基]己醛
Von Ranson &Belitz(1992b) d 0.068
Von Ranson &Belitz(1992b) r 0.15

6-[(Z)-2-METHYLCYCLOPROP-1-YL]HEXANAL,6-[(Z)-2- 甲基-1-环丙基]己醛
Von Ranson &Belitz(1992b) d 0.23
Von Ranson &Belitz(1992b) r 0.54

(E)-3-METHYLCYCLO-5-TETRADECEN-1-ONE,(E)-3- 甲基环十四-5-烯-1-酮
Helmlinger et al.(2001) 0.0002

(Z-3-METHYLCYCLO-5-TETRADECEN-1-ONE,(Z)-3- 甲基环十四-5-烯-1-酮

Helmlinger et al.(2001)		0.0022

(+)-(5R)-4-METHYL-3(E)-DECEN-5-OL,(+)-(R)- 甲基癸烯醇

Abate et al.(2005)		0.00031

(-)-(5S)-4-METHYL-3(E)-DECEN-5-OL,(-)-(S)- 甲基癸烯醇

Abate et al.(2005)		0.0047

methyl dichloroarsine→二氯甲基胂

1-METHYL-2,3-DIHYDRO-1H-5,9-DIOXACYCLOHEPTA[f]INDEN-7-ONE,1- **甲基-2,3-二氢-1H-5,9-二氧杂环庚[f]茚-7-酮**

Kraft &Eichenberger(2003)		0.00026

methyl 2,5-dimethylfur-3-yl disulphide→2,5-二甲基-3-(甲基二硫)呋喃

2-METHYL-4,6-DINITROPHENOL,4,6- **二硝基邻甲酚，[534-52-1]**

Kurtschatowa &Dawidkowa(1970)		0.004～0.021

METHYLDITHIOETHANE, 乙基甲基二硫醚，[20333-39-5]

Wilby(1969)	r	0.062

METHYLDITHIOMETHANE,二甲基二硫醚，[624-92-0]

Wilby(1969)	r	0.029
Lindvall(1970)	d	0.003～0.014
Selyuzhitskii(1972)		3.5
Bedborough &Trott(1979)	d	0.046
Anon.(1980)	d	0.0011～0.0020
Anon.(1980)	r	0.011～0.017
Moriguchi et al.(1983)	d	0.007
Ahlström et al.(1986a)	d	0.050～0.078
Nagy(1991)	d	0.066
Gijs et al.(2000)		0.82
Greenman et al.(2004)		5.6
Nagata(2003)	d	0.0084

(E)-2-METHYL-4-DODECENAL,(E)-2- **甲基-4-十二烯醛**

Kaiser(2007)		0.064

(E)-3-METHYL-4-DODECENAL,(E)-3- **甲基-4-十二烯醛**

Kaiser(2007)		0.02

(E)-4-METHYL-4-DODECENAL,(E)-4- **甲基-4-十二烯醛**

Kaiser(2007)		0.001

METHYL DODECANOATE,月桂酸甲酯，[111-82-0]

Backman(1917)	r	0.0015～0.0026

methylene bis(methyl sulphide)→双(甲硫基)甲烷

methylene chloride→二氯甲烷

3,4-(METHYLENEDIXOY)BENZALDEHYDE, 洋茉莉醛，[120-57-0]

Passy(1892a,1892b)	d	0.05～0.1
Backman(1917)	r	0.014～0.024
Henning(1924)	d	0.01
Zwaardemaker(1927)		0.0001
Van Anrooij(1931)	d	0.001
Baldus(1936)	d	0.02～0.03
Baldus(1936)	r	0.04
Appell(1969)		0.00003

METHYL ETHOXYDITHIOFORMATE,黄原酸甲酯

Deadman &Prigg(1959)	d	0.008

methyl ethyl disulphide→乙基甲基二硫醚

methyl ethyl ketone→2-丁酮

METHYL FORMATE,甲酸甲酯，[107-31-3]

Backman(1917)	r	165～180
May(1966)	d	5000
May(1966)	r	6900
Nagata(2003)	d	325

2-METHYL-3-FURANTHIOL,2-甲基-3-呋喃硫醇，[28588-74-1]

Gasser &Grosch(1990a,b)		0.0000025～0.00001
Blank et al.(1992);Blank(1997,2002)		0.000001～0.000002(嗅辨仪，SE-54色谱柱)
Blank(1997,2002)		0.005～0.01(嗅辨仪，FFAP 色谱柱)

3-(2-METHYL)FURYLDITHIO-3-(2-METHYL)FURAN, 双(2-甲基-3-呋喃基)二硫醚，[28588-75-2]

Gasser &Grosch(1990a,b)		0.0000006～0.0000028
Etzweiler(1993)		0.00002～0.000057

5-METHYL-2-FURYLMETHANETHIOL,5-甲基-2-呋喃甲硫醇，[59303-05-8]

Hofmann &Schieberle(1997)		0.000006

2-METHYL-3-FURYL-3-0XO-2-BUTYL DISULPHIDE,2-甲基-3-呋喃基-3-氧代-2-丁基二硫醚

Hofmann &Schieberle(1995)		0.00001～0.00004

methyl glycol→乙二醇单甲醚

2-METHYLHEPTANE,2-甲基庚烷，[592-27-8]

Nagata(2003)	d	0.52

3-METHYLHEPTANE,3-甲基庚烷，[589-81-1]

Nagata(2003)	d	7.1

4-METHYLHEPTANE,4-甲基庚烷，[589-53-7]

Nagata(2003)	d	8.0

METHYLHEPTANOATE, 庚酸甲酯，[106-73-0]

Backman(1917)	r	0.29～0.59

2-METHYL-1-HEPTANOL, 异辛醇，[60435-70-3]

Tsulaya et al.(1972)		0.26
Nagata(2003)	d	0.049

5-METHYL-3-HEPTANONE,5- 甲基-3-庚酮，[541-85-5]

Toxicity data sheet(1958b)		31

3-METHYL-4-HEPTANONE,3- 甲基-4-庚酮，[15726-15-5]

Burdack-Freitag &Schieberle(2010)		0.0018

5-methyl-4-heptanone→3-甲基-4-庚酮

methylheptenone→甲基庚烯酮

6-METHYL-5-HEPTEN-2-ONE, 甲基庚烯酮，[110-93-0]

Tempelaar(1913);Zwaardemaker(1927)	d	0.3
Backman(1917)	r	0.51～0.54
Fuller et al.(1964)	r	0.0063
Cristoph(1983)	r	1.8～2.5
Benzo et al.(2007)		0.01889

2-METHYL-1-HEPTEN-3-ONE,2- **甲基-1-庚烯-3-酮**

Koszinowski&Piringer(1986)		0.3

5-METHYL-(E)-2-HEPTEN-4-ONE,(E)- 榛子酮，[102322-83-8]

Burdack-Freitag & Schieberle(2010)		0.00008

methyl heptine carbonate→2-辛炔酸甲酯

methyl heptyl ketone→2-壬酮

(R)-4-METHYLHEXANAL,(R)-4- 甲基己醛

Bartschat &Mosandl(1998)		0.03

(S)-4-METHYLHEXANAL,(S)-4- 甲基己醛

Bartschat &Mosandl(1998)		0.25

2-METHYLHEXANE,2- 甲基己烷，[591-76-4]

Nagata(2003)	d	1.7

3-METHYLHEXANE,3- 甲基己烷，[589-34-4]

Nagata(2003)	d	3.4

S-methyl hexanethioate→硫代己酸甲酯

5-METHYL-2-HEXANONE,5- 甲基-2-己酮，[110-12-3]

Hellman &Small(1974)	d	0.06
Hellman &Small(1974)	r	0.23

Nagy(1991)	d	0.63
Nagata(2003)	d	0.0099

3-METHYL-2-HEXENOIC ACID,3-甲基-2-己烯酸

Natsch et al.(2006)		0.019

(E)-3-METHYL-2-HEXENOIC ACID,(E)-3-甲基-2-己烯酸，[35205-70-0]

Baydar et al.(1992b)	d	0.014

(Z)-3-METHYL-2-HEXENOIC ACID,(Z)-3-甲基-2-己烯酸，[27960-21-0]

Baydar et al.(1992b)	d	0.279

2-METHYL-1-HEXEN-3-ONE,2-甲基-1-己烯-3-酮

Koszinowski&Piringer(1986)		0.1

methyl hexyl ketone→2-辛酮

METHYLHYDRAZINE，甲基肼，[60-34-4]

Jacobson et al.(1955)		1.9～5.7

(R)-METHYL 3-HYDROXYHEXANOATE,(R)-3-羟基己酸甲酯

Buettner&Schieberle(2001b)		0.0021

(S)-METHYL3-HYDROXYHEXANOATE,(S)-3-羟基己酸甲酯

Buettner&Schieberle(2001b)		4.38

METHYL(2S,3S)-2-HYDROXY-3-METHYLPENTANOATE,(2S,3S)-2-羟基-3-甲基戊酸甲酯

Steinhaus et al.(2009)		0.01

METHYL(2R,3R)-2-HYDROXY-3-METHYLPENTANOATE,(2R,3R)-2-羟基-3-甲基戊酸甲酯

Steinhaus et al.(2009)		>0.2

METHYL(2S,3R)-2-HYDROXY-3-METHYLPENTANOATE,(2S,3R)-2-羟基-3-甲基戊酸甲酯

Steinhaus et al.(2009)		0.11

METHYL(2R,3S)-2-HYDROXY-3-METHYLPENTANOATE,(2R,3S)-2-羟基-3-甲基戊酸甲酯

Steinhaus et al.(2009)		0.011

3-methyl-4-hydroxyoctanoic acid lactone→威士忌内酯

METHYL 2-HYDROXYPROPANOATE,乳酸甲酯，[547-64-8]

Backman(1917)	r	21

3-METHYLINDOLE，粪臭素，[83-34-1]

Hermanides(1909)	r	0.00035
Zwaardemaker(1914,1927)	d	0.0004
Katz&Talbert(1930)		0.10
Van Anrooij(1931)	d	0.00078
Punter(1975,1979)	d	0.00035
Logtenberg(1978)	d	0.0005

Greenman et al.(2004)		0.000094
Nagata(2003)	d	0.000030

methyl isoamyl ketone→5-甲基-2-己酮
2-methylisoborneol→2-甲基异冰片
(-)-2-methylisoborneol→ (-)-2-甲基异冰片
methyl isobutyl ketone→4-甲基-2-戊酮
methyl isobutyrate→异丁酸甲酯

METHYL ISOCYANATE,异氰酸甲酯，[624-83-9]

Kimmerle &Eben(1964)		5

METHYL ISOCYANIDE,甲胩，[593-75-9]

Stone &Pryor(1967)	d	0.0069～0.0127
Stone &Pryor(1967)	r	0.069
Poziomek et al.(1971)	r	0.0006～0.006

methyl isopropenyl ketone→甲基异丙烯基酮
methyl isopropyl ketone→甲基异丙基酮

2-METHYL-3-(4-ISOPROPYLPHENYL)PROPANAL, **兔耳草醛，[103-95-7]**

Randebrock(1986)		0.0000031

METHYL ISOTHIOCYANATE,甲基芥子油，[556-61-6]

Allison &Katz(1919)		15
Nesterova(1969)		0.3
Cain et al.(2010)	d	5.1

methyl isovalerate→异戊酸甲酯
methyl lactate→乳酸甲酯
methyl laurate→月桂酸甲酯
methyl mercaptan→甲硫醇

METHYL2-MERCAPTOACETATE,2- 巯基乙酸甲酯，[2365-48-2]

Deadman &Prigg(1959)	d	0.00*

5-methy1-4-mercaptohexan-2-0l→3-巯基-2-甲基-5-己醇
5-methyl-4-mercaptohexan-2-one→3- 巯基-2-甲基-5-己酮
5-methyl-4-mercaptohexyl-2-acetate→4- 巯基-5-甲基-2-己基乙酸酯
methyl methacrylate→甲基丙烯酸甲酯

METHYL2-METHYLBUTANOATE,2- 甲基丁酸甲酯，[868-57-5]

Blank &Grosch(1991a)		0.00015
Komthong et al.(2006)		1.18～8.76

METHYL3-METHYLBUTANOATE, **异戊酸甲酯，[556-24-1]**

Backman(1917)	r	0.12～0.20

*原著即为此，未查到文献

Nagata(2003)	d	0.011

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL, 胡椒基丙醛，[1205-17-0]

Cometto-Muniz&Abraham(2010a)	d	0.0011
Olsson &Laska(2010)	d	3.8～4.1

(2R)-(+)-2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL,(R)- **胡椒基丙醛**

Enders &Backes(2004)		0.00343

(2S)-(-)-2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL,(S)- 胡椒基丙醛

Enders &Backes(2004)		0.00064

2-METHYL-3-(METHYLDITHIO)FURAN,2- 甲基-3-(甲基二硫基)呋喃，[65505-17-1]

Gasser &Grosch(1990b)		0.00002～0.00008
Etzweiler(1993)		0.0008

7-METHYL-3-METHYLENE-1,6-OCTADIENE, 月桂烯，[123-35-3]

Cristoph(1983)	r	0.13～0.15
Jagella &Grosch(1998)		0.041
Buettner &Schieberle(2001a,2001b)		0.0445
Güntert et al.(2001)		0.1125

(S-5-METHYL-2-(1-METHYLETHENYL)-4-HEXEN-1-OL,(S)- **薰衣草醇**

Maas et al.(1993)		>3

(R)-5-METHYL-2-(1-METHYLETHENYL)-4-HEXEN-1-OL,(R)- 薰衣草醇，[498-16-8]

Maas et al.(1993)		>3

methyl 2-methylfur-3-yl disulphide→2-甲基-3-(甲基二硫基)呋喃

(-)-(Z)-2-METHYL-5-(2-METHYL-3-METHYLENEBICYCLO[2.2.1]-2-HEPTYL-2-PENTEN-1-OL, (-)-(Z-β-檀香醇，[77-42-9]

Bajgrowicz et al.(1998)		0.00054

METHYL2-METHYLPROPANOATE, **异丁酸甲酯，[547-63-7]**

Blank(1990)		0.0001～0.0002
Nagata(2003)	d	0.0080

METHYL2-METHYL-2-PROPENOATE, **甲基丙烯酸甲酯，[80-62-6]**

Filatova(1962)		0.2
Leonardos et al.(1969)	r	0.85
Hellman &Small(1973,1974)	d	0.2
Hellman &Small(1973,1974)	r	1.4
Holland(1974)		0.057
Anon.(1980)	d	0.62
Anon.(1980)	r	1.9
Piringer&Granzer(19)		0.7

Nagy(1991) d 2.7
Nagata(2003) d 0.86

cis-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,顺-玫瑰醚，[876-17-5]
Blank et al.(1989) 0.0001～0.0002

(2R,4S)-cis-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,(2R,4S)- 顺-玫瑰醚
Maas et al.(1993) >3

(2S,4R)-cis-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,(1)- 顺-玫瑰醚，[3033-23-6]
Maas et al.(1993) 0.004

trans-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN, 反玫瑰醚，[876-18-6]
Blank et al.(1989) 0.080～0.170

(2R,4R)-trans-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,(2R,4R)- 反-玫瑰醚，[5258-11-7]
Maas et al.(1993) >3

(2S,4S)-trans-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,(2S,4S)- 反-玫瑰醚
Maas et al.(1993) 0.004

SMETHYL2-METHYLTHIOBUTANOATE,2- 甲硫基丁酸甲酯，[51534-66-8]
Gijs et al.(2000) 0.11

METHYL(METHYLTHIO)DITHIOMETHANE,2,3,5- 三硫杂己烷，[423474-44-2]
Spadone et al.(2006) d 0.007

2-METHYL-3-(METHYLTHIO)FURAN,2- 甲基-3-甲硫基呋喃，[63012-97-5]
Gasser &Grosch(1990b) 0.0076～0.0304
Etzweiler(1993) 0.2
methyl(methylthio)methyl disulphide→2,3,5-三硫杂己烷
methyl mustard oil→甲基芥子油

2-METHYLNAPHTHALENE,2- 甲基萘，[91-57-6]
Moriguchi et al.(1983) d 0.004
methyl α-naphthyl ether→1-甲氧基萘
methylβ-naphthyl ether→2-甲氧基萘

1-METHYL-3-NITROBENZENE, 间硝基甲苯，[99-08-1]
Punter(1983) d 0.25

4-METHYL-2-NITROPHENOL, 邻硝基对甲苯酚，[119-33-5]
Backman(1917) r 0.13～0.14

3-METHYL-2,4-NONANEDIONE,3- 甲基-2,4-壬二酮，[113486-29-6]

Guth &Grosch(1989) 0.000007～0.000014

METHYL NONANOATE,壬酸甲酯，[1731-84-6]
Backman(1917) r 0.040～0.048

2-METHYL-1-NONEN-3-ONE,2- 甲基-1-壬烯-3-酮，[51756-19-5]
Koszinowski&Piringer(1986) 0.001
methyl nonyl ketone→2-十一酮
β-methyl-y-octalactone→威士忌内酯
cis-β-methyl-y-octalactone=cis-β- 甲基-y-八内酯
trans-β-methyl-y-octalactone→trans-β- 甲基-y-八内酯

(R)-4-METHYLOCTANOIC ACID,(R)-4-甲基辛酸
Karl et al.(1994) r 0.025

(S)-4-METHYLOCTANOIC ACID,(S)-4-甲基辛酸
Karl et al.(1994) r 0.013

4-METHYL-3-OCTENOIC ACID,4-**甲基-3-辛烯酸**
Natsch et al.(2006) 0.022

2-METHYL-1-OCTEN-3-ONE,2- **甲基-1-辛烯-3-酮**
Koszinowski&Piringer(1986) 0.003
methyl octyl ketone→2-癸酮

METHYL2-OCTYNOATE,2- **辛炔酸甲酯，[111-12-6]**
Fuller et al.(1964) r 0.00048
Appell(1969) 0.00002
(-)-(12R)-12-methyl-9-oxa-14-tetradecanolide→(-)-(12R)-12-甲基-9-氧杂-14-十四内酯
1-methyl-2-oxopyrrolidine→N-甲基吡咯烷酮
methyl parathion→甲基对硫磷
methyl pelargonate→壬酸甲酯

2-METHYLPENTANAL,2- 甲基戊醛，[123-15-9]
Hellman &Small(1974) d 0.4
Hellman &Small(1974) r 0.6

(R)-2-METHYLPENTANAL,(R)-2- **甲基戊醛**
Bartschat &Mosandl(1998) >2.5

(S)-2-METHYLPENTANAL,(S)-2- **甲基戊醛**
Bartschat&Mosandl(1998) >2.5

(R)-3-METHYLPENTANAL,(R)-3- **甲基戊醛**
Bartschat&Mosandl(1998) >0.5

(S)-3-METHYLPENTANAL,(S)-3- **甲基戊醛**

Bartschat &Mosandl(1998)		0.03

2-METHYLPENTANE,2- 甲基戊烷，[107-83-5]

Nagata(2003)	d	25

3-METHYLPENTANE,3- 甲基戊烷，[96-14-0]

Nagata(2003)	d	31

2-METHYL-2,4-PENTANEDIOL,2- 甲基-2,4-戊二醇，[107-41-5]

Nagy(1991)	d	19

METHYL PENTANOATE,戊酸甲酯，[624-24-8]

Nagata(2003)	d	0.011

4-METHYLPENTANOIC ACID,异己酸，[646-07-1]

Backman(1917)	r	0.35～0.42
Punter(1983)	d	0.037
Nagata(2003)	d	0.0019

2-METHYL-1-PENTANOL,2- 甲基-1-戊醇，[105-30-6]

Hellman &Small(1974)	d	0.10
Hellman &Small(1974)	r	0.10

4-METHYL-2-PENTANOL,4- 甲基-2-戊醇，[108-11-2]

Hellman &Small(1974)	d	1.4
Hellman &Small(1974)	r	2.2

3-METHYL-2-PENTANONE, 甲基仲丁基酮，[565-61-7]

Nagata(2003)	d	0.098

4-METHYL-2-PENTANONE,4- 甲基-2-戊酮，[108-10-1]

Backman(1917)	r	0.6～0.8
Middleton(1956)	r	1.9
May(1966)	d	32
May(1966)	r	64
Stone et al.(1967,1972)	d	0.97/9.7
Steinmetz et al.(1969)	d	1.21
Leonardos et al.(1969)	r	1.9
Hellman &Small(1974)	d	0.4
Hellman &Small(1974)	r	1.1
Anon.(1980)	d	0.70
Anon.(1980)	r	2.8
Dravnieks et al.(1986)	d	0.14
Nagy(1991)	d	6.3
Dalton et al.(2000)	d	41
Ziemer et al.(2000)	d	1.1

Nagata(2003)	d	0.70

4-METHYL-3-PENTEN-2-ONE,4-甲基-3-戊烯-2-酮，[141-79-7]

Toxicity data sheet(1957)		48
Hellman &Small(1974)	d	0.07
Hellman &Small(1974)	r	0.20

4-METHYLPENTYL-2 ACETATE,乙酸仲己酯，[108-84-9]

Hellman &Small(1974)	d	<0.4
Hellman &Small(1974)	r	1.4

7-(2’-METHYLPENTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(2’-甲基戊基)苯并[b][1,4]二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.00038

7-(3'-METHYLPENTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(3'-甲基戊基)苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.000043

7-(4’-METHYLPENTYL)BENZO[b][1,4]DIOXEPIN-3-ONE,7-(4’-甲基戊基)苯并[b][1,4]二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.000038

2-METHYLPHENOL, 邻甲酚，[95-48-7]

Backman(1917)	r	0.004
Stuiver(1958)	d	0.0004
Kendall et al.(1968)	r	0.0028
Anon.(1980)	d	0.0017
Anon.(1980)	r	0.027
Moriguchi et al.(1983)	d	0.020
Schieberle et al.(1988)		0.0007～0.0027
Nagata(2003)	d	0.0012

3-METHYLPHENOL, 间甲酚，[108-39-4]

Backman(1917)	r	0.0007～0.0009
Stuiver(1958)	d	0.0004
Nader(1958)		0.00022～0.035
Anon.(1980)	d	0.00057
Anon.(1980)	r	0.011
Nagata(2003)	d	0.00044

4-METHYLPHENOL, 对甲酚，[106-44-5]

Backman(1917)	r	0.03～0.04
Baldus(1936)	d	0.0125
Baldus(1936)	r	0.015
Stuiver(1958)	d	0.00005

Leonardos et al.(1969)	r	0.0044
Punter(1975,1979)	d	0.024
Anon.(1980)	d	0.00018
Anon.(1980)	r	0.0084
Schieberle et al.(1988);Schieberle &Grosch(1988); Blank et al.(1989);Blank(1990)		0.0003～0.001
Nagata(2003)	d	0.00024

4-METHYLPHENYLACETATE, 乙酸对甲苯酯，[140-39-6]

Appell(1969)		0.00002

methyl phenyl carbinol=1-苯乙醇

4-methyl-1,3-phenylenediisocyanate→2,4-甲苯二异氰酸酯

2-methyl-1,3-phenylenediisocyanate→2,6-甲苯二异氰酸酯

3-METHYL-1-PHENYL-3-PENTANOL,3-甲基-1-苯基-3-戊醇，[10415-87-9]

Cain &Gent(1991)	d	0.22

methyl phosphite→三甲氧基磷

2-METHYLPROPANAL, 异丁醛，[78-84-2]

Hellman &Small(1973,1974)	d	0.14
Hellman &Small(1973,1974)	r	0.41
Amoore(1977)	d	0.015
Hendriks(1979)	d	0.022
Nagata(2003)	d	0.0010

2-METHYLPROPANE, 异丁烷，[75-28-5]

Mullins(1955)	r	1370

2-METHYL-1-PROPANETHIOL, 异丁硫醇，[513-44-0]

Allison &Katz(1919)		8
Stuiver(1958)	d	0.000006～0.0003
Wilby(1969)	r	0.0036
Gijs et al.(2000)		0.002
Nagata(2003)	d	0.000025

2-METHYL-2-PROPANETHIOL, 叔丁硫醇，[75-66-1]

Stuiver(1958)	d	0.00009
Nevers &Oister(1965)		0.0019
Kniebes et al.(1969)		0.0019
Wilby(1969)	r	0.00033
Blanchard(1976)		0.007
Moschandreas &Jones(1983)	d	0.0033
Moschandreas &Jones(1983)	r	0.0081
Nagata(2003)	d	0.00011

METHYL PROPANOATE,丙酸甲酯，[554-12-1]

Backman(1917)	r	10～12.5
Nagata(2003)	d	0.35

2-METHYLPROPANOIC ACID,异丁酸，[79-31-2]

Anon.(1980)	d	0.0050
Anon.(1980)	r	0.025
Punter(1983)	d	0.24～0.33
Nagata(2003)	d	0.0054
Ueno et al.(2009)		0.013(三点比较式臭袋法;强制选择)
Ueno et al.(2009)		0.040(动态嗅辨仪；强制选择)

2-METHYL-1-PROPANOL, 异丁醇，[78-83-1]

Passy(1892c)	d	1
Zwaardemaker(1914)	d	500
Backman(1917)	r	0.2～0.4
Jones(1955c)	r	31
May(1966)	d	120
May(1966)	r	160
Laffort &Dravnieks(1973)		3
Hellman &Small(1973,1974)	d	2.0
Hellman &Small(1973,1974)	r	5.4
Anon.(1980)	d	0.036
Anon.(1980)	r	0.66
Punter(1983)	d	3.8～8.1
Cristoph(1983)	r	0.7～1.0
Nagy(1991)	d	2.64
Nagy(1991)	d	1.723
Guth(1997)		0.64
Guth(1997)		200(空气中乙醇浓度为55.6毫克/升)
Nagata(2003)	d	0.033

2-METHYL-2-PROPANOL, 叔丁醇，[75-65-0]

Passy(1892c)	d	10～20
Backman(1917)	r	36～40
Jones(1955c)	r	750
Dravnieks &Laffort(1972)		71
Dravnieks(1974)	d	2900
Nagy(1991)	d	42
Cometto-Muniz &Cain(1993);		
Cometto-Muniz(1993)	d	1827
Ziemer et al.(2000)	d	24.2

Nagata(2003)	d	14

2-METHYL-2-PROPENAL, 异丁烯醛，[78-85-3]

Nagata(2003)	d	0.025

2-METHYLPROPENE, 异丁烯，[115-11-7]

Katz&Talbert(1930)		3.0
Mullins(1955)	r	4880
Anon.(1980)	d	15
Anon.(1980)	r	46
Nagata(2003)	d	23

2-methyl-2-propenenitrile→甲基丙烯腈

METHYL2-PROPENOATE, 丙烯酸甲酯，[96-33-3]

Bezpalkova(1967a,b)		0.017
Anon.(1980)	d	0.010
Anon.(1980)	r	0.060
Bahnmüller(1984)		0.015～0.088
Piringer &Granzer(1984)		0.05
Nagy(1991)	d	0.061
Nagata(2003)	d	0.012

2-METHYLPROPENOIC ACID, 甲基丙烯酸，[79-41-4]

Piringer &Granzer(1984)		10
Nagy(1991)	d	1.9

methyl propionate→丙酸甲酯

2-(2-METHYL)PROPYLAMINE，叔丁胺，[75-64-9]

Nagata(2003)	d	0.51

7-(2’-METHYLPROPYL)BENZO[b][1,4]DIOXEPIN-3-ONE, 7-(2’-甲基丙基)苯并[b][1,4]二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.00165

2-methylpropyl butanoate→丁酸异丁酯

methyl propyl ketone→2-戊酮

2-METHYL-3-PROPYLPYRAZINE, 2-甲基-3-丙基吡嗪，[15986-80-8]

Wagner et al.(1999)		0.99～1.8

2-METHYL-5-PROPYLPYRAZINE, 2-甲基-5-丙基吡嗪，[29461-03-8]

Wagner et al.(1999)		0.99～1.8

2-METHYL-6-PROPYLPYRAZINE, 2-甲基-6-丙基吡嗪，[29444-46-0]

Wagner et al.(1999)		0.99～1.8

METHYLPYRAZINE, 甲基吡嗪，[109-08-0]

Fors(1984);Fors &Olofsson(1985)	d	1.9
Grosch et al.(1996);Wagner et al.(1999)		>2

2-METHYLPYRIDINE,2-甲基吡啶，[109-06-8]

Hellman &Small(1974)	d	0.05
Hellman &Small(1974)	r	0.09
Moriguchi et al.(1983)	d	0.010

(S-(-)-3-(1-METHYL-2-PYRROLIDINYL)PYRIDINE,S-(一)-烟碱，[54-11-5]

Walker et al.(1996)		0.066

1-METHYL-2-PYRROLIDONE,N-甲基吡咯烷酮，[872-50-4]

Nagy(1991)	d	41
Nagy(1991)	d	17.113

METHYL SALICYLATE,水杨酸甲酯，[119-36-8]

Tempelaar(1913);Zwaardemaker(1927)	d	0.1～0.97
Backman(1917)	r	0.8～0.9
Allison &Katz(1919)		100
Baldus(1936)	d	0.002
Baldus(1936)	r	0.0035
Jung(1936)	d	0.023
Jung(1936)	r	0.023
Gundlach &Kenway(1939)	d	119
Jones(1954)	r	16.1
Jones(1955c)	r	22.3
Kerka &Humphreys(1956)		0.06
Nader(1958)		0.031～0.56
Köster(1971)	d	98～112
Etzweiler et al.(1980)		0.016

3-(4-(2-METHYL-2-SILAPROPANE)PHENYL)-2-METHYLPROPANAL,硅代-铃兰醛

Doszczak et al.(2007)		0.0033

3-(4-(2-METHYL-2-SILAPROPANE)PHENYL)PROPANAL,硅代-对叔丁基苯丙醛

Doszczak et al.(2007)		0.00055

α-methylstyrene→异丙烯苯

3-methyl-3-sulfanylbutyl acetate→3-巯基-3-甲基丁基乙酸酯

3-(methylsulfanyl)propanal→3-甲硫基丙醛

(12R;9Z)-12-methyl-14-tetradeca-9-enolide→(12R;9Z)-12-甲基-14-十四-9-烯内酯

6-METHYL-3a,4,5,7a-TETRAHYDRO-2(3H)-BENZOFURANONE,6-甲基-3a,4,5,7a-四氢-2(3H)-苯并呋喃酮

Buhr(2006)		0.00025

6-METHYLTETRAHYDRO-2H-THIOPYRAN-2-ONE,δ硫代己内酯

Roling et al.(1998);Engel(1999)		0.022
METHYLTETRATHIOMETHANE,二甲基四硫醚，[5756-24-1]		
Gijs et al.(2000)		0.13
5-METHYL-2-THENYLTHIOL,5-甲基-2-噻吩甲基硫醇		
Hofmann &Schieberle(1997)		0.000019
4-METHYL-2-THIAZOLINE,4-甲基-2-噻唑啉		
Schieberle et al.(1996)		>2
4-METHYL-3-THIAZOLINE,4-甲基-3-噻唑啉，[52558-99-3]		
Schieberle et al.(1996)		0.0001
SMETHYL THIOACETATE,硫代乙酸甲酯，[1534-08-3]		
Gijs et al.(2000)		0.23
SMETHYL THIOBUTANOATE,硫代丁酸甲酯，[2432-51-1]		
Berger et al.(1999)		0.06
Gijs et al.(2000)		0.14
METHYL THIOCYANATE,硫氰酸甲酯，[556-64-9]		
Katz&Talbert(1930)		0.75
SMETHYL THIODECANOATE,硫代癸酸甲酯，[1680-29-1]		
Berger et al.(1999)		0.1～0.5
SMETHYL THIODODECANOATE,硫代十一酸甲酯		
Berger et al.(1999)		0.05～0.1
METHYLTHIOETHANE,甲基乙基硫醚，[624-89-5]		
Moschandreas &Jones(1983)	d	0.042
Moschandreas &Jones(1983)	r	0.124
Gijs et al.(2000)		0.022
methyl thioglycolate→2-巯基乙酸甲酯		
SMETHYL THIOHEXADECANOATE,硫代棕榈酸甲酯		
Berger et al.(1999)		0.1～0.5
SMETHYL THIOHEXANOATE,硫代己酸甲酯，[20756-86-9]		
Berger et al.(1999)		0.1～0.5
methyl 2-thiolacetate→2-巯基乙酸甲酯		
METHYLTHIOMETHANE,二甲基硫醚，[75-18-3]		
Katz &Talbert(1930)		0.0094
Nevers &Oister(1965)		0.0035
Guadagni(1966)		0.003
Leonardos et al.(1969)	r	0.0025

Wilby(1969)	r	0.0063
Lindvall(1970)	d	0.002～0.03
Laffort(1968b);Laffort &Dravnieks(1973)		0.014
Hamanabe et al.(1969)		0.025
Selyuzhitskii(1972)		0.75
Ifeadi(1972)		0.65
Cormack et al.(1974)		0.0075
Nishida et al.(1975)	d	0.0025～0.065
Nishida et al.(1979)	d	0.16
Anon.(1980)	d	0.0003
Anon.(1980)	r	0.0058
Moschandreas &Jones(1983)	d	0.027
Moschandreas &Jones(1983)	r	0.049
Randebrock(1986)		20.6
Nagy(1991)	d	0.051
Nagata(2003)	d	0.0075
Glindemann et al.(2006)	d	0.001

(methylthio)methyl disulphide→2,4,5,7-四硫辛烷

SMETHYL THIOOCTADECANOATE,硫代硬脂酸甲酯

Berger et al.(1999)		0.9

SMETHYL THIOOCTANOATE,硫代辛酸甲酯，[2432-83-9]

Berger et al.(1999)		0.1～0.5

SMETHYL THIOPENTANOATE,硫代戊酸甲酯，[42075-43-4]

Berger et al.(1999)		0.1～0.5

5-methyl-2-thiophenecarbaldehyde→2-甲酰基-5-甲基噻吩

2-METHYL-3-THIOPHENETHIOL,2-甲基-3-噻吩硫醇，[2527-76-6]

Hofmann &Schieberle(1995)		0.0000032～0.0000128

3-(METHYLTHIO)PROPANAL,3-甲硫基丙醛，[3268-49-3]

Blank et al.(1989,1992); Schieberle &Grosch(1994)		0.00008～0.0002
Von Ranson &Belitz(1992a)	d	0.000063
Von Ranson &Belitz(1992a)	r	0.000063
Gijs et al.(2000)		0.06

SMETHYL THIOPROPANOATE,硫代丙酸甲酯，[5925-75-7]

Berger et al.(1999)		0.05～0.1

3-(METHYLTHIO)-1-PROPANOL,3-甲硫基丙醇，[505-10-2]

Gijs et al.(2000)		1.71

METHYLTHIO-2-PROPENE,烯丙基甲基硫醚，[10152-76-8]

Nagata(2003) d 0.00050

S-methyl thiopropionate→硫代丙酸甲酯

S-methyl thiostearate→硫代硬脂酸甲酯

SMETHYL TETRADECANOATE,硫代肉豆蔻酸甲酯

Berger et al.(1999) 0.1～0.5

2-methyl-3,3,3-trichloro-1-propanol→1,1,1- 三氯-2-甲基-3-丙醇

(±)-(2R*,3S*,7S*)-2-METHYLTRICYCLO[7.6.0.0³7]PENTADEC-1(9)-EN-4-ONE,(±)-(2R*,3S*,7S*)-2-甲基三环[7.6.0.0³,7]十五-1(9)-烯-4-酮

Kraft &Gallo(2004) 0.124

(1S,2S,1'S,3'R,5'R)-1-METHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]-3-HEXYLMETHYL)CYCLOPROPYLMETHANOL,(1S,2S,1'S,3'R,5'R)-1-甲基-2-(1,2,2-三甲基双环[3.1.0]-3-己基甲基)环丙基甲醇

Bajgrowicz et al.(1998);

Bajgrowicz &Fráter(2000) 0.000015

(1R,2R,1'S,3'R,5'R)-1-METHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]-3-HEXYLMETHYL)CYCLOPROPYLMETHANOL,(1R,2R,1'S,3'R,5'R)-1-甲基-2-(1,2,2-三甲基双环[3.1.0]-3-己基甲基)环丙基甲醇

Bajgrowicz et al.(1998);

Bajgrowicz &Fráter(2000) >0.015

(1S,2S,I'R,3'S,5'S)-1-METHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]-3-HEXYLMETHYL)CYCLOPROPYLMETHANOL,(1S,2S,1'R,3'S,5'S)-1-甲基-2-(1,2,2-三甲基双环[3.1.0]-3-己基甲基)环丙基甲醇

Bajgrowicz et al.(1998);

Bajgrowicz &Fráter(2000) 0.00051

(1R,2R,1'R,3'S,5'R)-1-METHYL-2-(1,2,2-TRIMETHYLBICYCLO[3.1.0]-3-HEXYLMETHYL)CYCLOPROPYLMETHANOL,(1R,2R,1'R,3'S,5′R)-1-甲基-2-(1,2,2-三甲基双环[3.1.0]-3-己基甲基)环丙基甲醇

Bajgrowicz et al.(1998);

Bajgrowicz &Fráter(2000) 0.0014

(+)-(R,E)-3-METHYL-4-(2,6,6-TRIMETHYLCYCLOHEX-2-ENYL)-3-BUTEN-2-ONE,(+)-(R,E)-3-甲基-4-(2,6,6-三甲基环己-2-烯)-3-丁烯-2-酮

Abate et al.(2007) 0.000079

(-)-(S,E)-3-METHYL-4-(2,6,6-TRIMETHYLCYCLOHEX-2-ENYL)-3-BUTEN-2-ONE,(-)-(S,E)-3-甲基-4-(2,6,6-三甲基环己-2-烯)-3-丁烯-2-酮

Abate et al.(2007) 0.00083

(+)-(R,E)-2-METHYL-4-(1,1,2-TRIMETHYL-2-PENTEN-5-YL)-2-BUTEN-1-OL,(+)-(R,E)-2-甲基-4-(1,1,2-三甲基-2-戊基-5-烯)-2-丁烯-1-醇

Bajgrowicz et al.(1998) 0.00006

(-)-(S,E)-2-METHYL-4-(1,1,2-TRIMETHYL-2-PENTEN-5-YL)-2-BUTEN-1-OL,(-)-(S,E)-2- 甲基-4-(1,1,2-三甲基-2-戊基-5-烯)-2-丁烯-1-醇

Bajgrowicz et al.(1998) 0.004

(2'E)-2'-METHYL-2'-(1",2",4"-TRIMETHYLPENT-2"-ENYLOXY)PROPYL ACETATE,(2'E)-2'-甲基-2'-(1",2",4"-三甲基-2”-戊烯氧基)丙基乙酸酯

Kraft&Eichenberger(2004) 0.012

(2'Z)-2'-METHYL-2'-(1",2”,4"-TRIMETHYLPENT-2"-ENYLOXY)PROPYL ACETATE,(2'Z)-2'-甲基-2'-(1",2",4"-三甲基-2"-戊烯氧基)丙基乙酸酯

Kraft &Eichenberger(2004) 0.054

(2'E/Z)-2'-METHYL-2'-(1",2”,4"-TRIMETHYLPENT-2"-ENYLOXY)PROPYL BUTANOATE,(2'EIZ)-2'-甲基-2'-(1",2",4”-三甲基-2"-戊烯氧基)丙基丁酸酯

Kraft &Eichenberger(2004) 0.0018

(2”EIZ)-2'-METHYL-2'-(1“,2”,4"-TRIMETHYLPENT-2"-ENYLOXY)PROPYL3-BUTENOATE,(2'EIZ)-2'-甲基-2'-(1",2",4"-三甲基-2"-戊烯氧基)丙基-3-丁烯酸酯

Kraft &Eichenberger(2004) 0.0046

(2E,2“EIZ)-2'-METHYL-2'-(1”,2”,4”-TRIMETHYLPENT-2”-ENYLOXY)PROPYL2-BUTENOATE,(2E,2"EIZ)-2'- 甲基-2'-(1",2",4”-三甲基-2"-戊烯氧基)丙基-2-丁烯酸酯

Kraft &Eichenberger(2004) 0.0085

(2'E)-2'-METHYL-2'-(1“,2”,4”-TRIMETHYLPENT-2"-ENYLOXY)PROPYLCYCLOPROPANECARBOXYLATE,(2′E)-2'- 甲基-2'-(1",2",4"-三甲基-2"-戊烯氧基)丙基环丙基羧酸酯

Kraft &Eichenberger(2004) 0.0057

(2'Z)-2'-METHYL-2'-(1”,2”,4”-TRIMETHYLPENT-2"-ENYLOXY)PROPYLCYCLOPROPANECARBOXYLATE,(2'Z)-2'- 甲基-2'-(1",2",4"-三甲基-2"-戊烯氧基)丙基环丙基羧酸酯

Kraft &Eichenberger(2004) 0.0081

(2'EIZ)-6-METHYL-6-(1',2',4'-TRIMETHYLPENT-2-ENYLOXY)-3-HEPTANONE,(2'EIZ)-6- 甲基-6-(1',2',4'-三甲基-2-戊烯氧基)-3-庚酮

Kraft &Eichenberger(2004) 0.00055

(2'EIZ)-2'-METHYL-2'-(1“,2”,4”-TRIMETHYLPENT-2"-ENYLOXY)PROPYL 2-METHYL-2-PROPENOATE,(2'EIZ)-2'- 甲基-2'-(1″,2”,4″-三甲基-2″-戊烯氧基)丙基-2-甲基-2-丙烯酸酯

Kraft &Eichenberger(2004) 0.0037

(2'EIZ -2'-METHYL-2'-(1“,2”,4”-TRIMETHYLPENT-2"-ENYLOXY)PROPYL 3-METHYLPROPANOATE,(2'EIZ-2'- 甲基-2'-(1",2”,4"-三甲基-2”-戊烯氧基)丙基-3-甲基丙酸酯

Kraft &Eichenberger(2004) 0.0022

(2'E)-2'-METHYL-2'-(1",2”,4”-TRIMETHYLPENT-2"-ENYLOXY)PROPYL PROPANOATE,(2'E)-

2'-甲基-2'-(1",2”,4"-三甲基-2"-戊烯氧基)丙基丙酸酯

Kraft &Eichenberger(2004) 0.0012

(2'Z)-2'-METHYL-2'-(1",2",4"-TRIMETHYLPENT-2"-ENYLOXY)PROPYL PROPANOATE,(2'Z)-2'-甲基-2'-(1",2",4”-三甲基-2” "-戊烯氧基)丙基丙酸酯

Kraft &Eichenberger(2004) 0.0054

2'-METHYL-2'-(1",2",4"-TRIMETHYLPENTYLOXY)PROPYL BUTANOATE,2'-甲基-2'-(1",2”,4"-三甲基戊氧基)丙基丁酸酯

Kraft &Eichenberger(2004) 0.001

6-METHYL-6-(1',2',4'-TRIMETHYLPENTYLOXY)-3-HEPTANONE,6-甲基-6-(1',2',4'-三甲基戊氧基)-3-庚酮

Kraft &Eichenberger(2004) 0.00087

METHYLTRITHIOMETHANE, 二甲基三硫醚，[3658-80-8]

Wilby(1969)	r	0.0073
Blank et al.(1989)		0.00006～0.0001
Khiari et al.(1992)		0.0075
Gijs et al.(2000);Vermeulen &Collin(2002)		0.014

2-METHYL-2-UNDECANETHIOL,2- 甲基-2-十一碳硫醇

Blinova(1965) 4～9

methyl n-valerate→戊酸甲酯
methyl vinyl ketone→丁烯酮

(2R,2'R,5'R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2R,2'R,5'R)-紫丁香醛

Kreck &Mosandl(2003) 0.22

(2R,2'R,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2R,2'R,5'S)-**紫丁香醛**

Kreck &Mosandl(2003) 0.004

(2R,2'S,5′R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2R,2'S,5'R)-紫丁香醛

Kreck &Mosandl(2003) 0.18

(2R,2'S,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2R,2'S,5'S)-紫丁香醛

Kreck &Mosandl(2003) 0.003

(2S,2'R,5′R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2S,2'R,5′R)-紫丁香醛

Kreck &Mosandl(2003) 020

(2S,2′R,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2S,2'R,5'S)-

紫丁香醛
Kreck &Mosandl(2003) 0.003

(2S,2'S,5'R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2S,2'S,5′R)-紫丁香醛
Kreck &Mosandl(2003) 0.04

(2S,2'S,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANAL,(2S,2'S,5'S)-紫丁香醛
Kreck &Mosandl(2003) 0.002

(2R,2'R,5′R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2R,2'R,5'R)-紫丁香醇
Kreck &Mosandl(2003) >1

(2R,2'R,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2R,2'R,5'S)-紫丁香醇
Kreck &Mosandl(2003) 0.04

(2R,2'S,5'R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2R,2'S,5'R)-紫丁香醇
Kreck &Mosandl(2003) 0.22

(2R,2'S,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2R,2'S,5'S)-紫丁香醇
Kreck &Mosandl(2003) 0.04

(2S,2'R,5′R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2S,2'R,5'R)-紫丁香醇
Kreck &Mosandl(2003) 0.80

(2S,2'R,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2S,2'R,5'S)-紫丁香醇
Kreck &Mosandl(2003) 0.02

(2S,2'S,5'R)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2'-YL]PROPANOL,(2S,2'S,5'R)-紫丁香醇
Kreck &Mosandl(2003) 0.74

(2S,2'S,5'S)-2-[(5'-METHYL-5'-VINYL)TETRAHYDROFURAN-2′-YL]PROPANOL,(2S,2'S,5'S)-紫丁香醇
Kreck &Mosandl(2003) 0.02

4-methyl-5-vinylthiazole→5- 乙烯基-4-甲基噻唑
methyl xanthate→黄原酸甲酯
MIB→2-甲基异冰片
mintlactone→ 薄荷内酯

E-mintlactone→E-薄荷内酯

MONOETHYL SUCCINATE,琥珀酸单乙酯，[1070-34-4]

Backman(1917)	r	6.4

MORPHOLINE, 吗啡啉，[110-91-8]

Hellman &Small(1973,1974)	d	0.04
Hellman &Small(1973,1974)	r	0.25

MOXALONE,(1aR,4S,7aS)-1a,3,3,4,6,6-六甲基-4,5,7,7a-四氢-2H-萘并[2,3-b]环氧乙烯，[94400-98-3]

Kraft & Fráter(2001)		0.001

muscenone→麝香烯酮

muscone→麝香酮

(3R)-(-)-muscone→(R)-(-)- 麝香酮

musk ambrette→葵子麝香

musk C-14→十二碳二酸乙二醇酯

musk ketone→酮麝香

musk R-1→麝 香R-1

musk T→昆仑麝香

musk xylene→二甲苯麝香

mustard gas→芥子气

myrcene→月桂烯

myristicin→肉豆蔻醚

N

1-NAPHTHALDEHYDE,1- 萘甲醛，[66-77-3]

Von Ranson &Belitz(1992b)	d	3.6
Von Ranson &Belitz(1992b)	r	3.4

2-NAPHTHALDEHYDE,2- 萘甲醛，[66-99-9]

Von Ranson &Belitz(1992b)	d	0.19
Von Ranson &Belitz(1992b)	r	0.26

NAPHTHALENE, 萘，[91-20-3]

Backman(1917)	r	0.05～0.055
Mitsumoto(1926)	r	4.0～4.4
Hesse(1927)	r	0.3
Morimura(1934)	r	3.37～5.34
Robbins(1951)		<1.6
Punter(1983)	d	0.20
Moriguchi et al.(1983)	d	0.007
Sävenhed et al.(1985)	d	0.01～0.04
Nagy(1991)	d	0.45

1-naphthol=α- 萘酚

2-naphthol→β-萘酚

1-naphthylamine→1-萘胺
2-naphthylamine→2- 萘 胺

2-(1-NAPHTHYL)ETHANAL,2-(1- 萘基)乙醛

Von Ranson &Belitz(1992b)	d	37
Von Ranson &Belitz(1992b)	r	49

neohexane→新己烷
neral→橙花醛
nerol→ 橙花醇
neryl acetate→乙酸橙花酯

NICKEL CARBONYL,羰基镍，[13463-39-3]

Armit(1907)		3.5
Kincaid et al.(1956)		7～21

S-(一)-nicotine→ (一)-烟碱

NIRVANOLIDE, **诺瓦内酯**

Kraft & Fráter(2001)		0.0001

NITRIC ACID,硝酸，[7697-37-2]

Melekhina(1968)	d	0.70

2-NITROBENZALDEHYDE, 邻硝基苯甲醛，[552-89-6]

Backman(1917)	r	4.5

3-NITROBENZALDEHYDE, 间硝基苯甲醛，[99-61-6]

Backman(1917)	r	3.0

NITROBENZENE, 硝基苯，[98-95-3]

Hermanides(1909)	r	0.0412
Zwaardemaker(1914,1927)	d	0.04～0.041
Backman(1917)	r	0.34～0.70
Allison &Katz(1919)		146
Henning(1924)	d	0.0065
Katz&Talbert(1930)		9.6
Van Anrooij(1931)	d	0.019
Janiček et al.(1960)		19
Andreescheva(1964)		0.0182
Gavaudan &Poussel(1966)		0.15
Leonardos et al.(1969)	r	0.024
Randebrock(1971)		0.002
Öztürk(1976)		0.363
Nauš(1982)	d	0.2
Nauš(1982)	r	20
Randebrock(1986)		0.0053

2-nitro-p-cresol→邻硝基对甲酚

NITROGEN DIOXIDE,二氧化氮，[10544-72-6]

Beck(1959);Henschler et al.(1960)		0.2～1.0
Shalamberidze(1967)		0.23
Rumsey &Cesta(1970)		<1
Knuth(1973)		0.11
Prusakov et al.(1976)		0.2～0.26
Braker &Mossman(1980)	r	<9.4
Nagata(2003)	d	0.23

NITROMETHANE, 硝基甲烷，[75-52-5]

Nagy(1991)	d	124

2-NITROPHENOL, 邻硝基苯酚，[88-75-5]

Backman(1917)	r	0.11～0.13
Stuiver(1958)	d	0.0012

3-NITROPHENOL, 间硝基苯酚，[554-84-7]

Stuiver(1958)	d	3.0

4-NITROPHENOL, 对硝基苯酚，[100-02-7]

Stuiver(1958)	d	2.3

1-NITROPROPANE,1- 硝基丙烷，[108-03-2]

Dravnieks &Laffort(1972)		28.2
Dravnieks(1974)	d	510

2-NITROPROPANE,2- 硝基丙烷，[79-46-9]

Treon &Dutra(1952)		297～1050
Hine et al.(1978)	r	580
Crawford et al.(1984)	d	18

NITROSOBENZENE, 亚硝基苯，[586-96-9]

Randebrock(1971)		0.15
Randebrock(1986)		0.32

N-NITROSODIMETHYLAMINE,N 亚硝基二甲胺，[62-75-9]

Prusakov et al.(1976)		0.024～0.04

3-nitrotoluene→间硝基甲苯

(E,E)-2,4-NONADIENAL,(E,E)-2,4- 壬二烯醛，[5910-87-2]

Teranishi et al.(1974)		0.00025
Hall &Andersson(1983)	d	0.00040
Yang et al.(2008)		0.0002

(E,E)-2,6-NONADIENAL, 反-2,6-壬二烯醛，[17587-33-6]

Von Ranson &Belitz(1992a)	r	0.0014

(E,Z)-2,6-NONADIENAL,(E,Z)-2,6- 壬二烯醛，[557-48-2]

Teranishi et al.(1974)		0.00006
Ulrich &Grosch(1988a)		0.0080～0.022
Ulrich &Grosch(1988b)		0.0006～0.0016
Grosch(1989)		0.0009～0.0025
Von Ranson &Belitz(1992a)	d	0.0011
Von Ranson &Belitz(1992a)	r	0.0039
Guth(1991)		0.00025
Heiler &Schieberle(1996)		0.0002
Ömür-Ozbek et al.(2007)		0.00011

(Z,E)-2,6-NONADIENAL,(Z,E)-2,6- 壬二烯醛

Von Ranson &Belitz(1992a)	d	0.00028
Von Ranson &Belitz(1992a)	r	0.0083

(Z,Z)-2,6-NONADIENAL,(Z,Z)-2,6- 壬二烯醛

Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.0041

(E,E)-3,6-NONADIENAL,(E,E)-3,6- 壬二烯醛

Von Ranson &Belitz(1992a)	d	0.36
Von Ranson &Belitz(1992a)	r	0.36

(E,Z)-3,6-NONADIENAL,(E,Z)-3,6- 壬二烯醛

Von Ranson &Belitz(1992a)	d	0.0025
Von Ranson &Belitz(1992a)	r	0.094

(Z,E)-3,6-NONADIENAL,(Z,E)-3,6- 壬二烯醛

Von Ranson &Belitz(1992a)	d	0.0011
Von Ranson &Belitz(1992a)	r	0.0019

(Z,Z)-3,6-NONADIENAL,(Z,Z)-3,6- 壬二烯醛，[21944-83-2]

Von Ranson &Belitz(1992a)	d	0.00028
Von Ranson &Belitz(1992a)	r	0.00083

(E,Z)-2,6-NONADIEN-1-OL,(E,Z)-2,6- 壬二烯-1-醇，[28069-72-9]

Heiler(1995);Heiler &Schieberle(1996)		0.00007

(Z-1,5-NONADIEN-3-OL,(Z)-1,5- 壬二烯-1-醇

Schieberle&Buettner(2001)		0.001～0.01

(Z)-1,5-NONADIEN-3-ONE,(Z)-1,5- 壬二烯-3-酮

Schieberle &Buettner(2001)		0.00001～0.0001

y-nonalactone=γ-壬内酯

(R)-y-nonalactone→(R)-y-壬内酯
(S)-y-nonalactone→(S)-y-壬内酯
(R)-δ-nonalactone→(R)-8-壬内酯
(S)-δ-nonalactone→(S)-δ-壬内酯

NONANAL, 壬醛，[124-19-6]

Pliška &Janiček(1965)		1.7
Randebrock(1971)		0.0003
Teranishi et al.(1974)		0.030
Hall &Andersson(1983)	d	0.045
Fuller et al.(1964)	r	0.0096
Cristoph(1983)	r	0.045～0.06
Randebrock(1986)		0.00094
Ulrich &Grosch(1988b)		0.0052～0.0121
Lindell(1991)	d	0.23
Khiari et al.(1992)		0.01
Von Ranson &Belitz(1992a)	d	0.020
Von Ranson &Belitz(1992a)	r	0.020
Nagata(2003)	d	0.0020
Yang et al.(2008)		0.0026
Cometto-Muniz &Abraham(2010a)	d	0.0031

NONANE, 壬烷，[111-84-2]

Mullins(1955)	r	108
Laffort &Dravnieks(1973)		60
Nagata(2003)	d	12

2,4-NONADIENE,2,4- 壬二烯，[34266-16-5]

Guth &Grosch(1989)		0.0026～0.0052

NONANOIC ACID,壬酸，[112-05-0]

Passy(1893b,1893c)	d	0.02
Backman(1917)	r	0.0016～0.0032
Punter(1983)	d	0.12

1-NONANOL,1- 壬醇，[143-08-8]

Pliška(1962)		41
Cristoph(1983)	r	0.015～0.02
Nagata(2003)	d	0.0053
Yang et al.(2008)		0.018

4-nonalide→y-壬内酯

2-NONANONE,2- 壬酮，[821-55-6]

Teranishi et al.(1974)		0.075
Hall&Andersson(1983)	d	1.7

Cometto-Muniz &Cain(1993); Cometto-Muniz(1993)	d	5.5
Yang et al.(2008)		0.031
Cometto-Muñiz & Abraham(2009a)	d	0.032

(E,E,E)-2,4,6-NONATRIENAL,(E,E,E)-2,4,6-壬三醛

Schuh &Schieberle(2005)		0.0044

(E,E,Z)-2,4,6-NONATRIENAL,(E,E,Z-2,4,6- 壬三醛

Schuh &Schieberle(2005)		0.0000002

(E,Z,E)-2,4,6-NONATRIENAL,(E,Z,E)-2,4,6-壬三醛

Schuh &Schieberle(2005)		0.0001

(E)-2-NONENAL,(E)-2- 壬烯醛，[18829-56-6]

Teranishi et al.(1974)		0.0005
Hall &Andersson(1983)	d	0.0036
Koszinowski&Piringer(1986)		0.001
Ulrich &Grosch(1987)		0.0057～0.010
Grosch(1989)		0.0005
Guth(1991);Schieberle &Grosch(1991,1994)		0.0001～0.00013
Lindell(1991)	d	0.025
Von Ranson &Belitz(1992a)	d	0.00039
Von Ranson &Belitz(1992a)	r	0.0011
Yang et al.(2008)		0.00009

(Z)-2-NONENAL,(Z)-2- 壬烯醛，[60784-31-8]

Ulrich &Grosch(1988b);Grosch(1989)		0.00008～0.00023
Guth(1991)		0.000005
Von Ranson &Belitz(1992a)	d	0.000022
Von Ranson &Belitz(1992a)	r	0.000039

(E)-3-NONENAL,(E)-3- 壬烯醛，[109351-28-2]

Ulrich &Grosch(1988b)		0.0026～0.0054
Von Ranson &Belitz(1992a)	d	0.00028
Von Ranson &Belitz(1992a)	r	0.0014

(Z)-3-NONENAL,(Z)-3- 壬烯醛，[31823-43-5]

Ulrich &Grosch(1988b);Grosch(1989)		0.0023～0.0055
Von Ranson &Belitz(1992a)	d	0.00028
Von Ranson &Belitz(1992a)	r	0.00056

(E)-4-NONENAL,(E)-4- 壬烯醛，[2277-16-9]

Von Ranson &Belitz(1992a)	d	0.0022
Von Ranson &Belitz(1992a)	r	0.025

(Z-4-NONENAL,(Z-4- 壬烯醛，[2277-15-8]		
Von Ranson &Belitz(1992a)	d	0.0045
Von Ranson &Belitz(1992a)	r	0.0045
(E)-5-NONENAL,(E)-5- 壬烯醛		
Von Ranson &Belitz(1992a)	d	0.0070
Von Ranson &Belitz(1992a)	r	0.020
6-NONENAL,6- 壬烯醛，[6728-35-4]		
Lindell(1991)	d	0.023
(E)-6-NONENAL,(E)-6- 壬烯醛，[2277-20-5]		
Von Ranson &Belitz(1992a)	d	0.000022
Von Ranson &Belitz(1992a)	r	0.00014
(Z)-6-NONENAL,(Z)-6- 壬烯醛，[2277-19-2]		
Von Ranson &Belitz(1992a)	d	0.00014
Von Ranson &Belitz(1992a)	r	0.0036
(E)-7-NONENAL,(E)-7- 壬烯醛		
Von Ranson &Belitz(1992a)	d	0.014
Von Ranson &Belitz(1992a)	r	0.12
8-NONENAL,8- 壬烯醛，[39770-04-2]		
Von Ranson &Belitz(1992a)	d	0.00020
Von Ranson &Belitz(1992a)	r	0.00084
1-NONENE, 香茅烯，[124-11-8]		
Koszinowski&Piringer(1983)		37
Nagata(2003)	d	0.0028
1-NONEN-3-OL,1- 壬烯-3-醇，[21964-44-3]		
Koszinowski&Piringer(1983)		0.04
Schieberle &Buettner(2001)		0.001～0.01
3-NONEN-2-ONE,3- 壬烯-2-酮，[14309-57-0]		
Koszinowski&Piringer(1986)		0.03
1-NONEN-3-ONE,1- 壬烯-3-酮，[24415-26-7]		
Koszinowski&Piringer(1983,1986)		0.00002
Schieberle &Buettner(2001)		约0.00001
4-NONEN-3-ONE,4- 壬烯-3-酮		
Koszinowski&Piringer(1986)		0.08
2-NONEN-4-ONE,2- 壬烯-4-酮，[32064-72-5]		
Koszinowski&Piringer(1986)		0.02

(E)-2-NONEN-4-ONE,(E)-2- 壬烯-4-酮，[27743-70-0]

Teranishi et al.(1974) 0.0027

5-NONEN-4-ONE,5- 壬烯-4-酮

Koszinowski&Piringer(1986) 0.5

nonyl alcohol→1-壬醇

nonyl aldehyde→壬醛

5-norbornen-2(exo)aldehyde→5-降冰片烯-2-甲醛

5-norbornen-2(endo)aldehyde→5-降冰片烯-2-甲醛

0

oak lactone→橡木内酯

(E)-β-ocimene→(E)-β- 罗勒烯

(Z)-β-ocimene→(Z)-β- 罗勒烯

(E,Z)-8-ocimenyl acetate→(E,Z)-8-罗勒烯乙酸酯

(Z,Z)-8-ocimenyl acetate→(Z,Z)-8-罗勒烯乙酸酯

OCTADECANE, 正十八烷，[593-45-3]

Patte(1978);Patte &Punter(1979) d 0.02

cis-9-0CTADECENOIC ACID,油酸，[112-80-1]

Nagy(1991) d 44

(E,E)-2,4-OCTADIENAL,(E,E)-2,4- 辛二醛，[30361-28-5]

Hall &Andersson(1983) d 0.012

(Z)-1,5-OCTADIEN-3-HYDROPEROXIDE,(Z)-1,5- 辛二烯-3-过氧化氢

Guth &Grosch(1990);Guth(1991) 0.00003～0.00006

(E)-1,5-0CTADIEN-3-ONE,(E)-1,5- 辛二烯-3-酮，[359794-78-8]

Grosch(1989);Guth(1991) 0.0002～0.0004

(Z)-1,5-0CTADIEN-3-OL,(Z)-1,5- 辛二烯-3-醇，[50306-18-8]

Schieberle &Buettner(2001) 0.0013

(Z-1,5-0CTADIEN-3-ONE,(Z-1,5- 辛二烯-3-酮，[65767-22-8]

Ulrich &Grosch(1988a) 0.00020～0.00051

Ulrich &Grosch(1988b);Grosch(1989) 0.00001～0.00004

Guth &Grosch(1990);

Schieberle &Buettner(2001) 0.000003～0.000006

(-)-(4R,4aR,8aR)-1,2,3,4,4a,5,8,8a-OCTAHYDRO-4,8a-DIMETHYLNAPHTHALEN-4a-OL,(-)- 脱氢土臭素

Huber et al.(1993) r 0.00001

(+)-(4S,4aS,8aS)-1,2,3,4,4a,5,8,8a-0CTAHYDRO-4,8a-DIMETHYLNAPHTHALEN-4a-OL,(+)- 脱氢土臭素

Huber et al.(1993) r 0.00014

(1R*,1'R*,3'S)-3,4,5,6,7,8,9,10-0CTAHYDRO-1,3'-DIMETHYL-1HSPIRO(BENZO[8]ANNULENE-2,1'-CYCLOHEXAN)-2'-ONE,(1R*,1'R*,3'S*)-3,4,5,6,7,8,9,10-八氢-1,3'-二甲基-1H 螺(苯并[8]轮烯-2,1'-环己)-2'-酮

Kraft et al.(2006a) 0.069

(1R*,1'S*,3'S*)-3,4,5,6,7,8,9,10-0CTAHYDRO-1,3'-DIMETHYL-1H-SPIRO(BENZO[8]ANNULENE-2,1'-CYCLOHEXAN)-2'-ONE,(1R*,1'S*,3'S*)-3,4,5,6,7,8,9,10-八氢-1,3'-二甲基-1H 螺(苯并[8]轮烯-2,1'-环己)-2'-酮

Kraft et al.(2006a) 0.00059

1,2,3,4,5,6,7,8-0CTAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHALENONE,3,5,5,6,8,8- 六甲基-1,2,3,4,5,6,7,8-八氢-2-萘酮

Bachmann &Pesaro(1990) 0.00013

(1R*,1'R*)-3,4,5,6,7,8,9,10-0CTAHYDRO-1-METHYL-1H-SPIRO(BENZO[8]ANNULENE-2,1'-CYCLOHEXAN)-2'-ONE,(1R*,1'R*)-3,4,5,6,7,8,9,10- 八氢-1-甲基-1H-螺(苯并[8]轮烯-2,1'-环己)-2'-酮

Kraft et al.(2006a) 0.213

(1R*,1'R*)-3,4,5,6,7,8,9,10-0CTAHYDRO-1-METHYL-1H-SPIRO(BENZO[8]ANNULENE-2,1'-CYCLOPENTAN)-2′-ONE,(1R*,1'R*)-3,4,5,6,7,8,9,10-八氢-1-甲基-1H 螺(苯并[8]轮烯-2,1'-环戊)-2'-酮

Kraft et al.(2006a) 0.0022

(1R*,1'S*)-3,4,5,6,7,8,9,10-0CTAHYDRO-1-METHYL-1H-SPIRO(BENZO[8]ANNULENE-2,1'-CYCLOPENTAN)-2′-ONE,(1R*,1'S*)-3,4,5,6,7,8,9,10-八氢-1-甲基-1H 螺(苯并[8]轮烯-2,1'-环戊)-2'-酮

Kraft et al.(2006a) 0.00080

1,2,3,4,5,6,7,8-0CTAHYDRO-2,3,8,8-TETRAMETHYL-2-ACETOPHENONE,1,2,3,4,5,6,7,8- 八氢-2,3,8,8-四甲基-2-苯乙酮

Etzweiler et al.(1992) 0.5

(±)-1-[(1R*,2R*,8aS*)-1,2,3,5,6,7,8,8a-0CTAHYDRO-1,2,8,8-TETRAMETHYLNAPHTHALEN-2-YL]-1-ETHANONE,(±)-1-[(1R*,2R,8aS*)-1,2,3,5,6,7,8,8a- 八氢-1,2,8,8-四甲基-2-萘]乙酮

Nussbaumer et al.(1999) 0.000005

(-)-(1R,2S)-1-(1,2,3,4,5,6,7,8-0CTAHYDRO-1,2,8,8-TETRAMETHYLNAPHTHALEN-2-YL)ETHANONE, (一)-(1R,2S)-2- 乙酰基-1,2,3,4,5,6,7,8-八氢-1,2,8,8-四甲基蔡

Fráter et al.(2004) 0.00002

(+)-(1S,2R)-1-(1,2,3,4,5,6,7,8-0CTAHYDRO-1,2,8,8-TETRAMETHYLNAPHTHALEN-2-YL)ETHANONE,(+)-(1S,2R)-2- 乙酰基-1,2,3,4,5,6,7,8-八氢-1,2,8,8-四甲基萘

Fráter et al.(2004) 0.0035

(R)-y-octalactone→ (R)-γ-辛内酯

(S)-y-octalactone→ (S)-y-辛内酯

(R)-δ-octalactone→ (R)-δ-辛内酯
(S)-δ-octalactone→(S)-δ-　辛内酯

OCTANAL, 辛醛，[124-13-0]

Pliška &Janiček(1965)		5
Teranishi et al.(1974)		0.015
Hall&Andersson(1983)	d	0.0078
Cristoph(1983)	r	0.005～0.009
Ulrich &Grosch(1988b)		0.0058～0.0136
Lindell(1991)	d	0.040
Von Ranson &Belitz(1992a)	d	0.010
Von Ranson &Belitz(1992a)	r	0.010
Cometto-Muniz et al.(1998a);Cometto-Muniz(1999)	d	0.021
Nagata(2003)	d	0.000052
Yang et al.(2008)		0.0004
Cometto-Muniz&Abraham(2010a)	d	0.00088
Laska&Ringh(2010)	d	0.17

OCTANE, 辛烷，[111-65-9]

Jones(1955c)	r	550
May(1966)	d	710
May(1966)	r	1100
Laffort &Dravnieks(1973)		71
Nagy(1991)	d	61.8
Nagy(1991)	d	90.102
Nagata(2003)	d	8.0

1-OCTANETHIOL, 辛硫醇，[111-88-6]

Patte(1978);Patte &Punter(1979)	d	0.0001

OCTANOIC ACID,辛酸，[124-07-2]

Passy(1893b,1893c)	d	0.05
Backman(1917)	r	0.0003
Jones(1955c)	r	3.2
Punter(1983)	d	0.60
Cometto-Muniz et al.(1998a);Cometto-Muniz(1999)	d	0.000065
Ferreira et al.(1998)		0.5
Wise et al.(2007);Miyazawa et al.(2009a)	d	0.011～0.018
Cometto-Muniz&Abraham(2010b)	d	0.0051

1-OCTANOL, 正辛醇，[111-87-5]

Backman(1917)	r	0.005～0.008
Rocén(1920)	r	0.005
Gavaudan et al.(1948)		0.02

Mullins(1955)	r	5.44
Pliška &Janiček(1960)		0.14
Pliška(1962)		9
Stone et al.(1967)	d	0.05
Cain(1969)	r	0.5
Punter(1983)	d	0.73
Cristoph(1983)	r	0.03～0.05
Cometto-Muniz&Cain(1990);Cometto-Muniz(1993)	d	0.037
Nagata(2003)	d	0.014
Cometto-Muniz&Abraham(2008)	d	0.023
Yang et al.(2008)		0.022

2-OCTANOL, 仲辛醇，[123-96-6]

Passy(1892c)	d	0.05
Backman(1917)	r	0.013～0.016
Punter(1983)	d	0.14

(S)-(+)-2-OCTANOL,2- 辛醇，[6169-06-8]

Stuiver(1958)	d	0.0011
Punter(1983)	d	0.067

(R)-(-)-2-OCTANOL,L-2- 辛醇，[5978-70-1]

Stuiver(1958)	d	0.0003
Punter(1983)	d	0.22

2-OCTANONE,2- 辛酮，[111-13-7]

Backman(1917)	r	0.06～0.1
Stone(1963b,1963c)	d	0.78
Hall &Andersson(1983)	d	0.23

3-OCTANONE,3- 辛酮，[106-68-3]

Appell(1969)		0.0013

(E)-2-OCTENAL,(E)-2- 辛烯醛，[2548-87-0]

Teranishi et al.(1974)		0.009
Eriksson et al.(1976)	d	0.014
Hall &Andersson(1983)	d	0.047
Lindell(1991)	d	0.012
Von Ranson &Belitz(1992a)	d	0.25
Von Ranson &Belitz(1992a)	r	0.25
Yang et al.(2008)		0.0027

(Z)-2-OCTENAL,(Z)-2- 辛烯醛，[20664-46-4]

Koszinowski&Piringer(1986)		0.007
Ulrich &Grosch(1987)		0.0042～0.0083

Ulrich &Grosch(1988b)		0.0009～0.0025
Von Ranson &Belitz(1992a)	d	0.0076
Von Ranson &Belitz(1992a)	r	0.010

(E)-3-OCTENAL,(E)-3-　辛烯醛

Von Ranson &Belitz(1992a)	d	0.043
Von Ranson &Belitz(1992a)	r	0.088

(Z)-3-OCTENAL,(Z)-3-　辛烯醛，[78693-34-2]

Von Ranson &Belitz(1992a)	d	0.035
Von Ranson &Belitz(1992a)	r	0.045

(E)-4-OCTENAL,(E)-4-　辛烯醛

Von Ranson &Belitz(1992a)	d	0.0040
Von Ranson &Belitz(1992a)	r	0.0033

(E)-5-OCTENAL,(E)-5-　辛烯醛

Von Ranson &Belitz(1992a)	d	0.0040
Von Ranson &Belitz(1992a)	r	0.0050

(Z)-5-0CTENAL,(Z)-5-　辛烯醛，[41547-22-2]

Von Ranson &Belitz(1992a)	d	0.00050
Von Ranson &Belitz(1992a)	r	0.0075

(E)-6-0CTENAL,(E)-6-　辛烯醛，[63826-25-5]

Von Ranson &Belitz(1992a)	d	0.00018
Von Ranson &Belitz(1992a)	r	0.0020

7-OCTENAL,7-　辛烯醛，[21573-31-9]

Von Ranson &Belitz(1992a)	d	0.010
Von Ranson &Belitz(1992a)	r	0.018

1-OCTENE,1-　辛烯，[111-66-0]

Dravnieks &Laffort(1972)		0.33
Dravnieks(1974)	d	5
Koszinowski&Piringer(1983)		37
Cometto-Muniz(1993);		
Cometto-Muñiz & Cain(1994	d	945
Nagata(2003)	d	0.0046

2-OCTENE,2-　辛烯，[111-67-1]

Dravnieks &Laffort(1972)		0.50
Dravnieks(1974)	d	5
Lindell(1991)	d	2.0

1-OCTEN-3-HYDROPEROXIDE,1- 辛烯-3-过氧化氢

Guth &Grosch(1990)		0.0006～0.0012

1-0CTEN-3-OL,1- 辛烯-3-醇，[3391-86-4]

Hall &Andersson(1983)	d	0.048
Koszinowski&Piringer(1983)		0.11
Ulrich &Grosch(1987)		0.012～0.028
Fischer &Grosch(1987)		0.026～0.075
Benzo et al.(2007)		0.00236
Yang et al.(2008)		0.0027
Schieberle &Buettner(2001)		0.001～0.01

3-0CTEN-2-0NE,3- 辛烯-2-酮，[1669-44-9]

Koszinowski&Piringer(1986)		0.02
Yang et al.(2008)		0.0067

1-OCTEN-3-ONE,1- 辛烯-3-酮，[4312-99-6]

Koszinowski&Piringer(1983,1986)		0.0001
Fischer &Grosch(1987)		0.0008～0.0022
Ulrich &Grosch(1988b)		0.0003～0.0006
Grosch(1989)		0.0004～0.0011
Guth & Grosch(1990);Schieberle & Buettner(2001)		0.00003～0.00012

4-0CTEN-3-0NE,4- 辛烯-3-酮，[14129-48-7]

Koszinowski&Piringer(1986)		0.05

2-0CTEN-4-0NE,2- **辛烯-4-酮，[4643-27-0]**

Koszinowski&Piringer(1986)		0.2

3-0CTEN-5-0NE,3- 辛烯-5-酮

Koszinowski&Piringer(1986)		0.5

5-octen-4-one→3- 辛烯-5-酮

OCTYL ACETATE,乙酸辛酯，[112-14-1]

Cristoph(1983)	r	3.1～4.7
Cometto-Muniz &Cain(1991);Cometto-Muniz(1993)	d	2.7
Cometto-Muniz et al.(2008)	d	0.14

2-0CTYL ACETATE,乙酸仲辛酯，[2051-50-5]

Backman(1917)	r	0.022～0.038

sec-octyl acetate→乙酸仲辛酯

octyl alcohol→正辛醇

OCTYLBENZENE，辛基苯，[2189-60-8]

Cometto-Muniz(1993);Cometto-Muniz &Cain(1994)	d	2.9

Cometto-Muniz &Abraham(2009b) d 0.69

7-OCTYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 辛基[b][1,4]二氧杂环-3-庚酮
Kraft &Eichenberger(2003) 0.00405

5-0CTYLDIHYDRO-2(3H)-THIOPHENONE,γ 硫代十二内酯
Roling et al.(1998);Engel(1999) 0.022
octyl mercaptan→辛硫醇

1-OCTYNE,1- 辛炔，[629-05-0]
Cometto-Muniz(1993);Cometto-Muniz &Cain(1994) d 609

2-0CTYNE,2- 辛炔，[2809-67-8]
Dravnieks &Laffort(1972) 0.03
Dravnieks(1974) d 2

oenanthic acid→庚酸
oleic acid→油酸
oryclone→鸢尾酯
10-oxahexadecanolide→10-氧杂十六内酯
11-oxahexadecanolide→麝香R-1
12-oxahexadecanolide→麝香内酯
oxalide T→10-氧杂十六内酯

2-OXAPROPYL SALICYLATE,水杨酸甲氧基甲酯
Backman(1917) r 10

3-OXODECANAL,3- 氧代癸醛，[56505-80-7]
Guth &Grosch(1989) 0.00035～0.00070

5-OXODECANAL,5- 氧代癸醛
Guth &Grosch(1989) 0.0011～0.0022

trans-(2R,3R)-3-(2-0XOPROPYL)-2-PENTYLCYCLOPENTANONE,反-(2R,3R)-3-(2-氧代丙基)-2-戊基环戊酮
Stang &Helmchen(2005) 0.0074

cis-(-)-(2R,3S)-3-(2-0XOPROPYL)-2-PENTYLCYCLOPENTANONE, 顺-(-)-(2R,3S)-3-(2-氧代丙基)-2-戊基环戊酮
Stang &Helmchen(2005) 0.071

cis-(+)-(2S,3R)-3-(2-0XOPROPYL)-2-PENTYLCYCLOPENTANONE, 顺-(+)-(2S,3R)-3-(2-氧代丙基)-2-戊基环戊酮
Stang &Helmchen(2005) 0.0029

trans-(2S,3S)-3-(2-0XOPROPYL)-2-PENTYLCYCLOPENTANONE, 反-(2S,3S)-3-(2-氧代丙基)-2-戊基环戊酮

Stang &Helmchen(2005) 0.006

OXYGEN DIFLUORIDE,二氟化氧，[7783-41-7]
Lester &Adams(1965) 0.22

OZONE, 臭氧，[10028-15-6]
Witheridge &Yaglou(1939) 0.02～0.03
Wilska(1951) <0.2
Beck(1959);Henschler et al.(1960) ≤0.04
Buchberg et al.(1961) 0.07～0.5
Eglite(1968) 0.015
Nagata(2003) d 0.0064
Cain et al.(2007a) d 0.014

P

paraldehyde→三聚乙醛

(+)-nor-PATCHOULENOL, (+)-降-广藿香烯酮
Kraft et al.(2005) 0.0028

(-)-PATCHOULOL, (—)-广藿香烯酮
Kraft et al.(2005) 0.00093
pelargonaldehyde→壬醛
pelargonic acid→壬酸

PENTABORANE, 戊硼烷，[19624-22-7]
Krackow(1953) 2.5

PENTABROMOANISOLE, 五溴苯甲醚，[1825-26-9]
Diaz et al.(2005) 0.0014

PENTACHLOROANISOLE, 五氯苯甲醚，[1825-21-4]
Nijssen(1988) d 0.00025
Diaz et al.(2005) 0.0016
Strube &Buettner(2010) 0.00219
pentadecalactone→十五酸内酯
15-pentadecanolide→十五酸内酯

1-PENTADECEN-3-OL,1- 十五烯-3-醇，[99814-65-0]
Koszinowski&Piringer(1983) 150

1-PENTADECEN-3-ONE,1- 十五烯-3-酮
Koszinowski&Piringer(1983) 2.9

PENTANAL, 戊醛，[110-62-3]
Backman(1917) r 0.009～0.010

Teranishi et al.(1974)		0.072
Anon.(1980)	d	0.0025
Anon.(1980)	r	0.013
Hall &Andersson(1983)	d	0.034
Cristoph(1983)	r	0.14～0.15
Lindell(1991)	d	0.092
Von Ranson &Belitz(1992a)	d	0.12
Von Ranson &Belitz(1992a)	r	0.22
Cometto-Muniz et al.(1998a);Cometto-Muniz(1999)	d	17.5
Nagata(2003)	d	0.0014
Laska&Ringh(2010)	d	0.85

PENTANE, 戊烷，[109-66-0]

Patty &Yant(1929)		1,450
Mullins(1955)	r	3,090
Laffort &Dravnieks(1973)		350
Nagata(2003)	d	4.1

1,5-PENTANEDIAL,1,5- 戊二醛，[111-30-8]

Colwell(1976)	r	0.16
Cain et al.(2007b)	d	0.0015

2,3-PENTANEDIONE,2,3- 戊二酮，[600-14-6]

Hall &Andersson(1983)	d	0.063
Blank et al.(1992)		0.01～0.02

2,4-PENTANEDIONE,2,4- 戊二酮，[123-54-6]

Hellman &Small(1974)	d	0.04
Hellman &Small(1974)	r	0.08

1-PENTANETHIOL, 戊硫醇，[110-66-7]

Sales(1958)		0.0005
Kniebes et al.(1969)		0.0004
Gijs et al.(2000)		0.0007
Nagata(2003)	d	0.0000034

PENTANOIC ACID,戊酸，[109-52-4]

Passy(1893b,1893c)	d	0.01
Hermanides(1909)	r	0.0021
Zwaardemaker(1914,1927)	d	0.002～0.0021
Backman(1917)	r	0.02
Allison &Katz(1919)		29
Henning(1924)	d	0.0008
Hesse(1926)	r	9.0

Hesse(1927)	r	3.0
Dubrovskaya et al.(1961)		0.5～1.0
Bocca&Battiston(1964)	d	0.025～0.07
Dubrovskaya &Khachaturyan(1973)		0.09～1.3
Marshal et al.(1981)	d	0.008
Punter(1983)	d	0.03～0.12
Neuner-Jehle &Etzweiler(1991)		0.00015～0.00026
Nagata(2003)	d	0.00016

1-PENTANOL, 戊醇，[71-41-0]

Backman(1917)	r	1.0～1.2
Allison &Katz(1919)		225
Jung(1936)	d	0.4～0.81
Jung(1936)	r	1.62
Janiček et al.(1960)		11
Nauš(1962)	d	4
Pliška &Janiček(1965)		1100
Gavaudan &Poussel(1966)		0.4
May(1966)	d	35
May(1966)	r	80
Stone et al.(1972)	d	1.2
Baikov et al.(1973)		0.1
Hellman &Small(1974)	d	0.8
Hellman &Small(1974)	r	1.1
Nauš(1982)	d	4
Nauš(1982)	r	30
Punter(1983)	d	2.0
Cristoph(1983)	r	1.0～1.1
Cometto-Muniz &Cain(1990); Cometto-Muniz(1993)	d	5.0
Lindell(1991)	d	1.3
Ziemer et al.(2000)	d	0.020
Nagata(2003)	d	0.36
Yang et al.(2008)		0.153

2-PENTANOL,2- 戊醇，[6032-29-7]

Nagata(2003)	d	1.0

sec-pentanol→2- 戊 醇

tert-pentanol→2- 甲基-2-戊醇

2-PENTANONE,2- 戊酮，[107-87-9]

Backman(1917)	r	11～15
May(1966)	d	27

May(1966)	r	48
Hall &Andersson(1983)	d	22
Laska &Hudson(1991)	d	6.7～8.3
Cometto-Muniz &Cain(1993);Cometto-Muniz(1993)	d	30.1
Patterson et al.(1993)	d	9.1
Nagata(2003)	d	0.098
Komthong et al.(2006)		230
Cometto-Muniz et al.(2008); Cometto-Muniz &Abraham(2009a)	d	0.35

3-PENTANONE,3- 戊酮，[96-22-0]

Backman(1917)	r	3.8
May(1966)	d	33
May(1966)	r	49
Dravnieks(1974)	d	3

(E)-2-PENTENAL,(E)-2- 戊烯醛，[1576-87-0]

Von Ranson &Belitz(1992a)	d	1.4
Von Ranson &Belitz(1992a)	r	2.7

(Z-2-PENTENAL,(Z)-2- 戊烯醛，[1576-86-9]

Von Ranson &Belitz(1992a)	d	>1. 7
Von Ranson &Belitz(1992a)	r	>10

(E)-3-PENTENAL,(E)-3- **戊烯醛**

Von Ranson &Belitz(1992a)	d	>0.17
Von Ranson &Belitz(1992a)	r	>0.17

(Z)-3-PENTENAL,(Z-3- 戊烯醛，[53448-06-9]

Von Ranson &Belitz(1992a)	d	0.017
Von Ranson &Belitz(1992a)	r	0.017

4-PENTENAL,4- 戊烯醛，[2100-17-6]

Von Ranson &Belitz(1992a)	d	0.017
Von Ranson &Belitz(1992a)	r	0.022

1-PENTENE,1- 戊烯，[109-67-1]

Nagata(2003)	d	0.29

1-PENTEN-3-OL,1- 戊烯-3-醇，[616-25-1]

Hall&Andersson(1983)	d	4.3
Koszinowski &Piringer(1983)		0.66
Schieberle &Buettner(2001)		0.01～0.1

1-PENTEN-3-ONE,1- 戊烯-3-酮，[1629-58-9]

Koszinowski&Piringer(1983)		0.02
Ulrich &Grosch(1988a)		0.013～0.035
Schieberle &Buettner(2001)		0.0001～0.001

PENTYL ACETATE,乙酸戊酯，[628-63-7]

Grijns(1919)		0.9
Allison &Katz(1919)		39
Jones(1955c)	r	1.6
Gofmekler(1960)		0.6
Pliška&Janiček(1960)		31
Guadagni(1966)		0.05
Davis(1973)	d	0.04
Hendriks(1979)	d	0.27
Slotnick(1981)		1.3
Laing(1982)	d	0.95
Punter(1983)	d	0.27～0.28
Cristoph(1983)	r	0.045～0.06
Walker et al.(1990)		6.9
Cometto-Muniz &Cain(1991);Cometto-Muniz(1993)	d	6.3
Walker et al.(1996)		0.53～5.3
Hoshika et al.(1997)	r	41
Ziemer et al.(2000)	d	0.049
Walker et al.(2003)		0.038～0.89
Komthong et al.(2006)		10.7～230
Olsson &Laska(2010)	d	2.2～2.7

PENTYLBENZENE, 正戊基苯，[538-68-1]

Cometto-Muniz(1993); Cometto-Muniz &Cain(1994)	d	6.0

7-PENTYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 戊基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.000013

PENTYL BUTANOATE,**丁酸戊酯，[540-18-1]**

Stevens &Cain(1987a)	d	6.5～65

2-pentyl-3,5-dimethyl-5,6-dihydropyrazine→2-戊基-3, 5-二甲基-5, 6-二氢吡嗪
3-pentyl-2,5-dimethyl-5,6-dihydropyrazine→3-戊基-2, 5-二甲基-5, 6-二氢吡嗪
2-pentyldimethyltetrahydropyrazine→2-戊基二甲基四氢吡嗪

2-PENTYLFURAN,2- 戊基呋喃，[3777-69-3]

Hall &Andersson(1983)	d	0.27
Yang et al.(2008)		0.019

PENTYL3-METHYLBUTANOATE,3- **甲基丁酸戊酯，[25415-62-7]**

Allison &Katz(1919)		12
PENTYL PROPANOATE,丙酸戊酯，[624-54-4]		
Ziemer et al.(2000)	d	0.085
2-PENTYLPYRIDINE,2- 戊基吡啶，[2294-76-0]		
Schieberle(1993)		0.0002
PENTYL SALICYLATE,水杨酸戊酯，[2050-08-0]		
Backman(1917)	r	0.01
Baldus(1936)	d	0.0075
Baldus(1936)	r	0.016625
6-PENTYLTETRAHYDRO-2H-THIOPYRAN-2-ONE, δ-硫代癸内酯		
Roling et al.(1998);Engel(1999)		0.0007
(R)-6-PENTYLTETRAHYDRO-2H-THIOPYRAN-2-ONE,(R)-δ-硫代癸内酯		
Engel et al.(2001)		0.0048
(S)-6-PENTYLTETRAHYDRO-2H-THIOPYRAN-2-ONE,(S)-δ-硫代癸内酯		
Engel et al.(2001)		0.0012
PENTYLTHIOPENTANE,戊硫醚，[872-10-6]		
Allison &Katz(1919)		1
pepper pyrazine→胡椒嗪		
perchloroethylene→四氯乙烯		
PERCHLORYL FLUORIDE,过氯酰氟，[7616-94-6]		
Braker &Mossman(1980)		42
(3R,3aR,6R,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aR,6R,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮		
Buhr(2006)		>0.1
(-)-(3R,3aR,6R,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aR,6R,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮		
Buhr(2006)		0.0004
(+)-(3R,3aR,6S,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aR,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮		
Buhr(2006)		>0.1
(-)-(3R,3aR,6S,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aR,6S,7aS)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)-苯并呋喃酮		
Buhr(2006)		0.000003

(+)-(3R,3aS,6R,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aS,6R,7aR)-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) >0. 1

(3R,3aS,6R,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aS,6R,7aS)-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.0075

(-)-(3R,3aS,6R,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aS,6R,7aS)-3,6-二甲基-3a,4,5,6,7a- 五氢-2(3H)- 苯并呋喃酮
Buhr(2006) >0. 1

(+)-(3R,3aS,6S,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3R,3aS,6S,7aR)-3,6-二甲基-3a,4,5,6,7a- 五氢-2(3H)- 苯并呋喃酮
Buhr(2006) >0. 1

(3R, 3aS, 6S, 7aS)-PERHYDRO-3, 6-DIMETHYL-2-BENZO[b]FURANONE, (3R, 3aS, 6S, 7aS)-3, 6-二甲基-3a,4,5,6,7a- 五氢-2(3H)- 苯并呋喃酮
Buhr(2006) 0.0000075

(3S,3aR,6R,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aR,6R,7aR)-3,6-二甲基-3a,4,5,6,7a- 五氢-2(3H)- 苯并呋喃酮
Buhr(2006) 0.030

(-)-(3S,3aR,6R,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aR,6R,7aS)-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) >0. 1

(3S,3aR,6S,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aR,6S,7aR)-3,6-二甲基-3a,4,5,6,7a-五氢-2(3H)- 苯并呋喃酮
Buhr(2006) >0. 1

(+)-(3S,3aS,6R,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aS,6R,7aR)-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.00015

(-)-(3S,3aS,6R,7aS)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aS,6R,7aS-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.000000001

(+)-(3S,3aS,6S,7aR)-PERHYDRO-3,6-DIMETHYL-2-BENZO[b]FURANONE,(3S,3aS,6S,7aR)-3,6-二甲基-3a, 4, 5, 6, 7a-五氢-2(3H)-苯并呋喃酮
Buhr(2006) 0.0005

(3S, 3aS, 6S, 7aS)-PERHYDRO-3, 6-DIMETHYL-2-BENZO[b]FURANONE, (3S, 3aS, 6S, 7aS)-3, 6-二甲基-3a,4,5,6,7a- 五氢-2(3H)- 苯并呋喃酮
Buhr(2006) 0.000000007

perillaldehyde→紫苏醛
phantolide→粉檀麝香
α-phellandrene→ α-水芹烯
(d)-a-phellandrene→ (d)-α-水芹烯
(1)-a-phellandrene→ (1)-a-水芹烯

PHENACYL BROMIDE, α-溴代苯乙酮，[70-11-1]

Katz&Talbert(1930)		0.12

PHENACYL CHLORIDE, α-氯乙酰苯，[532-27-4]

Katz &Talbert(1930)		0.10～0.70
Prentiss(1937)		0.2

PHENANTHRENE, 菲，[85-01-8]

Backman(1917)	r	0.055～0.06

phenethyl alcohol→苯乙醇

PHENOL, 苯酚，[108-95-2]

Grijns(1906)		2.2～6.8
Zwaardemaker(1914,1927)	d	4
Backman(1917)	r	0.13～0.26
Henning(1924)	d	1.2
Mukhitov(1962,1963)		0.022
Itskovich &Vinogradova(1962)		3
Pogosyan(1965)		0.022
Korneev(1965)		0.0172
Makhinya(1966)		0.022
Basmadzhieva &Argirova(1968)		0.021
Leonardos et al.(1969)	r	0.18
Takhirov(1974)		0.022
Punter(1975,1979)	d	0.8
Makeicheva(1978)		0.027
Anon.(1980)	d	0.046
Anon.(1980)	r	0.22
Nauš(1982)	d	0.2
Nauš(1982)	r	20
Punter(1983)	d	0.23
Moriguchi et al.(1983)	d	0.046
Kohler &Homans(1980);Homans(1984)		5.8～7.5
Don(1986);Hoshika et al.(1993)	d	0.039
Nagy(1991)	d	0.5
Hoshika et al.(1993)	d	0.046
Nagata(2003)	d	0.021

PHENOXYBENZENE,二苯醚，[101-84-8]		
Katz &Talbert(1930)		0.0070
Leonardos et al.(1969)	r	0.7
Appell(1969)		0.00017
phenylacetaldehyd→苯乙醛		
2-phenylacetaldehyde dimethylacetal→苯乙二甲缩醛		
PHENYL ACETATE,**乙酸苯酯，[122-79-2]**		
Jung(1936)	d	0.2
Jung(1936)	r	0.2
PHENYLACETIC ACID,苯乙酸，[103-82-2]		
Appell(1969)		0.00003
phenylbenzen→联苯		
4-PHENYLBUTANAL,4- 苯基丁醛，[18328-11-5]		
Von Ranson &Belitz(1992b)	d	0.050
Von Ranson &Belitz(1992b)	r	0.059
1-PHENYL-3-BUTANOL,4- 苯基-2-丁醇，[2344-70-9]		
Stevens et al.(1988)	d	0.0043～0.12
(E)-2-PHENYLCYCLOPROPAN-1-CARBALDEHYDE,(E)-2-苯基环丙基-1-甲醛		
Von Ranson &Belitz(1992b)	d	2.6
Von Ranson &Belitz(1992b)	r	7.9
(Z)-2-PHENYLCYCLOPROPAN-1-CARBALDEHYDE,(Z)-2-苯基环丙基-1-甲醛		
Von Ranson &Belitz(1992b)	d	0.13
Von Ranson &Belitz(1992b)	r	0.69
1-PHENYL-1,2-EPOXYETHANE, 氧化苯乙烯，[96-09-3]		
Hellman &Small(1974)	d	0.3
Hellman &Small(1974)	r	2.0
2-PHENYLETHANAL, 苯乙醛，[122-78-1]		
Blank et al.(1989)		0.0006～0.0012
Von Ranson &Belitz(1992b)	d	0.00072
Von Ranson &Belitz(1992b)	r	0.0017
(R)-1-PHENYLETHANETHIOL,(R)-1-甲基苄硫酚		
Fischer et al.(2008)		0.000005
(S)-1-PHENYLETHANETHIOL,(S)-1-甲基苄硫酚		
Fischer et al.(2008)		0.000005
1-PHENYLETHANOL, **苏合香醇，[98-85-1]**		
Wünsche et al.(1995)	d	0.30

2-PHENYLETHANOL,　苯乙醇，[60-12-8]

Appell(1969)		0.00035
Blank et al.(1989)		0.012～0.024
Cometto-Muniz &Cain(1990);		
Cometto-Muniz(1993)	d	0.03
Laska &Hudson(1991)	d	0.0049
McGee et al.(1995)	d	0.01～0.1
Ferreira et al.(1998)		0.16
Dalton et al.(2000)	d	0.05～0.1
Smeets &Dalton(2002)	d	0.7～3.8
Dalton et al.(2003)	d	0.014～0.016
Tsukatani et al.(2003)	d	0.20～0.22
Dalton et al.(2007)	d	0.012～0.021

phenyl ethyl alcohol→苯乙醇

β-phenylethyl alcohol→苯乙醇

1-PHENYLETHYL ACETATE,乙酸苏合香酯，[93-92-5]

Appell(1969)		0.0002

2-PHENYLETHYL ACETATE,乙酸苯乙酯，[103-45-7]

Schieberle(1998)		0.0067～0.0268

(β)-phenylethylmethylethyl carbinol→3-甲基-1-苯基-3-戊醇

6-PHENYLHEXANAL,6-　苯基己醛，[16387-61-4]

Von Ranson &Belitz(1992b)	d	0.014
Von Ranson &Belitz(1992b)	r	0.025

1-phenylhexane→ 己基苯

PHENYL ISOCYANIDE,1-异苯甲腈，[931-54-4]

Allison &Katz(1919)		2
Katz&Talbert(1930)		0.0042
Stone &Pryor(1967)	d	11.0
Stone &Pryor(1967)	r	109.0

PHENYL ISOTHIOCYANATE,苯基芥子油，[103-72-0]

Katz&Talbert(1930)		0.52
Stone et al.(1967)	d	0.033

phenylmethylcarbinol→ 1- 苯乙醇

phenyl mustard oil→苯基芥子油

8-PHENYLOCTANAL,8-　苯基辛醛

Von Ranson &Belitz(1992b)	d	1.9
Von Ranson &Belitz(1992b)	r	1.8

5-PHENYLPENTANAL,5-　苯基戊醛

Von Ranson &Belitz(1992b)	d	0.0032
Von Ranson &Belitz(1992b)	r	0.062

(R)-2-PHENYLPROPANAL,(R)-2- 苯基丙醛

Bartschat &Mosandl(1996)		>2.5

(S)-2-PHENYLPROPANAL, (S)-2-苯基丙醛

Bartschat &Mosandl(1996)		0.02

(R)-2-PHENYLPROPANAL DIMETHYL ACETAL,(R)-β-苯丙醛二甲缩醛

Bartschat &Mosandl(1996)		0.25

(S)-2-PHENYLPROPANAL DIMETHYL ACETAL,(S)-β苯丙醛二甲缩醛

Bartschat &Mosandl(1996)		>2.5

3-PHENYLPROPANAL, 氢化肉桂醛，[104-53-0]

Von Ranson &Belitz(1992b)	d	0.12
Von Ranson &Belitz(1992b)	r	0.31

(R)-2-PHENYL-1-PROPANOL,(R)-2- 苯基-1-丙醇，[19141-40-3]

Bartschat &Mosandl(1996)		1

(S)-2-PHENYL-1-PROPANOL,(S)-2- 苯基-1-丙醇，[37778-99-7]

Bartschat &Mosandl(1996)		>2.5

3-PHENYL-1-PROPANOL, 氢化肉桂醇，[122-97-4]

Schwarz(1955)		0.0015
Von Ranson &Belitz(1992b)	d	0.42
Von Ranson &Belitz(1992b)	r	0.90

3-PHENYL-2-PROPENAL, 肉桂醛，[104-55-2]

Tempelaar(1913)	d	0.098
Backman(1917)	r	0.010～0.012
Baldus(1936)	d	0.0201
Baldus(1936)	r	0.05025
Appell(1969)		0.00003
Randebrock(1971)		0.000015
Dravnieks et al.(1986)	d	0.024
Randebrock(1986)		0.000081
Von Ranson &Belitz(1992b)	d	0.14
Von Ranson &Belitz(1992b)	r	0.21

3-PHENYL-(Z)-2-PROPENAL,(Z)- 肉桂醛，[57194-69-1]

Von Ranson &Belitz(1992b)	d	0.069
Von Ranson &Belitz(1992b)	r	0.37

3-PHENYL-2-PROPEN-1-OL, 肉桂醇，[104-54-1]

Tempelaar(1913)	d	0.19
Appell(1969)		0.00003
Randebrock(1971)		0.000013
Randebrock(1986)		0.000076

PHENYLTHIOBENZENE，二苯硫醚，[139-66-2]

Katz &Talbert(1930)		0.0026
Leonardos et al.(1969)	r	0.036

phenylurethane→ 苯胺基甲酸乙酯

phosgene→光气

PHOSPHINE, **磷化氢，**[7803-51-2]

Valentin(1848)		1.4
Valentin(1848)		0.13
Singh et al.(1967)	d	7
Berck(1968)	r	<2
Leonardos et al.(1969)	r	0.03
Dumas &Bond(1974)	d	>280
Fluck(1976)		0.014～2.8

PHTHALIC ANHYDRIDE,**苯酐，[85-44-9]**

Slavgorodskiy(1968)		0.32

2-picolin→2-甲基吡啶

α-picoline→2-甲基吡啶

pinacolone→ 甲基叔丁基酮

α-pinene→α- 烯

(+)-a-pinene→(R)-(+)-a- 烯

(-)-α-pinene→ (S)-(-)-α-**蒎烯**

(R)-(+)-a-pinene→(R)-(+)-α- 烯

(S)-(一)-a-pinene→(S)-(-)-α- 烯

β-pinene→β- 烯

(-)--pinen→(-)-β- 烯

PIPERIDINE, **哌啶，**[110-89-4]

Geier(1936)	d	0.5
Geier(1936)	r	2.0
Nawakowski(1980)		<7

cis-PIPERITONE OXIDE,**顺-氧化胡椒酮，[57130-28-6]**

Benzo et al.(2007)		0.022427

piperonal→洋茉莉醛

pivaldehyde→特戊醛

polywood→ 乙酸十氢-5,5,8a-三甲基-2-萘酯

prenyl mercaptan→异戊烯基硫醇

PROPANAL, 丙醛，[123-38-6]

Backman(1917)	r	0.02
Pliška &Janiček(1965)		240
Hartung et al.(1971)		1.7
Knuth(1973)		0.026
Hellman &Small(1974)	d	0.02
Hellman &Small(1974)	r	0.10
Teranishi et al.(1974)		0.020
Bedborough &Trott(1979)	d	0.014
Anon.(1980)	d	0.0036
Anon.(1980)	r	0.036
Hall&Andersson(1983)	d	0.69
Cristoph(1983)	d	0.33～0.40
Nagy(1991)	d	0.21
Nagata(2003)	d	0.0024
Cometto-Muniz &Abraham(2010a)	d	0.0048

PROPANE, **丙烷，[74-98-6]**

Patty &Yant(1929)		36000
Laffort &Dravnieks(1973)		22000
Nagata(2003)	d	2700

1,2-PROPANEDIAMINE, **丙二胺，[78-90-0]**

Hellman &Small(1974)	d	0.04
Hellman &Small(1974)	r	0.14

1,2-PROPANEDIOL,丙二醇，[57-55-6]

Nagy(1991)	d	16

1,2-PROPANEDIOL DINITRATE,**丙二醇二硝酸酯，[6423-43-4]**

Stewart et al.(1974)		1.6

2,2-PROPANEDITHIOL,2,2- 丙二硫醇

Mayer &Wittig(1972)		0.000000036

1-PROPANETHIOL, 丙硫醇，[107-03-9]

Allison &Katz(1919)		6
Katz&Talbert(1930)		0.005
Blinova(1965)		0.007～0.03
Kniebes et al.(1969)		0.0016
Wilby(1969)	r	0.0023
Blanchard(1976)		0.018
Nagata(2003)	d	0.000040

2-PROPANETHIOL, **异丙硫醇，[75-33-2]**

Stuiver(1958)	d	0.0000025～0.00002
Wilby(1969)	r	0.0014
Blanchard(1976)		0.018
Moschandreas &Jones(1983)	d	0.0081
Moschandreas &Jones(1983)	r	0.0192
Nagata(2003)	d	0.000019

PROPANOIC ACID,丙酸，[79-09-4]

Passy(1893b,1893c)	d	0.05
Backman(1917)	r	0.5
Grijns(1919)		0.6
Misumoto(1926)	r	1.7～2.55
Hesse(1926)	r	4.6
Morimura(1934)	r	1.77～2.38
Stone(1963a,1963c)	d	0.39～0.68
Stone &Bosley(1965)	d	0.89
Goldenberg(1967)	d	0.003
Hellman &Small(1974)	d	0.08
Hellman &Small(1974)	r	0.10
Anon.(1980)	d	0.0051
Anon.(1980)	r	0.025
Punter(1983)	d	0.44～0.58
Dollnick et al.(1988)		0.147
Walker et al.(1990)		14.1
Nagy(1991)	d	1.2
Walker et al.(1996)		0.3～3
Nagata(2003)	d	0.017
Van Thriel et al.(2006)	d	1.0

(2'EIZ)-PROPANOIC ACID(1”,2”,4"-TRIMETHYLPENT-2-ENYLOXY)CARBONYLMETHYL ESTER,(2'EIZ-丙酸(1",2",4”-三甲基戊-2-烯氧基)羧甲酯

Kraft&Eichenberger(2004)		0.016

PROPANOIC ANHYDRIDE,丙酸酐，[123-62-6]

Nagy(1991)	d	3.4

1-PROPANOL, 丙醇，[71-23-8]

Passy(1892c)	d	5～10
Backman(1917)	r	3～5
Jung(1936)	d	0.8～8
Jung(1936)	r	8～24
Jones(1955c)	r	140
Janiček et al.(1960)		540
Pliška &Janiček(1965)		25000

Guadagni(1966)		9
May(1966)	d	80
May(1966)	r	150
Khachaturyan et al.(1968)		1.25
Cain(1969)	r	660
Corbit &Engen(1971)		46～51
Stone et al.(1972)	d	2.8
Dravnieks &Laffort(1972)		32.3
Dravnieks(1974)	d	100
Hellman &Small(1974)	d	≤0.075
Hellman &Small(1974)	r	0.2
Laing(1975)	d	100
Nauš(1982)	d	2
Nauš(1982)	r	20
Punter(1983)	d	5.9
Cristoph(1983)	r	2.9～3.2
Cometto-Muniz &Cain(1990,1993); Cometto-Muniz(1993)	d	27.5～35
Scharfenberger(1990)		16
Nagata(2003)	d	0.24

2-PROPANOL, 异丙醇，[67-63-0]

Passy(1892c)	d	40
Backman(1917)	r	18～24
Jung(1936)	d	3.9～32.4
Jung(1936)	r	7.8～31.2
Scherberger et al.(1958)	r	500
Cheesman &Kirkby(1959)	d	43～290
May(1966)	d	90
May(1966)	r	120
Gorlova(1970)		2.5
Köster(1968a,1971)	d	64～5400
Dravnieks &Laffort(1972)		57～4
Dravnieks(1974)	d	1500
Hellman &Small(1974)	d	8.0
Hellman &Small(1974)	r	18.8
Scharfenberger(1990)		491
Nagy(1991)	d	180
Cometto-Muniz &Cain(1993); Cometto-Muniz(1993,1999)	d	1245
Smith &Duffy(1995)	d	103
Smith &Duffy(1995)	r	228
Smeets &Dalton(2002)	d	28～98

Nagata(2003)	d	65

PROPANONE,　丙酮，[67-64-1]

Zwaardemaker(1914,1927)	d	4～7
Backman(1917)	r	4.1～4.3
Van Anrooij(1931)	d	1.1
Jung(1936)	d	78
Jung(1936)	r	78
Scherberger et al.(1958)	r	1900
Stuiver(1958)	d	5.8
Feldman(1960)		1.1
Nauš(1962)	d	4
Pogosyan(1965)		1.1
Tkach(1965)		1.1
May(1966)	d	770
May(1966)	r	1660
Kittel(1968)		11～240
Leonardos et al.(1969)	r	240
Kittel &Wendelstein(1971)	d	75
Kittel &Wendelstein(1971)	r	121
Hartung et al.(1971)		2.3
Dravnieks &Laffort(1972)		240
Artho &Koch(1973)		1000～10000
Hellman &Small(1973,1974)	d	48
Hellman &Small(1973,1974)	r	78
Dravnieks(1974)	d	1550
Takhirov(1974)		1.15
Makeicheva(1978)		0.94
Anon.(1980)	d	72
Anon.(1980)	r	264
Nauš(1982)	d	1
Nauš(1982)	r	20
Punter(1983)	d	8.6
Nagy(1991)	d	40
Cometto-Muniz &Cain(1993); Cometto-Muniz(1993)	d	27900
Dalton et al.(1997a)	d	199～204
Dalton et al.(1997b)	d	626～936
Wysocki et al.(1997)	d	97～2026
Dalton et al.(2000)	d	59
Nagata(2003)	d	101
Cometto-Muniz &Abraham(2009a)	d	2

2-propanoyl-1-pyrroline→2-丙酰基-1-吡咯啉

3-(3-propan-2-ylphenyl)butanal→异丙苯基丁醛

propargylaldehyde→丙炔醛

2-PROPENAL,　丙烯醛，[107-02-8]

Katz&Talbert(1930)		4.1
Plotnikova(1957)		0.8
Buchberg et al.(1961)		0.2～0.7
Leonardos et al.(1969)	r	0.48
Sinkuvene(1970)		0.07
Knuth(1973)		0.14
Cormack et al.(1974)		0.23
Teranishi et al.(1974)		0.050
Anon.(1980)	d	0.069
Anon.(1980)	r	0.32
Nagata(2003)	d	0.0083

1-PROPENE,　丙烯，[115-07-1]

Krasovitskaya &Malyarova(1968)		17.3
Laffort &Dravnieks(1973)		170
Hellman &Small(1974)	d	38
Hellman &Small(1974)	r	115
Nagata(2003)	d	22

2-PROPENE-1-THIOL, 烯丙基硫醇，[870-23-5]

Katz&Talbert(1930)		0.0045～0.018
Stuiver(1958)	d	0.000005～0.00004

PROPENOIC ACID,丙烯酸，[79-10-7]

Hellman &Small(1974)	d	0.27
Hellman &Small(1974)	r	3.0
Piringer &Granzer(1984)		2
Van Thriel et al.(2006)	d	1.5

2-PROPEN-1-OL, 丙烯醇，[107-18-6]

Katz&Talbert(1930)		3.3
Jones(1955c)	r	83
Dunlap et al.(1958)		1.9
Pliška&Janiček(1965)		48
Dravnieks &Laffort(1972)		1.2
Dravnieks(1974)	d	5

2-PROPENYLAMINE,　烯丙胺，[107-11-9]

Katz&Talbert(1930)		14

Hine et al.(1960) <6

(E)-1-PROPENYLDITHIO-2-PROPENE,(E)-1- 丙烯基二硫-2-丙烯

Pino et al.(1991) 0.000048

(Z)-1-PROPENYLDITHIO-2-PROPENE,(Z)-1- **丙烯基二硫-2-丙烯**

Pino et al.(1991) 0.000018

2-PROPENYLDITHIO-2-PROPENE,二烯丙基二硫醚，[2179-57-9]

Katz&Talbert(1930) 0.0072

Gijs et al.(2000) 0.07

Nagata(2003) d 0.0013

2-PROPENYL HEXANOATE,己酸烯丙酯，[123-68-2]

Berger et al.(1985) d 0.5～1.0

2-PROPENYL ISOCYANIDE,烯丙异腈，[2835-21-4]

Katz &Talbert(1930) 0.049

2-PROPENYL ISOTHIOCYANATE,烯丙基芥子油，[57-06-7]

Allison &Katz(1919) 8

Katz&Talbert(1930) 0.61

Stone et al.(1967) d 0.19

Stone &Pryor(1967) d 0.037～0.24

(3-(3-propen-2-ylphenyl)butanal)→3-(3- 异丙基苯基)丁醛

2-PROPENYLTETRATHIO-2-PROPENE,二烯丙基四硫醚，[2444-49-7]

Pino et al.(1991) 0.0000086

2-PROPENYLTHIO-2-PROPENE,二烯丙基硫醚，[592-88-1]

Katz&Talbert(1930) 0.00065

Gijs et al.(2000) 0.07

Nagata(2003) d 0.0010

propiolaldehyde→炔丙醛

propional→丙醛

propionaldehyde→丙醛

propionic acid→丙酸

propionic anhydride→丙酸酐

2-PROPIONYL-2,3-DIHYDRO-1,4-THIAZINE,2- **丙酰基-2,3-二氢-1,4-噻嗪**

Hofmann et al.(1995);

Hofmann &Schieberle(1997) 0.0001

2-PROPIONYL-1-PYRROLINE,2- 丙酰基-1-吡咯啉，[133447-37-7]

Schieberle(1991);Hofmann et al.(1995);

Hofmann &Schieberle(1997) 0.00002

2-PROPIONYL-2-THIAZOLINE,2- 丙酰基-2-噻唑啉，[29926-42-9]

Hofmann &Schieberle(1997)		0.00007

PROPYL ACETATE,乙酸丙酯，[109-60-4]

Backman(1917)	r	12
Jung(1936)	d	0.35
Jung(1936)	r	0.35～0.62
May(1966)	d	70
May(1966)	r	110
Hellman &Small(1974)	d	0.2
Hellman &Small(1974)	r	0.6
Cometto-Muñiz & Cain(1991); Cometto-Muniz(1993)	d	104
Nagata(2003)	d	1.0
Komthong et al.(2006)		363

propyl alcohol→丙醇

PROPYLAMINE,丙胺，[107-10-8]

Stephens(1971)		0.022
Nagata(2003)	d	0.15

4-PROPYLBENZALDEHYDE,4- 丙基苯甲醛，[28785-06-0]

Von Ranson &Belitz(1992b)	d	1.1
Von Ranson &Belitz(1992b)	r	2.0

PROPYLBENZENE, 丙基苯，[103-65-1]

Cometto-Muniz(1993); Cometto-Muniz &Cain(1994)	d	14.4
Nagata(2003)	d	0.019

7-PROPYLBENZO[b][1,4]DIOXEPIN-3-ONE,7- 丙基苯并[b][1,4] 二氧杂环-3-庚酮

Kraft &Eichenberger(2003)		0.0001

PROPYL BUTANOATE,丁酸丙酯，[105-66-8]

Dravnieks &Laffort(1972)		0.25
Nagata(2003)	d	0.058

propyl butyrate→丁酸丙酯

2-propyl-3,5-dimethyl-5,6-dihydropyrazine→2-丙基-3,5-二甲基-5,6-二氢吡嗪

3-propyl-2,5-dimethyl-5,6-dihydropyrazine→3-丙基-2,5-二甲基-5,6-二氢吡嗪

2-propyl-3,5-dimethyltetrahydropyrazine→2-丙基-3,5-二甲基四氢吡嗪

3-propyl-2,5-dimethyltetrahydropyrazine→3-丙基-2,5-二甲基四氢吡嗪

PROPYLDITHIOPROPANE,二丙基二硫醚，[629-19-6]

Logtenberg(1978)	d	0.13

propylene→丙烯

propylene chloride→1,2-二氯丙烷

propylene dichloride→1,2-二氯丙烷

propylene glycol n-butyl ether→1-丁氧基-2-丙醇

propylene glycol methyl ether acetate→丙二醇甲醚乙酸酯

propylene glycol monomethyl ether→丙二醇甲醚

propylene glycol dinitrate→丙二醇二硝酸酯

propylene oxide→环氧丙烷

PROPYLFORMATE, 甲酸丙酯，[110-74-7]

Backman(1917)	r	10.5～15.0
Nagata(2003)	d	3.5

propyl isobutyrate→2-甲基丙酸丙酯

propyl isovalerate→异戊酸丙酯

propyl mercaptan→丙硫醇

PROPYL 3-METHYLBUTANOATE,异戊酸丙酯，[557-00-6]

Nagata(2003)	d	0.00033

PROPYL 3-METHYLPROPANOATE,2-甲基丙酸丙酯，[644-49-5]

Nagata(2003)	d	0.011

PROPYL PENTANOATE,戊酸丙酯，[141-06-0]

Backman(1917)	r	0.025～0.029
Nagata(2003)	d	0.019

2-PROPYLPHENOL,2-丙基苯酚，[644-35-9]

Czerny &Buettner(2009)		0.044

3-PROPYLPHENOL,3-丙基苯酚，[621-27-2]

Czerny &Buettner(2009)		0.000098

4-PROPYLPHENOL,4-丙基苯酚，[645-56-7]

Czerny &Buettner(2009)		0.011

PROPYL PROPANOATE,丙酸正丙酯，[106-36-5]

Backman(1917)	r	0.23～0.26
Nagata(2003)	d	0.28

propyl propionate→丙酸正丙酯

2-PROPYLPYRIDINE, 毒芹分碱，[622-39-9]

Schieberle(1993)		0.011

6-PROPYLTETRAHYDRO-2H-THIOPYRAN-2-ONE, δ 硫代辛内酯

Roling et al.(1998);Engel(1999)		0.0007

(R)-6-PROPYLTETRAHYDRO-2H-THIOPYRAN-2-ONE,(R)-δ-硫代辛内酯

Engel et al.(2001)		0.0024

(S)-6-PROPYLTETRAHYDRO-2H-THIOPYRAN-2-ONE,(S)- δ **硫代辛内酯**

Engel et al.(2001)		0.0012

SPROPYL THIOACETATE,硫代乙酸丙酯，[2307-10-0]

Gijs et al.(2000)		0.14

PROPYLTHIOPROPANE,二丙基硫醚，[111-47-7]

Katz&Talbert(1930)		0.053
Wilby(1969)	r	0.11

propyl valerate→戊酸丙酯

2-PROPYNAL, 丙炔醛，[123-38-6]

Katz&Talbert(1930)		0.35

prussic acid→氢氰酸

pseudocumene→ 1,2,4-三甲基苯

pseudocumidine→2,4,5-三甲基苯胺

pulegone→长叶薄荷酮

PYRIDINE, 吡啶，[110-86-1]

Hermanides(1909)	r	0.16
Zwaardemaker(1914,1927)	d	0.04
Backman(1917)	r	0.2
Allison &Katz(1919)		32
Katz &Talbert(1930)		0.74
Van Anrooij(1931)	d	0.078
Geier(1936)	d	0.09
Geier(1936)	r	0.095
Jones(1955c)	r	40
Sales(1958)		0.42
Janiček et al.(1960)		4.6
Sutton(1962b)		<3.2
Kristesashvili(1965)		0.21
Leonardos et al.(1969)	r	0.067
Dravnieks &Laffort(1972)		0.33
Laffort &Dravnieks(1973)		0.74
Dravnieks(1974)	d	6
Amoore &Buttery(1978)	d	2.4
Laing et al.(1978)	r	2.4
Hangartner(1981)		0.08～2.9
Nauš(1982)	d	1
Nauš(1982)	r	10
Moriguchi et al.(1983)	d	0.023

Bahnmüller(1983)		0.132～1.21
Ahlström et al.(1986a)	d	0.124～0.146
Amoore(1986a,b)	d	2.1
Don(1986)	d	0.12
Hartigh(1986)	d	0.15～0.29
MacLeod et al.(1986)		0.054
Cain et al.(1987)	d	0.34
Stevens et al.(1988)	d	0.13～1.2
Cometto-Muniz &Cain(1990); Cometto-Muniz(1993)	d	4.1
Cain &Gent(1991)	d	0.32
Laska &Hudson(1991)	d	0.039
Nagy(1991)	d	1.5
Berglund &Esfandabad(1992)		0.31(气味)
Berglund &Esfandabad(1992)		2.5(刺激)
Nordin et al.(1997)		0.34
Nagata(2003)	d	0.20
Cain et al.(2010)	d	0.32

PYRROLIDINE, 四氢吡咯，[123-75-1]

Kendall et al.(1968)	r	0.015～0.09
Hendriks(1979)	d	1.0

(R)-(+)-2-PYRROLIDINECARBOXYLIC ACID,D-脯氨酸，[344-25-2]

Laska(2010)	d	2.4

(S)-(-)-2-PYRROLIDINECARBOXYLIC ACID,L-脯氨酸，[147-85-3]

Laska(2010)	d	3.1

1-PYRROLINE,1- 吡咯啉，[5724-81-2]

Amoore(1977)	d	0.0051
Hendriks(1979)	d	0.080

Q

QUINOLINE, 喹啉，[91-22-5]

Geier(1936)	d	0.03
Geier(1936)	r	0.05～0.1
Gundlach &Kenway(1939)	d	28

quinone→苯醌

R

cis-rose oxide→顺-玫瑰醚

(2R,4S)-cis-rose oxide→(2R,4S)-顺-玫瑰醚

(2S,4R)-cis-rose oxide→(2S,4R)-顺-玫瑰醚

trans-rose oxide→反-玫瑰醚

(2R,4R)-trans-rose oxide→(2R,4R)-反-玫瑰醚
(2S,4S)-trans-rose oxide→(2S,4S)-反-玫瑰醚

S

sabinene→ 桧烯
trans-sabinene hydrate→反-水合桧烯
safrole→ 黄樟素

SALICYL ALCOHOL,水杨醇，[90-01-7]

Backman(1917)	r	6～7

salicylaldehyde→水杨醛
(+)-(Z)-α-santalol→(+)-(Z)-α-檀香醇
(一)-(Z)-β-santalol→(-)-(Z)-β-檀香醇
sedanenolide→ 洋川芎内酯A
trans-edanenolide→反-洋川芎内酯A
sila-bourgeonal→ 硅代-对叔丁基苯丙醛
sila-lilial→ 硅代-铃兰醛
sila-linalool→ 硅代-芳樟醇
skatole→ 粪臭素
sorbic aldehyde→山梨醛
sotolon→ 葫芦巴内酯
strawberry aldehyde→草莓醛
styrallyl acetate→乙酸苏合香酯
styrallyl alcohol→1-苯乙醇
styrene→ 苯乙烯
styrene oxide→氧化苯乙烯
sugarone→2- 乙基-4-羟基-5-甲基-3(2H)- 呋喃酮
3-sulfanylhexan-1-01→3-巯基-1-己醇
(R)-3-sulfanylhexan-1-ol→(R)-3-巯基-1-己醇
(S)-3-sulfanylhexan-1-ol→(S)-3-巯基-1-己醇
3-sulfanylhexyl acetate→3-巯基己基乙酸酯
(R)-3-sulfanylhexyl acetate→(R)-巯基己基乙酸酯
(S)-3-sulfanylhexyl acetate→(S)-巯基己基乙酸酯

SULPHUR DICHLORIDE,二氯化硫，[10545-99-0]

Leonardos et al.(1969)	r	0.004

SULPHUR DIOXIDE,二氧化硫，[7446-09-5]

Holmes et al.(1915)	d	5～10
Holmes et al.(1915)	r	10～13
Smolczyk &Cobler(1930)		<4
Thomas et al.(1943)		1.3～1.6

Popov et al.(1952)		4～6.5
Amdur et al.(1953)		2.6～21
Dubrovskaya(1957)		2.6～3.0
Beck(1959);Henschler et al.(1960)		1.3～2.6
Bushtueva(1960)		1.5
Bushtueva(1962)		1.6～2.6
Makhynia(1966)		0.87～0.88
Shalamberidze(1967)		1.6
Leonardos et al.(1969)	r	1.2
Nagata(2003)	d	2.3

SULPHUR HEXAFLUORIDE,六氟化硫，[2551-62-4]

Laffort(1968a)		24000000

SULPHURIC ACID,发烟硫酸，[8014-95-7]

Melekhina(1968)	d	0.60

T

a-terpinene→α-松油烯

y-terpinene→y-松油烯

1-terpinen-4-ol→4- 萜烯醇

(R)-terpinen-4-ol→(-)-4- 萜品醇

(S)-terpinen-4-0l→(+)-4- 萜品醇

α-terpineol→α- 松油醇

a-terpinol→α-松油醇

tetra→四氯化碳

1,1,2,2-TETRABROMOETHANE,1,1,2,2- 四溴乙烷，[79-27-6]

Hollingsworth et al.(1963)	r	<14

2,3,4,5-TETRACHLOROANISOLE,2,3,4,5- 四氯苯甲醚，[938-86-3]

Strube &Buettner(2010)		0.00574

2,3,4,6-TETRACHLOROANISOLE,2,3,4,6- **四氯苯甲醚，[938-22-7]**

Nijssen(1988)	d	0.000067
Strube &Buettner(2010)		0.00001

2,3,5,6-TETRACHLOROANISOLE,2,3,5,6- 四氯苯甲醚，[6936-40-9]

Strube &Buettner(2010)		0.00391

1,1,2,2-TETRACHLOROETHANE,1,1,2,2- **四氯乙烷，[79-34-5]**

Lehmann &Schmidt-Kehl(1936)		20
Dravnieks &Laffort(1972)		1.6
Dravnieks(1974)	d	50

TETRACHLOROETHENE, 四氯乙烯，[127-18-4]

Carpenter(1937)		<340
May(1966)	d	320
May(1966)	r	480
Leonardos et al.(1969)	r	32
Anon.(1980)	d	12
Anon.(1980)	r	55
Torkelson &Rowe(1981)		340
Don(1986);Hoshika et al:(1993)	d	8.1～8.3
Hoshika et al.(1993)	d	12
Nagata(2003)	d	5.2

tetrachloroethylene→ 四氯乙烯

TETRACHLOROMETHANE,四氯化碳，[56-23-5]

Allison &Katz(1919)		4533
Davis(1934)		500
Lehmann &Schmidt-Kehl(1936)		900
May(1966)	d	1260
May(1966)	r	1600
Leonardos et al.(1969)	r	135～630
Belkov(1969)		11.5～58
Nikiforov(1970)		10.58
Dravnieks &Laffort(1972)		280
Dravnieks(1974)	d	3700
Punter(1983)	d	884
Nagata(2003)	d	29

(R)-δ-tetradecalactone→ (R)-δ-十四内酯

(S)-8-tetradecalactone→(S)-δ-十四内酯

TETRADECANE,十四烷，[629-59-4]

Patte(1978);Patte &Punter(1979)	d	5

tetraethyl orthosilicate→正硅酸乙酯

1,2,3,6-tetrahydrobenzaldehyde→1,2,3,6-四氢苯甲醛

(3S,3aS,7aR)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE, 酒内酯

Guth(1996a,b)		0.00000001～0.00000004

(3R,3aR,7aS)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3R,3aR,7aS)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)-苯并呋喃酮

Guth(1996a,b)		>1

(3R,3aS,7aR)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3R,3aS,7aR)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)-苯并呋喃酮

Guth(1996a,b)		>1

(3S,3aR,7aS)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3S,3aR,7aS)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)-苯并呋喃酮

Guth(1996a,b) 0.08～0.16

(3S,3aS,7aS)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3S,3aS,7aS)-3a,4,5,7a- 四氢-3,6-二甲基-2(3H)- 苯并呋喃酮

Guth(1996a,b) 0.00007～0.000014

(3R,3aR,7aR)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H-BENZOFURANONE,(3R,3aR,7aR)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)- 苯并呋喃酮

Guth(1996a,b) 0.014～0.028

(3R,3aS,7aS)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3R,3aS,7aS)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)-苯并呋喃酮

Guth(1996a,b) 0.008～0.016

(3S,3aR,7aR)-3a,4,5,7a-TETRAHYDRO-3,6-DIMETHYL-2(3H)-BENZOFURANONE,(3S,3aR,7aR)-3a,4,5,7a-四氢-3,6-二甲基-2(3H)- 苯并呋喃酮

Guth(1996a,b) 0.00005～0.0002

3a,4,5,7a-tetrahydro-3-ethyl-6-methyl-2(3H)-benzofuranone→3a,4,5,7a- 四氢-3-乙基-6-甲基-2(3H)-苯 并呋喃酮

TETRAHYDRODIMETHYL-2-PENTYLPYRAZINE,2- 戊基二甲基四氢吡嗪

Kurniadi(2003) r >40

TETRAHYDRO-2,5-DIMETHYL-3-PROPYLPYRAZINE,3- 丙基-2,5-二甲基四氢吡嗪

Kurniadi et al.(2003) >2

Kurniadi(2003) r >40

TETRAHYDRO-3,5-DIMETHYL-2-PROPYLPYRAZINE,2- 丙基-3,5-二甲基四氢吡嗪

Kurniadi et al.(2003) >2

Kurniadi(2003) r >40

tetrahydrofuran→ 四氢呋喃

tetrahydrogeraniol→四氢香叶醇

4,5,6,7-TETRAHYDRO-1,1,2,3,3,6-HEXAMETHYL-5-INDANONE,1,1,2,3,3,6- 六甲基-4,5,6,7-四氢-5-茚酮

Bachmann et al.(1992) 0.00067

3a,4,7,7a-TETRAHYDRO-4,7-METHANOINDENE, 双环戊二烯，[77-73-6]

Kinkead et al.(1971b) 0.016

Hellman &Small(1974) d 0.06

Hellman &Small(1974) r 0.11

Ventura et al.(1997) 0.001

3a,4,5,7a-tetrahydro-6-methyl-2(3H)-benzofuranone→3a,4,5,7a- 四氢-6-甲基-2(3H)- 苯并呋喃酮

1,2,3,4-TETRAHYDRONAPHTHALENE,1,2,3,4-四氢萘，[119-64-2]

Nagata(2003)	d	0.050

TETRAHYDROTHIOPHENE, 四氢噻吩，[110-01-0]

Deadman &Prigg(1959)	d	0.0018
Wilby(1964)		0.0025
Nevers &Oister(1965)		0.0037
Kendall et al.(1968)	r	0.00014～0.0014
Laffort(1968b);Laffort &Dravnieks(1974)		0.01
Vlasek(1968)		0.0036
Kniebes et al.(1969)		0.0014
Wilby(1969)	r	0.0028
Blanchard(1976)		0.025
Whisman et al.(1978)		0.0014～0.0022
Moschandreas &Jones(1983)	d	0.0065
Moschandreas &Jones(1983)	r	0.0155
MacLeod et al.(1986)		0.0012
Mannebeck &Mannebeck(2002)	d	0.000992～0.001963
Nagata(2003)	d	0.0022
Maxeiner &Mannebeck(2004)	d	0.00137～0.00266
Maxeiner(2006)	d	0.00128～0.00146
Maxeiner(2007)	d	0.001831

1,2,3,4-TETRAMETHYLBENZENE,1,2,3,4- 四甲基苯，[488-23-3]

Nagata(2003)	d	0.061

1, 2, 4, 5-TETRAMETHYLBENZENE, 杜烯，[95-93-2]

Backman(1917)	r	0.083
Backman(1918)		0.087

1, 2, 7, 7-TETRAMETHYL-exo-BICYCLO[2. 2. 1]-2-HEPTANOL, 2- 甲基异冰片，[2371-42-8]

Sävenhed et al.(1985)	d	0.000003～0.00005
Khiari et al.(1992)		0.0005
Ömür-Ozbek et al.(2007)		0.00048

(1R)-1, 2, 7, 7-TETRAMETHYL-exo-BICYCLO[2. 2. 1]-2-HEPTANOL, (-)-2- 甲基异冰片

Belitz &Grosch(1992);Blank &Grosch(2002)		0.000006～0.000012

(+)-4-((1S,5R)-2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE,(+)- 顺-y 鸢尾酮

Brenna et al.(2001a)		>0. 1

(-)-4-((1R,5S)-2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE,(-)- 顺-y 鸢尾酮

Brenna et al.(2001a)		0.00075

(+)-4-((1R,5R)-2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE,(+)- 反-y-鸢尾酮
Brenna et al.(2001b) 0.1135

(-)-4-((1S, 5S)-2, 5, 6, 6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE, (-)- 反-y-鸢尾酮
Brenna et al.(2001b) 0.02635

4-(cis(1, 5):2, 5, 6, 6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE, a- 鸢尾酮, [79-69-6]
Naves(1953) 0.002

4-(trans(1,5):2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE, 异-α-鸢尾酮
Naves(1953) 0.2

(+)-4-(trans(1,5):2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-0NE,(d)- 异-a-鸢尾酮
Naves(1953) 2.7

(一)-4-(trans(1,5):2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE,(1)- 异-α-鸢尾酮
Naves(1953) 2.7

4, 4, 6, 6-TETRAMETHYL-4, 6-DISILAHEPTAN-2-ONE, 4, 4, 6, 6- 四甲基-4, 6-二硅代庚烷-2-酮
Büttner et al.(2007a) 0.000005

4, 4, 6, 6-TETRAMETHYL-2-HEPTANONE, 4, 4, 6, 6- 四甲基-2-庚酮
Büttner et al.(2007a) 0.000065

(±)-(5′R*,7'S*,8'S)-1-(4',4',7',8'-TETRAMETHYL-1'-OXASPIRO[4.5]DECAN-7'-YL)ETHAN-1-ONE, (±)-(5’R*, 7’S*, 8’S*)-1-(4’, 4’, 7’, 8’-四甲基-1'-氧杂螺[4.5]癸烷-7'-醇)乙基-1-酮
Kraft &Popaj(2008) d 0.149

(±)-(5'R*,7'S*,8'S)-1-(4',4',7',8'-TETRAMETHYL-1'-OXASPIRO[4.5]DECAN-8'-YL)ETHAN-1-ONE, (±)-(5’R*, 7’S, 8’S*)-1-(4’, 4’, 7’, 8’-四甲基-1'-氧杂螺[4.5]癸烷-8'-醇)乙基-1-酮
Kraft &Popaj(2008) d 0.346

TETRAMETHYLPYRAZINE, 2, 3, 5, 6- 四甲基吡嗪，[1124-11-4]
Fors(1984);Fors &Olofsson(1985) d 0.69
Grosch et al.(1996);Wagner et al.(1999) >2

(-)-(1R,3R,6S,7S,8S)-2,2,6,8-tetramethyltricyclo[5.3.1.03.8]-3-undecanol→(-)-(1R,3R,6S,7S,8S)-2,2,6,8-四甲基三环[5.3.1.0³.8]-3-十一醇

4, 4, 6, 6-TETRAMETHYL-4-SILAHEPTAN-2-ONE, 4, 4, 6, 6- 四甲基-4-硅代庚烷-2-酮
Büttner et al.(2007a 0.00001

4, 4, 6, 6-TETRAMETHYL-6-SILAHEPTAN-2-ONE, 4, 4, 6, 6- 四甲基-6-硅代庚烷-2-酮

Büttner et al.(2007a) 0.000025

(1R,2S,7R,8R)-(+)-2,6,9,9-TETRAMETHYLTRICYCLO[5.4.0.0(2.8)]-9-UNDECENE,(+)-α- 长叶蒎烯，[5989-02-4]

Lindell(1991) d 0.92

nor-TETRAPATCHOULOL, 降-四甲基广藿香醇

Kraft et al.(2005) 0.001～0.005

2,4,5,7-TETRATHIAOCTANE,2,4,5,7- 四硫辛烷

Gijs et al.(2000) 0.1

texanol→2,2,4- 三甲基-1,3-戊二醇单异丁酸酯

2-thenyl mercaptan→2-噻吩甲基硫醇

2-THENYLTHIOL,2- 噻吩甲基硫醇，[6258-63-5]

Hofmann &Schieberle(1995) 0.000003～0.000012

4-thiapentanal→3- 甲硫基丙醛

THIAZOLE, 噻唑，[288-47-1]

Gijs et al.(2000) 5.15

thibetolid→ 环十五内酯

2-thienylthiol→2- 噻吩硫醇

THIIRANE, 环硫乙烷，[420-12-2]

Gijs et al.(2000) 2.19

thiobutyl butanoate→丁酸硫代丁酯

thiobutyl pentanoate→戊酸硫代丁酯

thiobutyl propanoate→丙酸硫代丁酯

p-thiocresol→ 对甲苯硫酚

y-thiodecalactone→y-硫代癸内酯

δ-thiodecalactone→δ- 硫代癸内酯

(R)-δ-thiodecalactone→(R)-δ-硫代癸内酯

(S)-δ-thiodecalactone→(S)-δ-硫代癸内酯

y-thiododecalactone→y- 硫代十二内酯

δ-thiododecalactone→δ- 硫代十二内酯

thioethyl butanoate→丁酸硫代乙酯

thioethyl hexanoate→己酸硫代乙酯

thioethyl isobutanoate→异丁酸硫代乙酯

thioethyl isopentanoate→异戊酸硫代乙酯

thioglycolic acid→巯基乙酸

y-thiohexalacton→γ-硫代己内酯

δ-thiohexalactone→δ- 硫代己内酯

y-thiooctalactone→γ-硫代辛内酯

δ-thiooctalactone→δ- 硫代辛内酯
(R)-δ-thiooctalactone→(R)-δ-硫代辛内酯
(S)-8-thiooctalactone→(S)-δ-硫代辛内酯
thiophane→ 四氢噻吩

THIOPHENE, 噻吩，[110-02-1]

Backman(1917)	r	4～5
Deadman &Prigg(1959)	d	21
Khikmatullaeva(1967,1968)		1.9～2.1
Dravnieks &Laffort(1972)		0.03
Bedborough &Trott(1979)	d	0.078
Moriguchi et al.(1983)	d	0.006
Nagata(2003)	d	0.0019

2-THIOPHENETHIOL,2- 噻吩硫醇，[7774-74-5]

Burdack-Freitag&Schieberle(2010)		0.0005

thiophenol→ 苯硫酚
THT→ 四氢噻吩
α-thujone→α- 侧柏酮
thymol→ 百里香酚
m-tolualdehyde→ 间甲基苯甲醛
o-tolualdehyde→ 邻甲基苯甲醛
p-tolualdehyde→ 对甲基苯甲醛

TOLUENE, 甲苯，[108-88-3]

Backman(1917)	r	3.5～3.6
Backman(1918)		2.0
Grijns(1919);Zwaardemaker(1927)		170
Zwaardemaker(1927)		2.0
Schley(1934)	d	6
Schley(1934)	r	16
Nader(1958)		0.08～19
Deadman &Prigg(1959)	d	5.5
Nauš(1962)	d	2
Stalker(1963)	d	1.0
Gusev(1965)		1.5～3.2
May(1966)	d	140
May(1966)	r	260
Leonardos et al.(1969)	r	8.1～17.8
Dravnieks &O'Donnell(1971)		45
Köster(1971)	d	13.7
Dravnieks &Laffort(1972)		0.53

Artho &Koch(1973)		100～1000
Hellman &Small(1973,1974)	d	0.6
Hellman &Small(1973,1974)	r	7
Dravnieks(1974)	d	60
Winneke &Kastka(1975)		46～84
Anon.(1980)	d	3.5
Anon.(1980)	r	18
Nauš(1982)	d	2
Nauš(1982)	r	20
Punter(1983)	d	25.4
Bahnmüller(1983)		5.85～29.8
Don(1986);Hoshika et al.(1993)	d	3.7～3.8
Scharfenberger(1990)		17
Nagy(1991)	d	12
Cometto-Muniz(1993);		
Cometto-Muniz&Cain(1994)	d	590
Hoshika et al.(1993)	d	3.5
Cometto-Muniz et al.(2002)		0.4
Cometto-Muniz et al.(2003)		0.098
Nagata(2003)	d	1.3
Cometto-Muniz et al.(2004)	d	0.12～0.38
Cometto-Muniz &Abraham(2009b)	d	0.30

a-TOLUENETHIOL, 苄硫醇，[100-53-8]

Katz &Talbert(1930)		0.013

m-toluidine→间甲苯胺

o-toluidine→邻甲苯胺

p-toluidine→对甲苯胺

4-tolyl acetate→乙酸对甲苯酯

tolylenediisocyanate→2,4-甲苯二异氰酸酯

tonalide→吐纳麝香

triallylamine→三烯丙基胺

2,4,6-TRIBROMOANISOLE,2,4,6- 三溴苯甲醚，[607-99-8]

Diaz et al.(2005)		0.0014

1,2,4-TRIBROMOBENZENE,1,2,4- 三溴苯，[615-54-3]

Backman(1917)	r	0.0047～0.0050

TRIBROMOMETHANE, **溴仿，[75-25-2]**

Passy(1893a)	d	2～5
Backman(1917)	r	2.2～2.5
Grijns(1919)		150

Rocén(1920) r 30

TRIBUTYLAMINE, 三正丁胺，[102-82-9]
Laing et al.(1978) r 0.53

S,S,STRIBUTYL PHOSPHOROTRITHIOATE,脱叶磷，[78-48-8]
Mukhamedova(1968) 0.052

trichlorfon→敌百虫

TRICHLOROACETIC ACID,三氯乙酸，[76-03-9]
Backman(1917) r 1.6～2.5

2,3,4-TRICHLOROANISOLE,2,3,4- 三氯苯甲醚，[54135-80-7]
Strube &Buettner(2010) 0.03038

2,3,5-TRICHLOROANISOLE,2,3,5- 三氯苯甲醚，[54135-81-8]
Strube &Buettner(2010) 0.00177

2,3,6-TRICHLOROANISOLE,2,3,6- 三氯苯甲醚，[50375-10-5]
Sävenhed et al.(1985) d 0.004～0.01
Diaz et al.(2005) 0.0016
Strube &Buettner(2010) 0.00003

2,4,5-TRICHLOROANISOLE,2,4,5- 三氯苯甲醚，[6130-75-2]
Strube &Buettner(2010) 0.0051

2,4,6-TRICHLOROANISOLE,2,4,6- 三氯苯甲醚，[87-40-1]
Huber(1984) ≤0.000051
Nijssen(1988) d 0.0000037
Spadone et al.(1990) 0.000004
Khiari et al.(1992) 0.01
Diaz et al.(2005) 0.0016
Strube &Buettner(2010) 0.000005

3,4,5-TRICHLOROANISOLE,3,4,5- 三氯苯甲醚，[54135-82-9]
Strube &Buettner(2010) 0.03289

1,2,4-TRICHLOROBENZENE,1,2,4- 三氯苯，[120-82-1]
Rowe(1975) 22

1,3,5-TRICHLOROBENZENE,1,3,5- 三氯苯，[108-70-3]
Punter(1983) d 6.2

2,2,3-TRICHLOROBUTANALHYDRATE,2,2,3- 水合三氯丁醛
Backman(1917) r 1.7～2.3

1,2,3-TRICHLOROBUTANE,1,2,3- 三氯丁烷，[18338-40-4]
McCawley(1942) 1980～6600

TRICHLOROETHANAL, 三氯乙醛，[75-87-6]

Leonardos et al.(1969)	r	0.28

TRICHLOROETHANALHYDRATE, **水合三氯醛，[302-17-0]**

Backman(1917)	r	0.035～0.050

1,1,1-TRICHLOROETHANE,1,1,1- **三氯乙烷，[71-55-6]**

Scherberger et al.(1958)	r	1650
May(1966)	d	2100
May(1966)	r	3900
Kendall et al.(1968)	r	88
Don(1986)	d	5.3

TRICHLOROETHENE, 三氯乙烯，[79-01-6]

Lehmann &Schmidt-Kehl(1936)		900
Weitbrecht(1957)		110
Scherberger et al.(1958)	r	410
Frantikova(1962)		69
Nauš(1962)	d	3
May(1966)	d	440
May(1966)	r	580
Malyarova(1967)		2.5～21
Leonardos et al.(1969)	r	115
Torkelson &Rowe(1981)		538
Nauš(1982)	d	3
Nauš(1982)	r	20
Don(1986)	d	3.9
Nagata(2003)	d	21

trichloroethylene→三氯乙烯

TRICHLOROFLUOROMETHANE, **氟利昂**11,[75-69-4]

Hellman &Small(1974)	d	28
Hellman &Small(1974)	r	760
Braker &Mossman(1980)		1124000

TRICHLOROMETHANE, 氯仿，[67-66-3]

Passy(1893a)	d	30
Tempelaar(1913)	d	3000
Backman(1917)	r	14.1～15.1
Allison &Katz(1919)		3300
Grijns(1919)		2350
Rocén(1920)	d	730
Rocén(1920)	r	2500
Mitsumoto(1926)	r	353.8～589.0

Schley(1934)	d	42
Schley(1934)	r	56
Morimura(1934)	r	480～622
Lehmann &Schmidt-Kehl(1936)		1000～1500
Scherberger et al.(1958)	r	6900
Janiček et al.(1960)		3700
Nauš(1962)	d	3
Dravnieks &Laffort(1972)		150
Dravnieks(1974)	d	1350
Nauš(1982)	d	0.5
Nauš(1982)	r	20
Punter(1983)	d	650
Nagata(2003)	d	19

TRICHLOROMETHYL CHLOROFORMATE,氯甲酸三氯甲酯，[503-38-8]

Schley(1934)	d	0.008～0.01
Schley(1934)	r	0.01～0.032
Prentiss(1937)		8.8

1,1,1-TRICHLORO-2-METHYL-3-PROPANOL,1,1,1-三氯-2-甲基-3-丙醇

Backman(1917)	r	5.7～6.5

TRICHLORONITROMETHANE, 氯化苦，[76-06-2]

Prentiss(1937)		7.3

2,4,6-TRICHLOROPHENOL,2,4,6- 三氯酚，[88-06-2]

Backman(1917)	r	0.0010～0.0016
Kendall et al.(1968)	r	0.021
Punter(1983)	d	0.00016

1,1,1-TRICHLORO-2-PROPANOL, 三氯异丙醇，[76-00-6]

Backman(1917)	r	16.3～18.7

TRICYCLO[3.3.1.1(3.7)]DECANE-1-CARBOXALDEHYDE,1- 金刚醛

Von Ranson &Belitz(1992b)	d	1.4
Von Ranson &Belitz(1992b)	r	4.4

TRICYCLO(1-HYDROXY-1-METHYLETHYL)SILANE, 三环(1-羟基-1-甲基乙基)硅烷

Sunderkötter et al.(2010)		0.00014

TRIDECANE, 十三烷，[629-50-5]

Laffort &Dravnieks(1973)		42

(E,Z,Z)-2,4,7-TRIDECATRIENAL,(E,Z,Z)-2,4,7- 十三烷三烯醛，[13552-96-0]

Blank et al.(2001);Lin et al.(2001)		0.00007

1-TRIDECEN-3-OL,1- 十三烯-3-醇

Schieberle &Buettner(2001)		>1

1-TRIDECEN-3-ONE,1- 十三烯-3-酮

Schieberle &Buettner(2001)		0.1～1

TRIETHANOLAMINE, 三乙醇胺，[102-71-6]

Nagy(1991)	d	>61

TRIETHYLAMINE, 三乙胺，[121-44-8]

Tkachev(1970)		0.33
Hellman &Small(1974)	d	<0.4
Hellman &Small(1974)	r	1.1
Laing et al.(1978)	r	11.9
Homans et al.(1978)		2.7
Dravnieks et al.(1986)	d	1.0
Nagata(2003)	d	0.022

triethyl citrate→柠檬酸三乙酯

TRIETHYL2-HYDROXY-1,2,3-PROPANETRICARBOXYLATE, 柠檬酸三乙酯，[77-93-0]

Backman(1917)	r	1.4

TRIETHYLPYRAZINE, 三乙基吡嗪，[38028-82-9]

Wagner et al.(1999)		0.78

TRIIODOMETHANE, 碘仿，[75-47-8]

Passy(1893a)	d	0.06～0.7
Berthelot(1901)		0.0003～0.03
Backman(1917)	r	0.095
Allison &Katz(1919)		18
Zwaardemaker(1927)		0.03
Cancho et al.(2001)		<0.14

TRIMETHYLAMINE, 三甲胺，[75-50-3]

Tempelaar(1913)	d	2.1
Rotenberg &Mashbits(1967)		2
Sakuma et al.(1967)		0.0007
Leonardos et al.(1969)	r	0.0005
Stephens(1971)		0.0014
Amoore(1977)	d	0.0025
Bedborough &Trott(1979)	d	0.0012
Anon.(1980)	d	0.00026
Anon.(1980)	r	0.0034
Jensen &Flyger(1983)		0.0031～0.027
Langenhove &Schamp(1984)	d	0.002

Homans(1984)		4.4
Nagy(1991)	d	0.0059
Greenman et al.(2004)		0.000041～0.0011
Nagata(2003)	d	0.000077
Van Thriel et al.(2006)	d	0.63

2,N,N-TRIMETHYLANILINE,N,N　二甲基邻甲苯胺，[609-72-3]

Backman(1917)	r	0.26～0.37

4,N,NTRIMETHYLANILINE,N,N-　二甲基对甲苯胺，[99-97-8]

Backman(1917)	r	0.3～0.4

2,4,5-TRIMETHYLANILINE,2,4,5-　三甲基苯胺，[137-17-7]

Huijer(1917)	d	8
Backman(1917)	r	0.08～0.12

2,4,6-TRIMETHYLANILINE,　均三甲苯胺，[88-05-1]

Tepekina(1968)		0.013

1,2,4-TRIMETHYLBENZENE,1,2,4-　三甲基苯，[95-63-6]

Backman(1917)	r	0.3～0.35
Backman(1918)		0.2
Deadman &Prigg(1959)	d	0.7
Anon.(1980)	d	0.14
Anon.(1980)	r	1.1
Nagata(2003)	d	0.59

1,3,5-TRIMETHYLBENZENE,　均三甲苯，[108-67-8]

Backman(1917)	r	0.35～0.4
Deadman &Prigg(1959)	d	0.2
Dravnieks &Laffort(1972)		2.0
Knuth(1973)		1.2
Dravnieks(1974)	d	12
Anon.(1980)	d	0.18
Anon.(1980)	r	1.4
Punter(1983)	d	10.7
Nagata(2003)	d	0.83

endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANOL,　冰片，[507-70-0]

Tempelaar(1913)	d	0.052

1,3,3-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANOL,　葑醇，[1632-73-1]

Schieberle &Grosch(1988)		0.14

1,3,3-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,　葑酮，[1195-79-5]

Tempelaar(1913);Zwaardemaker(1927)	d	2.3

1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE, 樟脑，[76-22-2]

Passy(1892a,1892b)	d	5
Zwaardemaker(1914,1927)	d	0.016～2
Backman(1917)	r	0.76～0.88
Ohma(1922)	d	0.06
Hofmann &Kohlrausch(1925)	r	2～33
Mitsumoto(1926)	r	4.4～45.0
Tamman &Oelsen(1928)	d	6～13
Morimura(1934)	r	1.16～32.5
Gundlach &Kenway(1939)	d	0.49
Kleinschmidt(1983)	r	3.35
De Wijk(1989)		2.84

(S)-(-)-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,(1)- 樟脑，[464-48-2]

Facundo et al.(2005)		8.3

2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,α- 烯，[80-56-8]

Appell(1969)		0.016
Cristoph(1983)	r	25.0～29.0
Randebrock(1986)		0.00036
Laska &Hudson(1991)	d	0.23～0.36
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	105
Nagata(2003)	d	0.10

(1R,5R)-(+)-2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,(1R)-(+)-α- 烯，[7785-70-8]

Lindell(1991)	d	2.1
Jagella&Grosch(1998)		0.018
Molhave et al.(2000)	d	23
Buettner &Schieberle(2001a,2001b)		0.0053

(1S,5S)-(-)-2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,(1S)- (—)-α- 烯，[7785-26-4]

Lindell(1991)	d	3.3
Jagella &Grosch(1998)		0.035

3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-HEPTENE,3- 蒈烯，[13466-78-9]

Cristoph(1983)	r	8.6～9.1
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	9.3

(1S)-(+)-3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-HEPTENE,(1S)-(+)-3- 蒈烯，[498-15-7]

Molhave et al.(2000)	d	4

endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTYL ACETATE,乙酸冰片酯，[76-49-3]

Tempelaar(1913)	d	0.44

endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTYL SALICYLATE,水杨酸冰片酯，[560-88-3]

Baldus(1936)	d	0.03
Baldus(1936)	r	0.04

1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-(E)-2-BUTEN-1-ONE,(E)-β-大马酮，[23726-93-4]

Blank et al.(1989,1992)		0.000002～0.00004
Lea &Ford(1991)		0.05
Güntert et al.(2001)		0.000125

3,3,5-TRIMETHYL-2-CYCLOHEXEN-1-ONE, 异佛尔酮，[78-59-1]

Hellman &Small(1974)	d	1.1
Hellman &Small(1974)	r	3.0
Ziemer et al.(2000)	d	0.0017

(1R)-(+)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTANONE,(R)-(+)-二氢-α-紫罗兰酮

Brenna et al.(2002)		0.031

(1S)-(-)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTANONE,(S)-(-)-二氢-a-紫罗兰酮

Brenna et al.(2002)		0.1

4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTANONE, 二氢-β-紫罗兰酮，[17283-81-7]

Brenna et al.(2002)		0.0017

4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,α-紫罗兰酮，[127-41-3]

Zwaardemaker(1914)	d	0.0001
Henning(1924)	d	0.00005
Naves(1947)		0.00025～0.0005
Neuhaus(1957)	d	0.0001
Neuhaus(1957)	r	0.0004～0.0024
Goldenberg(1967)	d	0.00003
Appell(1969)		0.00001
Moulton &Marshall(1974);Moulton(1977); Marshall &Moulton(1981)	d	0.0004～0.008
Etzweiler et al.(1980)		0.0016
Cristoph(1983)	r	0.02～0.04

(R)-(+)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(R)-(+)-a-紫罗兰酮，**[24190-29-2]**

Naves(1947)		0.002～0.008
Fuganti et al.(2000);Brenna et al.(2002)		0.0032

(S)-(—)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(S)-(-)-a-紫罗兰酮，[14398-36-8]

Naves(1947)		0.002～0.008
Fuganti et al.(2000);Brenna et al.(2002)		0.0027

4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,β- 紫罗兰酮，[14901-07-6]

Köster(1968a)	d	11500
Köster(1971)	d	115
Guadagni(1966)		0.00007
Cristoph(1983)	r	4.5～5.0
Brenna et al.(2002)		0.00012

(+)-(R,E)-1-(2,6,6-TRIMETHYLCYCLOHEX-2-ENYL)-1-PENTEN-3-ONE,(+)-(R,E)-1-(2,6,6- 三甲基-2-环己烯)-1-戊烯-3-酮

Abate et al.(2007)		0.00053

(-)-(S,E)-1-(2,6,6-TRIMETHYLCYCLOHEX-2-ENYL)-1-PENTEN-3-ONE,(-)-(S,E)-1-(2,6,6- 三甲基-2-环己烯)-1-戊烯-3-酮

Abate et al.(2007)		0.00024

(4aR*,8aR*)-1,1,8a-TRIMETHYLDECAHYDRONAPHTHALENE-4a-OL,(4aR*,8aR*)-1,1,8a- 三甲基-4a-羟基十氢化萘

Jahnke et al.(2009)		0.0131

5,5,8a-TRIMETHYL-2-DECAHYDRONAPHTHYL ACETATE,乙酸十氢-5,5,8a-三甲基-2-萘酯，[98676-96-1]

Wünsche et al.(1995)	d	0.00028

3,7,11-TRIMETHYLDODECA-1,3(E),5(E),10-TETRAEN-7-0L,3,7,11- 三甲基-1,3E,5E,10- 十二烷四烯-7-醇

Krings et al.(2006)		<1

3,7,11-TRIMETHYLDODECA-1,3(Z),5(E),10-TETRAEN-7-OL,3,7,11- 三甲基-1,3Z5E,10- 十二烷四烯-7-醇

Krings et al.(2006)		<1

2,2,5-TRIMETHYLHEXANE, 壬烷，[111-84-2]

Nagata(2003)	d	4.8

(1R,2S,4R,2'S)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1R,2S,4R,2'S)-1,7,7- 三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

(1R,2S,4R,2'R)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1R,2S,4R,2'R)-1,7,7- 三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

(1S,2R,4S,2'R)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1S,2R,4S,2'R)-1,7,7- 三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

(1S,2R,4S,2'S)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1S,2R,4S,2'S)-1,7,7- 三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

(1R,2R,4R,2'R)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1R,2R,4R,2'R)-1,7,7- 三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

(1R,2R,4R,2'S)-1,7,7-trimethyl-2-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxane)]→(1R,2R,4R,2′S)-1,7,7-三甲基-2-异丙基螺[二环[2.2.1]庚烷-2,4'-(1,3-二氧六环)]

1,2,6-TRIMETHYL-6-(3-METHYL-2-BUTENYL)CYCLOHEXENOL,1,2,6-三甲基-6-(3-甲基-2-丁烯基)环己烯醇

Goeke(2006)		0.0005/0.018(对两种立体异构体)

4,11,11-TRIMETHYL-8-METHYLENEBICYCLO[7.2.0]-4-UNDECENE, 石竹烯,[87-44-5]

Etzweiler et al.(1980)		1.5
Cristoph(1983)	r	11.0～13.0

(2E,5E)-5,6,7-TRIMETHYL-2,5-OCTADIEN-4-ONE,(2E,5E)-5,6,7-三甲基-2,5-辛二烯-4-酮

Kraft(2004b)		0.5

(2E,5Z)-5,6,7-TRIMETHYL-2,5-OCTADIEN-4-ONE,(2E,5Z)-5,6,7-三甲基-2,5-辛二烯-4-酮

Kraft et al.(2001);Kraft(2004b)		0.0005

trimethylolpropane→三羟甲基丙烷

1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE,1,8-桉叶素,[470-82-6]

Tempelaar(1913);Zwaardemaker(1927)	d	0.055～0.2
Grijns(1919);Zwaardemaker(1927)		7
Ohma(1922)	d	0.19
Baldus(1936)	d	0.003
Baldus(1936)	r	0.0035
Fuller et al.(1964)	r	0.00062
Appell(1969)		0.014
Randebrock(1971)		0.0002
Herberhold(1975)		0.36
Amoore(1982)	d	0.069
Cristoph(1983)	r	0.03～0.05
Dravnieks et al.(1986)	d	0.026
Randebrock(1986)		0.000069
Marin et al.(1988)		0.004～0.062
De Wijk(1989)		0.52
Laska &Hudson(1991)	d	0.036～0.044
Khiari et al.(1992)		0.0075
Jagella&Grosch(1998)		0.003
Cometto-Muniz et al.(1998b); Cometto-Muniz(1999)	d	2.0
Güntert et al.(2001)		0.0031
Facundo et al.(2005)		0.15
Benzo et al.(2007)		0.00267(气相色谱-嗅觉测量法)
Benzo et al.(2007)		0.00508(动态稀释嗅觉测量法)

(±)-(5′R*,7'R*)-1-(4',4',7'-TRIMETHYL-1'-OXASPIRO[4.5]DECAN-7'-YL)ETHAN-1-ONE,(±)-(5′R*,7′R*)-1-(4′,4′,7′-三甲基-1′-氧杂螺[4.5]癸烷-7′-醇)-1-乙酮

Kraft &Popaj(2008)	d	0.0994

(±)-(5′R*,8′R*)-1-(4′,4′,8′-TRIMETHYL-1′-OXASPIRO[4.5]DECAN-8′-YL)ETHAN-1-ONE,(±)-(5′R*,8′R*)-1-(4′,4′,8′-三甲基-1′-氧杂螺[4.5]癸烷-8′-醇)-1-乙酮

Kraft &Popaj(2008)	d	0.0921

2,2,4-TRIMETHYLPENTANE, 异辛烷，[540-84-1]

Nagata(2003)	d	3.1

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTANOATE,2,2,4-三甲基戊二醇异丁酯，[6846-50-0]

Cain et al.(2006)	d	0.014

2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTANOATE,2,2,4-三甲基-1,3-戊二醇单异丁酸酯，[25265-77-4]

Ziemer et al.(2000)	d	0.58

TRIMETHYL PHOSPHITE,三甲氧基磷，[121-45-9]

Levin &Gabriel(1973)		0.0005

TRIMETHYLPYRAZINE，2,3,5-三甲基吡嗪，[14667-55-1]

Fors(1984);Fors &Olofsson(1985)	d	0.19
Czerny &Wagner(1995)		0.033～0.066
Grosch et al.(1996);Wagner et al.(1999)		0.05～0.096

(±)-(5R*,6S*)-1,1,6-TRIMETHYLSPIRO[4.5]DECAN-6-OL,(±)-(5R*,6S*)-1,1,6- 三甲基螺[4.5]-6-癸醇

Kraft &Bruneau(2007)		0.005

(±)-2,2,6-TRIMETHYLSPIRO[4.5]DECAN-6-OL,(±)-2,2,6- 三甲基螺[4.5]-6-癸醇

Kraft &Bruneau(2007)		0.068

TRIMETHYLTETRAHYDROPYRAZINE, 三甲基四氢吡嗪

Kurniadi et al.(2003)		0.135
Kurniadi(2003)	r	2.7

2,4,5-TRIMETHYLTHIAZOLE,2,4,5- 三甲基噻唑，[13623-11-5]

Gasser &Grosch(1990a)		0.0018～0.0072
Blank et al.(1992)		0.0005～ 0.001
Gijs et al.(2000)		0.022

2,4,6-TRIMETHYL-1,3,5-TRIOXANE, 三聚乙醛，[123-63-7]

Backman(1917)	r	0.02～0.025

trioxychlorofluoride→过氯酰氟

TRI-2-PROPENYLAMINE, 三烯丙基胺，[102-70-5]

Hine et al.(1960)		2.3

1,1,1-TRIS(HYDROXYMETHYL)PROPANE, 三羟甲基丙烷，[77-99-6]

Nagy(1991)	d	1.9

3,4,5-trithiaheptane→二乙基三硫醚
2,3,5-trithiahexane→2,3,5-三硫杂己烷
2,3,4-trithiapentan→二甲基三硫醚

1,2,3-TRITHI-4-ENE,1,2,3-三硫-4-烯

Pino et al.(1991)		0.000017

(R)-tropional⑧→(R)-胡椒基丙醛
(S)-tropional⑧→(S)-胡椒基丙醛
TXIB→2,2,4-三甲基戊二醇异丁酯

U

y-undecalactone→桃醛
(R)-y-undecalactone→ (R)-桃醛
(S)-y-undecalactone→(S)-桃醛
(R)-δ-undecalactone→(R)-丁位十一内酯
(S)-δ-undecalacton→(S)-丁位十一内酯

(Z-1,5-UNDECADIEN-3-OL,(Z-1,5- **十一烷二烯-3-醇，**[56722-23-7]

Schieberle &Buettner(2001)		0.01～0.1

(Z-1,5-UNDECADIEN-3-ONE,(Z)-1,5- **十一烷二烯-3-酮**

Schieberle &Buettner(2001)		0.0001～0.001

UNDECANAL, **十一醛，**[112-44-7]

Pliška &Janiček(1965)		0.7
Randebrock(1971)		0.0005
Teranishi et al.(1974)		0.035
Cristoph(1983)	r	0.009～0.012
Randebrock(1986)		0.00054
Von Ranson &Belitz(1992a)	d	0.14
Von Ranson &Belitz(1992a)	r	0.14

UNDECANE, 十一烷，[1120-21-4]

Mullins(1955)	r	374
Laffort &Dravnieks(1973)		23
Lindell(1991)	d	9.6
Nagata(2003)	d	5.6

1-UNDECANOL,十一醇，[112-42-5]

Pliška(1962)		46

4-undecanolide→桃醛

2-UNDECANONE,2- 十一酮，[112-12-9]

Tempelaar(1913);Zwaardemaker(1927)	d	1.7
Backman(1917)	r	0.03～0.05
Teranishi et al.(1974)		0.182

Nagy(1991) *d* *3*

(E,E,Z-1,3,5,8-UNDECATETRAENE,(E,E,Z)-1,3,5,8- 十一碳四烯，[50277-31-1]
Berger et al.(1985) d 0.2～0.3

(E,Z,Z-1,3,5,8-UNDECATETRAENE,(E,Z,Z)-1,3,5,8- 十一碳四烯，[81717-82-0]
Berger et al.(1985) d 0.00002～0.00004

(3E,5E,9E)-1,3,5,9-UNDECATETRAENE,(3E,5E,9E)-1,3,5,9- 十一碳四烯
Steinhaus et al.(2007) >0.2

(3E,5E,9Z)-1,3,5,9-UNDECATETRAENE,(3E,5E,9Z)-1,3,5,9- 十一碳四烯
Steinhaus et al.(2007) >0.2

(3E,5Z,9E)-1,3,5,9-UNDECATETRAENE,(3E,5Z9E)-1,3,5,9- 十一碳四烯
Steinhaus et al.(2007) 0.00001

(3E,5Z9Z)-1,3,5,9-UNDECATETRAENE,(3E,5Z9Z)-1,3,5,9- 十一碳四烯
Steinhaus et al.(2007) 0.001

(E,E)-1,3,5-UNDECATRIENE,(E,E)-1,3,5- 十一碳三烯，[19883-29-5]
Berger et al.(1985) d 7.5～10.0
Steinhaus et al.(2007) 0.2

(E,Z)-1,3,5-UNDECATRIENE,(E,Z)-1,3,5- 十一碳三烯，[51447-08-6]
Berger et al.(1985) d 0.00001～0.00002
Güntert et al.(2001) 0.000125
Steinhaus et al.(2007) 0.000003
(+)-(R)-undecavertol→(+)-(R)-4- 甲基-3-癸烯-5-醇
(-)-(S)-undecavertol→（一）-(S)-4- 甲基-3-癸烯-5-醇

(E)-2-UNDECENAL, 反-2-十一烯醛，[53448-07-0]
Von Ranson &Belitz(1992a) d 0.010
Von Ranson &Belitz(1992a) r 0.044

(Z-2-UNDECENAL, 顺-2-十一烯醛，[71277-05-9]
Von Ranson &Belitz(1992a) d 0.024
Von Ranson &Belitz(1992a) r 0.34

(E)-3-UNDECENAL, 反-3-十一烯醛
Von Ranson &Belitz(1992a) d 0.030
Von Ranson &Belitz(1992a) r 1.3

(Z-3-UNDECENAL, 顺-3-十一烯醛
Von Ranson &Belitz(1992a) d 0.0050
Von Ranson &Belitz(1992a) r 0.44

(Z-8-UNDECENAL,8- 十一烯醛，[147159-49-7]

Von Ranson &Belitz(1992a)	d	0.0067
Von Ranson &Belitz(1992a)	r	0.0067

9-UNDECENAL,1,1- 二甲氧基癸烷，[143-14-6]

Randebrock(1971)		0.0002
Randebrock(1986)		0.00036

1-UNDECEN-3-OL,1- **十一烯-3-醇，[35329-42-1]**

Koszinowski&Piringer(1983)		0.37
Schieberle &Buettner(2001)		0.01～0.1

1-UNDECEN-3-ONE,1- 十一烯-3-酮，[42832-47-3]

Koszinowski&Piringer(1983)		0.001
Schieberle&Buettner(2001)		0.0001～0.001

undecylenic aldehyde→1,1-二甲氧基癸烷

V

valeraldehyde→戊醛
valeric acid→戊酸
vanillin→香兰素
vinyl acetate→乙酸乙烯酯
vinylbenzene→苯乙烯
vinyl chloride→氯乙烯
vinyl cyanide→丙烯腈
p-vinylguaiacol→ 对乙烯基愈创木酚
4-vinylguaiacol→ 对乙烯基愈创木酚
vinylidene chloride→偏氯乙烯
vinylpyrazine→ 乙烯基吡嗪
2-vinylpyridine→2-乙烯基吡啶

W-X

whisky lactone→威士忌内酯
wine lactone→酒内酯

XENON，氙气，[7440-63-3]

Laffort(1968a)		2700000

m-xylen→间二甲苯
0-xylene→ 邻二甲苯
p-xylene→ 对二甲苯
2,3-xylenol→2,3-二甲基苯酚
2,4-xylenol→2,4-二甲基苯酚
2,5-xylenol→2,5- 二甲基苯酚
2,6-xylenol→2,6-二甲基苯酚
3,4-xylenol=3,4- 二甲基苯酚
3,5-xylenol→3,5-二甲基苯酚

参 考 文 献

A

ABBOTT,N.,J-L.PUECH,C.BAYONOVE &R.BAUMES(1995),Determination of the aroma threshold of the cis and trans racemic forms of β-methyl-y-octalactone by gas chromatography-sniffing analysis,Am.J.Enol.Vitic.,46,292-294

ABATE,A.,E.BRENNA,C.DEI NEGRI,C.FUGANI&S.SERRA(2002),Biocatalysed synthesis of the enantiomers of the floral odorant florhydral®,Tetrahedron:Asymmetry,13,899-904

ABATE,A.,E.BRENNA,G.FRONZA,C.FUGANTI,E.G GATTI,S.SERRA&E.ZARDONI(2004),Preparation of the enantiomerically enriched isomers of the odorous cyclic ethers Clarycet ⑧,Florol ⑧,and Rhubafuran ⑧by enzymatic catalysis, Helv.Chim.Acta,87,765-780

ABATE,A.,E.BRENNA,C.FUGANTI,L.MALPEZZI &S.SERRA(2007),The enantiomers of Iralia⑧:preparation and odour evaluation,Tetrahedron:Asymmetry,18,1145-1153

ACREE,T.E.,R.M.BUTTS,R.R.NELSON &C.Y.LEE(1976),Sniffer to determine the odor of gas chromatographic effluents, Anal.Chem.,48,1821-1822

ACUNA,G,M.GAUTSCHI,F.KUMLI,J.SCHMID &J.ZSINDELY(2003),Mercapto alcohols as flavouring compounds, European Patent 1055667

ACUNA,G,M.GAUTSCHI,E.KUMLI,J.SCHMID &J.ZSINDELY(2004),Mercapto-alkanol flavor compounds,United States Patent Application 2004/047960

ADAMS,D.F.,F.A.YOUNG&R.A.LUHR(1968),Evaluation of an odor perception threshold test facility,Tappi,51,no.3, 62A-67A

AHLSTRÖM,R.,B.BERGLUND,U.BERGLUND,T.LINDVALL&A.WERNBERG(1986a),Impaired odor perception in tank cleaners,Scand.J.Work Environ.Health,12,574-581

AHLSTRÖM,R.,B.BERGLUND,U.BERGLUND&T.LINDVALL(1986b),Formaldehyde odor and its interaction with the air of a sick building,Environ.Inter.,12,289-295

AKHMEDOV,B.K.(1968),Methapos as an air pollutant,Hyg.Sanit.USSR,33,nos 10-12,11-16

ALIBAEV,T.S.(1970),Hygienic standards for cyclohexane and its mixture with benzene in air, Hyg.Sanit.USSR,35,nos 1-3, 22-28

ALLISON,V.C.,&S.H.KATZ(1919),An investigation of stenches and odors for industrial purposes,J.Ind.Eng.Chem.,11, 336-338

AMDUR,M.0.,w.W.MELWIN &P.DRINKER(1953),Effects of inhalation of sulphur dioxide by man,Lancet,October 10, 758-759

AMOORE,J.E.(1977),Specific anosmia and the concept of primary odors,Chem.Senses Flavour,2,267-281

AMOORE,J.E.,&R.G BUTTERY(1978),Partition coefficients and comparative olfactometry,Chem.Senses Flavour,3,57-71

AMOORE,J.E.(1982),Odor theory and odor classification,In:E.T.Theimer(Ed.),Fragrance chemistry,Academic Press,Inc., New York,27-76

AMOORE,J.E.(1986a),The chemistry and physiology of odor sensitivity,J.Am.Water Works Assoc.,78,70-76

AMOORE,J.E.(1986b),Effects of chemical exposure on olfaction in humans,In:C.S.Barrow(Ed.),Toxicology of the nasal passages,Hemisphere Publishing Corporation,Washington,155-190

ANDREESCHEVA,N.G(1964),Substantiation of the maxiumum permissible concentration of nitrobenzol in the atmospheric air(in Russ.),Gig.Sanit.,29,no.8,5-10

ANDREESCHEVA,N.G(1968),Sanitary toxicologic assessment of certain aromatic carbohydrates in the atmosphere(in Russ.), Gig.Sanit.,33,no.4,12-16

ANROOIJ,A.VAN(1931),Desodorisatie langs photochemischen weg,Thesis,Utrecht

ANON.(1969),Industrial Hygiene Department,E.K.Co.,June 6,In:Documentation of the threshold limit values,American Conference of Governmental Hygienists,Third edition 1971,Fourth printing 1977,411

ANON.(1980),Reports of studies on the measurement of the offensive odors(from 1972-1980)(in Japan.),Japan Environment Agency,Tokyo

APPELL,L.(1969),Physical foundations in perfumery VIII.The minimum perceptible,Am.Perfum.Cosmet.,84,no.3,45-50

ARMIT,H.W.(1907),The toxicology of nickel carbonyl,J.Hyg.,7,525-551

ARTH0, A. & R. KOCH(1973), Charactérisation olfactive des composés de la fumée de cigarettes, A. du Tabac, Sect. 1-11-Paris-Seita,37-43

ATANASOVA,B.,T.THOMAS-DANGUIN,D.LANGLOIS,S.NICKLAUS,C.CHABANET & P.ETIÉVANT(2005), Perception of wine fruity and woody notes :influence of peri-threshold odorants,Food Qual.Prefer.,16,504-510

B

BABIN,IN.,LI.STRIZHEVSKII&EJ.KORDYSH(1965),Use of the odorimeter VNIIT for comparative tests of the intensity of the odor of carbide and electrolysis acetylene,Khim.Tekhnol.Topl.Prod.Ego Pererab.,152-155(from:Chem.Abstr.,6(1967), 31815m)

BACHMANN,J.-P.&M.PESARO(1990),Flavor compositions and tobacco products containing 3,5,5,6,8,8-hexamethyl-1,2,3,4,5,6,7,8-octahydro-2-naphthalenone,United States Patent 4966172

BACHMANN,J.-P.,D.HELMLINGER &M.PESARO(1992),1,1,2,3,3,6-Hexamethyl-4,5,6,7-tetrahydro-5-indanone and fragrance compositions containing same,United States Patent 5164365

BACKMAN, E.L.(1917), Experimentella undersökningar öfver luktsinnets fysiologi, Upsala Läkareförenings Förhandlingar, 22, 319-470

BACKMAN,E.L.(1918),The olfactologie of the methylbenzol series,Onderzoekingen gedaan in het Physiologisch Laboratorium der Utrechtse Hogeschool,S5,18,349-364

BAHNMULLER,H.(1983),Comparison of individual odor thresholds of various compounds -results of a ring test performed by BASF AG,Hoechst AG,Bayer AG,and E.Merck,In:Proc.VIth World Congress on Air Quality,Paris,May 1983,Vol.2,p. 417-422

BAHNMÜLLER, H.(1984), Olfaktometrie von Dibutylamin, Acrylsäuremethylester, Isoamylalkohol und eines Spritzverdünners für Autolacke-Ergebnisse eines VDI-Ringvergleichs,Staub,44,352-358

BAIKOV,B.K.(1963),Experimental data for substantiating the maximum permisible concentration of carbon disulfide in combination with hydrogen disulfide in the atmospheric air(in Russ.),Gig.Sanit.,28,no.3,3-8

BAIKOV,B.K.,M.Kh.KHACHATURYAN,E.V.BORODINA,N.G FELDMAN &A.M.TAMBOVTSEVA(1973),Data for hygienic standardization of amyl alcohol in the atmosphere(in Russ.),Gig.Sanit.,38,no.9,10-14

BAIKOV,B.K.,&M.Kh.KHACHATURYAN(1973),Hygienic assessment of the reflex action on a body of small concentrations of butyl alcohol in the atmosphere(in Russ.),Gig.Sanit.,38,no.12,7-11

BAJGROWICZ,J.A.,I.FRANK,G.FRÁTER & M.HENNIG(1998),Synthesis and structure elucidation of a new potent snadalwood-oil substitute,Helv.Chim.Acta,81,1349-1358

BAJGROWICZ,J.A.&G.FRATER(2000),Chiral recognition of sandalwood odorants,Enantiomer,5,225-234

BAJGROWICZ,J.A.&I.FRANK(2001),Camphor-derived amber/woody odorants:1,7,7-trimethyl-2'-iso-propylspiro[bicycle [2.1.1]heptane-2,4'-(1,3-dioxanes)],Tetrahedron:Asymmetry,12,2049-2057

BALAVOINE, P.(1943), L'olfaction au service de l'appréciation des denrées alimentaires et des boissons, Mitt. Geb. Lebensmittelunters.Hyg.,34,68-74

BALAvoINE, P.(1948), Observations sur les qualités olfactives et gustatives des aliments, Mitt. Geb. Lebensmittelunters. Hyg., 39,342-350

BALDUS,C.(1936),Untersuchung über Geruchsschwellen,Thesis,Würzburg

BARTSCHAT,D.,D.LEHMANN,A.DIETRICH,A.MOSANDL&R.KAISER(1995),Chiral compounds of essential oils XIX. 4-Methyl-5-decanolide:chirospecific analysis,structure and properties of the stereoisomers,Phytochem.Anal.,6,130-134

BARTSCHAT,D.&A.MOSANDL(1996),Stereoisomeric flavour compounds LXXIV:2-phenylpropanol,2-phenylpropanal and 2-phenylpropanal dimethyl acetal:structure elucidation and structure-function relationship,Z.Lebensm.Unters.Forsch.,202, 266-269

BARTSCHAT, D., S. BÖRNER, A. MOSANDL & J.W. BATS(1997a), Stereoisomeric flavour compounds LXXVI: direct enantioseparation,structure elucidation and structure-function relationship of 4-tert-butyl-a-methyldihydrocinnamaldehyde,Z. Lebensm.Unters.Forsch.A,205,76-79

BARTSCHAT,D.,M.WUST,A.MOSANDL &H.HANSSUM(1997b),Stereoisomeric flavor compounds LXXVII: 3-butylhexahydrophthalides:simultaneous enantioselective analysis,structure elucidation,and sensorial properties of the stereoiosmers,J.High Resol.Chromatogr.,20,251-256

BARTSCHAT, D. & A. MOSANDL(1998), Stereoisomeric flavour compounds LXXX: alkyl-branch ed alkanals - stereodifferentiation,structure elucidation and structure-function relationship,Z.Lebensm.Unters.Forsch.A,206,165-168

BASMADSHIJEWA,K.,M.ARGIROWA &E.DAWIDKOWA(1970),Hygienische Begründung des MIK-Wertes von Methylendichlorid in der atmosphärischen Luft, Wiss. Z. Humboldt-Univ. Berlin, Math.-Naturwiss. Reihe, 19, 469-470

BASMADZHIEVA,K.,&M.ARGIROVA(1968),Maximum permissible concentration of hydrogen sulfide and phenol during their simultaneous presence in the atmosphere,Khig.Zdraveopazvane,11,no.3,237-244,(from:Chem.Abstr.,69(1968),69522p)

BAYDAR,A.,A.N.GILBERT,S.E.KEMP,M.PETRZILKA&M.-P.SCHOTT(1992a),Olfactory thresholds for androstenone and galaxolide:sensitivity,intensitivity,and specific anosmia,Presented at Xth Congress of the European Chemoreception Research Organisation(ECRO),August 23-28,Munich

BAYDAR,A.E.,M.PETRZILKA&M.-P.SCHOTT(1992b),Perception of characteristic axillary odors,Perfum.Flavor.,17, no.6,1-9

BAYDAR,A.,M.PETRZILKA&M.-P.SCHOTT(1993),Olfactory thresholds for androstenone and Galaxolide:sensitivity, insensitivity,and specific anosmia,Chem.Senses,18,661-668

BECK,H.(1959),Experimentelle Ermitlung von Geruchsschwellen einiger wichtiger Reizgase(Chlor,Schwefeldioxyd,Ozon, Nitrose)und Erscheinungen bei Einwirkung geringer Konzentrationen auf den Menschen,Thesis,Würzburg

BEDBOROUGH,D.R.&P.E.TROTT(1979),The sensory measurement of odours by dynamic dilution,Warren Spring Laboratory, Stevenage,Report no.LR 299(AP)

BELITZ,H.-D.&W.GROSCH(1992),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,pp 316(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universität München, 1998, pp.63)

BELKOV,A.N.(1969),Action of small concentrations of carbon tetrachloride on the human body,Tr.,Tsent.Inst.Usoversh. Vrachei,135,90-96(from:Chem.Abstr.,74(1971),2340n)

BELLES,F.et al.(Eds)(1965),Fluorine handbook,National Aeronautics and Space Administration,Lewis Research Center, Cleveland(cited by:P.M.Ricca,Exposure criteria for fluorine rocket propellants,Arch.Environ.Health,12(1966),399-407)

BENZO, M., G. GILARDONI, C. GANDINI, G. CACCIALANZA, P.V. FINZI, G. VARDI, S. ABDO & P. LAYEDRA(2007), Determination of the threshold odor concentration of main odorants in essential oils using gas chromatography-olfactometry incremental dilution technique,J.Chromatogr.A,1150,131-135

BERCK,B.(1968),Sorption of phosphine by cereal products,J.Agric.Food Chem.,16,419-425

BERGER,R.G,F.DRAWERT,H.KOLLMANSBERGER,S.NITZ&B.SCHRAUFSTETTER(1985),Novel volatiles in pineapple fruit and their sensory properties,J.Agric.Food Chem.,33,232-235

BERGER,C.,N.MARTIN,S.COLLIN,L.GIJS,J.A.KAHN,G.PIRAPREZ,H.E.SPINNLER & E.N.VULFSON(1999), Combinatorial approach to flavor analysis.2.Olfactory investigation of a libray of S-methyl thioesters and sensory evaluation of selected components,J.Agric.Food Chem.,47,3274-3279

BERGLUND,B.,U.BERGLUND,I.JOHANSSON &T.LINDVALL(1984),Formaldehyde -absolute odor threshold and perceived odor intensity,In:Proc.Indoor Air Pollution,Stockholm,August 1984,p.89-96

BERGLUND,B.,U.BERGLUND,L.HOGMAN,I.JOHANSSON &T.LINDVALL(1987),The psychophysics of formaldehyde odor,In:B.Seifert,H.Esdorn,M.Fischer,H.Ruden &J.Wegner(Eds),Indoor air'87,Vol.2,Institute for Water,Soil and Air Hygiene,Berlin,655-660(cited by:B.Berglund &S.Nordin,Detectability and perceived intensity for formaldehyde in smokers and non-smokers,Chem.Senses,17(1992),291-306)

BERGLUND,B.&S.NORDIN(1992),Detectability and perceived intensity for formaldehyde in smokers and non-smokers, Chem.Senses,17,291-306

BERGLUND,B.&H.S.ESFANDABAD(1992),Humans as discerners of odor and iritation,Abstracts Xth Congress of the European Chemoreception Research Organisation(ECRO),August 23-28,Munich

BERTHELOT, M.(1901), Observations sur les procédés propres a déterminer les limites de la sensibilité olfactive, Ann. Chim. Phys.,(serie 7),22,460-464

BERZINS,A.(1967),Determination of the threshold of olfactory perception of ethylenimine,In:EY.Yavnaist(Ed.),Aktual.Vop. Gig.Tr.Prof.Patol.,Mater.Konf.,1st,47-48(from:Chem.Abstr.,72(1970),35503e)

BEZPALKOVA,L.E.(1967a),Experimental data for determining the hygienic standards of methylacrylate in the atmosphere(in Russ.),Gig.Sanit.,no.10,3-7

BEZPALKOVA,L.E.(1967b),The threshold of reflex effects of methylacrylate vapours upon human organism(in Czech.),Cesk. Hyg.,12,577-582

BLANCHARD,J.(1976),Relazioni tra I'odore diun gas ed il suo tenore in mercaptani,Gas(Rome),26,287-309

BLANK,I,K.-H.FISCHER&W.GROSCH(1989),Intensive neutral odourants of linden honey.Differences from honeys of other botanical origin,Z.Lebensm.Unters.Forsch.,189,426-433

BLANK,I.(1990),Thesis,TU München(cited by:M.Rychlik,P.Schieberle&W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BLANK,I.&W.GROSCH(1991a),Evaluation of potent odorants in dill seed and dillherb(Anethum graveolens L.)by aroma extract dilution analysis,J.Food Sci.,56,63-67

BLANK,I&W.GROSCH(1991b),Unpublished results(cited by:P.Schieberle,Primary odorants of pale lager beer.Differences to other beers and changes during storage,Z.Lebensm.Unters.Forsch.,193(1991),558-565)

BLANK,I.&W.GROSCH(1992),Unpublished results(cited by:P.Schieberle,Important odorants of fresh and stored beer,in:M. Rothe & H.-P.Kruse(Eds),Proc.3rd Wartburg Aroma Symposium,Aroma production and application,Deutsches Institut für Ernahrungsforschung,Potsdam-Rehbrücke,1992,137-145)

BLANK,I.,A.SEN&W.GROSCH(1992),Potent odorants of the roasted powder and brew of Arabica coffee,Z.Lebensm. Unters.Forsch.,195,239-245

BLANK,I.&P.SCHIEBERLE(1993),Analysis of the seasoning-like flavour substances of a commercial lovage extract (Levisticum officinale Koch.),Flav.Fragr.J.,8,191-195

BLANK,I.(1997),Gas chromatography-olfactometry in food aroma analysis,In:R.Marsili(Ed.),Techniques for analyzing food aroma,Marce Dekker,Marcel Dekker,New York,293-329

BLANK,I.,J.LIN,F.A.VERA,D.H.WELTI & L.B.FAY(2001),Identification of potent odorants formed by autoxidation of arachonic acid:structure elucidation and synthesis of(E,Z,Z)-2,4,7-tridecatrienal,J.Agric.Food Chem.,49,2959-2965

BLANK,I.(2002),Gas chromatography-olfactometry in food aroma analysis,In:R.Marsili(Ed.),Flavor,fragrance and odor analysis,Food Science and Technology,Vol.115,Marcel Dekker,New York,297-331

BLANK,I&W.GROSCH(2002),On the role of(-)-2-methylisoborneol for the aroma of Robusta coffee,J.Agric.Food Chem.,50,4653-4656

BLINOVA,A.E.(1965),Industrial standards for substances emitting strong odors,Hyg.Sanit.USSR,30,nos 1-3,18-22

BOCCA,E.,&M.N.BATTISTON(1964),Odour perception and environment conditions,Acta Oto-Laryngol.,57,391-400

BORISOVA,M.K.(1957),Experimental data for determination of the maximum allowable concentration of dichloroethane in the atmosphere(in Russ.),Gig.Sanit.,22,no.3,13-19

BOZZA,G.,&P.COLOMBO(1949),Eliminazione degli odori di una fabrika di cellulosa al solfato,Chem.Ind.(Milan),31,233-241

BRAKER,W.&A.L.MOSSMAN(1980),Matheson gas data book,sixth edition,Matheson,Lyndhurst

BRAUN,N.A.,M.MEIER,G SCHMAUS,B.HOLSCHER&W.PICKENHAGEN(2003),Enantioselectivity in odor perception: synthesis and olfactory properties of iso-β-bisabolol,a new natural product,Helv.Chim.Acta,86,2698-2708

BREME, K., N. GUILLAMON, X. FERNANDEZ, P. TOURNAYRE, H. BREVARD, D. JOULAIN, J. L. BERDAGUÉ & U.J. MEIERHENRICH(2009),First identification of O,S-diethyl thiocarbonate in Indian cress absolute and odor evaluation in its synthesized homologues by GC-sniffing,J.Agric.Food Chem.,57,2503-2507

BRENNA,E.,M.DELMONTE,C.FUGANTI &S.SERRA(2001a),Enzyme-mediated preparation of(+)-and(-)-B-irone and (+)-and(-)-cis-y-irone from Irone alpha®,Helv.Chim Acta,84,69-86

BRENNA,E.,C.FUGANTI,S.RONZANI&S.SERRA(2001b),Enzyme-mediated syntheses of the enantiomers of y-irones, Helv.Chim Acta,84,3650-3666

BRENNA,E.,C.FUGANTI,S,SERRA&P.KRAFT(2002),Optically active isomers and derivatives:preparation and olfactory properties,Eur.J.Org.Chem.,967-978

BRUNEKREEF,B.,&H.HARSSEMA(1980),Viscose odors in ambient air.A study of the relationship between the detectability of viscose odors and concentrations of H2S and CS2 in ambient air,Water Air Soil Pollut.,13,439-446

BUCHBERGH.,M.H.JONES,K.G LINDH&K.W.WILSON(1961),Air pollution studies with simulated atmospheres,Report no.61-44,California University,Los Angeles

BUETTNER,A.&P.SCHIEBERLE(2001a),Evaluation of key aroma compounds in hand-squeezed grapefruit juice(Citrus paradisi Macfayden)by quantitation and flavor reconstitution experiments,J.Agric.Food Chem.,49,1358-1363

BUETTNER,A.&P.SCHIEBERLE(2001b),Evaluation of aroma differences between hand-squeezed juices from Valencia late and navel oranges by quantitation of key odorants and flavor reconstitution experiments,J.Agric.Food Chem.,49,2387-2394

BUETTNER,A.&P.SCHIEBERLE(2001c),Aroma properties of a homologous series of 2,3-epoxyalkanals and trans-4,5-epoxy-2-enals,J.Agric.Food Chem.,3881-3884

BUHR,K.(2006),Untersuchungen zu Struktur-Geruchsbeziehungen von Lactonen,Ph.D.Thesis,Bergischen Universität (including corrections by J.C.Leffingwell,Chirality &Odour Perception.The p-menthane lactones-Part 1 &Part 2; www.leffingwell.com/chirality/menthanekactone.htm &www.leffingwell.com/chirality/menthanekactone2.htm)

BURDACK-FREITAG,A.&P.SCHIEBERLE(2010),Changes in the key odorants of Italian hazelnuts(Coryllus avellana L.var. tonda romana)induced by roasting,J.Agric.Food Chem.,6351-6359

BUSHTUEVA,K.A.(1960),Threshold reflex effect of SO2 and sulfuric acid aerosol simultaneously present in the air,In:V.A. Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 4,72-80,U.S.Department of Commerce, Office of Technical Services,Washington D.C.

BUSHTUEVA,K.A.(1962),New studies on the effect of sulfur dioxide and of sulfuric acid aerosol on reflex activity of man,In: V.A.Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 5,86-92,U.S.Department of Commerce,Office of Technical Services,Washington D.C.

BUTTERY,R.C.,R.M.SEIFERT,D.G GUADAGNI &LC.LING(1969),Characterization of some volatile constituents of bell peppers,J.Agric.Food Chem.,17,1322-1327

BÜTTNER, M.W., S. METZ, P. KRAFT & R. TACKE(2007a), Silicon-based noncyclic woody-amber odorants: synthesis and olfactory characterization of 4,4,6,6-tetramethylheptan-2-one and its sila-anlaogues,Organometallics,26,3925-3929

BUTTNER,M.W.,C.BURSCHA,K.JUNOLD,P.KRAFT &R.TACKE(2007b),Disila-okoumal:a silicon analogue of the ambergris odorant okoumal,ChemBioChem,8,1447-1454

C

CAIN,W.S.(1969),Odor intensity:differences in the exponent of the psychophysical function,Percept.Psychophys.,6(6A), 349-354

CAIN,W.S.,J.GENT,F.A.CATALANOTTO&R.B.GOODSPEED(1983),Clinical evaluation of olfaction,Am.J.Otolaryngol., 4,252-256

CAIN,W.S.,B.P.LEADERER,L.CANNON,T.TOSUN&H.ISMAIL(1987),Odorization of inert gas for occupational safety: psychophysical considerations,Am.Ind.Hyg.Assoc.J.,48,47-55

CAIN,W.S.,J.F.GENT,R.B.GOODSPEED & G.LEONARD(1988),Evaluation of olfactory dysfunction in the Connecticut chemosensory clinical research center,Laryngoscope,98,83-88

CAIN,W.S.(1989),Testing olfaction in a clinical setting,Ear,Nose and Throat J.,68,no.4

CAIN,W.S.&J.F.GENT(1991),Olfactory sensitivity:reliability,generality,and association with aging,J.Exp.Psychol.Hum. Percept.Perform.,17,382-391

CAIN,W.S.,R.A.DE WIJK,A.A.JALOWAYSKI,G.PILA CAMINHA&R.SCHMIDT(2005),Odor and chemesthesis from brief exposures to TXIB,Indoor Air,15,445-457

CAIN,W.S.,R.SCHMIDT &P.WOLKOFF(2007a),Olfactory detection of ozone and D-limonene:reactants in indoor spaces, Indoor Air,17,337-347

CAIN,W.S.,R.SCHMIDT &A.A.JALOWAYSKI(2007b),Odor and chemesthesis from exposures to glutaraldehyde vapor,Int. Arch.Occup.Environ.Health,80,721-731

CAIN,W.S.,R.A.DE WIJK,S.NORDIN &M.NORDIN(2008),Independence of odor quality and absolute sensitivity in a study of aging,Chem.Percept.,1,24-33

CAIN,W.S.&R.SCHMIDT(2009),Can we trust odor databases?Example of t-and n-butyl acetate,Atmos.Environ.,43, 2591-2601

CAIN,W.S.,M.L.DOURSON,M.J.KOHRMAN-VINCENT&B.C.ALLEN(2010),Human chemosensory perception of methyl isothiocyanate:chemesthesis and odor,Reg.Toxicol.Pharmacol.,58,173-180

CANCHO,B.,C.FABRELLAS,A.DIAZ,E.VENTURA&T.GALCERAN(2001),Determination of the odor threshold concentrations of iodinated trihalomethanes in drinking water,J.Agric.Food Chem.,49,1881-1884

CARPENTER,C.P.(1937),The chronic toxicity of tetrachloroethylene,J.Ind.Hyg.Toxicol.,19,323-336

CARPENTER,C.P,H.F.SMYTH Jr.&C.B.SHAFFER(1948),The acute toxicity of ethylene imine to small animals,J.Ind.Hyg. Toxicol.,30,2-6

CAVAILLE-LEFEBVRE,D.,D.COMBES,B.REHBOCK &R.G BERGER(1998),A chromatographic and mass-spectrometric approach for the analysis of lipase-produced thioester derivatives,Appl.Microbiol.Biotechnol.,49,136-140

CEDERLOF,R.,M.-L.EDFORS,L.FRIBERG&T.LINDVALL(1966),On the determination of odor thresholds in air pollution control-An experimental field study on flue gases from sulfate cellulose plants,J.Air Pollut.Contr.Assoc.,16,92-94

CERNY,C.(1992),Private communication(cited by:I.Blank,A.Sen&W.Grosch, Potent odorants of the roasted powder and brew ofArabica coffee,Z.Lebensm.Unters.Forsch.,195(1992),239-245)

CERNY,C.&W.GROSCH(1994),Precursors of ethyldimethylpyrazines isomers and 2,3-diethyl-5-methylpyrazine formed in roasted beef,Z.Lebensm.Unters.Forsch.,198,210-214

CERNY,C.(1998),Personal communcation(cited by:M.Rychlik,P.Schieberle&W.Grosch,Compilation of odor thresholds, odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

CHALK,A.J.(1990),3-(3-Propan-2-ylphenyl)butanal and 3-(3-propen-2-ylphenyl)butanal,United States Patent 4910346

CHAO-CHEN-TZI(1959),Data for determining the standard maximum permissible concentration of methanol vapours in the atmospheric air(in Russ.),Gig.Sanit.,24,no.10,7-12

CHEESMAN,GH.,&H.M.KIRKBY(1959),An air dilution olfactometer suitable for group threshold measurements,Q.J.Exp. Psychol.,11,115-123

CHISHOLM,M.G &J.M.SAMUELS(1992),Determination of the impact of the metabolites of sorbic acid on the odor of a spoiled red wine,J.Agric.Food Chem.,40,630-633

CHIZHIKOV,V.A.(1963),Data for substantiating the maxiumum permissible concentration of toluilendiisocyanate in the atmospheric air(in Russ.),Gig.Sanit.,28,no.6,8-15

CLAUSEN,D.F.,C.E.FELT,L.F.BORCHARDT&A.A.REINSCH(1955),Quantitative odor measurement,Mod.Packag.,29, 149-156,212,215,218,220

COLWELL,C.E.(1976),Human sensory iritation threshold of glutaraldehyde vapor,In:Documentation of the threshold limit values,fourth edition,American Conference of Governmental Industrial Hygienists Inc.,Cincinnatti,1980,204-205

COMETTO-MUNIZ,J.E.&W.S.CAIN(1990),Thresholds for odor and nasal pungency,Physiol.Behav.,48,719-725

COMETTO-MUNIZ,J.E.&w.S.CAIN(1991),Nasal pungency,odor,and eye irritation thresholds for homologous acetates, Pharmacol.Biochem.Behav.,39,983-989

COMETTO-MUŇIZ,J.E.(1993),Personal communication,The John B.Pierce Laboratory,New Haven,Connecticut

COMETTO-MUNIZ,J.E.&w.S.CAIN(1993),Efficacy of volatile organic compounds in evoking nasal pungency and odor,Arch. Environ.Health,48,309-314

COMETTO-MUNIZ,J.E.&w.S.CAIN(1994),Sensory reactions of nasal pungency and odor to volatile organic compounds:the alkylbenzenes,Am.Ind.Hyg.Assoc.J.,55,811-817

COMETTO-MUŇIZ,J.E.,W.S.CAIN&M.H.ABRAHAM(1988a),Nasal pungency and odor of homologous aldehydes and carboxylic acids,Exp.Brain Res.,118,180-188

COMETTO-MUNIZ,J.E.,W.S.CAIN,M.H.ABRAHAM &R.KUMARSINGH(1998b),Trigeminal and olfactory chemosensory impact of selected terpenes,Pharmacol.Biochem.Behav.,60,765-770

COMETTO-MUNIZ,J.E.,W.S.CAIN,M.H.ABRAHAM &J.M.R.GOLA(1999),Chemosensory detectability of 1-butanol and 2-heptanone singly and in binary mixtures,Physiol.Behav.,67,269-276

COMETTO-MUNIZ,J.E.(1999),Personal communication,Chemosensory Perception Laboratory,Dept.of Surgery(Otolaryngology), University of California,San Diego

COMETTO-MUNIZ,J.E.,W.S.CAIN,M.H.ABRAHAM &J.M.R.GOLA(2002),Psychometric functions for the olfactory and trigeminal detectability of butyl acetate and toluene,J.Appl.Toxicol.,22,25-30

COMETTO-MUNIZ,J.E.,W.S.CAIN &M.H.ABRAHAM(2003),Dose-adition of individual odorants in the odor detection of binary mixtures,Behav.Brain Res.,138,95-105

COMETTO-MUNIZ,J.E.,W.S.CAIN &M.H.ABRAHAM(2004),Detection of single and mixed VOCs by smell and by sensory irritation,Indoor Air,14(Suppl.8),108-117

COMETTO-MUNIZ,J.E.,W.S.CAIN&M.H.ABRAHAM(2005),Odor detection of single chemicals and binary mixtures,Behav. Brain Res.,156,115-123

COMETTO-MUNIZ,J.E.&M.H.ABRAHAM(2008),Human olfactory detection of homologous n-alcohols measured via concentration-response functions,Pharmacol.Biochem.Behav.,89,279-291

COMETTO-MUNIZ,J.E.,w.S.CAIN,M.H.ABRAHAM&J.GIL-LOSTES(2008),Concentration-detection functions for the odor of homologous n-acetate esters,Physiol.Behav.,95,658-667

COMETTO-MUNIZ,JE.&M.H.ABRAHAM(2009a),Olfactory psychometric functions for homologous 2-ketones,Behav. Brain Res.,201,207-215

COMETTO-MUNIZ,J.E.&M.H.ABRAHAM(2009b),Olfactory detectability of homologous n-alkylbenzenes as reflected by concentration-detection functions in humans,Neuroscience,161,236-248

COMETTO-MUNIZ,J.E.&M.H.ABRAHAM(2010a),Odor detection by humans of lineal aliphatic aldehydes and helional as gauged by dose-response functions,Chem.Senses,35,289-299

COMETTO-MUNIZ,J.E.&M.H.ABRAHAM(2010b),Structure-activity relationships on the odor detectability of homologous carboxylic acids by humans,Exp.Brain Res.,207,75-84

CORBIT,T.E.&T.ENGEN(1971),Facilitation of olfactory detection,Percept.Psychophys.,10,433-436

CORMACK,D.,T.A.DORLING&B.W.J.LYNCH(1974),Comparison of techniques for organoleptic odour-intensity assessment, Chem.Ind.(London),no.21,857-861

CRAWFORD,GN.,R.P.GARRISON&D.R.McFEE(1984),Odor threshold determination for 2-nitro-propane,Am.Ind.Hyg. Assoc.J.,45,no.2,B7-B8

CRISTOPH,N.(1983),Die Anwendung der gaschromatografischen Sniffing-Technik zur Bestimmung von Geruchsschwellen und Aromawerten,Thesis,TU München

CZERNY,M.&R.WAGNER(1995),Personal communication(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

CZERNY,M.,R.WAGNER&W.GROSCH(1996),Detection of odor-active ethenylalkylpyrazines in roasted coffee,J.Agric. Food Chem.,44,3268-3272

CZERNY,M.&W.GROSCH(2000),Potent odorants of raw Arabica coffee.Their changes during roasting,J.Agric.Food Chem., 48,868-872

CZERNY,M.&A.BUETTNER(2009),Odor-active compounds in cardboard,J.Agric.Food Chem.,57,9979-9984

D

DALTON,P,C.J.WYSOCKI,MJ.BRODY&HJ.LAWLEY(1997a),Perceived odor,irritation,and health symptons following short-term exposure to acetone,Am.J.IndMed.,31,558-569

DALTON,P.,C.J.WYSOCKI,MJ.BRODY&HJ.LAWLEY(1997b),The influence of cognitive bias on the perceived odor, irritation and health symptoms from chemical exposure,Int.Arch.Occup.Environ.Health,69,407-417

DALTON,P.H.,D.D.DILKS & M.I.BANTON(2000),Evaluation of odor and sensory irritation thresholds for methyl isobutyl ketone in humans,Am.Ind.Hyg.Assoc.J.,61,340-350

DALTON,P.,B.COWART,D.DILKS,M.GOULD,P.S.J.LEES,A.STEFANIAK & E.EMMETT(2003),Olfactory function in workers exposed to styrene in the reinforced-plastics industry,Am.J.Ind.Med.,44,1-11(converted data taken from:P.Dalton et al., Evaluation of long-term occupational exposure to styrene vapor on olfactory function,Chem.Senses,32(2007),739-747)

DALTON,P.,P.S.J.LEES,M.GOULD,D.DILKS,A.STEFANIAK,M.BADER,A.IHRIG&G.TRIEBIG(2007),Evaluation of long-term occupational exposure to styrene vapor on olfactory function,Chem.Senses,32:739-747

DAVIS,P.A.(1934),Carbon tetrachloride as an industrial hazard,J.Am.Med.Assoc.,103,962-966

DAVIS,R.G(1973),Olfactory psychophysical parameters in man,rat,dog and pigeon,J.Comp.Physiol.Psychol.,85,221-232

DEADMAN,K.A.,&J.A.PRIGG(1959),The odour and odorization of gas,Research Communication GC59,The Gas Council, London

DEESE,D.E.,&R.E.JOYNER(1969),Vinyl acetate:a study of chronic human exposure,Am.Ind.Hyg.Assoc.J.,30,449-457

DIAZ,A.,C.FABRELLAS,F.VENTURA&M.T.GALCERAN(2005),Determination of the odor threshold concentrations of chlorobrominated anisoles in water,J.Agric.Food Chem.,53,383-387

DIXON,GA.,&K.G IKELS(1977),Olfactory threshold of chlorine in oxygen,USAF School of Aerospace Medicine,Report SAM-TR-77-22

DOBRINSKY,A.A.(1964),Hygienic standards for certain intermediate compounds of kaprolaktam production in the atmospheric air(in Russ.),Gig.Sanit.,29,no.12,8-13

DOLL,W.,&K.BOURNOT(1949),Über den Geruch optischer Antipoden,Pharmazie,4,224-227

DOLLNICK,H.W.O.,V.THIELE&F.DRAWERT(1988),Olfaktometrie von Schwefelwasserstoff,n-Butanol,Isoamylalkohol, Propionsäure und Dibutylamin,Staub,48,325-331

DON,J.A.(1986),Odour measurement and control,Paper presented at Odour control in industry',London,March 18(to be published in 'Filtration and separation')

DOSZCZAK, L., P. KRAFT, H.-P. WEBER, R. BERTERMANN, A. TRILLER, H. HATT & R. TACKE(2007), Prediction of perception:probing the hOR17-4 olfactory receptor model with silicon analogues of bourgeonal and lilial,Angew.Chem.Int.Ed., 46,3367-3371

DOTY,R.L,D.A.DEEMS,R.E.FRYE,R.PERLBERG&A.SHAPIRO(1988),Olfactory sensitivity,nasal resistance,and autonomic function in patients with multiple chemical sensitivities,Arch.Otolaryngol.Head Neck Surg.,114,1422-1427

DOTY,R.L.(1991),Unpublished(cited by:R.L.Doty,Psychophysical measurement of odor perception in humans,In:D.G Laing, R.L.Doty,W.Breipohl(Eds),The human sense of smell,Springer-Verlag,Berlin,95-134)

DRAVNIEKS,A.,&B.K.KROTOSZYNSKI(1968),Collection and processing of airborne chemical information,,J.Gas Chromatogr.,6,144-149

DRAVNIEKS,A.,&A.O'DONNELL(1971),Principles and some techniques of high-resolution headspace analysis,J.Agric. Food Chem.,19,1049-1056

DRAVNIEKS,A.,&P.LAFFORT(1972),Physico-chemical basis of quantitative and qualitative odor discrimination in humans,In: D.Schneider(Ed.),Olfaction and taste IV,142-148,Proc.Fourth Internat.Symp.,August 1971,Wissenschafliche Verlagsgesellschaft MBH,Stuttgart(converted data taken from:F.Patte,M.Etcheto and P.Laffort,Selected and standardized values of suprathreshold odor intensities for 110 substances,Chem.Senses Flavour,1(1975),238-305)

DRAVNIEKS,A.(1974),A building-block model for the characterization of odorant molecules and their odors,Ann.N.Y.Acad. Sci.,237,144-163

DRAVNIEKS,A.(1976),Development of a dynamic forced-choice triangle method for the measurement of emission and ambiant odors,IITRI Project C8217,Final Report,IIT Research Institute,Chicago

DRAVNIEKS,A.,W.SCHMIDTSDORFF &M.MEILGAARD(1986),Odor thresholds by forced-choice dynamic triangle olfactometry:reproducibility and methods of calculation,J.Air Pollut.Control Assoc.,36,900-905

DUAN-FEN-DJUY(1959),Data for determining the maximum permissible concentration of hydrogen sulfide in the atmosperic air(in Russ.),Gig.Sanit.,24,no.10,12-17

DUBROVSKAYA,F.I.(1957),Hygienic evaluation of pollution of atmospheric air of large city woth sulfur dioxide gas,In:V.A. Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 3,37-51,U.S.Department of Commerce, Office of Technical Services,Washington D.C.

DUBROVSKAYA, F.I., M.S. KATSENELENBAUM, Ya.K. YUSHKO, G.V. BULYCHEV & V.A. KOROLEVA(1961), Atmospheric air pollution with discharges from synthetic fatty acids and alcohols producing industries and their effect on the health of the population(in Russ.),Gig.Sanit.,26,no.12,3-8

DUBROVSKAYA,F.I.(1969),One-time maximum concentration of caproic acid in air,Hyg.Sanit.USSR,34,nos 4-6,331-335

DUBROVSKAYA,E.I.,&M.Kh.KHACHATURYAN(1973),Sanitary evaluation of valeric acid as an atmospheric pollutant,In: M.Y.Nuttonson(Ed.),American Institute of Crop Ecology(AICE)survey of U.S.S.R.air pollution literature,Volume XIX, 98-103,National Technical Information Service,U.S.Department of Commerce,Springfield,PB-214264

DUDLEY,H.C.,&J.W.MILLER(1941),Toxicology of selenium VI.Effects of subacute exposure to hydrogen selenide,J.Ind. Hyg.Toxicol.,23,470-477

DUMAS,T.&EJ.BOND(1974),Separation of phosphine from odour-producing impurities,J.Stored Prod.Res.,10,67-68

DUNLAP,M.K.,J.K.KODAMA,J.S.WELLINGTON,H.H.ANDERSON &C.H.HINE(1958),The toxicity of allyl alcohol, AMA Arch.Ind.Health,18,303-311

E

EGLITE,M.E.(1968),A contribution to the hygienic assessment of atmospheric ozone,Hyg.Sanit.USSR,33,nos 1-3,18-23

ELFIMOVA,E.V.(1959),Data for determination of the maximum permissible concentration of hydrogen chloride aerosols in the atmospheric air(in Russ.),Gig.Sanit.,24,no.1,13-20

ELFIMOVA,E.V.(1966),Biological activity of low atmospheric concentrations of isopropylbenzene and benzene,Vop.Gig. Planirovki San.Okhr.Atmos.Vozdukha,Moscow,148-158(from:Chem.Abstr.,66(1967),93947q)

EL-MATAAYAH,M.A.(1997),A clinical and microbial study of oral malodour,Dissertation University of the West of England, Bristol(cited by:J.Greenman,M.El-Maaytah,J.Duffield,P.Spencer,S.Saad,P.Lenton,G Majerus &S.Nachnani,Assessing the relationship between concentrations of malodor compounds and odor scores from judges,J.Am.Dent.Assoc.,136(2005), 749-757)

ENDERS,D.&M.BACKES(2004),First asymmetric synthesis of both enantiomers of Tropional ⑧and their olfactory evaluation, Tetrahedron:Asymmetry,14,1813-1817

ENDO,R.,T.KOHGO&T.OYAKE(1967),10.Research on odor nuisance in Hokkaido(part 2).Chemical analysis of odors,In: Proc.of the 8th Annual Meeting of the Japan Society of Air Pollution,Symposium(1):Hazard nuisance pollution problems due to odors(English translation for APTIC by SCITRAN)

ENGEL,K.-H.(1999),The importance of sulfur-containing compounds to fruit flavors,In:R.Teranishi,E.L.Wick &I Hornstein(Eds),Flavor chemistry.Thirty years of progress,Kluwer Academic/Plenum Publishers,New York etc.,265-273

ENGEL,K.H.,A.SCHELLENBERG &H.-G SCHMARR(2001,Chemical and sensory properties of thiolactones.In:GR. Takeoka,M.Güntert &K.-H.Engel(Eds),Aroma active compounds:chemistry and sensory properties,ACS Symp.Ser.,794, 138-148

ENGEL,W.&P.SCHIEBERLE(2002),Structural determination and odor characterization of N-(2-mercaptoethyl)-1,3-thiazolidine,a new intense popcorn-like-smelling odorant,J.Agric.Food Chem.,50,5391-5393

ENGLAND,A.,D.G.LAING&H.PANHUBER(1978),Odorous pollutants,CSIRO Division of Food Research,Report of research 1977-1978,p.23

ERIKSSON,C.E.,B.LUNDGREN&K.VALLENTIN(1976),Odor detectability of aldehydes and alcohols originating from lipid oxidation,Chem.Senses Flavour,2,3-15(converted data taken from:G Hall and J.Andersson,Volatile fat oxidation products I. Determination of odour thresholds and odour intensity functions by dynamic olfactometry,Lebensm.Wiss.Technol.,16(1983), 354-361)

ETZWELER, F., N. NEUNER-JEHLE & E. SENN(1980), Einzatz der quantitativen Headspace-Analyse zur Untersuchung des Verhaltens von Riechstoffen in Seifen und Detergentien,Seife-Ole-Fette-Wachse,106,419-427

ETZWEILER,F.,D.HELMLINGER,C.NUSSBAUMER&M.PESARO(1992),Bicyclic compounds,European Patent 464357

ETZWEILER,F.(1993),Personal communication,in:U.A.Huber&D.Bergamin,Novel access to furan-3-thiols and derivatives, impact meat-flavor compounds,Helv.Chim.Acta,78,2528-2536

EYKMAN,H.J.(1927),Klinische olfactometrie,Thesis,Utrecht

F

FACUNDO,V.A.,A.C.PINTO &C.M.REZENDE(2005),Aroma compounds and volatile chemical composition of Ruella menthoides(Nees)Hiern,Flavour Frag.J.,20,93-95

FEDDES,J.J.R.,G.QU,C.A.QUELETTE & J.J.LEONARD(2001),Development of an eight-panelist single port,forced-choice, dynamic dilution olfactometer,Journal of Canadian Biosystems Engineering,43,6.1-6.5

FELDMAN,Yu.G.(1960),Data for determining the maximum permissible concentration of acetone in the atmosphere(in Russ.), Gig.Sanit.,25,no.5,3-10

FELDMAN,Yu.G(1967),The experimental determination of the maximum permissible one-time concentration of diketene in the atmosphere,Hyg.Sanit.USSR,32,nos 1-3,9-14

FELDMAN,Yu.G,&TI.BONASHEVSKYA(1971),On the effect of low concentrations of formaldehyde,Hyg.Sanit.USSR,36, nos 4-6,174-180

FERREIRA,V.,M.ARDANUY,R.LOPEZ &J.E.CACHO(1998),Relationship between flavor dilution values and odor unit values in hydroalcoholic solutions: role of volatility and a practical rule for its estimation, J.Agric.Food Chem.,46,4341-4346

FIELDNER,A.C.,S.H.KATZ&S.P.KINNEY(1921),Gas masks for gases met in fighting fires,U.S.Bureau of Mines,Technical Paper no.248

FILATOVA,V.I.(1962),Data for substantiating the maximum permissible concentration of methylmetacrylate in the atmospheric air(in Russ.),Gig.Sanit.,27,no.11,3-8

FISCHER,A.,W.GRAB&P.SCHIEBERLE(2008),Characterisation of the most odour-active compounds in a peel oil extract from Pontianak oranges(Citrus nobilis var. Lour. microcarpa Hassk.), Eur. Food Res. Technol., 227, 735-744

FISCHER,K.-H.&W.GROSCH(1987),Volatile compounds of importance in the aroma of mushrooms(Psalliota bispora), Lebensm.Wiss.Technol.,20,233-236

FLEMMING,D.C.,&R.E.JOHNSTONE(1977),Recognition thresholds for diethyl ether and halothane,Anesthesiology,46, 68-69

FLUCK,E.(1976),The odor threshold of phosphine,J.Air Pollut.Control Assoc.,26,795

FLURY,E.(1921),Uber Kampfgasvergiftungen IX.Lokal reizende Arsenverbindungen,Z.Gesamte Exp.Med.,13,523-578

FOMIN,A.P.(1966),Biological effect of epichlorohydrine and its hygienic significance as an atmospheric contamination factor(in Russ.),Gig.Sanit.,31,no.9,7-11

FORS,S.M.(1984),Sensory properties of alkylpyrazines,In:J.Adda(Ed.),Progress in flavour research,Elsevier Science Publishers,Amsterdam,29-34

FORS,S.M.,&B.K.OLOFSSON(1985),Alkylpyrazines,volatiles formed in the Maillard reaction.I.Determination of odour detection thresholds and odour intensity functions by dynamic olfactometry,Chem.Senses,10,287-296

FRANTIKOVA,D.(1962),Determination of the olfactory threshold to industrial poisons(in Czech.),Act.Nerv.Super,4,184-185

FRATER,G,U.MÜLLER&M.PETRZILKA(1997),Odorants,United States Patent 5635471

FRATER,G,U.MULLER&P.KRAFT(1999),Preparation and olfactory characterization of the enantiomerically pure isomers of the perfumery synthetic Galaxolide®, Helv.Chim.Acta,82,1656-1655

FRÁTER,G.U.MÜLLER&F.SCHRÖDER(2004),Synthesis and olfactory properties of(-)-(1R,2S)-georgywood,Tetrahedron: Asymmetry,15,3967-3972

FREUDENBERG,K.,&M.REICHERT(1955),Sulphate pulp mill odors,Tappi,38,165A-166A

FUGANTI,C.,S.SERRA&A.ZENONI(2000),Synthesis and olfactory evaluation of(+)-and(-)-y-ionone,Helv.Chim.Acta,83, 2761-2768

FUGANTI,C.,E.G.GATTI &S.SERRA(2007),A general method for the synthesis of the most powerful naturally occurring Maillard flavors,Tetrahedron,63,4762-4767

FULLER,GH.,R.STELTENKAMP&GA.TISSERAND(1964),The gas chromatograph with human sensor:perfumer model, Ann.N.Y.Acad.Sci.,116,711-724

G

GASSER,U.,&W.GROSCH(1990a),Primary odorants of chicken broth.A comparative study with meat broths from cow and ox, Z.Lebensm.Unters.Forsch.,190,3-8

GASSER, U., & W. GROSCH(1990b), Aromaextraktverdünnungsanalyse handelsüblicher Fleischaromen, Z. Lebensm. Unters. Forsch.,190,511-515

GAVAUDAN, P., H. POUSSEL, G BREBION & M.-P. SCHUTZENBERGER (1948), L'étude des conditions thermodynamiques de l'excitation olfactive et les théories de l'olfaction, C.R. Hebd. Seances Acad. Sci., 226, 1395-1396

GAVAUDAN, P., & H. POUSSEL (1966), Conditions physico-chimiques du déclenchement des sensations olfactives, C.R. Congr. Natl.Soc.Savantes Sect.Sci.,90,607-613

GEIER,F.(1936),Beitrag zur Bestimmung von Geruchsschwellen,Thesis,Würzburg

GEMERT,LJ.VAN(1973),Unpublished data,Central Institute for Nutrition and Food Research TNO,Zeist,The Netherlands

GIJS,L.,G PIRAPREZ,P.PERPETE,E.SPINNLER&S.COLLIN(2000),Retention of sufur flavours by food matrix and determination of sensorial data independent of the medium composition,Food Chem.,69,319-330

GLINDEMANN,D.,J.NOVAK &J.WITHERSPOON(2006),Dimethyl sulfoixde(DMSO)waste residues and munipical waste odor by dimethyl sulfide(DMS):the north-east WPCPplant of Philadelphia,Environ.Sci.Technol.,40,202-207

GOEKE,A.(2006),Substituted cyclohexenes,United States Patent,7078570

GOFMEKLER,V.A.(1960),Data to substantiate the maximum permissible concentration of acetates in the atmosphere(in Russ.), Gig.Sanit.,25,no.4,9-15

GOFMEKLER,V.A.(1967),Experimental observation of the reflex effect of acetaldehyde upon human organism(in Czech.),Cesk. Hyg.,12,369-375

GOFMEKLER,V.A.(1968),Effect of acetaldehyde on reflexes,Hyg.Sanit.,33,nos.4-6,109-110

GOLDENBERG, D.M.(1967), Geruchswahrnehmung und Schwellen von Duftgemischen beim Menschen, Hals-, Nasen- und Ohrenheilkunde,Zwanglose Schriftenreihe,Heft 19,Barth,Leipzig

GORLOVA,O.E.(1970),Hygienic assessment of isopropyl alcohol as an atmospheric pollutant(in Russ.),Gig.Sanit.,35,no.8, 9-14

GREENMAN,J.,J.DUFFIELD,P.SPENCER,M.ROSENBERG D.CORRY,S.SAAD,P.LENTON,G MAJERUS,s. NACHNANI &M.EL-MAAYTAH(2004),Study on the organoleptic intensity scale for measuring malodor,J.Dent.Res.,83: 81-85

GRIGORIEVA,K.V.(1964),On the atmospheric air pollution with malleic anhydride(in Russ.),Gig.Sanit.,29,no.3,8-12

GRIJNS, G. (1906), Messungen der Riechschärfe bei Europäern und Javanen, Arch. Anat. Physiol., Physiol. Abt., 30, 509-517

GRIJNS,G(1919),Y-a-t-il une relation entre le pouvoir absorbant a légard de la chaleur rayonnante et le pouvoir odorant des substances,Arch.Neerl.Physiol.,3,377-390

GROSCH,W.(1989),Aromastoffe aus der Lipidperoxidation,Fat Sci.Technol.,91,1-6

GROSCH,W.,M.CZERNY,R.WAGNER&F.MAYER(1996),Studies on the aroma of roasted coffee,In:A.J.Taylor &D.S. Mottram(Eds),Flavour science.Recent developments,The Royal Society of Chemistry,Cambridge,200-205

GUADAGNI,D.G(1966),Private communication(cited by:R.Teranishi,High resolution gas chromatography in aroma research, Am.Perfum.Cosmet.,82(1967),no.9,43-51)

GUICHARD, E., A. MOSANDL, A. HOLLNAGEL, A. LATRASSE & R. HENRY(1991), Chiral γ-lactones from Fusarium poae. Enantiomeric ratios and sensory differentiation of cis-6-y-dodecenolactone enantiomers,Z.Lebensm.Unters.Forsch.,193,26-31

GUNDLACH,R.H.,&G.KENWAY(1939),A method for the determination of olfactory thresholds in humans,J.Exp.Psychol., 24,192-201

GÜNTERT,M.,G.KRAMMER,S.LAMBRECHT,H.SOMMER,H.SURBURG&P.WERKHOFF(2001),Flavor chemistry of peppermint oil(Mentha piperita L.). In: G. R. Takeoka, M. Güntert & K.-H. Engel (Eds), Araoma active compounds: chemistry and sensory properties,ACS Symp.Ser.,794,119-137

GUSEV,IS.(1965),Reflective effects of microconcentrations of benzene,toluene,xylene and their comparative assessment,Hyg. Sanit.USSR,30,nos 10-12,331-336

GUTH,H.,&W.GROSCH(1989),3-Methylnonane-2,4-dione-An intense odour compound formed during flavour reversion of soya-bean oil,Fat Sci.Technol.,91,225-230

GUTH,H.,&W.GROSCH(1990),Comparison of stored soya-bean and rapeseed oils by aroma extract dilution analysis,Lebensm. Wiss.Technol.,23,59-65

GUTH,H.(1991),Thesis,TU München(cited by:M.Rychlik,P.Schieberle&W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

GUTH,H.,&W.GROSCH(1991),A comparative study of the potent odorants of different virgin olive oils,Fat Sci.Technol.,93, 335-339

GUTH,H.(1996a),Determination of the configuration of wine lactone,Helv.Chim.Acta,79,1559-1571

GUTH,H.(1996b),Wine lactone-A potent odorant identified for the first time in different wine varieties,In:A.J.Taylor &D.S. Mottram(Eds),Flavour science.Recent developments,The Royal Society of Chemistry,Cambridge,163-167

GUTH,H.(1997),Objectivation of white wine aromas,Thesis,TU München(Cited by:W.Grosch,Evaluation of the key odorants of foods by dilution experiments,aroma models and omission,Chem.Senses.,26(2001)533-545)

H

HALL,G,&J.ANDERSSON(1983),Volatile fat oxidation products I.Determination of odour thresholds and odour intensity functions by dynamic olfactometry,Lebensm.Wiss.Technol.,16,354-361

HAMANABE,Y.,S.HARIMA,T.MIURA,T.DOMON&T.NAMIKI(1969),The sensitive measurement of bad odor in using an odorless chamber,J.Jpn Soc.Air Pollut.,4(1):115(from:Odors and air pollution:a bibliography with abstracts,Environmental Protection Agency,Office of Air Programs Publication,No.AP-113(1972)p.17)

HANGARTNER,M.(1981),Geruchsprobleme bei der Abfallbeseitigung,Haustechnik-Bauphysik-Umweltechnik-Gesund.Ing., 102,117-120

HARREVELD,A.Ph.VAN,&P.HEERES(1997),The validation of the draft European CEN standard for dynamic olfactometry by an interlaboratory comparison on butanol,Gefahrstoffe-Reinhaltung der Luft,57,393-398

HARTIGH,P.DEN(1986),The development of odour determination methods in the Rijnmond area,VDI-Berichte,56,277-287

HARTUNG,L.D.,E.G.HAMMOND &J.R.MINER(1971),Identification of carbonyl compounds in a swine-building atmosphere, Livest.Waste Manage.Pollut.Abatement,Proc.Int.Symp.,105-106

HEERES,P.,H.HARSSEMA&C.J.SMITSHOEK(1986),The influence of the dilution air on the threshold value of H_2S,Staub., 46,426-428

HEILER,C.(1995),Personal communication(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds, odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

HEILER,C.&P.SCHIEBERLE(1996),Studies on the metallic off-flavour in buttermilk:identification of potent aroma compounds,Lebensm.Wiss.Technol.,29,460-464

HELLMAN,T.M.,&F.H.SMALL(1973),Characterization of petrochemical odors,Chem.Eng.Progr.,69,no.9,75-77

HELLMAN,T.M.,&F.H.SMALL(1974),Characterization of the odor properties of 101 petrochemicals using sensory methods,J. Air Pollut.Contr.Assoc.,24,979-982

HEMLINGER, D., G. FRÁTER & U. MÜLLER (2001), Methylcyclotetradec—5-en-1-ones, United States Patent 6326349

HENDERSON,Y.,&H.W.HAGGARD(1922),The elimination of industrial organic odors,J.Ind.Eng.Chem.,14,548-551

HENDRIKS,A.PJ.(1979),Zelfadaptatie en kruisadaptatie met enige primaire en niet-primaire geurstoffen,Psychological Laboratory,University of Utrecht,Unpublished report

HENNING,H.(1924),Der Geruch,second edition,Barth,Leipzig

HENNING,H.(1927),Psychologische Studien am Geruchssinn,In:Abderhalden's Handbuch der biologischen Arbeitsmethoden VI, A,741-836,Urban und Schwarzenberg,Berlin/Wien

HENSCHLER,D.,A.STIER,H.BECK&W.NEUMANN(1960),Geruchsschwellen einiger wichtiger Reizgase(Schwefeldioxyd, Ozon,Stickstof-dioxyd)und Erscheinungen bei der Einwirkung geringer Konzentrationen auf den Menschen,Arch. Gewerbepathol.Gewerbehyg.,17,547-570

HENSCHLER, D., W. ASSMANN & K.-O. MEYER(1962), Zur Toxikologie der Toluylendiisocyanate, Arch. Toxicol., 19, 364-387

HERBERHOLD, C.(1975), Funktionsprüfungen und Störungen des Geruchssinnes, Arch. Oto-Rhino-Laryngol., 210, 67-164

HERMANIDES,J.(1909),Over de constanten der in de olfactometrie gebruikelijke negen standaardgeuren,Thesis,Utrecht

HERMANS, L.T.M.(1989), Ringonderzoek olfactometers, Publikatiereeks Lucht 80, Ministerie van Volkshuisvesting, Ruimtelijke Ordening en Milieubeheer,Leidschendam

HERRMANN,J.&I.ABDEL SALAM(1980a),Die sensorische Bestimmung der Verteilungskoeffizienten und Dampfdrücke von Aromastoffen mit starken positiven bzw.negativen Abweichungen vom Raoultschen Gesetz in Wasser-Ol-Gemengen,Lebensm. Wiss.Technol.,13,123-127

HERRMANN, J. & I. ABD EL SALAM(1980b), Neue Methoden der Be- und Auswertung sensorischer Eigenschaften von Lebensmitteln und der Berechnung ihrer Veränderungen. 13. Mitt. Die Ermittlung der Geruchsintensität reiner Aromastoffe soowie deren Losungen als Methode zur Bestimmung ihrer Dampfdrücke,Nahrung,24,389-397

HESSE,W.(1926),Bestimmung von Geruchsschwellen in absoluten Werten,Z.Hals-,Nasen-,Ohrenheilk.,16,359-373

HESSE,W.(1927),Ein einfacher Apparat zur Bestimmung von Geruchsschwellen in absoluten Werten,Z.Hals-,Nasen-, Ohrenheilk.,19,348-352

HEYROTH,F.E.(1962),Halogens,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume II.Toxicology,831-857, Interscience,New York/London

HIGUCHI,T.&J.MASUDA(2004),Interlaboratory comparison of olfactometry in Japan,Water Sci.Technol.,50,no.4,147-152

HILDENSKIOLD,R.S.(1959),Maximum permissible concentration of carbon bisulphide in the atmospheric air of residential districts(in Russ.),Gig.Sanit.,24,no.6,3-8

HILL,D.T.,&C.L.BARTH(1976),Quantitative prediction of odor intensity,Transactions of the ASAE,939-944

HINE,C.H.,H.UNGAR,H.H. ANDERSON,J.K.KODAMA,J.K.CRITCHLOW & N.W.JACOBSEN(1954),Toxicological studies on p-tertiarybutyltoluene,AMA Arch.Ind.Hyg.Occup.Med,9,227-244

HINE,C.H.,J.K.KODAMA,R.J.GURMAN & G.S. LOQUVAM(1960),The toxicity of allylamines,Arch. Environ. Health,1, 343-352

HINE,C.H.,R.J.GURMAN,M.K.DUNLAP,R.LIMA&GS.LOQUVAM(1961),Studies on the toxicity of glycidaldehyde, Arch.Environ.Health,2,23-30

HINE,C.H.,A.PASI&B.G STEPHENS(1978),Fatalities following exposure to 2-nitropropane,J.Occup.Med.,20,333-337

HOFMANN,F.B.&A.KOHLRAUSCH(1925),Bestimmung von Geruchsschwellen,Biochem.Z.,156,287-294

HOFMANN,T.&P.SCHIEBERLE(1995),Evaluation of the key odorants in a thermally treated solution of ribose and cysteine by aroma extract dilution analysis,J.Agric.Food Chem.,43,2187-2194

HOFMANN,T.,R.HASSNER &P.SCHIEBERLE(1995),Determination of the chemical structure of the intense roasty, popcorn-like odorant 5-acetyl-2,3-dihydro-1,4-thiazine,J.Agric.Food Chem.,43,2195-2199

HOFMANN,T.&P.SCHIEBERLE(1997),Identification of potent aroma compounds in thermally treated mixtures of glucose/cysteine and rhamnose/cysteine using aroma extract dilution techniques,J.Agric Food Chem.,45,898-906

HOLLAND,J.(1974),Memorandum to S.C.Kelton Jr.,Rohm &Haas Co.,June 6(cited in:Documentation of the threshold limit values,American Conference of Governmental Industrial Hygienists,Third Edition 1971,Fourth printing 1977,411)

HOLLINGSWORTH,R.L.,V.K.ROWE,F.OYEN,H.R.HOYLE&H.C.SPENCER(1956),Toxicity of paradichlorobenzene, AMAArch.Ind.Health,14,138-147

HOLLINGSWORTH,R.L,V.K.ROWE,F.OYEN,TR.TORKELSON &E.M.ADAMS(1958),Toxicity of o-dichlorobenzene, AMA Arch.Ind.Health,17,180-187

HOLLINGSWORTH,R.L,V.K.ROWE &F.OYEN(1963),Toxicity of acetylene tetrabromide determined on experimental animals,Am.Ind.Hyg.Assoc.J.,24,28-35

HOLMES,J.A.,E.C.FRANKLIN&R.A.GOULD(1915),Report of Selby Smelter Commission,Dep.of the Interior,Bureau of Mines,Bulletin 98

HOMANS,J.W.,H.KOHLER,E.PAUL&D.BARDTKE(1978),Bestimmung von Geruchsschwellwerten mit dem Olfaktometer TO4 in Kombination mit dem Flammenionisationsdetektor(FID),Staub,38,217-221

HOMANS,W.J.(1984),Source emission odour measurement by combining an olfactometer and a FI.D.,In:Proc.Int.Symposium Characterization and control of odoriferous pollutants in process industries,Louvain-La-Neuve,25-27 April,203-212

HORI,M.,Y.KOBAYASHI&Y.OTA(1972),Vinyl chloride monomer odor concentration,Plast.Ind.News,18,164-168

HOSHIKA,Y.,T.IMAMURA,G MUTO,LJ.VAN GEMERT,J.A.DON &JI.WALPOT(1993),International comparison of odor threshold values of several odorants in Japan and in The Netherlands,Environ.Res.,61,78-83

HOSHIKA,Y.,M.NISHIKITANI,K.YOKOYAMA&S.ARAKI(1997),A study on the determining of odor recognition threshold values of n-and iso-amyl(pentyl)acetates using Tedlar bag static methods,Anal.Sci.,13,suppl.505-508

HUBER,U.A.(1984),Erfassung des Geruchs von Riechstoffen,Seifen,Öle,Fette,Wachse,110,448-451

HUBER,U.,W.BOLAND,W.A.KÖNIG&B.GEHRCKE(1993),Synthesis and absolute configuration of the C_{12}-terpenoid dehydrogeosmin from the flower scents of Rebutia marsoneri and Dolichothele sphaerica(Cactaceae);a new approach to bis-angularly substituted trans-decalins,Helv.Chim.Acta,76,1949-1955

HUJER,H.(1918),De olfactologie van aniline en homologen,Onderzoekingen gedan in het Physiologisch Laboratorium der Utrechtse Hogeschool,S5,18,89-158

I

IFEADI,N.G(1972),Quantitative measurement and sensory evaluation of dairy waste odor,Thesis,Columbus(Ohio State Univ.)

IMASHEVA,N.B.(1963),The substantiation of the maximum permissible concentrations of acetophenon in the atmospheric air(in Russ.),Gig.Sanit.,28,no.2,3-8

IRISH,D.D.(1962),Halogenated hydrocarbons:I.Aliphatic,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume II. Toxicology,1241-1332,Interscience,New York/London

ITSKOVICH,A.A.,&V.A.VINOGRADOVA(1962),Norms for phenol in the atmosphere,Okhrana Prirody Sibiri i Dal'nego Vostoka Sb.(1),139-145(from:Chem.Abstr.,61(1964),6256b)

IVANOV,S.V.(1964),Materials on toxicology and hygienic rating of ethylbenzol content in the atmosphere of industrials premises(in Russ.),Gig.Tr.Prof.Zabol.,8,no.2,9-14

J

JACOBSON,K.H.,JH.CLEM,HJ.WHEELWRIGHT,W.E.RINEHART &N.MAYES(1955),The acute toxicity of the vapors of some methylated hydrazine derivatives,AMA Arch.IndHealth,12,609-616

JACOBSON,K.H.,E.B.HACKLEY&L.FEINSILVER(1956),The toxicity of inhaled ethylene oxide and propylene oxide vapors,AMA Arch.Ind.Health,13,237-244

JACOBSON,K.H,W.E.RINEHART,HJ.WHEELWRIGHT,M.A.ROSS,J.L.PAPIN,R.C.DALY,E.A.GREENE &W.A. GROFF(1958),The toxicology of an aniline-furfuryl alcohol-hydrazine vapor mixture,Am.Ind.Hyg.Assoc.J.,19,91-100

JAGELLA,T.,&W.GROSCH(1998),In preparation(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

JAHNKE,A.,C.BURSCHKA,R.TACKE &P.KRAFT(2009),Synthesis and olfactory evaluation of(4aR*,8aR*)-1,1,8a-trimethyldecahydronaphthalen-4a-0l:a cis-decalol intersection structure of(-)-patchoulol and(5R*,6S*)-1,1,6-trimethylspiro [4.5]decan-6-ol,Synthesis,62-68

JANIČEK, G, V. PLIŠKA & J. KUBÁTOVÁ(1960), Olfactometric estimation of the threshold of perception of odorous substances by a flow olfactometer(in Czech.),Cesk.Hyg.,5,441-447

JELTES,R.(1975),Measurements of organic substances in the atmosphere in The Netherlands in relation to their possible detrimental effect,In:G Hambraeus and I.Jung(Eds),Veruntreinigung der Luft,IVA-Rapport 78,Stockholm,21-39

JENSEN,E.P,&H.FLYGER(1983),Application of reference odours for comparison of sensory measurements of odours,In:Proc. VIth World Congress on Air Quality,Paris,May 1983,Vol.2,p.385-392

JONES,B.P.,H.R.MOSKOWITZ,N.BUTTERS &G GLOSSER(1975),Psychophysical scaling of olfactory,visual,and auditory stimuli by alcoholic Korsakoff patients,Neuropsychol.,13,387-393

JONES,B.P,N.BUTTERS,H.R.MOSKOWITZ&K.MONTGOMERY(1978),Olfactory and gustatory capacities of alcoholic Korsakoff patients,Neuropsychol.,16,323-337

JONES,F.N.(1954),An olfactometer permitting stimulus specification in molar terms,Am.J.Psychol.,67,147-151

JONES,F.N.(1955a),The reliability of olfactory thresholds obtained by sniffing,Am.J.Psychol.,68,289-290

JONES,E.N.(1955b),A comparison of the methods of olfactory stimulation:blasting vs.sniffing,Am.J.Psychol.,68,486-488

JONES,EN.(1955c),Olfactory absolute thresholds and their implications for the nature of the receptor process,J.Psychol.,40, 223-227

JUNG,J.(1936),Untersuchung über Geruchsschwellen,Thesis,Würzburg

JUNG,H.-P.,A.SEN&W.GROSCH(1992),Evaluation of potent odorants in parsley leaves [Petroselinum crispum(Mill)Nym. ssp.crispum]by aroma extract dilution analysis,Lebensm.Wiss.Technol.,25,55-60

K

KAISER,R.(2007),3-And 4-methyl-dodecenal and their use in fragrance or flavor compositions,European Patent 1743880

KALOYANOVA,F.,A.BAINOVA,G DIMOV&M.MUKHTAROVA(1967),Experimental substantiation of the maximum permissible concentration of dipterex in the atmosphere(in Russ.),Gig.Sanit.,32,no.12,13-17

KALOYANOVA,F.,G IVANOVA,G.DIMOV &M.MUKTHAROVA(1968),Determination of the maximum permissible concentration of Bi-58(rogor,phosphamide)in air,Hyg.Sanit.USSR,33,nos 4-6,303-307

KARL,V.,J.GUTSER,A.DIETRICH,B.MAAS&A.MOSANDL(1994),Stereoisomeric flavour compounds LXVIII.2-,3-, and 4-alkyl-branched acids,part 2:chirospecific analysis and sensory evaluation,Chirality,6,427-434

KATZ,S.H.,&EJ.TALBERT(1930),Intensities of odors an irritating effects of warning agents for inflammable and poisonous gases,U.S.Bureau of Mines,Technical Report no.480

KAY,R.E.,J.T.EICHNER&D.E.GELVIN(1967),Quantitative studies on the olfactory potentials of Lucilia sericata,Am.J. Physiol.,213,1-10

KAZAKOVA,M.N.(1968),(cited by:N.G Andreescheva,Sanitary toxicologic assessment of certain aromatic carbohydrates in the atmosphere(in Russ.),Gig.Sanit.,33,no.4,12-16)

KENDALL,D.A.,GLEONARDOS &E.R.RUBIN(1968),Parameters affecting the determination of odor thresholds,Report C-68988,Arthur D.Little,Inc.,Cambridge(U.S.A.)

KERKA,W.F.,&C.M.HUMPHREYS(1956),Temperature and humidity effect on odor perception,Heat.Piping Air Cond.,28, 129-136

KERSCHER,R.&W.GROSCH(1998),Quantification of 2-methyl-3-furanthiol,2-furfurylthiol,3-mercapto-2-pentanone,and 2-mercapto-3-pentanone in heated meat,J.Agric.Food Chem.,46,1954-1958

KHACHATURYAN,M.Kh.,M.I.GUSEV&O.E.GORLOVA(1968),The effect of weak olfactory stimulion the latent period of the motor reaction to light in man,Hyg.Sanit.USSR,33,nos 7-9,274-276

KHACHATURYAN,Kh.M.,&B.K.BAIKOV(1969),On the possibility of detecting the effect of reflexes of low butanol concentrations by the incalculation of conditioned inhibition,Hyg.Sanit.USSR,34,nos 10-12,251-254

KHIARI,D.,L.BRENNER,GA.BURLINGHAME &IH.SUFFET(1992),Sensory gas chromatography for evaluation of taste and odor events in drinking water,Water Sci.Technol.,25,97-104

KHIKMATULLAEVA,Sh.S.(1967),Maximum permissible concentration of thiophene in the atmosphere,Hyg.Sanit.USSR,32, nos 4-6,319-323

KHIKMATULLAEVA,Sh.S.(1968),Reflex and resorptive effect of thiophene(in Russ.),Biol.Deistvie Gig.Znachenie Atmos. Zagryaz.,no.11,120-132(from:Chem.Abstr.,71(1969),116301u)

KIMMERLE, G.(1971),Persönliche Mitteilung,Institut für Toxikologie der Farbenfabrikanten Bayer A.G, Wuppertal-Elberfeld (taken from:D.Henschler(Herausgeber),Gesundheitschädliche Arbeitstoffe(2.Lieferung),Verlag Chemie, Weinheim,1973)

KIMMERLE, G., & A. EBEN(1964), Zur Toxicität von Methylisocyanat und dessen quantitativer Bestimmung in der Luft, Arch. Toxicol.,20,235-241

KINCAID,J.F.,E.L.STANLEY,C.H.BECKWORTH & F.W.SUNDERMAN(1956),Nickel poisoning III,Am.J.Clin.Pathol., 26,107-119

KINKEAD,E.R.,U.C.POZZANI,D.L.GEARY&C.P.CARPENTER(1971a),The mammalian toxicity of ethylidenenorbormene [5-ethylidenebicyclo(2,2,1)hept-2-ene],Toxicol.Appl.Pharmacol.,20,250-259

KINKEAD,E.R.,U.C. POZZANI,D.L. GEARY & C.P. CARPENTER(1971b),The mammalian toxicity of dicyclopentadiene, Toxicol.Appl.Pharmacol.,20,552-561

KITTEL,G(1968),Die moderne Olfaktometrie und Odorimetrie.Azetonschwellenuntersuchungen,Z.Laryngol.,Rhinol.,Otol. Grenzgeb.,12,893-903

KITTEL,G,&P.GJ.WENDELSTEIN(1971),Zur Differenzierung der olfaktiven Wahrnehmungs-und Erkennungsschwelle,Arch. Klin.Exp.Ohren-,Nasen-Kehlkopfheilk.(Berlin),199,683-687

KLEINSCHMIDT,E.-G(1983),Untersuchungen zum Zusammenhang zwischen Riechschwelle des Menschen für einige Substanzen und deren chemischer Struktur,Wiss.Z.Wilhelm-Pieck-Univ.Rostock,Naturwiss.Reihe,32,no.7,54-58

KNEBES, D.V., J.A. CHISHOLM & R.C. STUBBS(1969), Odorizzanti del gas naturale: fattori di sensibilita' olfattiva, Gas(Rome),19,211-217

KNUTH,H.W.(1973),Personal communication,Institut für Chemische Technologie,TU Clausthal

KOBAL,G,&V.THIELE(1983),Comparison of objective and subjective methods in olfactometric measurements:example H_2S, In:Proc.VIth World Congress on Air Quality,Paris,May 1983,Vol.2,p.435-441

KOHLER,H.&W.J.HOMANS(1980),Kombination von Olfaktometer und Flammenionisationsdetektor zur Bestimmung von Geruchsschwellwerten-Einsatz der MeBmethodik in der Praxis,Staub,40,331-335

KOMTHONG P,S.HAYAKAWA,T.KATOH,N.IGURA&M.SHIMODA(2006),Determination of potent odorants in apple by headspace gas dilution analysis,Lebensm.Wiss.Technol.,39,472-478

KORNEEV,Yu.E.(1965),Effect of the combined presence of low concentrations of phenol and acetophenone in the urban atmosphere,Hyg.Sanit.USSR,30,nos 7-9,336-345

KOSIBOROD,N.R.(1968),Hygienic significance of low diethylamine concentrations in the atmosphere,Hyg.Sanit.USSR,33, nos 1-3,31-35

KÖSTER,E.P.(1965),Olfactory sensitivity and the menstrual cycle,Intern.Rhinol.,3,57-64

KÖSTER,E.P.(1968a),Recovery of olfactory sensitivity after adaptation,In:N.N.Tanyolac(Ed.),Theories of odor and odor measurement,Robert College,Istanbul,307-336

KÖSTER,E.P.(1968b),Olfactory sensitivity and ovulatory cycle duration,Olfactologia,1,43-51

KÖSTER,E.P.(1971),Adaptation and cross-adaptation in olfaction,Thesis,Utrecht

KOSZINOWSKI, J., & O. PIRINGER (1983), Die Bedeutung von Oxidationsprodukten ungesättigter Kohlenwasserstoffe für die sensorischen Eigenschaften von Lebensmittelverpackungen 1.Mitteilung:Sauerstoffabkommlinge der 1-Alkene,Dtsch. Lebensm. Rundsch., 79, 179-183

KOSZINOWSKI,J.&O.PIRINGER(1986),Evaluation of off-odors in food packaging -The role of conjugated unsaturated carbonyl coumpounds,J.Plastic Film&Sheeting,2,40-50

KRACKOW,E.H.(1963),Toxicity and health hazards of boron hydrides,AMA Arch.Ind.Hyg.Occup.Med.,8,335-339

KRAFT,P.&G FRÁTER(2001),Enantioselectivity of the musk odor sensation,Chirality,13,388-394

KRAFT,P.,C.DENIS &W.EICHENBERGER(2001),5,6,7-Trimethylocta-2,5-dien-4-one-A suspected odorant with surprising olfactory properties,Eur.J.Org.Chem.,2363-2369

KRAFT,P.&W.EICHENBERGER(2003),Conception,characterization and correlation of new marine odorants,Eur.J.Org. Chem.,3735-3743

KRAFT,P.(2004a),In:D.J.Rowe(Ed.),Chemistry and technology of flavours and fragrances,Blackwell Publishing,Oxford, to be published(cited by:P.Kraft &W.Eichenberger,Synthesis and odor of aliphatic musks:discovery of a new class of odorants, Eur.J.Org.Chem.,2004,354-365)

KRAFT,P.(2004b),2-,5-,6-,7-,8-Substituted oct-2-en-4-ones,United States Patent 6723313

KRAFT,P.&W.EICHENBERGER(2004),Synthesis and odor of aliphatic musks:discovery of a new class of odorants,Eur.J. Org. Chem.,354-365

KRAFT,P.&S.GALLO(2004),(-)-(9R,10S)-10-acetyl-9,10-dimethylbicyclo[6.4.0]dodec-1(8)-ene:optical resolution,catalyst systems,derivatives and olfactory properties,Synthesis,no.3,381-388

KRAFT,P.&K.POPAJ(2004),Total synthesis and olfactory evaluation of 5β,10-dimethyl-des-A-18-nor-androstan-13β-ol:a potential human pheromone?,Eur.J.Org.Chem.,4995-5002

KRAFT,P.,W.EICHENBERGER &D.FRECH(2005),From vetiver to patchouli:discovery of a new high-impact spirocyclic patchouli odorant,Eur.J.Org.Chem.,3233-3245

KRAFT,P.,D.FRECH,U.MÜLLER&G.FRÁTER(2006a),Synthesis and olfactory properties of spirocyclic Georgywood® analogues,Synthesis,no.13,2215-2223

KRAFT,P,C.WEYMUTH &C.NUSSBAUMER(2006b),Total synthesis and olfactory evaluation of(1R*, 3S*,6S*,7S*,8S*)-3-hydroxy-6,8-dimethyltricyclo[5.3.1.0^{38}]undecan-2-one:a new synthetic route to the patchoulol skeleton, Eur.J.Org.Chem.,1403-1412

KRAFT,P.&A.BRUNEAU(2007),Ring reversal of a spirocyclic patchouli odorant:molecular modelling,synthesis,and odor of 6-hydroxy-1,1,6-trimethylspiro[4.5]decan-7-one,Eur.J.Org.Chem.,2257-2267

KRAFT,P.&K.POPAJ(2008),Unexpected tethering in the synthesis of methyl-substituted acetyl-1-oxaspiro[4.5]decanes:novel woody-ambery odorants with improved bioavallability,Eur.J.Org.Chem.,261-268

KRAMER,C.B.(1974),Written communication,June(cited in:Criteria for a recommended standard ...Occupational exposure to chlorine,U.S.Department of Health,Education and Welfare,HEW Publication No.(NIOSH)76-710,1976,p.34)

KRASOVITSKAYA,M.L.,&LK.MALYAROVA(1968),Low unsaturated ethylene hydrocarbon concentrations in the air surrounding operating crude oil complexes(combines),In:B.S.Levine(Ed.),U.S.S.R.Literature on air pollution and related occupational diseases,Volume 16,44-57,Clearinghouse for Federal Scientific and Technical Information,U.S.Department of Commerce,Springfield,Virginia

KRECK,M.&A.MOSANDL(2003),Synthesis,structure elucidation,and olfactometric analysis of lilac aldehyde and lilac alcohol stereoisomers,J.Agric.Food Chem.,51,2722-2726

KRICHEVSAKAYA,I.M.(1968),Biological effect of caprolactam and its sanitary-hygienic assessment as an atmospheric pollutant,Hyg.Sanit.USSR,33,nos 1-3,24-31

KRINGS,U.,B.HARDEBUSCH,D.ALBERT,R.G BERGER,M.MAROSTICA,Jr.&GM.PASTORE(2006),Odor-active alcohols from the fungal transformation ofa-farnesene,J.Agric.Food Chem.,9079-9084

KRISTESASHVILI,Ts.S.(1965),The maximum permissible concentration of pyridine in the air,Hyg.Sanit.USSR,30,nos 10-12, 173-177

KULAKOV,A.E.(1964),The effect of small concentrations of hexamethylendiamine on man(in Russ.),Gig.Sanit.,29,no. 4,8-13

KULKA,W.,&E.HOMMA(1910),Beitrage zur Kenntnis der Laboratoriumsluft und deren schädlichen Beimengungen,Z.Anal. Chem.,50,1-11

KURNIADI,T.,R.BEL RHLID,L.-B.FAY,M.-A.JUILLERAT &R.G BERGER(2003),Chemoenzymatic synthesis of aroma active 5,6-dihydro-and tetrahydropyrazines from aliphatic acyloins produced by baker's yeast,J.Agric.Food Chem.,51, 3103-3107

KURNIADI,T.(2003),Novel approaches to generate alkylpyrazine derivatives,Dissertation,University Hannover

KURTSCHATOWA, G., & E. DAWIDKOWA (1970), Hygienische Begründung des Kurzzeit-MIK-Wertes von 4.6-Dinitro-o-kresol in der atmospharischen Luft,Wiss.Z.Humboldt-Univ.Berlin,Math.-Naturwiss.Reihe,19,467-468

L

LAFFORT,P.(1968a),Some new data on the physico-chemical determinants of the relative effectiviness of odorants,In:N.N. Tanyolac(Ed.),Theories of odor and odor measurement,247-270,Robert College Bebek,Istanbul

LAFFORT,P.(1968b),Interactions quantitatives dans un mélange d'odeurs:niveau liminaire,Olfactologia,1,95-104

LAFFORT,P.,&A.DRAVNIEKS(1973),An approach to a physico-chemical model of olfactory stimulation in vertebrates by single compounds,J.Theor.Biol.,38,335-345

LAFFORT,P.(1974),Personal communication,Centre National de la Recherche Scientifique,College de France,Paris

LAFFORT,P.,&C.GORTAN(1987),Olfactory properties of some gases in hyperbaric atmosphere,Chem.Senses,12,139-142

LAING D.G(1975),A comparative study of the olfactory sensitivity of humans and rats,Chem.Senses Flavour,1,257-269

LAING,D.G,H.PANHUBER&R.I.BAXTER(1978),Olfactory properties of amines and n-butanol,Chem.Senses Flavour,3, 149-166

LAING,D.G(1982),Characterisation of human behaviour during odour perception,Perception,11,221-230

LAING,D.G(1983),Natural sniffing gives optimum odour perception for humans,Perception,12,99-117

LANGENHOVE,H.VAN,&N.SCHAMP(1984),Chemical and olfactometric measurement of odours,In:Proc.Int.Symposium Characterization and control of odoriferous pollutants in process industries,Louvain-La-Neuve,25-27 April,23-36

LASKA,M.&R.HUDSON(1991),A comparison of the detection thresholds of odour mixtures and their components,Chem. Senses,16,651-662

LASKA,M.(2010),Olfactory perception of 6 amino acids by human subjects,Chem.Senses,35,279-287

LASKA,M.&A.RINGH(2010),How big is the gap between olfactory detection and recognition of aliphatic aldehydes?, Attention,Perception&Psychophysics,73,806-812

LEA,A.GH.&GD.FORD(1991),Instrumentelle und sensorische Charakterisierung handelsüblicher Apfelsäfte,Flüssiges Obst, 58,121-125

LEHMANN,K.B.(1897),Die Bestimmung minimaler Schwefelwasserstoffimengen in der Luft,Arch.Hyg.,30,262-266

LEHMANN,K.B.,&L.SCHMIDT-KEHL(1936),Die 13 wichtigsten Chlorkohlenwasserstoffe der Fettreihe vom Standpunkt der Gewerbehygiene, Arch. Hyg. Bakteriol., 116, 131-268

LEONARDOS,G,D.KENDALL&N.BARNARD(1969),Odor threshold determinations of 53 odorant chemicals,J.Air.Pollut. Contr.Assoc.,19,91-95

LESTER,D.,&W.R.ADAMS(1965),The inhalational toxicity of oxygen difluoride,Am.Ind.Hyg.Assoc.J.,26,562-567

LEVIN,L.,&K.L.GABRIEL(1973),The vapor toxicity of trimethyl phosphite,Am.Ind.Hyg.Assoc.J.,34,286-291

LIN,J.,L.B.FAY,D.H.WELTI&I.BLANK(2001),Quantification of key odorants formed by autoxidation of arachonic acid using isotope dilution assay,Lipids,36,749-756

LINDELL,H.(1991),A study of odour and taste originating from food packaging board analysed by chromatographic techniques and sensory evaluation,Acta Academiae Aboensis.Ser.B,Mathematica et physica,51,no.4,(Dissertation,Abo Akademi)

LINDVALL,T.(1970),On sensory evaluation of odorous air pollutant intensities,Nord.Hyg.Tidskr.,51,suppl.2,1-181

LI-SHENG(1961),Data for substantiating the maximum permissible concentration of styrol in atmospheric air(in Russ.),Gig. Sanit.,26,no.8,11-17

LOGINOVA,R.A.(1957),Basic principles for the determination of limits of allowable concentrations of hydrogen sulfide in atmospheric air,In:V.A.Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 3,52-68,U.S. Department of Commerce,Office of Technical Services,Washington D.C.

LOGTENBERG,M.Th.(1978),Onderzoek naar de nauwkeurigheid van geurconcentratiemetingen met de TNO snuifkar,Division for Physical and Chemical Technology TNO,Apeldoorn,Unpublished report

LÖTSCH,J.,S.NORDIN,T.HUMMEL,C.MURPHY&GKOBAL(1997),Chronobiology of nasal chemosensitivity:do odor or trigeminal pain thresholds follow a circadian rhythm?,Chem.Senses,22,593-598

LUPARIA,M.,P.BOSCHETTI,F.PICCININI,A.PORTA,G.ZANONI&G.VIDARI(2008),Enantioselective synthesis and olfactory evaluation of 13-alkyl-substituted a-ionones,Chem.Biodiver.,5,1045-1057

M

MAAS,B.,A.DIETRICH &A.MOSANDL(1993),Enantioselective capillary gas chromatography-olfactometry in essential oil analysis,Naturwiss.,80,470-472

MACLEOD,P.,J.M.FAUCONNIER,Ph.GUILLET&M.F.THAL(1986),Development of an olfactometer according to the French odour measurement standard AFNOR,VDI-Berichte,56,271-275

MAKEICHEVA,N.A.(1978),Data for hygienic standardization of a mixture of furfurol,formaldehyde,phenol and acetone in thee atmosphere(in Russ.),Gig.Sanit.,no.9,3-7

MAKHINYA,A.P.(1966),Hygienic assessment ofjoint atmosperic contamination with sulphurous acid and phenol(in Russ.),Gig. Sanit.,31,no.8,103-105

MALYAROVA,L.K.(1967),Biological action and hygienic significance of trichloroethylene as an atmospheric pollutant,In:A.P. Shitskova(Ed.),Mater.Nauch.-Prakt.Konf.MolodykhGig.Sanit.Vrachei,11th,56-69(from:Chem.Abstr.,72(1970),24265c)

MANNEBECK,D.&H.MANNEBECK(2002),Qualität und Vergleichbarkeit olfaktometrischer Messungen,Gefahrstoffe-Reinh.Luft,62,135-140

MARIN,A.B.,T.E.ACREE &J.BARNARD(1988),Variation in odor detection thresholds determined by charm analysis,Chem. Senses,13,435-444

MARSHALL,D.A.&D.G.MOULTON(1981),Olfactory sensitivity to a-ionone in humans and dogs,Chem.Senses,6,53-61

MARSHALL,D.A.,L.BLUMER&D.G MOULTON(1981),Odor detection curves for n-pentanoic acid in dogs and humans, Chem.Senses,6,445-453

MARTIROSYAN,A.S.(1970),Maximum permissible concentration of methyl vinyl ketone in the air of a working area,Tr.Klin. Otd.Nauch.-Issled.Inst.Gig.Profzabol.,no.1,113-115(from:Chem.Abstr.,77(1972),156013g)

MATESON,J.F.(1955),Olfactometry: its techniques and apparatus,J.Air.Pollut.Contr.Assoc,5,167-170

MAXEINER,B.&D.MANNEBECK(2004),Ringversuch Olfaktometrie 2003,Gefahrstoffe-Reinh.Luft,64,118-123

MAXEINER,B.(2006),Olfactometric interlaboratory comparison test 2005,Proceedings of the Water Environment Federation "WEF/AWWA Odors and air emissions 2006",688-699

MAXEINER,B.(2007),Ringversuch Olfaktometrie 2007.Ringversuch zur dynamischen Olfaktometrie nach DIN EN 13725:2003, VDI-Berichte,nr.1995,31-45

MAY,J.(1966),Geruchsschwellen von Lösemitteln zur Bewertung von Lösemittelgeruchen in der Luft,Staub,26,385-389

MAYER,E.(1996),Personal communication(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds, odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

MAYER, R. & F. WITTIG(1972), Unpublished results(cited by: R. Mayer & F. Wittig, Über einen Zusammenhang zwischen bitterem Geschmack und chemischer Konstitution von Thiocarbonyl-verbindungen,Z.Chemie,12,1972,91-100)

McCAWLEY,E.L.(1942),The comparative toxicity of 2-chloro-2-butene,1,2,3-trichlorobutane and 1,2-dichoroethane,Univ.Calif. Publ.Pharmacol.,2,no.8,89-97

McGEE,T,C.YEAGER &J.M.DECAZES(1995),Ethnic and cultural influences on odour perception,In:K.H.C.Ba-er(Ed.), Proc.13th Int.Congress of Flavours,Fragrances and Essential Oils,Istanbul,Turkey,15-19 October 1995,Vol.3,351-367

McGEE,W.A.,F.L.OGLESBY,R.L.RALEIGH &D.W.FASSETT(1968),The determination of a sensory response to alkyl 2-cyanoacrylate vapor in air,J.,Am.Ind.Hyg.Assoc.,29,558-561

McGINLEY,M.A.&C.M.McGINLEY(2004),Comparison of field olfactometers in a controlled chamber using hydrogen sulfide as the test odorant,Water Sci.Technol.,50,no.4,75-82

MELEKHINA, V.P.(1958),The maximum permissible concentration of formaldehyde in the atmospheric air(in Russ.)Gig.Sanit., 23,no.8,10-14

MELEKHINA,V.P.(1968),The problem of combined action of three mineral acids,In:B.S. Levine(Ed.),U.S.R.R.Literature on air pollution and related occupational diseases,Volume 16,76-81,Clearinghouse for Federal Scientific and Technical Information,U.S.Department of Commerce,Springfield,Virginia

MELZNER,J.,T.BITTER,O.GUNTINAS-LICHIUS,R.GOTTSCALL,M.WALTHER & H.GUDZIOL(2011),Comparison of the orthonasal and retronasal detection thresholds for carbon dioxide in humans,Chem.Sense,36,435-441

MENSHIKOVA,T.A.(1972),Effect of smallconcentrations of dibutyl phthalate on the organism,Tr.Nauch.Konf.,Nauch.-Issled. Inst.Gig.Vod.Transp.No.2,106-110(from:Chem.Abstr.,81(1974)21988r)

MIDDLETON,E.M.(1956),Personal communication(cited by:W.H.Stahl,Compilation of odor and taste threshold values data, ASTM Data Series DS48,American Society for Testing and Materials,Philadelphia)

MINAEV,A.A.(1966),Investigation to substantiate the hygienic standards for alphamethylstyrol vapours in the atmosphere(in Russ.),Gig.Sanit.,31,no.2,3-6

MIRYAKUBOVA,D.A.(1970),Basis for the maximum single permissible concentration of hexachloran in the atmosphere,Med. Zh.Uzb.,no.9,29-31(from:Chem.Abstr.,74(1971)90813x)

MITSUMOTO,T.(1926),Olfaktometrische Untersuchungen,Z.Sinnesphysiol.,57,114-165,317

MIYAZAWA,T.,M.GALLAGHER,G.PETRI&PM.WISE(2009a),Odor detection of mixtures of homologous carboxylic acids and coffee aroma compounds by humans,J.Agric.Food Chem.,9895-9901

MIYAZAWA,T.,M.GALLAGHER,G PETRI&PM.WISE(2009b),Methodological factors in odor detection by humans,Chem. Percept.,2,195-202

MNATSAKANYAN,A.V.(1962),Basic experimental information for the determination of the limit of allowable chloroprene concentration in atmospheric air,In:V.A.Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 5, 79-85,U.S.Department of Commerce,Office of Technical Services,Washington D.C.

MOLHAVE,L.,S.K.KJAERGAARD,A.HEMPEL-JORGENSEN,J.E.JUTO,K.ANDERSSON,G STRIDH&J.FALK(2000),The eye iritation and odor potencies of four terpenes which are major constituents of the emissions of VOCs from Nordic soft woods,Indoor Air,10,315-318

MORIGUCHI,Y.,Y.KOJIMA&R.ORI(1983),The report of investigative methods of olfactive materials and their sources in the environment of an ironworks,In:Proc.VIth World Congress on Air Quality,Paris,May 1983,Vol.2,p.401-408

MORIMURA,S.(1934),Untersuchung über den Geruchssinn,Tohuko J.Exp.Med.,22,417-448

MOSCHANDREAS,D.J.,&D.R.JONES(1983),Odor detection,recognition,and fatigue,In:Proc.VIth World Congress on Air Quality,Paris,May 1983,Vol.2,p.393-399

MOSKOWITZ,H.R.,A.DRAVNIEKS&C.GERBERS(1974),Odor intensity and pleasantness of butanol,J.Exp.Psychol.,103,216-223

MOULTON,D.G &D.A.MARSHALL(1974),Odor detection in dog and man,Abstracts First Congress of the European Chemoreception Research Organization,July 3-5,Orsay,30

MOULTON,D.G(1977),Olfactory performance and receptor processes in the dog,In:Y.Katsuki,M.Sato,S.E.Takagi and Y. Oomura(Eds),Food intake and chemical senses,Japan Scientific Societes Press,73-78

MUELLER,U.(2007),6-Methoxy-2,6-dimethyloctanal and its use as a fragrance ingredient,European Patent 1764355

MUHLEN,Th.ZUR(1968),Messungen von Styrol-Emissionen und-Immissionen mit Hilfe der Gaschromatographie,Zentralbl. Arbeitsmed.Arbeitsschutz,18,41-43

MUKHAMEDOVA,S.Y.(1968),Maximum permissible concentration of butiphos in air,Hyg.Sanit.USSR,33,nos 10-12,328-334

MUKHITOV,B.M.(1962),Experimental data for substantiating maximum permissible concentration of phenol in the atmospheric air(in Russ.),Gig.Sanit.,27,no.6,16-24

MUKHITOV,B.(1963),Influence of smallconcentrations of phenol on humans and animals and its hygienic evaluation,Predel'no Dopustimye Kontsentratsii Atm.Zagryazn.,no.7,76-98(from:Chem.Abstr.,61(1964),6256d)

MUKHITOV,B.M.,&A.A.AZIMBEKOV(1971),Hygienic evaluation of methyl ethyl ketone as an atmospheric pollutant,In:A.P. Filin(Ed.),Vop.Gig.Tr.Profzabol.,Mater.Nauch.Konf.,232-234(from:Chem.Abstr.,81(1974),110876v)

MŮLLER,P.M.(1992),Determining dose-effect curves of odorants:problems and perspectives,Presentation at Xth Congress of the European Chemoreception Research Organisation(ECRO),August 23-28,Munich

MULLINS,LJ.(1955),Olfaction,Ann.N.Y.Acad.Sci.,62,247-276(converted data taken from:P.Laffort,Essai de standardisation des seuils olfactifs humains pour 192 corps purs,Arch.Sci.Physiol.,17(1963),75-105)

MURPHY,C.(1983),Age-relatedeffects on the threshold,psychophysical function,and pleasantness of menthol,J.Gerontol.,38,217-222

MURPHY,C.&W.S.CAIN(1985),Odor identification:the blind are better,Physiol.Behav.,37,177-180

N

NADER,J.S.(1958),An odor evaluation apparatus for field and laboratory use,J.,Am.Ind.Hyg.Assoc.,19,1-7

NAGATA,Y.(2003),Measurement of odor threshold by triangle odor bag method,In:Odor measurement review,Office of Odor, Noise and Vibration Environmental Management Bureau,Ministry of the Environment,Government of Japan,p.118-127

NAGY,GZ.(1991),The odor impact model,J.Air Waste Manage.Assoc.,41,1360-1362

NATSCH,A.,S.DERRER,E.FLACHSMANN &J.SCHMID(2006),A broad diversity of volatile carboxylic acids,released by a bacterial aminoacylase from axilla secretions,as candidate molecules for the determination of human-body odor type,Chem. Biodiv.,3,1-20

NÄTSCHER,J.B.,N.LASKOWSKI,P.KRAFT&R.TACKE(2010),Lower homologues of okoumal and disila-okoumal: synthesis and characterization of novel ambergris odorants,J.Agric.Food Chem.,ChemBioChem,11,315-319

NAUŠ,A.(1962),(cited by A.Nauš,Olphactoric properties of industrial matters,Charles University,Prague,1975)

NAUŠ,A.(1982),Olfactory thresholds of some industrial substances(in Czech.),Prac.Lek.,34,217-218

NAVES,Y-R.(1947),Etudes sur les matieres végétales volatiles XLVI.Sur le dédoublement de la d,l-a-ionone,Helv.Chim.Acta, 30,769-774

NAVES,Y.-R.(1953),Sur les iso-a-irones actives et racémique et leurs dérivés,C.R.Hebd.Seances Acad.Sci.,237,1167-1168

NAWAKOWSKI,A.C.(1980),Environmental Health and Safety,The Upjohn Company,Kalamazoo,Michigan,Unpublished data(cited in:Workplace Environmental Exposure Level Guide:Piperidine,Am.Ind.Hyg.Assoc.J.,43(1982),B91-B92)

NESTEROVA,M.F.(1969),The establishment of norms for carbation content in the air of a work area,Gig.Sanit.,34(?), 191-196(cited by:W.S.Cain,M.L.Dourson,M.J.Kohrman-Vincent &B.C.Allen,Human chemosensory perception of methyl isothiocyanate:chemesthesis and odor,Reg.Toxicol.Pharmacol.,58(2010),173-180)

NEUHAUS,W.(1957),Wahrnehmungsschwelle und Erkennungsschwelle beim Riechen des Hundes in Vergleich zu den Riechwahrnehmungen des Menschen,Z.Vergl.Physiol.,39,624-633

NEUNER-JEHLE,N.&E.ETZWEILER(1991),The measuring of odors,In:PM.Muller &D.Lamparsky,Perfumes:art,science and technology,Elsevier Applied Science,London,153-212

NEUSER,F.H.ZORN &R.G.BERGER(2000),Generation of odorous acyloins by yeast pyruvate decarboxylases and their occurrence in sherry and soy sauce,J.Agric.Food Chem.,48,6191-6195

NEVERS,A.D.,&W.H.OISTER(1965),Problems in the critical comparison of odor intensities,Proc.Oper.Sect.Am.Gas. Assoc.,126-129

NIJSSEN,L.M.(1988),Unpublished results(cited by:H.Maarse,L.M.Nijssen &S.A.GF.Angelino,Halogenated pehnols and chloroanisoles:occurrence,formation and prevention,In:M.Rothe(Ed.),Characterization,production and application of food flavours,Akademie-Verlag,Berlin,1988,43-60)

NIKIFOROV,B.(1970),Basis for the single maximum permissible level of carbon tetrachloride in the atmosphere,Khig. Zdraveopazvane,13,no.4,365-370(from:Chem.Abstr.,74(1971),57059h)

NIMMERMARK,S.(2011),Influence of odour concentration and individual odour thresholds on the hedonic tone of odour from animal production,Biosystems Engineering,108,211-219

NISHIDA,K.,T.HONDA&K.BOTA(1975),New apparatus on the measurement of odor intensity,68th Ann.Meet.Air Pollut. Control Assoc.,June 15-20,Boston,Paper 75-55.3

NISHIDA,K.,M.YAMAKAWA&T.HONDA(1979),Experimental investigations on the combined actions of components mixed in odorous gas,Mem.Fac.Eng.,Kyoto Univ.,41,part 4,552-565

NITZ,S.,M.H.SPRAUL,E.DRAWERT &M.SPRAUL(1992),3-Butyl-5,6-dihydro-4H-iso benzo-furan-1-one,a sensorial active phthalide in parsley roots,J.Agric.Food Chem.,40,1038-1040

NORDIN,S.,0.ALMKVIST,B.BERGLUND &L-0.WAHLUND(1997),Olfactory dysfunction for pyridine and dementia progression in Alzheimer disease,ArchNeurol.,54,993-998

NOVIKOV,Yu.V.(1957),The determination of limits of allowable concentrations of benzene in atmospheric air,In:V.A. Ryazanov(Ed.),Limits of allowable concentrations of atmospheric pollutants,Book 3,69,U.S.Department of Commerce, Office of Technical Services,Washington D.C.

NUSSBAUMER,C.&B.HOSTETTLER(1996),New flavour compounds of Cucumis melo L.,In:A.J.Taylor &D.S.Mottram (Eds),Flavour science.Recent developments,The Royal Society of Chemistry,Cambridge,70-73

NUSSBAUMER,C.,G.FRATER &P.KRAFT(1999),(±)-1-(1R*,2R*,8aS*)-1,2,3,5,6,7,8,8a-0ctahydro-1,2,8,8-tetramethy-Inaphthalen-2-yl]ethan-1-one:isolation and stereoselective synthesis of a powerful minor constituent of the perfumery synthetic Iso E Super⑧,Helv.Chim.Acta,82,1016-1024

NYSTRÖM,A.E.(1948),Health hazards in the chloroprene rubber industry and their prevention,Acta Med.Scand.,Suppl.,219, 1-125

0

ODOSHASVILI,D.G(1962),Data for substantiating the level of maximum permissible concentration of dimethylformamide in the atmospheric air(in Russ.),Gig.Sanit.,27,no.4,3-7

OGLESBY,E.L.,J.H.STERNER &B.ANDERSON(1947),Quinone vapors and their harmful effects III.Plant exposures associated with eye injuries,J.Ind.Hyg.Toxicol.,29,74-84

OHMA,S.(1922),La classification des odeurs aromatiques en sous-classes,Arch.Neerl.Physiol.,6,567-590

OLMSTEAD,E.V.(1972),Dibromoethane,In:Encyclopedia of Occupational Health and Safety I,384-385,Int.Labour Office, Geneva

OLSSON,P.&M.LASKA(2010),Human male superiority in olfactory sensitivity to the sperm attractant odorant bourgeonal, Chem.Senses,35,427-432

ÖMÜR-ÖZBEK, P., J.C. LITTLE & A.M. DIETRICH(2007), Ability of humans to smell geosmin, 2-MIB and nonadienal in indoor air when using contaminated drinking water,Wat.Sci.Tech.,55(5),249-256

ÖZTÜRK, S. (1976), A study of selected environ-mental influences on the organoleptic properties of drinking water, Thesis, Drexel University(from:Dissertation Abstracts Int.B,37(1976),1859-1860)

P

PANGBORN,R.M.,H.W.BERG,E.B.ROESSLER &A.D.WEBB(1964),Influence of methodology on olfactory response, Percept.Mot.Skills,18,91-103

PARKER,G.H.,&E.M.STABLER(1913),On certain distinctions between taste and smell,Am.J.Physiol.,32,230-240

PASSY, J. (1892a) , Sur quelques minimums perceptibles d'odeurs, C.R. Hebd. Seances Acad. Sci., 114, 786-788

PASSY,J.(1892b),Sur la perception des odeurs,C.R.Soc.Biol.,44,239-243

PASSY,J.(1892c),Les propriétés odorantes des alcools de la série grasse,C.R.Hebd.Seances Acad.Sci.,114,1140-1143

PASSY,J.(1892d),Sur les minimums perceptibles de quelques odeurs,C.R.Hebd.Seances Acad.Sci.,114,306-308

PASSY,J.(1893a),Pouvoir odorant du chloroforme,du bromoforme et de I'iodoforme,C.R.Hebd.Seances Acad.Sci.,116, 769-770

PASSY, J. (1893b), Forme périodique du pouvoir odorant dans la série grasse, C.R. Hebd. Seances Acad. Sci., 116, 1007-1010

PASSY,J.(1893c),L'odeur dans la série grasse,C.R.Soc.Biol.,45,479-481

PASSY,J.(1895),Revue generale sur les sensations olfactives,Annee Psychol.,2,363-410

PATTE,F.(1978),Le codage moleculaire de la stimulation olfactive-clarifications et mises au point,Thesis,Lyon

PATTE,F.&PH.PUNTER(1979),Experimental assessment of human olfactory thresholds in air for some thiols and alkanes, Chem.Senses Flavour,4,351-354

PATTERSON,M.Q.,J.C.STEVENS,W.S.CAIN & J.E.COMETTO-MUÑIZ(1993),Detection thresholds for an olfactory mixture and its three constituent compounds,Chem.Senses,18,723-734

PATTY,F.A.,W.P.YANT(1929),Odor intensity and symptons produced by commercial propane,butane,pentane,hexane and heptane vapor,U.S.Bureau of Mines,R.I.2979

PATTY,E.A.(1962a),Alkaline materials,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume II.Toxicology,859-869, Interscience,New York/London

PATTY,E.A.(1962b),Arsenic,phosphorus,selenium,sulfur and tellurium,In:F.A.Patty(Ed.),Industrial hygiene and toxicology, Volume II.Toxicology,871-890,Interscience,New York/London

PATTY,F.A.(1962c),Inorganic compounds of oxygen,nitrogen and carbon,In:F.A.Patty(Ed.),Industrial hygiene and toxicology, Volume II.Toxicology,911-940,Interscience,New York/London

PIGGOTT,J.R.,&R.HARPER(1975),Ratio scales and category scales of odour intensity,Chem.Senses Flavour,1,307-316

PINO,J.,A.ROSADO&A.GONZALEZ(1991),Volatile flavour components of garlic essential oil,Acta Aliment.,20,163-171

PIRINGER,O.,&R.GRANZER(1984),Geruchsschwellenkonzentrationen einiger Ester der Acryl-und Methacrylsäure in Luft und Prüflebens-mitteln,Tätigkeitsbericht 1984,Fraunhofer-Institut fur Lebensmitteltechnologie und Verpackung,49-55

PLIŠKA,V.,&G JANIČEK(1960),Olfaktometrische Studien I.Die Definition der Wahrnehmungsschwelle-Konzentration mittels Volumengraden, Sb. Vys. Sk. Chem.-Technol. Praze, Oddil Fak. Potravin. Technol., 4, pt 2, 115-127

PLIŠKA,V.(1962),Olfaktometrische Studien IV.Fehleranalyse olfaktometrischer Messungen,Sb.Vys.Sk.Chem.-Technol.Praze, Potraviny,6,pt 1,37-46

PLIŠKA,V.,&G JANIČEK(1965),Die Veränderungen der Wahrnehmungschwellen-Konzentration der Riechstoffe in einigen homologischen Serien, Arch. Int. Pharmacodyn. Ther., 156, 211-216

PLOTNIKOVA,M.M.(1957),Data on hygienic evaluation of acrolein as a pollution of the atmosphere(in Russ.),Gig.Sanit.,22, no.6,10-15

POGOSYAN,U.G(1965),The effect on man of the combined action of small concentrations of acetone and phenol in the atmosphere,Hyg.Snit.USSR,30,nos 7-9,1-9

POŁEDNIK, B., M. SKWARCZYŃSKI, M. DUDZIŃSKA & W. KRAWCZYK(2008), Odor detection threshold of n-butanol in indoor air,Proc.ECOpole,2,no.1,85-90

POLGAR,LG,R.A.DUFFEE&LJ.UPDYKE(1975),Odor characteristics of mixtures of sulfur compounds emitted from the viscose process,68th Ann.Meet.Air Pollut.Control.Assoc.,June 15-20,Boston,Paper 75-55.2(from:Air Pollut.Abstr, 7(1976),53417)

POMEROY,R.D.&H.CRUSE(1969),Hydrogen sulfide odor threshold,J.Am.Water Works Assoc.,61,677

POOSTCHI,E.,A.W.GNYP&C.C.ST.PIERRE(1986),Comparison of models used for the determination of odor thresholds, Atmos.Environ.,20,2459-2464

POPOV,IN.,E.F.CHERKASOV &O.L.TRAKHTMAN(1952),Determination of sulphur dioxide odor threshold concentration(in Russ.),Gig.Sanit.,17,no.5,16-20

POPOV,V.A.(1970),Hygienic evaluation of tetrahydrofuran as an atmospheric pollutant,Hyg.Sanit.USSR,35,nos 4-6,178-182

POZIOMEK,E.J.,GL.BOSHART,E.V.CRABTREE,R.DEHN,J.M.GREEN,DJ.HOY,R.A.MACKAY,GT.PRYOR,H. STONE&M.TANABE(1971),Research in the olfactory detection of chemical agents,Microchem.J.,16,136-144

POZZANI,U.C.,C.P.CARPENTER,P.E.PALM,C.S.WEIL&J.H.NAIR(1959),An investigation of the mammalian toxicity of acetonitrile,J.Occup.Med.,1,634-642

POZZANI,U.C.,E.R.KINKEAD&J.M.KING(1968),The mammalian toxicity of methacrylonitrile,Am.Ind.Hyg.Assoc.J.,29, 202-210

PRAH,J.D.,D.ASHLEY,D.HOUSE,K.L.COHEN&T.GERRITY(1994),Sensory,symptomatic,inflammatory,and ocular responses to and the metabolism of methyl tertiary butyl ether in a controlled human exposure experiment,Inhal.Toxicol.,6, 521-538

PRENTISS,A.M.(1937),Chemicals in war,McGraw-Hill Book Company,Inc.,New York,p.262

PRUSAKOV,V.M.,K.K.DUSHUTIN,N.N.LADYGINA&E.A.VERZHBITSKAYA(1976),A combined action of the products of th interaction of dimethylamine and nitrogen dioxide on the olfactory analyzer of man(in Russ.),Gig.Sanit.,41,no.5,14-18

PUNTER,PH.(1975),Onderzoek naar de reukgevoeligheid en mogelijke mengeffecten van de 6 belangrjkste componenten van varkensmest,Psychological Laboratory,University of Utrecht,Unpublished report

PUNTER,P.H.(1979),Personal communication,Psychological Laboratory,University of Utrecht

PUNTER,PH.(1983),Measurement of human olfactory thresholds for several groups of structurally related compounds,Chem. Senses,7,215-235

R

RANDEBROCK,R.E.(1971),Molecular theory of odor with the a-helix as potential perceptor,In:G Ohloff &A.E.Thomas(Eds), Gustation and olfaction,Academic Press,London/New York,111-125

RANDEBROCK,R.E.(1986),Geruch und konstitution.Eine Beweisfuhrung für die Molekulartheorie des Geruches.Teil IV: Olfaktometerversuche zur Molekulartheorie des Geruches,Parfuem.Kosmet.,67,no.1,10-24

RANSON,C.VON,&H.-D.BELITZ(1992a),Untersuchungen zur Struktur-Aktivittsbeziehung bei Geruchsstoffen.2.Mitteilung: Wahrnehmungs-und Erkennungsschwellenwerte sowie Geruchsqualitäten gesattigter und ungesttigter aliphatischer Aldehyde,Z. Lebensm.Unters.Forsch.,195,515-522

RANSON, C. VON, & H.-D. BELITZ(1992b), Untersuchungen zur Struktur-Aktivitätsbeziehung bei Geruchsstoffen. 2. Mitteilung:Wahrnehmungs-und Erkennungsschwellenwerte sowie Geruchsqualitäten alicyclischer und aromatischer Aldehyde, Z.Lebensm.Unters.Forsch.,195,523-526

RIPP,G Kh.(1968),Hygienic basis for the determination of the allowable concentration limit of divinyl in atmospheric air,In: U.S.S.R.Literature on air pollution and related occupational diseases,Volume 17,18-32,Federal Scientific and Technical Information,U.S.Department of Commerce,Springfield

ROBBINS,M.C.(1951),Determination of naphthalene in air,AMA Arch.Ind.Hyg.Occup.Med.,4,85-87

ROCÉN,E.(1920),Contributions to the localisation of"sweet smell",Scand.Arch.Physiol.,40,129-144

ROLING I,H.-G SCHMARR,W.EISENREICH&K.-H.ENGEL(1998),Analytical and sensory characterization of y-and δ-thiolactones,J.Agric.Food Chem.,46,668-672

ROOS, C., J. JOZIASSE, J.V. KLARENBEEK, P.H. PUNTER & J. SCHAEFER(1985), Standaardisatie olfactometers, Publikatiereeks Lucht 49,Ministerie van Volkshuisvesting,Ruimtelijke Ordening en Milieubeheer,Leidschendam

ROTENBERG Yu.S.,&F.D.MASHBITS(1967),Concerning toxic effect of low trimethylamine concentrations,Gig.Tr.Prof. Zabol.,11,no.4,26-30

ROWE,V.K.,&M.A.WOLF(1962),Ketones,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume .Toxicology, 1719-1770,Interscience,New York/London

ROWE,V.K.(1975),Private communication,In:Documentation of the threshold limit values,American conference of Governmental Industrial Hygiensts,Third Edition 1971,Fourth printing 1977,400-401

RUMSEY,D.W.,&R.P.CESTA(1970),Odor threshold levels for UDMH and NO_2,J.,Am.Ind.Hyg.Assoc.,31,339-342

RUPP,H.,&D.HENSCHLER(1967),Wirkungen geringer Chlor-und Bromkonzentrationen auf den Menschen,Int.Arch. Gewerbepathol.Gewerbehyg.,23,79-90

RYCHLIK,M.(1998),Own results(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

RYCHLIK,M.,P.SCHIEBERLE &W.GROSCH(1998),Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universität München, pp. 63

RYLOVA,M.L.(1953),Toxicity of 1,1-ethene dichloride(in Russ.),Farmakol.Toksikol.(Moscow),16,no.1,47-50

S

SABATER-LUNTZEL,C.S.,s.WIDDER,T.VOSSING &W.PICKENHAGEN(2000),Enantioselective syntheses and sensory properties of the 3-mercapto-2-methylpentanols,J.Agric.Food Chem.,48,424-427

SADILOVA,M.S.(1968),Studies in the standardization of maximum allowable hydrogen fluoride concentrations in the air of inhibited areas,In:U.S.S.R.Literature on air pollution and related occupational diseases,Volume 17,118-128,Federal Scientific and Technical Information,U.S.Department of Commerce,Springfield

SAIFUTDINOV,M.M.(1966),On hygienic standard of ammonium content in the atmosphere(in Russ.),Gig.Sanit.,31,no. 5,7-11

SAKUMA,K.,T.MIURA,T.DOMON,K.KANAZAWA,S.HARIMA&T.NAMIKI(1967),17.Sensory measurement of odors using an odorless chamber,In:Proc.of the 8th Annual Meeting of the Japan Society of Air Pollution,1967:Symposium(1): Hazard nuisance pollution problems due to odors(English translation for APTIC by SCITRAN)

SALES,M.(1958),Odeur et odorisation des gaz(IGU/36-58),7e Congres Int.de I'Industrie du Gaz,Rome

SANDERS,G,&R.DECHANT(1961),Hydrogen sulphide odor threshold study,Air and Industrial Hygiene Laboratory, California, Department of Public Health, unpublished report(from:H.F.Droege,A study of the variation of odor threshold concentrations reported in the literature,Proc.60th Annual Meeting Air Pollution Control Association,Paper No 67-117, Cleveland,1967)

SANDERS,GR.,R.A.UMBRACO,S.TWISS&P.K.MUELLER(1970),The measurement of malodor in a community by dynamic olfactometry,Air and Industrial Hygiene Laboratory,Laboratory Services State of California Department of Public HealthBerkeley,Report no.86

SÄVENHED,R.,H.BORÉN &A.GRIMVALL(1985),Stripping analysis and chromatographic sniffing for the source identification of odorous compounds in drinking water,J.Chrom.,328,219-231

SCHARFENBERGER, G.(1990), Alternative Bestimmung der Geruchsintensität, Papier+Kunststoff-Verarbeiter, 25, no. 10, 36,39-40

SCHERBERGER,R.F.,GF.HAPP,E.A.MILLER &D.W.FASSETT(1958),A dynamic apparatus for preparing air-vapor mixtures of known concentrations,Am.Ind.Hyg.Assoc.Q,19,494-498

SCHERBERGER,R.F.,F.A.MILLER&D.W.FASSETT(1960),The determination of n-butylamine in air,Am.Ind.Hyg.Assoc. J.,21,471-474

SCHIEBERLE,P.,H.EHRMEIER&W.GROSCH(1988),Aromastoffe aus dem saurekatalysierten Abbau von Citral,Z.Lebensm. Unters.Forsch.,187,35-39

SCHIEBERLE,P.&W.GROSCH(1988),Quantitative analysis of important volatile flavour compounds in fresh and stored lemon oil/citric acid emulsions,Lebens.Wiss.Technol.,21,158-162

SCHIEBERLE,P.&W.GROSCH(1989),Potent odorants resulting from the peroxidation of lemon oil,Z.Lebensm.Unters. Forsch.,189,26-31

SCHIEBERLE,P.(1990),Occurrence and formation of roast-smelling odorants in wheat bread crust and popcorn,In:Y.Bessiere & A.F.Thomas(Eds),Flavour science and technology,John Wiley &Sons,Chichester,105-108

SCHIEBERLE,P.(1991),Primary odorants in popcorn,J.Agric.Food Chem.,39,1141-1144

SCHIEBERLE,P.&W.GROSCH(1991),Potent odorants of the wheat bread crumb.Differences to the crust and effect of a longer dough fermentation,Z.Lebensm.Unters.Forsch.,192,130-135

SCHIEBERLE,P.(1993),Studies on the flavour of roasted white sesam seeds,In:P.Schreier &P.Winterhalter(Eds.),Progress in flavour precursor studies,Allured Publishing Company,Carol Stream Il.,1993,343-360

SCHIEBERLE,P.&W.GROSCH(1994),Potent odorants of rye bread crust -differences from the crumb and from wheat bread crust,Z.Lebensm.Unters.Forsch.,198,292-296

SCHIEBERLE,P.,M.GUNTERT,H.SOMMER&P.WERKHOFF(1996),Structure determination of 4-methyl-3-thiazoline in roasted sesame flavour,Food Chem.,56,369-372

SCHIEBERLE,P.(1998),Own results(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

SCHIEBERLE,P.&A.BUETTNER(2001),Influence of the chain length on the aroma properties of homologous epoxy-aldehydes, ketones, and slcohols. In: G.R. Takeoka, M. Güntert & K.-H. Engel(Eds), Aroma active compounds in foods: chemistry and sensory properties,ACS Symp.Ser.,794,109-118

SCHLEY,O.-H.(1934),Untersuchung über Geruchsschwellen,Thesis,Würzburg

SCHMIDT,R.&W.S.CAIN(2010),Making scents:dynamic olfactometry for threshold measurement,Chem.Senses,35,109-120

SCHNEIDER,R.A.,&S.WOLF(1955),Olfactory perception thresholds for citral utilizing a new type olfactorium,J.Appl. Physiol.,8,337-342

SCHNEIDER,R.A.,J.P.COSTILOE,R.P.HOWARD&S.WOLF(1958),Olfactory perception thresholds in hypogonadal women: changes accompanying administration of androgen and estrogen,J.Clin.Endocrinol.Metab.,18,379-390

SCHNEIDER,R.A.,C.E.SCHMIDT &J.P.COSTILOE(1966),Relation of odor flow rate and duration to stimulus intensity needed for perception,J.Appl.Physiol.,21,10-14

SCHOEDDER,F.(1977),Messen von Geruchsstoffkonzentrationen,Erfassen von Geruch,Grundl.Landtechnik,27,no.3,73-82

SCHUH,C.&P.SCHIEBERLE(2005),Characterization of(E,E,Z)-2,4,6-nonatrienal as a character impact compound of oat flakes,J.Agric.Food Chem.,53,8699-8705

SCHULMAN,A.E.(2001),Statistical analysis of MTBE odor detection thresholds in drinking water,U.S.Environmental Protection Agency,Washington,D.C.

SCHUTTE,W.&J.P.ZUBEK(1967),Changes in olfactory and gustatory sensitivity after prolonged visual deprivation,Canad.J. Psychol.,21,337-345

SCHWARZ,R.(1955),Über die Riechscharfe der Honigbiene,Z.Vergl.Physiol.,37,180-210

SELYUZHITSKII,GV.(1972),Experimental data used to determine the maximum permissible concentration of methyl mercaptan, dimethyl sulfide,and dimethyl disulfide in the air of the production area of paper and pulp plants(in Russ.),Gig.Tr.Prof.Zabol. 16,no.6,46-47

SELYUZHITSKII,GV.,V.P.TIMOFEEV,A.M.NIKON &S.I.IVANOV(1976),Possible use of natural mercaptans for inparting odor to producer gas,In:I.G Bakhtalze(Ed.),Tezisy Dokl.Nauchn.Sess.Khim.Tekhnol.Or.Soedin.,Sery Sernistykh,14th 1975,105-106(from:Chem.Abstr.,89(1978)101091y)

SEMENOVA,V.N.,O.V.SADOVNIK,V.N.FEDYANINA,E.V.KRESLINA&V.A.KOPANEV(1980),Study of the biological action of ethylene chlorohydrin as a factor in air pollution(in Russ.),Gig.Sanit.,no.1,84-85

SERRA,S.,C.FUGANTI &E.BRENNA(2006),Synthesis,olfactory evaluation,and determination of the absolute configuration of the 3,4-didehydroionone stereoisomers,Helv.Chim.Acta,89,1110-1122

SERRA,S.,A.BARAKAT &C.FUGANTI(2007),Chemoenzymatic resolution of cis-and trans-3,6-dihydroxy-a-ionone. Synthesis of the enantiomeric forms of dehydrovomifoliol and 8,9-dehydrotheaspirone,Tetrahedron:Asymmetry,18,2753-2580

SFIRAS,J.,&A.DEMEILLIERS(1967),Application of gas chromatography to olfactometric research,Recherches,no.16,47-57

SGIBNEV,A.K.(1968),The action of low formaldehyde fumes concentrations on the human organism(in Russ.),Gig.Tr.Prof. Zabol.,12,no.7,20-25

SHALAMBERIDZE,O.P.(1967),Reflex action of a mixture of sulfur dioxide and nitrogen dioxide(in Russ.),Gig.Sanit.,32,no. 7,9-13

SHERRARD,GC.(1928),The practical application of two qualitative tests for HCN in ship fumigation,Public Health Rep.,43, 1016-1022

SHUSTERMAN,D.&J.BALMES(1997a),Measurement of nasal irritant sensoritivity to pulsed carbon dioxide:a pilot study, Arch.Environ.Health,52,334-340

SHUSTERMAN,D.&J.BALMES(1997b),A comparison of two methods for determining nasaliritant sensitivity,Am.J.Rhinol, 11,371-378

SINGH,P,T.RAMASIVAN&K.KRISHNAMURTY(1967),A simple phosphine detector,Bull.Grain Technol.,5,no.1,24-26

SINKUVENE,D.S.(1970),Hygienic evaluation of acrolein as an air pollutant,Hyg.Sanit.USSR,35,nos 1-3,325-329

SLAVGORODSKIY,L.P.(1968),Biological effects and hygienic evaluation of air by phthalic anhydride,In:U.S.S.R.Literature on air pollution and related occupational diseases,Volume 17,54-59,Federal Scientific and Technical Information,U.S.Department of Commerce,Springfield

SLOTNICK,B.M.(1981),Absolute olfactory thresholds in rats and humans,Third Annual Meeting Program,The Association of Chemoreception Sciences,Abstract Volume(cited by:B.M.Slotnick &E.W.Schoonover,Olfactory thresholds in unilaterally bulbectomized rats,Chem.Senses,9(1984),325-340)

SMEETS,M.&P.DALTON(2002),Perceived odor and irritation of isopropanol:a comparison between naive controls and occupationally exposed workers,Int.Arch.Occup.Environ.Heralth,75,541-548

SMEETS,M.A.M.,PJ.BULSING S.VAN ROODEN,R.STEINMAN,J.A.DE RU,N.W.M.OGINK,C.VAN TRIEL&PH. DALTON(2007),Odor and irritation thresholds for ammonia:a comparison between static and dynamci olfactometry,Chem. Senses,32,11-20

SMITH,H.O.,&A.D.HOCHSTETTLER(1969),Determination of odor thresholds in air using C^{14}-labeled compounds to monitor concentrations,Environ.Sci.Technol.,3,169-170

SMITH,S.L.&L.K.DUFFY(1995),Odor and health complaints with Alaskan gasolines,Chem.Health Saf.,2,32-38

SMOLCZYK, E., & H. COBLER(1930), Chemischer Nachweis von Atemgiften und subjektive Empfindlichkeit, Gasmaske, 2, 27-33

SMYTH,H.F,&J.SEATON(1940),Acute response of guinea pigs and rats to inhalation of the vapors of tetraethyl orthosilicate(ethyl silicate),J.Ind.Hyg.Toxicol.,22,288-296

SMYTH,H.E.(1956),Improved communication-hygienic standards for daily inhalation-,Am.Ind.Hyg.Assoc.Q.,17,129-185

SOLOMIN,G.I.(1961),Data substantiating maximum permissible concentration of dinyl in atmospheric air(in Russ.)Gig.Sanit., 26,no.5,3-8

SOLOMIN,GI.(1964),Experimental data for hygienic substantiation of maximal permissible ont-time concentrations of isopropylbenzol and isopropylbenzol hydrogen peroxide(in Russ.),Gig.Sanit.,29,no.2,3-9

SPADONE,J.-C.,G.TAKEOKA&R.LIARDON(1990),Analytical investigation of Rio off-flavor in green coffe,J.Agric.Food Chem.,38,226-233

SPADONE,J.-C.,W.MATTHEY-DORET &I BLANK(2006),Formation of methyl(methylthio)methyl disulfide in broccoli (Brassica oleracea(L.)var.italic),In:W.L.P.Bredie &M.A.Petersen(Eds),Flavour science:recent advances and trends, Elsevier B.V.,309-314

STANG A.Q.,&GHELMCHEN(2005),Enansioselective syntheses and fragrance properties of the four stereoisomers of Magnolione ⑧(Magnolia ketone),Helv.Chim.Acta,88,2738-2746

STALKER,W.W.(1963),Defining the odor problem in a community,J.,Am.Ind.Hyg.Assoc.,24,600-605

STEINHAUS,M.,W.WILHELM & P.SCHIEBERLE(2007),Comparison of the most odour-active volatiles in different hop varieties by application of a comparative aroma extract dilution analysis,Eur.Food Res.Technol.,226,45-55

STEINHAUS, M., D. SINUCO, J. POLSTER, C. OSORIO & P. SCHIEBERLE(2009), Characterization of the aroma-active compounds in pink guava(Psidium guajava L.)by application of the aroma extract dilution analysis,J.Agric.Food Chem.,56, 4120-4127

STEINMETZ,G,GT.PRYOR&H.STONE(1969),Efect of blank samples on absolute odor threshold determinations,Percept. Psychophys.,6,142-144

STEPHENS,E.R.(1971),Identification of odors from cattle feed lots,Calif.Agric.,25,no.1,10-11

STEVENS,J.C.,W.S.CAIN&D.E.WEINSTEIN(1987),Aging impairs the ability to detect gas odor,Fire Technol.,23,198-204

STEVENS,J.C.&W.S.CAIN(1987a),Old-age deficits in the sense of smell as gauged by thresholds,magnitude matching,and odor identification,Psychol.Aging,2,36-42

STEVENS,J.C.&W.S.CAIN(1987b),Detecting gas odor in old age,Ann.N.Y.Acad.Sci.,510,644-646

STEVENS,J.C.,W.S.CAIN &R.J.BURKE(1988),Variability of olfactory thresholds,Chem.Senses,13,643-653

STEVENS,J.C.&A.D.DADARWALA(1993),Variability of olfactory threshold and its role in assessment of aging,Percept. Psychophys.,54,296-302

STEWART,R.D.,E.D.BARETTA,H.C.DODD &T.R.TORKELSON(1970),Experimental human exposure to vapor of propylene glycol monomethyl ether,Arch.Environ.Health,20,218-223

STEWART,R.D.,J.E.PETERSON,P.E.NEWTON,C.L.HAKE,M.J.HOSKO,A.J.LEBRUN &GM.LAWTON(1974), Experimental human exposure to propylene glycol dinitrate,Toxicol.Appl.Pharmacol.,30,377-395

STONE,H.,C.S.OUGH&R.M.PANGBORN(1962),Determination of odor difference thresholds,J.Food Sci.,27,197-202

STONE,H.(1963a),Techniques for odor measurement:olfactometric vs.sniffing,J.Food Sci.,28,719-725

STONE,H.(1963b),Determination of odor difference limens for three compounds,J.Exp.Psychol.,66,466-473

STONE,H.(1963c),Some factors affecting olfactory sensitivity and odor intensity,Thesis,University of California

STONE,H.,&JJ.BOSLEY(1965),Olfactory discrimination and Weber's law,Percept.Mot.Skills,20,657-665

STONE,H.,G PRYOR&J.COLWELL(1967),Olfactory detection thresholds in man under conditions of rest and exercise, Percept.Psychophys.,2,167-170

STONE,H.,&G.PRYOR(1967),Some properties of the olfactory system of man,Percept.Psychophys.,2,516-518

STONE,H.,GT.PRYOR &G STEINMETZ(1972),A comparison of olfactory adaptation among seven odorants and their relationship with several physiochemical properties,Percept.Psychophys.,12,510-504

STONE,H.(1979),Personal communication,Tragon Corporation,Palo Alto,California

STRUBE,A.&A.BUETTNER(2010),The influence of chemical structure on odour qualities and odour potencies in chloro-organic substances,In:I.Blank,M.Wüst & c.Yeretzian(Eds),Expression of multidisciplinary flavour science,ZHAW Zürcher Hochschule fur Angewandte Wissenschaften,486-489

STUIVER,M.(1958),Biophysics of the sense of smell,Thesis,Groningen

STYAZHKIN,V.M.(1963),Experimental basis for the determination of allowable concentrations of chlorine and HCI gas simultaneously present in atmospheric air,In:U.S.S.R.Literature on air pollution and related occupational diseases,Volume 8, 158-164,U.S.Department of Coomerce,Office of technical services,Washington D.C.

STYAZHKIN,V.M.,&H.Kh.KHACHATURYAN(1973),Data for validating the maximum permissible concentration of butyric acid in atmospheric air,In:M.Y.Nuttonson(Ed.),American Institute of Crop Ecology(AICE),Survey of U.S.S.R. air pollution literature,Volume XIX,104-110,National Technical Information Service,U.S.Department of Commerce, Springfield,PB-214264

SUCHIER,A.(1929),Reagenspapier zum Nachweis kleiner Mengen Phosgen,Z.Anal.Chem.,79,183-185

SUTTON,W.L.(1962a),Aliphatic and alicyclic amines,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume III. Toxicology,2037-2067,Interscience,New York/London

SUTTON,W.L.(1962b),Heterocyclic and miscellaneous nitrogen compounds,In:F.A.Patty(Ed.),Industrial hygiene and toxicology,Volume II.Toxicology,2174-2234,Interscience,New York/London

T

TABOKOVA,S.(1968),Maximum permissible level of chlorophos in the atmosphere,Khig.Zdraveopazvane,11,no.2, 150-157(from:Chem.Abstr.,69(1968),61367w)

TABOKOVA,S.(1969),Experimental data for hygienic standards for Dipterex in air,Hyg.Sanit.USSR,34,nos 10-12,187-193

TACKE,R.&S.METZ(2008),Odorant design based on the carbon/silicon switch strategy,Chem.Biodivers.,5,920-940

TAKHIROFF,M.T.(1957),Maximum allowable concentration of chlorine in the atmosphere based on experimental data(in Russ.), Gig.Sanit.,22,no.1,13-18

TAKHIROV,M.T.(1969),Hygienic standards for acetic and acetic anhydride in air,Hyg.Sanit.USSR,34,nos 4-6,122-125

TAKHIROV,M.T.(1974),Experimental study of the combined action of six atmosperic pollutants on the human organism(in Russ.),Gig.Sanit.,39,no.5,100-102

TAMMAN,G,&W.OELSEN(1928),Zur Bestimmung der Dampfdrucke von Riechstoffen,Z.Anorg.Allg.Chem.,172,407-413

TARKHOVA,LP.(1965),Materials for determining the maximum permissible concentration of chlorobehzol in atmospheric air, Hyg.Sanit.USSR,30,nos 1-3,327-333

TAYLOR,E.F.,&F.T.BODURTHA(1960),Control of dimethylamine odors,Ind.Wastes,5,no.4,92-94

TEMPELAAR,H.C.G.(1913),Over den invloed van licht op reukstoffen,Thesis,Utrecht

TEPIKINA,LA.(1968),Biological effects of mesidine as an atmospheric pollutant,Hyg.Sanit.USSR,33,nos 4-6,299-302

TERANISHI,R.,R.G BUTTERY&D.G.GUADAGNI(1974),Odor quality and chemical structure in fruit and vegetable flavors, Ann.N.Y.Acad.Sci.,237,209-216

THIELE,V.(1979),Experimentelle Untersuchungen zur Ermitlung eines Geruchsschwellenwertes für Schwefelwasserstoff,Staub, 39,159-160

THIELE, V., J. KASTKA, G. WINNEKE & B. PRINZ (1981), Zur Problem der Geruchsmessung - vergleichende Untersuchungen zwischen MIU und LIS, Staub, 41, 289-295

THIELE,V.(1982),Olfaktometrie von H_2S-Ergebnisse des VDI-Ringvergleichs,Staub,42,11-15

THIELE,V.(1984),Olfaktometrie an einer Emissionsquelle-Ergebnisse des VDI-Ringvergleichs,Staub,44,342-351

THOMAS,M.D.,J.O.IVIE,J.N.ABERSOLD &R.H.HENDRICKS(1943),Automatic apparatus for determination of small concentrations of sulfur dioxide in air,Ind.Eng.Chem.,Anal.Ed.,15,287-290

THRIEL,C.VAN,M.SCHÄPER,E.KIESSWETTER,S.KLEINBECK,S.JURAN,M.BLASZKEWICZ,H.-H.FRICKE,L. ALTMANN,H.BERRESHEIM &T.BRUNING(2006),From chemosensory thresholds to whole body exposures-experimental approaches evaluating chemosensory effects of chemicals,Int.Arch.Occup.Environ.Helath,79,308-321

TKACH,N.Z.(1965),Combined effect of acetone and acetophenone in the atmosphere,Hyg.Sanit.USSR,30,nos 7-9,179-185

TKACHEV,P.G(1963),Data for substantiating the maximum permissible concentration of aniline in the atmospheric air(in Russ.), Gig.Sanit.,28,no.4,3-11

TKACHEV,P.G(1969),Monoethylamine in the atmosphere:hygienic significance and standards,Hyg.Sanit.USSR,34,nos 7-9, 149-153

TKACHEV,P.G(1970),Triethylamine in air:hygienic significance and hygienic standards,Hyg.Sanit.USSR,35,nos 10-12,8-13

TKACHEV,PG(1978),Methods for determining threshold of olfactory sensation for chemical substances having an odor(in Russ.),Gig.Sanit.,no.3,112-113

TORKELSON,T.R.,M.A.WOLF,E.OYEN &V.K.ROWE(1959),Vapor toxicity of allyl chloride as determined on laboratory animals,Am.Ind.Hyg.Assoc.J.,20,217-223

TORKELSON,T.R.,S.E.SADEK &V.K.ROWE(1961),The toxicity of boron trifluoride when inhaled by laboratory animals, Am.Ind.Hyg.Assoc.J.,22,263-270

TORKELSON,T.R.,&E.OYEN(1977),The toxicity of 1,3-dichloropropane as determined by repeated exposure of laboratory animals,Am.Ind.Hyg.Assoc.J.,38,217-223

TORKELSON,T.R.,&V.K.ROWE(1981),Halogenated aliphatic hydrocarbons containing chlorine,bromine and iodine,In:G.D. Clayton and F.E.Clayton(Eds),Patty's industrial hygiene and toxicology,Volume 2B,Toxicology,Third revised edition,John Wiley and Sons,New York,p.3433-3601

TOXICITY DATA SHEET:MESITYLOXIDE(1957),Shell Chemical Corporation,Industrial Hygiene Bulletin SC:57-106

TOXICITY DATA SHEET:ALLYL CHLORIDE(1958a),Shell Chemical Corporation,Industrial Hygiene Bulletin SC:57-80

TOXICITY DATA SHEET:ETHYLAMYLKETONE(1958b),Shell Chemical Corporation,Industrial Hygiene Bulletin SC:57-99

TOXICITY DATA SHEET:EPICHLOROHYDRIN(1959),Shell Chemical Corporation,Industrial Hygiene Bulletin SC:57-86

TRAYNOR,S.(2001),The musk dilemma,Perf.Flavor.,26,September/October,28,30-39

TREON,J.F,&F.R.DUTRA(1952),Physiological response of experimental animals to the vapor of 2-nitropropane,AMA Arch. Ind.Hyg.Occup.Med.,5,52-61

TREON,J.F.,F.P.CLEVELAND&J.CAPPEL(1955),The toxicity of hexachlorocyclopentadiene,AMA Arch Ind.Health,11, 459-472

TSUKATANI,T.,T.MIWA,M.FURUKAWA&R.M.COSTANZO(2003),Detection thresholds for phenyl ethyl alcohol using serial dilutions in different solvents,Chem.Senses,28,25-32

TSULAYA,V.R.,L.I.ZEFIROVA&EA.PEREVERZEVA(1972),Data for hygienic standardization of izooctanol in the atmosphere(in Russ.),Gig.Sanit.,no.8,16-19

TURK,A.(1973),Expressions of gaseous concentration and dilution ratios,Atmos.Environ.,7,967-972

U

UBAIDULLAEV,R.(1961),Data for substantiating the maximum permissible concentration of furfurol in atmospheric air(in Russ.),Gig.Sanit.,26,no.7,3-10

UBAIDULLAEV,R.(1966a),Effect of small concentration of methanol vapours on the body of men and animals(in Russ.),Gig. Sanit.,31,no.4,9-12

UBAIDULLAEV,R.(1966b),The toxicity of smallconcentrations of hydrolysed alcohol in the atmosphere(in Russ.),Gig.Sanit., 31,no.5,3-7

UBAIDULLAEV,R.U.,&U.A.MADZHIDOV(1978),Investigation data on reflex and resorptive action of small concentrations and doses of kilwal(in Russ.),Gig.Sanit.,no.3,11-14

UENO,H.,S.AMANO,B.MERECKA&J.KOŚMIDER(2009),Difference in the odor concentrations measured by the triangle odor bag method and dynamic olfactometry,Water Sc.Technol.,59,1339-1342

ULRICH,F.&W.GROSCH(1987),Identification of the most intense volatile flavour compounds formed during autoxidation of linoleic acid,Z.Lebensm.Unters.Forsch.,184,277-282

ULRICH,F.&W.GROSCH(1988a),Identification of the most intense odor compounds formed during autoxidation of methyl linolenate at room temperature,J.Am.Oil Chem.Soc.,65,1313-1317

ULRICH,F.&W.GROSCH(1988b),Flavour deterioration of soya-bean oil:identification of intense odour compounds formed during flavour reversion,Fat Sci.Technol.,90,332-336

V

VALENTIN,G.(1848),Lehrbuch der Physiologie des Menschen 2,2,279-283,Friedrich Bieweg und Sohn,Braunschweig

VALENTIN,G.(1850),Lehrbuch der Physiologie des Menschen 2,3,271-274,Friedrich Bieweg und Sohn,Braunschweig

VENTURA,F,J.ROMERO &J.PARES(1997),Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies,Environ.Sci.Technol.,31,2368-2374

VERMEULEN,C.,J.PELLAUD,L.GJS &S.COLLIN(2001),Combinatorial synthesis and sensorial properties of polyfunctional thiols,J.Agric.Food Chem.,49,5445-5449

VERMEULEN,C.&S.COLLIN(2002),Synthesis and sensorial properties of mercaptoaldehydes,J.Agric.Food Chem.,50, 5654-5659

VERMEULENC.&S.COLLIN(2003),Combinatorial synthesis and sensorial properties of 21 mercapto esters,J.Agric.Food Chem.,51,3618-3622

VERMEULEN,C.,C.GUYOT-DECLERCK &S.COLLIN(2003),Combinatorial synthesis and sensorial properties of mercapto primary alcohols and analogues,J.Agric.Food Chem.,51,3623-3628

VERMEULEN,C.&S.COLLIN(2006),Combinatorial synthesis and screening of novel odorants such as polyfunctional thiols, Combinatorial Chemistry &High Throughput Screening,9,583-590

VINCENT,GP.,J.O.MacMAHON &J.E.SYNAN(1946),The use of chlorine dioxide in water treatment,Am.J.Public Health, 36,1035-1037

VISWANATHAN,S.,GP.MATHUR,A.W.GNYP&C.C.St.PIERRE(1983),Application of probability models to odor threshold determinations,Atmos.Environ.,17,139-143

VLASEK,H.C.(1968),Letter of June 24(cited by:J.E.Amoore,A plan to identify most of the primary odors,in:C. Pfaffmann(Ed.),Olfaction and taste,Proc.of the third int.symposium,Rockefeller University Press,New York,1969,158-171)

W

WAAL,M.VAN DE,Y.NICLASS,R.L.SNOWDEN,G BERNARDINELLI &S.ESCHER(2001),1-Methoxyhexane-3-thiol,a powerful odorant of clary sage(Salvia sclarea L.),Helv.Chim.Acta,84,1246-1260

WAGNER,R.,M.CZERNY,J.BIELOHRADSKY&W.GROSCH(1999),Structure-odour-activity relationships of alkylpyrazines, Z.Lebensm.Unters.Forsch.A,208,308-316

WALKER,J.C.,JH.REYNOLDS,D.W.WARREN &J.D.SIDMAN(1990),Responses of normal and anosmic subjects to odorants,In:B.G Green,J.R.Masson &M.R.Kare(Eds),Chemical senses,Vol.2,Iritation,Marcel Dekker,Inc.,New York, 95-121

WALKER,J.C.,M.KENDAL-REED,C.J.KEIGER,M.BENCHERIF &W.L.SILVER(1996),Olfactory and trigeminal responses to nicotine,Drug Dev.Res.,38,160-168

WALKER,J.C.,S.B.HALL,D.B.WALKER,M.S.KENDAL-REED,A.E.HOOD&X.-F.NIU(2003),Human odor detectability: new methodology used to determine threshold and variation,Chem.Senses,28,817-826

WEEKS,M.H.,T.O.DOWNING,N.P.MUSSELMAN,T.R.CARSON and W.A.GROFF(1960),The effects of continuous exposure of animals to ethanolamine vapor,Am.Ind.Hyg.Assoc.J.,21,374-381

WEITBRECHT,U.(1957),Beurteilung der Trichloroäthylen-Gefahrdung im Betrieb,Zentralbl.Arbeitsmed.Arbeitsschutz,7, 55-58

WHISMAN,M.L.,J.W.GOETZINGER,F.O.COTTON&D.W.BRINKMAN(1978),Odorant evaluation:a study of ethanethiol and tetrahydrothiophene as warning agents in propane,Environ.Sci.Technol.,12,1285-1288

WIDDER,S.,C.SABATER-LUNTZEL,J.VOLLHARDT,T.DITTNER&W.PICKENHAGEN(2001),Organoleptic substances, United States Patent 6231912

WIDDER,S.,T.DITTNER,C.SABATER-LUNTZEL,W.PICKENHAGEN&J.VOLLHARDT(2002),3-Mercapto-2-alkyl-alkan-1-ole und ihre Anwendugn als Duft-und Aromastoffe,Europaische Patentschrift 924198

WIJK,R.A.DE(1989),Temporal factors in human olfactory perception,Thesis,Utrecht

WILBY,E.V.(1964),The odor comparator:an improved instrument for qunatitative odor measurement,Proc.Oper.Sect.Am.Gas Assoc.,225-231

WILBY,E.V.(1969),Variation in recognition odor threshold of a panel,J.Air Pollut.Contr.Assoc.,19,96-100

WILLIAMS,A.A.,A.GH.LEA &C.E.TIMBERLAKE(1977),Measurement of flavor quality in apples,apple juices and fermented ciders,In:R.A.Scanlan(Ed.),Flavor quality:objective measurement,ACS Symposium Series no.51,American Chemical Society,Washington D.C.,71-88

WILLIAMS,F.D.,JE.EMELE&M.C.ALFORD(1977),The application of the dynamic triangle olfactometer to the evaluation of oral odor,Chem.Senses Flavour,2,497-502

WILSKA,S.(1951),Ozone.Its physiological effects and analytical determination in laboratory air,Acta Chem.Scand.,5, 1359-1367

WINKLER,K.(1975),Zur Diskussion gestellt:Immis-sionsgrenzwerte zur Verhinderung von Geruchs-belastigungen,Wasser,Luft und Betr.,19,411

WINNEKE,G,&J.KASTKA(1975),Wirkung von Geruchsstoffen auf den Menschen,In:Geruchsprobleme bei Tierhaltung und Tierkörperbeseitigung,VDI-Berichte 226,VDI-Verlag GmbH,Düsseldorf,11-24

WINNEKE,G,J.KOTALIK,H.O.KELDENICH &J.KASTKA(1979),Zur Wahrnemung von Schwefelwasserstoff unter Labor- und Feldbedingungen,Staub,39,156-159

WINNEKE,G,H.-W.BERRESHEIM,J.KOTALIK &A.KABAT(1988),Vergleichende olfaktometrische Untersuchingen zu Formaldehyd und Schwefelwasserstoff,Staub,48,319-423

WIRTH, W., & O. KLIMMER(1937), Zur Toxikologie der organischen Lösungsmittel. 1-4-Dioxan(Diathylenedioxd), Arch. Gewerbepathol.Gewerbehyg.,7,192-206

WISE,P.M.,T.MIYAZAWA,M.GALLAGHER&G.PETRI(2007),Human odor detection of homologous carboxylic acids and their binary mixtures,Chem.Senses,32,475-482

WITHERIDGE,W.N.,& C.P.YAGLOU(1939),Ozone in ventilation-its possibilities and limitations,Heat.Piping Air.Cond.,11, 648-653

WOLF,M.A.,V.K.ROWE,D.D.McCOLLISTER,R.I.HOLLINGSWORTH&F.OYEN(1956),Toxicological studies of certain alkylated benzenes and benzene,AMA Arch.Ind.Health,14,387-398

WOOLRICH,PE.(1982),Toxicology,industrial hygiene and medical control of TDI,MDI and PMPPI,Am.Ind.Hyg.Assoc.J, 43,89-97

WUNSCHE,L.F.,C.VUILLEUMIER,U.KELLER,M.P.BYFELD,L.P.MAY&M.J.KEARNEY(1995),Scent characterisation: from human perception to electronic noses,In:K.H.C.Baser(Ed.),Proc.13th Int.Congress of Flavours,Fragrances and Essential Oils,Istanbul,Turkey,15-19 October 1995,Vol.3,295-313

WYSOCKI,C.J,P.DALTON,M.J.BRODY &H.J.LAWLEY(1997);Acetone odor and iritation thresholds obtained from acetone-exposed factory workers and from control(occupationally unexposed)subjects,Am.Ind.Hyg.Assoc.J.,58,704-712

Y

YANG,D.S.,R.L.SHEWFELT,K.-S.LEE &S.J.KAYS(2008),Comparison of odor-active compounds from six distinctly different rice flavor types,J.Agric.Food Chem.,56,2780-2787

YOUNG E.A.,&D.E.ADAMS(1966),Comparison of olfactory thresholds obtained on trained and untrained subjects,Proc.74th Annu.Conv.Am.Psychol.Assoc.,75-76

YULDASHEV,T.(1965),Maximum permissible concentration of ethylene oxide in the atmosphere,Hyg.Sanit.USSR,30,nos 10-12,1-6

Z

ZAPP,J.A.(1957),Hazards of isocyanates in polyurethane foam plastic production,AMA Arch.Ind.Health,15,324-330

ZIBIREVA,IA.(1967),On comparative toxicity of microconcentrations of two chlorisocyanates(para-and meta-isomers)(in Russ.),Gig.Sanit.,32,no.7,3-9

ZIEMER,P.D.,J.WOO &T.ANAGNOSTOU(2000),Study of odor qualification of solvents used in coating compositions, Journal of Coating Technology,72,97-102

ZWAARDEMAKER,H.(1914),Geruch und Geschmack,In:R.Tigerstedt(Ed.),Handbuch der physiologischen Methodik III,1, 46-108,S.Hirzel,Leipzig(corrected data taken from:H.C.G Tempelaar,Over den invloed van licht op reukstoffen,Thesis, Utrecht,1913)

ZWAARDEMAKER, H., & K. KOMURO(1921), Ruiken bij volledige vermoeienis, resp. adaptatie voor een bepaalden geur, Kon. Ned.Akad.Wetensch.,Versl.Gewone Vergad.Afd.Natuurk.,30,1189-1195

ZWAARDEMAKER,H.(1927),The sense of smell,Acta Oto-Laryngol.,11,3-15

第二部分　水中的嗅觉阈值

水中嗅觉的觉察阈值(d) 与识别阈值(r)， 若非特殊说明，单位为mg/kg

A

abhexone→乙基葫芦巴内酯

ACENAPHTHENE, 苊，[83-32-9]

Lillared &powers(1975)	d	0.08

acetal→乙醛二乙缩醛
acetaldehyde→乙醛
acetaldehyde diethyl acetal→乙醛二乙缩醛

ACETIC ACID,乙酸，[64-19-7]

Ohrwall(1891)	r	60
Baker(1963)		24.3
Amoore et al.(1968);Amoore(1969)	d	30.7
Zoeteman et al.(1971)		200
Manning &Robinson(1973)		100
Kikuchi et al.(1976)		34.2
Aharoni et al.(1980)		200
Schnabel et al.(1988)	d	210～522
Larsen &Poll(1990)	d	100～1000
Larsen &Poll(1992)	d	10～100
Grosch et al.(1993)		60
Guth(1996)		22
Buttery &Ling(1998)	d	22
Tamura et al.(2001);Boonbumrung et al.(2001)	d	25.59～26
Darriet et al.(2002)	d	50
Karagül-Yüceer et al.(2003)	d	22
Czerny et al.(2007c);Czerny et al.(2008)	r	180
Czerny et al.(2008)	d	99

acetoin→乙偶姻
acetol→羟基丙酮
acetone→丙酮

1-ACETONYLPYRROLE, 1-丙酮基吡咯，[4805-24-7]

Tressl et al.(1985b)	d	0.1

ACETOPHENONE, 苯乙酮，[98-86-2]

Rosen et al.(1963)		0.065

Baker(1963)		0.17
Pyysalo et al.(1977)	d	0.052
Aoki&Koizumi(1986)		0.036
Buttery et al.(1988a);Buttery &Ling(1995)	d	0.065
Schirack et al.(2006)	d	0.245
Pino &Mesa(2006)	d	0.065

acetovanillone→香草乙酮

4-ACETYL-6-tert-BUTYL-1,1-DIMETHYLINDANE, 萨利麝香，[13171-00-1]

Amoore et al.(1977)	d	0.0050

2-acetyl-3,4-dihydro-2H-azole→2-乙酰基-1-吡咯啉

5-ACETYL-2,3-DIHYDRO-1,4-THIAZINE,5-乙酰基-2,3-二氢-1,4-噻嗪，[164524-93-0]

Hofmann &Schieberle(1995); Schieberle &Hofmann(1996a,1996b)		0.00125～0.0017
Buttery(1999)	d	0.0006

2-ACETYLFURAN,2- 乙酰基呋喃，[1192-62-7]

Buttery et al.(1990a,1994a);Buttery(1993); Buttery &Ling(1995,1998)	d	10
Giri et al.(2010)	d	15.02520

7-ACETYL-1,1,3,4,4,6-HEXAMETHYL-1,2,3,4-TETRAHYDRONAPHTHALENE, 吐纳麝香，[1506-02-1]

Amoore et al.(1977)	d	0.0015

(-)-(2R,4S)-2-acetyl-p-menth-6-ene→(-)-(2R,4S)-2- 乙酰基-对薄荷-6-烯

(+)-(2S,4R)-2-acetyl-p-menth-6-ene→(+)-(2S,4R)-2- 乙酰基-对薄荷-6-烯

1-ACETYL-4-METHYLBENZENE, 对甲基苯乙酮，[122-00-9]

Appell(1969)		0.16
Buttery et al.(1976b)	d	0.019
Masanetz &Grosch(1998a,1998b)		0.024
Boonbumrung et al.(2001)	d	0.021

2-ACETYL-3-METHYLPYRAZINE,2-乙酰基-3-甲基吡嗪，[23787-80-6]

Mihara&Masuda(1988)	d	0.02

2-ACETYL-5-METHYLPYRAZINE,2-乙酰基-5-甲基吡嗪，[22047-27-4]

Mihara &Masuda(1988)	d	0.4
Buttery et al.(1999);Buttery(1999)	d	3

2-ACETYL-6-METHYLPYRAZINE,2-乙酰基-6-甲基吡嗪，[22047-26-3]

Mihara &Masuda(1988)	d	0.3
Buttery(1999)	d	3

ACETYLPYRAZINE,2-乙酰基吡嗪，[22047-25-2]

Teranishi et al.(1975);Buttery(1981,1999)	d	0.06～0.062

2-ACETYLPYRIDINE,2- 乙酰基吡啶，[1122-62-9]

Teranishi et al.(1975);Buttery(1981,1999); Buttery &Ling(1998)	d	0.019

2-ACETYLPYRROLE,2- 乙酰基吡咯，[1072-83-9]

Teranishi et al.(1987);Buttery et al.(1988a, 1994a,1999);Buttery &Ling(1998);Buttery(1999)	d	170
Giri et al.(2010)	d	58.58525

2-ACETYL-1-PYRROLINE,2- 乙酰基-1-吡咯啉，[85213-22-5]

Buttery et al.(1982a,1983,1988a,1994a,1997, 1999);Buttery(1993,1999); Buttery &Ling(1995,1998)	d	0.0001
Czerny et al.(2007)		0.0001
Czerny et al.(2008)	d	0.000053
Czerny et al.(2008)	r	0.00012

2-ACETYL-1,4,5,6-TETRAHYDROPYRIDINE,2- 乙酰基-1,4,5,6-四氢吡啶，[25343-57-1]

Teranishi et al.(1975);Buttery(1981,1999); Buttery &Ling(1995,1998);Buttery et al.(1997,1999)	d	0.001～0.002

2-ACETYL-3,4,5,6-TETRAHYDROPYRIDINE,2- 乙酰基-3,4,5,6-四氢吡啶，[27300-27-2]

Buttery &Ling(1995,1998);Buttery et al. (1997,1999);Buttery(1999)	d	0.001～0.002

6-ACETYL-1,2,3,4/2,3,4,5-TETRAHYDROPYRIDINE,6- 乙酰基-1,2,3,4/2,3,4,5-四氢吡啶

Belitz &Grosch(1992a)		0.0016

2-ACETYLTHIAZOLE,2- 乙酰基噻唑，[24295-03-2]

Teranishi&Buttery(1985); Buttery et al.(1994a,1999);Buttery(1999)	d	0.01
Marchand et al.(2000)	d	0.003

4-ACETYLTHIAZOLE,4- 乙酰基噻唑

Teranishi et al.(1975)	d	0.17

2-ACETYL-2-THIAZOLINE,2- 乙酰基-2-噻唑啉，[29926-41-8]

Teranishi et al.(1975);Buttery(1981,1999); Buttery et al.(1994a)	d	0.001～0.0013
Cerny &Grosch(1993);Grosch et al.(1993);Guth &Grosch(1994);Schieberle &Hofmann(1996a,1996b)		0.001
Karagül-Yüceer et al.(2004)	d	0.001
Limpawattana(2007)	d	0.00012

3-(ACETYLTHIO)-2-BUTYLOCTANAL,3- 乙酰硫基-2-丁基辛醛

Robert et al.(2004,2005)	d	0.2

3-(ACETYLTHIO)-2-ETHYLHEXANAL,3- 乙酰硫基-2-乙基己醛

Robert et al.(2004,2005)	d	0.015

3-(ACETYLTHIO)-2-METHYLPENTANAL, 3-乙酰硫基-2-甲基戊醛

Robert et al.(2004,2005)	d	0.005

3-(ACETYLTHIO)-2-PENTYLNONANAL, 3-乙酰硫基-2-戊基壬醛

Robert et al.(2004,2005)	d	0.5

3-(ACETYLTHIO)-2-PROPYLHEPTANAL, 3-乙酰硫基-2-丙基庚醛

Robert et al.(2004,2005)	d	0.05

acrolein→丙烯醛
acrylic acid→丙烯酸
acrylonitrile→丙烯腈
active amyl acetate→活性乙酸戊酯
active amyl alcohol→活性戊醇
aldehyde C14→肉豆蔻醛
aldehyde C16→草莓醛
aldrin→艾氏剂
allyl chloride→氯丙烯

4-ALLYL-1,2-DIMETHOXYBENZENE, 甲基丁香酚，[93-15-2]

Buttery et al.(1974);Takeoka(2001)	d	0.068
Pyysalo et al.(1977)	d	0.82
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.775～8.5

ALLYL ISOTHIOCYANATE, 烯丙基芥子油，[57-06-7]

Kauffmann(1907)		3.8
Buttery et al.(1976b);Buttery(1993)	d	0.375
Masuda et al.(1996)		0.046

1-ALLYL-4-METHOXYBENZENE, 草蒿脑，[140-67-0]

Williams et al.(1977)	d	0.035
Zeller &Rychlik(2006)	r	0.016
Czerny et al.(2008)	d	0.006
Czerny et al.(2008)	r	0.016

5-ALLYL-1-METHOXY-2,3-(METHYLENEDIOXY)BENZENE, 肉豆蔻醚，[607-91-0]

Buttery et al.(1968)	d	0.025
Blank et al.(1992)		0.03
Zeller &Rychlik(2006)	r	0.088

4-ALLYL-2-METHOXYPHENOL, 丁香酚，[97-53-0]

Appell(1969)		0.06
Buttery et al.(1971,1974,1987b,1990a); Buttery(1981,1993);Takeoka(2001)	d	0.006～0.011
Pyysalo et al.(1977)	d	0.030

Dietz &Traud(1978)		0.04
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.1
Blank et al.(1992)		0.15
Bonfils et al.(2004)	d	0.47
Pino &Mesa(2006)	d	0.006
Zeller &Rychlik(2006)	r	0.0025
Czerny et al.(2008)	d	0.00071
Czerny et al.(2008)	r	0.0025

4-ALLYL-1,2-(METHYLENEDIOXY)BENZENE, 黄樟素，[94-59-7]

Helbig(1939)		0.0407
Le Magnen(1952)		0.01～0.033
Appell(1969)		0.16

allyl mustard oil→烯丙基芥子油

2-(ALLYLTHIO)ETHANAL，烯丙硫基乙醛

Rössner et al.(2002)		0.0002

4-allylveratrole→甲基丁香酚

ambrox→龙涎香醚

(d)-ambrox→(d)- 龙涎香醚

(1)-ambrox→(1)-龙涎香醚

5β-ambrox→5β-龙涎香醚

2'-AMINOACETOPHENONE, 邻氨基苯乙酮，[551-93-9]

Buttery &Ling(1994,1995,1998);Buttery(1999)	d	0.0002
Karagül-Yüceer et al.(2003,2004)	d	0.00028～0.0003
Czerny et al.(2008)	d	0.00027
Czerny et al.(2008)	r	0.00064

4'-AMINOACETOPHENONE, 对氨基苯乙酮，[99-92-3]

Buttery &Ling(1994);Buttery(1999)	d	100～108

2-AMINOBENZALDEHYDE, 邻氨基苯甲醛，[529-23-7]

Buttery(1999)	d	0.011

2-AMINO-1,5-DIHYDRO-1-METHYL-4H-IMIDAZOL-4-ONE,肌酸酐，[60-27-5]

Dietz &Traud(1978)		>10

2-AMINOETHANOL, 乙醇胺，[141-43-5]

Alexander et al.(1982)	d	32

2-(2-AMINOETHYLAMINO)ETHANOL,N(2-羟乙基)乙二胺，[111-41-1]

Alexander et al.(1982)	d	2.8

aminoethylethanolamine→N-(2-羟乙基)乙二胺

6-AMINOHEXANOIC ACID LACTAM,己内酰胺，[105-60-2]
Lillard &Powers(1975) d 59.7

(S)-(-)-2-AMINO-3-(4-HYDROXYPHENYL)PROPANOIC ACID,L-酪氨酸，[60-18-4]
Dietz &Traud (1978) >10

(R)-(+)-2-AMINO-3-MERCAPTOPROPANOIC ACID,L-半胱氨酸，[52-90-4]
Laska(2010) d 24

(S)-(-)-2-AMINO-3-MERCAPTOPROPANOIC ACID,D-半胱氨酸，[921-01-7]
Laska(2010) d 27

(R)-(-)-2-AMINO-4-(METHYLTHIO)BUTANOIC ACID,D-蛋氨酸，[348-67-4]
Laska(2010) d 1.5

(S)-(+)-2-AMINO-4-(METHYLTHIO)BUTANOIC ACID,L-蛋氨酸，[63-68-3]
Laska(2010) d 12

2-AMINO-3-PHENYLPROPANOIC ACID,DL-苯丙氨酸，[150-30-1]
Dietz&Traud(1978) >10

1-AMINO-2-PROPANOL, 异丙醇胺，[78-96-6]
Alexander et al.(1982) d 28

N(3-AMINOPROPYL)-1,4-BUTANEDIAMINE, 亚精胺，[124-20-9]
Wang et al.(1975) d 129

a-AMINOTOLUENE, 苄胺，[100-46-9]
Moncrieff(1957) 3000

AMMONIA, 氨水，[7664-41-7]
Brown et al.(1968) 1.25
Amoore &Forrester(1976) d 23.9
Kikuchi et al.(1976) 110

AMMONIUMHYPOCHLORITE, 次氯酸铵
Krasner &Barrett(1984) 0.35

amyl acetate→乙酸戊酯
tert-amyl acetate→乙 酸 叔 戊 酯
amyl alcohol→戊 醇
tert-amyl alcohol→叔戊醇
amyl butyrate→丁酸戊酯
amyl isobutyrate→异丁酸戊酯
amyl mercaptan→戊硫醇
tert-amyl mercaptan→叔戊硫醇
tert-amyl methyl ether→叔戊基甲基醚
amyl salicylate→水杨酸戊酯

amyl valerate→戊酸戊酯

4,16-ANDROSTADIEN-3-ONE,4,16- 二烯-3-雄酮，[4075-07-4]
Amoore et al.(1977) d 0.00098

5a-ANDROSTAN-3α-OL,5α- 雄甾烷-3α-醇
Amoore et al.(1977) d 0.011

5a-ANDROSTAN-3β-OL,5a- 雄甾烷-3β醇，[1224-92-6]
Amoore et al.(1977) d >0.250

5α-ANDROSTAN-3-ONE,5α- 雄甾烷-3-酮，[1224-95-9]
Amoore et al.(1977) d 0.00062

5a-ANDROST-16-EN-3a-OL,3α- 雄甾烯醇，[1153-51-1]
Amoore et al.(1977) d 0.0062

4-ANDROSTEN-3-ONE, 雄甾-4-烯-3-酮
Amoore et al.(1977) d 0.0022

5a-ANDROST-16-EN-3-ONE, 雄烯酮，[18339-16-7]
Amoore et al.(1977) d 0.00018
Gower et al.(1985) 0.0002～0.002
(E)-anethole→反-茴香脑
trans-anethole→反-茴香脑

ANILINE, 苯胺，[62-53-3]
Baker(1963) 70.1
anisaldehyde→茴香醛
p-anisaldehyde→茴香醛
anise alcohol→茴香醇
anisketone→茴香基丙酮
anisole→茴香醚
anisyl alcohol→茴香醇

AZACYCLOHEPTANE, 高哌啶，[111-49-9]
Amoore et al.(1975b) d 46.9
azacyclohexane→哌啶

AZACYCLOOCTANE, 环庚亚胺，[1121-92-2]
Amoore et al.(1975b) d 82.8

AZACYCLOTRIDECANE, 氮杂环十三烷，[295-03-4]

Zyabbarova &Kuklina(1979) 0.1

AZETIDINE, 氮杂环丁烷，[503-29-7]

Amoore et al.(1975b) d 21.9

azine→吡 啶
azole→吡 咯
azolidine→四氢吡咯

B

BENZALDEHYDE, 苯甲醛，[100-52-7]

Buttery et al.(1969b,1971,1987b,1988a,1994a, 1997,1999);Guadagni(1970b);Hansen et al.(1992);Buttery &Ling(1995,1998)	d	0.35
Tilgner &Ziminska(1982)		0.32
Rabin &Cain(1986)	d	1.4～2.2
Delfini(1987)		0.5～1.0
Buttery et al.(1990a);Buttery(1993)	d	3.5
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	1～4.6
Darriet et al.(2002)	d	0.3
Fabrellas et al.(2004)		0.024～0.047
Pino &Mesa(2006)	d	0.35
Giri et al.(2010)	d	0.75089

BENZENE, 苯，[71-43-2]

Holluta(1960)		2
Baker(1963)		31.3
Zoeteman et al.(1971)		10
Alexander et al.(1982)	d	0.072
Sarzynski(1982)		111

benzeneacetaldehyde→苯乙醛
1,2-benzenediol→邻苯二酚
1,3-benzenediol→间苯二酚
1,4-benzenediol→对苯二酚
α-benzene hexachloride→ α-六六六
β-benzene hexachloride→ β-六六六
γ-benzene hexachloride→ γ-六六六
δ-benzene hexachloride→ δ-六六六

BENZENETHIOL, 苯硫酚，[108-98-5]

Holluta(1960)		0.001
Lane(1981)	d	0.050

1,2,3-benzenetriol→ 邻苯三酚
1,2,4-benzenetriol→ 偏苯三酚
1,3,5-benzenetriol→ 间苯三酚

BENZOTHIAZOLE, 苯并噻唑，[95-16-9]

Lillard &Powers(1975)	d	0.08

Buttery et al.(1988a)	d	0.08
Pino &Mesa(2006)	d	0.08

N-BENZOYLGLYCINE, 马尿酸，[495-69-2]

Dietz&Traud(1978)		2.5

BENZYL ACETATE,乙酸苄酯，[140-11-4]

Appell(1969)		1
Guadagni(1970b)	d	0.002
Pyysalo et al.(1977)	d	0.27
Rashash et al.(1997)		0.03
Pino &Mesa(2006)	d	0.364

benzylamine→苄胺

BENZYL ALCOHOL,苯甲醇，[100-51-6]

Pyysalo et al.(1977)	d	0.62
Buttery et al.(1987b,1988a)	d	10～20
Larsen &Poll(1990)	d	0.1～1
Yang et al.(1992);Tamura et al.(1993,1995)	d	100
Pino &Mesa(2006)	d	20
Giri et al.(2010)	d	2.54621

BENZYL BENZOATE,苯甲酸苄酯，[120-51-4]

Pino &Mesa(2006)	d	0.341

BENZYL BUTANOATE,丁酸苄酯，[103-37-7]

Pino &Mesa(2006)	d	0.376

BENZYL CYANIDE,苯乙腈，[140-29-4]

Buttery et al.(1990a);Buttery(1993)	d	1
Freuze et al.(2004,2005)	d	1.2

BENZYL ISOTHIOCYANATE,苄基芥子油，[622-78-6]

Masuda et al.(1996)		0.035
Pino &Mesa(2006)	d	0.0007

3-BENZYL-2-METHOXYPYRAZINE,3-苄基-2-甲氧基吡嗪

Murray &Whitfield(1975)		1～10

2-BENZYL-4-METHYLPHENOL,2-苄基-4-甲基苯酚，[716-96-1]

Dietz &Traud(1978)		0.1

benzyl mustard oil→苄基芥子油

BENZYL SALICYLATE,水杨酸苄酯，[118-58-1]

Pino &Mesa(2006)	d	0.161

BHT→2,6-二叔丁基对甲酚

BICYCLO[4.4.0]DECANE, 十氢萘，[91-17-8]

Koppe(1965) 0.1

BIPHENYL，联苯，[92-52-4]

De Grunt(1975);De Grunt et al.(1977) d 0.0005

N,N'-BIS(3-AMINOPROPYL)-1,4-BUTANEDIAMINE, 精胺，[71-44-3]

Wang et al.(1975) d 24

bis(2-methyl-3-furyl)disulphide→ 双(2-甲基-3-呋喃基)二硫醚

bis(methylthiomethyl)disulphide→ 双(甲基硫甲基)二硫醚

borneol→冰 片

(1R,2S)-(+)-borneol→(+)- 冰片

(1S,2R)-(一)-borneol→ (一)-冰片

bornyl acetate→乙酸冰片酯

BROMINE,溴，[7726-95-6]

McDonald et al.(2009) 0.10

BROMOCHLOROIODOMETHANE ，溴氯碘甲烷，[34970-00-8]

Cancho et al.(2001) 0.0051～0.0084

BROMODICHLOROMETHANE，一溴二氯甲烷，[75-27-4]

CIRSEE in Mackey et al.(2004) 0.002

Khiari et al.(2002) 0.04

McDonald et al.(2009) 0.07

BROMODIIODOMETHANE ，溴二碘甲烷，[557-95-9]

Cancho et al.(2001) 0.0001～0.0002

bromoform→溴仿

2-BROMOPHENOL，邻溴苯酚，[95-56-7]

Bemelmans &Den Braber(1983) d 0.0001

Piriou et al.(2007) d 0.000024

3-BROMOPHENOL,间溴苯酚，[591-20-8]

Bemelmans &Den Braber(1983) d 0.050

4-BROMOPHENOL, 对溴苯酚，[106-41-2]

Bemelmans &Den Braber(1983) d 0.160

BUTANAL, 正丁醛，[123-72-8]

Guadagni et al.(1963);Teranishi et al.(1974);

Buttery et al.(1988a) d 0.009

Amoore et al.(1976) d 0.0373

Ahmed et al.(1978a) d 0.0159

Pino et al.(1986) d 0.0082

Schnabel et al.(1988)	d	0.007～0.017
Fabrellas et al.(2004)		0.002～0.0022

1,4-BUTANEDIAMINE，腐胺，[110-60-1]

Holluta(1960)		20
Amoore et al.(1975b)	d	9200
Wang et al.(1975)	d	22

1,2-BUTANEDIOL, 1,2-丁二醇，[584-03-2]

Schnabel et al.(1988)	d	70～100

1,3-BUTANEDIOL, 1,3-丁二醇，[107-88-0]

Schnabel et al.(1988)	d	10～20

1,4-BUTANEDIOL,1,4- 丁二醇，[110-63-4]

Schnabel et al.(1988)	d	810～990

2,3-BUTANEDIOL,2,3- 丁二醇，[513-85-9]

Schnabel et al.(1988)	d	20～50
Takahashi(1990)		4500
Buttery &Ling(1998);Buttery et al.(1999)	d	>100

levo-2,3-BUTANEDIOL, (一)2,3-丁二醇，[24347-58-8]

Giri et al.(2010)	d	0.0951

meso-2,3-BUTANEDIOL, 内消旋-2,3-丁二醇，[5341-95-7]

Buttery &Ling(1998)	d	>100
Giri et al.(2010)	d	0.0951

2,3-BUTANEDIONE,2,3- 丁二酮，[431-03-8]

Sega et al.(1967)	d	0.00261
Appell(1969)		0.01
Mulders(1972,1973)	d	0.0065～0.007
Land(1968)	d	2.3
Pietrzak &Barylko-Pikielna(1976)		0.0086
Herrmann &Abd EI Salam(1980b)		0.0043
Tuorila et al.(1982)	d	0.0003～0.0009
Boidron(1984)	d	0.015
Blank et al.(1991)		0.015
Buttery et al.(1994a,1997);Buttery &Ling(1995,1998)	d	0.003
Guth &Grosch(1994);Milo &Grosch(1997); Heiler &Schieberle(1997);Buhr et al.(2010)		0.015
Lawless et al.(1994)	r	0.005
Boonbumrung et al.(2001)	d	0.0011
Diaz et al.(2004a);Martin-Alonso et al.(2007)	d	0.00005～0.00008
Diaz et al.(2004a);Martin-Alonso et al.(2007)	r	0.00018～0.00020

Czerny et al.(2008)	d	0.001
Czerny et al.(2008)	r	0.0029
Leksrisompong(2008);Leksrisompong et al.(2010)	d	0.006
Giri et al.(2010)	d	0.000059

1-BUTANETHIOL, 丁硫醇，[109-79-5]

Baker(1963)		0.006
Pietrzak &Barylko-Pikielna(1976)		0.0011

BUTANOIC ACID,正丁酸，[107-92-6]

Moncrieff(1957)		10
Holluta(1960)		0.05
Amoore et al.(1968);Amoore(1976)	d	1.11
Guadagni(1966,1968,1969,1970a,c); Buttery &Ling(1998)	d	0.24
Zoeteman et al.(1971)		40
Manning &Robinson(1973)		7
Kikuchi et al.(1976)		3
Schnabel et al.(1988)	d	1.0～4.8
Schieberle(1991);Grosch et al.(1993); Gassenmeier &Schieberle(1995)	d	1
Larsen &Poll(1992)	d	0.1～1.0
Boonbumrung et al.(2001)	d	1.40
Karagül-Yüceer et al.(2003,2004)	d	1.274
Pino &Mesa(2006)	d	0.204
Czerny et al.(2007c);Czerny et al.(2008)	r	7.7
Czerny et al.(2008)	d	2.4

1-BUTANOL, 正丁醇，[71-36-3]

Moncrieff(1957)		50
Baker(1963)		2.5
Flath et al.(1967);Buttery et al.(1971,1988a,1994a); Buttery &Ling(1998)	d	0.5
Herrmann &Poeschel(1973)		51.0
Lillard &Powers(1975)	d	2.77
Hertz et al.(1975)	d	27～148
De Grunt(1975)	d	2.0
Amoore &Buttery(1978)	d	6.5
Alexander et al.(1982)	d	0.27
Sarzynski(1982)		10
Cain(1982)	d	6.7
Cain et al.(1983);Cain(1989)	d	<18
Tatchell et al.(1985)	d	160～490
Eskenazi et al.(1986)	d	5～15

Granzer et al.(1986)		10～200
Heywood&Costanzo(1986)	d	<18
Rabin &Cain(1986)	d	20～52
Cain et al.(1988)	d	6
Jones-Gotman &Zatorre(1988)	d	296～511
Schnabel et al.(1988)	d	0.8～2.0
Herbener et al.(1989)		0.2～0.5
Kopala et al.(1989)	d	600～1780
Murphy et al.(1990)		55～165
Sugisawa et al.(1991)	d	28
Zatorre &Jones-Gotman(1991)	d	294～509
Martinez et al.(1993)		15～45
Lehrner et al.(1995)		2～6.1
Murphy &Jinich(1996)		6.1～18.3
Lehrner et al.(1999)		18～160
Boonbumrung et al:(2001)	d	4.33
Linschoten et al.(2001)		24～74
Jacquot et al.(2004)		152
Pino &Mesa(2006)	d	0.5
Chalé-Rush et al.(2007)	d	200
Czerny et al.(2008)	d	0.59
Czerny et al.(2008)	r	4.3
Giri et al.(2010)	d	0.4592

2-BUTANOL，仲丁醇，[78-92-2]

Moncrieff(1957)		50
Schnabel et al.(1988)	d	16～40
Boonbumrung et al.(2001)	d	3.30

BUTANONE,丁酮，[78-93-3]

Sarzynski(1982)		7
Granzer et al.(1986)		10～100
Schnabel et al.(1988)	d	17～32
Giri et al.(2010)	d	35.4002

(E)-2-BUTENAL，巴豆醛，[123-73-9]

Guadagni et al.(1963);Teranishi et al.(1974)	d	0.525
Giri et al.(2010)	d	0.0003

(6E,2E)-6-(BUT-2-ENYLIDENE)-1,5,5-TRIMETHYL-1-CYCLOHEXENE,(6E,2E)-6-（丁-2-烯亚基)-1,5,5-三甲基-1-环己烯

Whitfield et al.(1977)		0.1

(6Z,2E)-6-(BUT-2-ENYLIDENE)-1,5,5-TRIMETHYL-1-CYCLOHEXENE,(6Z,2E)-6-（丁-2-烯亚

基)-1,5,5-三甲基-1-环己烯

Whitfield et al.(1977)		0.1

2-BUTENYL ISOTHIOCYANATE,2-丁烯基芥子油，[2253-93-2]

Buttery et al.(1976b)	d	0.380

3-BUTENYL ISOTHIOCYANATE,3-丁烯基芥子油，[3386-97-8]

Masuda et al.(1996)		0.017

2-(3-BUTENYL)-3-METHOXYPYRAZINE,2-(3-丁烯基)-3-甲氧基吡嗪，[115652-12-5]

Mihara&Masuda(1988)	d	0.00003

2-butenyl mustard oil→2-丁烯基芥子油

3-butenyl mustard oil→3-丁烯基芥子油

2-(2-BUTENYLTHIO)ETHANAL,2-(2-丁烯基硫代)乙醛

Rössner et al.(2002)		0.00004

2-(3-BUTENYLTHIO)ETHANAL,2-(3-丁烯基硫代)乙醛

Rössner et al.(2002)		0.0001

4-BUTOXY-2,5-DIMETHYL-3(2H)-FURANONE,4-丁氧基-2,5-二甲基-3(2H)-呋喃酮

Buttery(1999)	d	0.25

2-BUTOXYETHANOL，乙二醇丁醚，[111-76-2]

Alexander et al.(1982)	d	0.88

BUTYLACETATE,乙酸丁酯，[123-86-4]

Flath et al.(1967);Guadagni(1970b);Buttery(1981); Teranishi et al.(1987);Takeoka et al.(1996)	d	0.066
Sega et al.(1967)	d	0.043
Cain(1974)		38
Tuorila et al.(1982)	d	0.067～0.145
Sarzynski(1982)		7
Piggott &Findlay(1984)	d	0.46
Granzer et al.(1986)		0.01～0.5
Schnabel et al.(1988)	d	0.044～0.088
Laren &Poll(1992)	d	0.01～0.1
Pino &Mesa(2006)	d	0.066
Giri et al.(2010)	d	0.058

2-BUTYL ACETATE,乙酸仲丁酯，[105-46-4]

Takeoka et al.(1996)	d	0.006

tert-BUTYL ACETATE,乙酸叔丁酯，[540-88-5]

Piggott &Findlay.(1984)	d	0.82
Schnabel et al.(1988)	d	0.081～0.43

butyl acrylate→丙烯酸正丁酯

butyl alcohol→正丁醇
sec-butyl alcohol→仲丁醇
tert-butyl alcohol→叔丁醇

BUTYLAMINE，正丁胺，[109-73-9]

Amoore et al.(1975b)	d	50

butyl angelate→(Z)-2-甲基-2-丁酸丁酯

BUTYLBENZENE，正丁苯，[104-51-8]

Zoeteman et al.(1971)		0.1

tert-BUTYLBENZENE, 叔丁基苯，[98-06-6]

Zoeteman et al.(1971)		0.05

BUTYL BUTANOATE,丁酸丁酯，[109-21-7]

Teranishi et al.(1987);Takeoka et al.(1990a)	d	0.1
Schnabel et al.(1988)	d	0.087～0.43
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.55～1
Tamura et al.(1996)	d	0.4
Tamura et al.(1996)	r	1.089
Boonbumrung et al.(2001)	d	0.11
Pino &Mesa(2006)	d	0.4

butyl butyrate→丁酸丁酯
butyl caproate→己酸丁酯
butyl carbitol→二甘醇丁醚
butyl cellosolve→乙二醇丁醚

4-tert-BUTYL-2-CHLOROPHENOL,4- 叔丁基-2-氯苯酚，[98-28-2]

Dietz &Traud(1978)		0.3

BUTYL CYANIDE,戊腈，[110-59-8]

Fabrellas et al.(2004)		0.013～0.049

2-tert-BUTYLCYCLOHEXANOL,2- 叔丁基环己醇，[13491-79-7]

Pelosi&Pisanelli(1981)	d	0.11

2-sec-BUTYLCYCLOHEXANONE,2- 仲丁基环己酮，[14765-30-1]

Pelosi&Viti(1978)	d	0.26

4-tert-butylcyclohexathiazole→4- 叔丁基-5,6,7-三氢苯并噻唑

4(4'-cis-tert-BUTYLCYCLOHEXYL)-4-METHYL-2-PENTANONE,4(4'- 顺-叔丁基环己基)-4-甲基-2-戊酮

Amoore et al.(1977)	d	0.0012

4-tert-BUTYL-1,2-DIHYDROXYBENZENE, 对叔丁基邻苯二酚，[98-29-3]

Dietz &Traud(1978)		1

4-tert-BUTYL-2,6-DIMETHYL-3,5-DINITROACETOPHENONE, 酮麝香，[81-14-1]

Amoore et al.(1977)	d	0.0082
Geddes et al.(1991)	d	0.01

2-tert-BUTYL-4,6-DIMETHYLPHENOL,2- 叔丁基-4,6-二甲基苯酚，[1879-09-0]

Dietz &Traud (1978)		0.3

5-BUTYL-2,3-DIMETHYLPYRAZINE,5- 丁基-2,3-二甲基吡嗪，[15834-78-3]

Shibamoto(1986)	d	0.77

5-sec-BUTYL-2,3-DIMETHYLPYRAZINE,5- 仲丁基-2,3-二甲基吡嗪，[3226-30-0]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.68

1-tert-BUTYL-3,5-DIMETHYL-2,4,6-TRINITROBENZENE, 二甲苯麝香，[81-15-2]

Amoore et al.(1977)	d	0.0023

2-sec-BUTYL-4,6-DINITROPHENOL, 地乐酚，[88-85-7]

Alexander et al.(1982)	d	0.056

2-tert-BUTYL-4,6-DINITROPHENOL, 特乐酚，[1420-07-1]

Dietz&Traud(1978)		0.5

5-sec-BUTYL-2-ETHOXY-3-METHYLPYRAZINE,5- 仲丁基-2-乙氧基-3-甲基吡嗪，[99784-15-3]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.012

butyl ethyl ketone→3-庚酮

5-BUTYL-4-ETHYLTHIAZOLE,5- 丁基-4-乙基噻唑

Buttery et al.(1976a)	d	0.00012

4-BUTYL-5-ETHYLTHIAZOLE,4- 丁基-5-乙基噻唑

Buttery et al.(1976a)	d	0.00002

5-sec-BUTYL-2-(ETHYLTHIO)-3-METHYLPYRAZINE,5- 仲丁基-2-乙硫基-3-甲基吡嗪，[99784-26-6]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.061

2-BUTYL-3-(ETHYLTHIO)PYRAZINE,2- 丁基-3-乙硫基吡嗪，[113685-91-9]

Masuda &Mihara(1988)	d	0.004

BUTYLFORMATE, 甲酸丁酯，[592-84-7]

De Grunt(1975)	d	6.0
Pyysalo et al.(1977)	d	0.80

2-BUTYLFURAN,2- 丁基呋喃，[4466-24-4]

Giri et al.(2010)	d	0.00500

BUTYLHEXANOATE, 己酸丁酯，[626-82-4]

Takeoka et al.(1990a)	d	0.7

Sugisawa et al.(1991)	d	10

3-tert-BUTYL-4-HYDROXYANISOLE,3-叔丁基-4-羟基苯甲醚，[121-00-6]

Dietz &Traud(1978)		3

3-tert-BUTYL-2-HYDROXY-5-METHYLBENZOIC ACID,3-叔丁基-2-羟基-5-甲基苯甲酸

Dietz &Traud(1978)		0.1

5-BUTYL-3-HYDROXY-4-METHYL-2(5H)-FURANONE,5-丁基-3-羟基-4-甲基-2(5H)-呋喃酮

Rödel & Hempel(1974	r	1.4

butyl isobutyrate→异丁酸丁酯

sec-butyl isobutyrate→异丁酸仲丁酯

sec-BUTYLISOTHIOCYANATE, 仲丁基芥子油，[4426-79-3]

Masuda et al.(1996)		0.09

butyl mercaptan→丁硫醇

butyl methacrylate→甲基丙烯酸丁酯

1-tert-BUTYL-2-METHOXY-4-METHYL-3,5-DINITROBENZENE, 葵子麝香，[83-66-9]

Appell(1969)		0.3
Amoore et al.(1977)	d	0.0036

3-sec-BUTYL-2-METHOXY-5-METHYLPYRAZINE,3-仲丁基-2-甲氧基-5-甲基吡嗪

Iwabuchi et al.(1984)		0.002

5-sec-BUTYL-2-METHOXY-3-METHYLPYRAZINE,5-仲丁基-2-甲氧基-3-甲基吡嗪，[99784-13-1]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.032

2-BUTYL-3-METHOXYPYRAZINE ,2-丁基-3-甲氧基吡嗪，[32737-11-4]

Masuda &Mihara(1988)	d	0.00005

2-sec-BUTYL-3-METHOXYPYRAZINE,2-仲丁基-3-甲氧基吡嗪，[24168-70-5]

Buttery(1981,1993)	d	0.000002
Mihara &Masuda(1988);Mihara et al.(1990)	d	0.00004
Masanetz &Grosch(1998a,1998b)		0.00003
Neta et al.(2008)	d	0.000001

(R)-(-)-2-sec-BUTYL-3-METHOXYPYRAZINE,(R)-(-)-2-仲丁基-3-甲氧基吡嗪，[124151-14-0]

Mihara et al.(1990)	d	0.00001

(S)-(+)-2-sec-BUTYL-3-METHOXYPYRAZINE,(S)-(+)-2-仲丁基-3-甲氧基吡嗪，[12451-13-9]

Mihara et al.(1990)	d	0.0001

BUTYL2-METHYLBUTANOATE,2-甲基丁酸丁酯，[15706-73-7]

Schnabel et al.(1988)	d	0.042～0.087
Takeoka et al.(1990a)	d	0.017

2-BUTYL2-METHYLBUTANOATE,2-甲基丁酸仲丁酯

Schnabel et al.(1988) d 0085～0.43

BUTYL(E)-2-METHYL-2-BUTENOATE, 惕各酸丁酯，[7785-66-2]
Takeoka et al.(1998) d 0.0042

BUTYL(Z-2-METHYL-2-BUTENOATE,(Z)-2- 甲基-2-丁酸丁酯，[7785-64-0]
Takeoka et al.(1998) d 0.013
sec-butyl methyl ketone→甲基仲丁基酮

5-sec-BUTYL-3-METHYL-2-(METHYLTHIO)PYRAZINE,5- 仲丁基-3-甲基-2-甲硫基吡嗪，[99784-23-3]
Masuda &Mihara(1986);Shibamoto(1986) d 0.019

4-tert-BUTYL-2-METHYLPHENOL,4- 叔丁基-2-甲基苯酚，[98-27-1]
Dietz &Traud(1978) 0.4

2-tert-BUTYL-4-METHYLPHENOL,2- 叔丁基-4-甲基苯酚，[2409-55-4]
Dietz &Traud(1978) 0.03

2-tert-BUTYL-5-METHYLPHENOL,2- 叔丁基-5-甲基苯酚，[88-60-8]
Dietz &Traud(1978) 0.5

2-tert-BUTYL-6-METHYLPHENOL,2- 叔丁基-6-甲基苯酚，[2219-82-1]
Dietz &Traud(1978) 0.05

5-sec-BUTYL-3-METHYL-2-PHENOXYPYRAZINE,5- 仲丁基-3-甲基-2-苯酚基吡嗪，[99784-19-7]
Masuda&Mihara(1986);Shibamoto(1986) d 0.072

5-sec-BUTYL-3-METHYL-2-(PHENYLTHIO)PYRAZINE,5- 仲丁基-3-甲基-2-苯基硫代吡嗪，[99784-31-3]
Masuda &Mihara(1986);Shibamoto(1986) d 0.061

BUTYL2-METHYLPROPANOATE, 异丁酸丁酯，[97-87-0]
Schnabel et al.(1988) d 0.087～0.17
Takeoka et al.(1990a) d 0.08
Pino &Mesa(2006) d 0.0936

sec-BUTYL2-METHYLPROPANOATE, 异丁酸仲丁酯
Schnabel et al.(1988) d 0.043～0.087

BUTYL2-METHYL-2-PROPENOATE, 甲基丙烯酸丁酯，[97-88-1]
Piringer &Granzer(1984);Granzer et al.(1986) 0.01～0.1

4-BUTYL-5-METHYLTHIAZOLE,4- 丁基-5-甲基噻唑，[57246-60-3]
Buttery et al.(1976a) d 0.00001
sec-butyl mustard oil→仲丁基芥子油

(Z-2-BUTYL-2-0CTENAL,(Z)-2- 丁基-2-辛烯醛

Robert et al.(2004)	d	0.02

5-BUTYL-4-PENTYLTHIAZOLE,5- 丁基-4-苯基噻唑

Buttery et al.(1976a)	d	0.00019

2-tert-BUTYLPHENOL，邻叔丁基苯酚，[88-18-6]

Dietz&Traud(1978)		0.05

3-tert-BUTYLPHENOL，间叔丁基苯酚，[585-34-2]

Dietz &Traud(1978)		0.08

4-tert-BUTYLPHENOL，对叔丁基苯酚，[98-54-4]

Dietz &Traud(1978)		0.8

3-BUTYLPHTHALIDE， 芹菜甲素，[6066-49-5]

Buttery(1993)	d	0.01

BUTYL PROPANOATE,丙酸丁酯，[590-01-2]

Flath et al.(1967)	d	0.025
Schnabel et al.(1988)	d	0.091～0.44
Takeoka et al.(1990a)	d	0.2

tert-BUTYL PROPANOATE,丙酸叔丁酯，[20487-40-5]

Schnabel et al.(1988)	d	0.0086～0.043

BUTYL 2-PROPENOATE,丙烯酸正丁酯，[141-32-2]

Boiron &Pons(1978)	d	0.009
Piringer &Granzer(1984);Granzer et al.(1986)		0.002～0.02

butyl propionate→丙酸丁酯

4-BUTYL-5-PROPYLTHIAZOLE,4-丁基-5-丙基噻唑，[57246-59-0]

Buttery et al.(1976a)	d	0.000003
Pelosi et al.(1983)	d	0.000005

BUTYLPYRAZINE， 丁基吡嗪，[29460-91-1]

Masuda &Mihara(1988)	d	0.4

4-tert-butylpyrocatechol→对叔丁基邻苯二酚

2-(BUTYLTHIO)ETHANAL,2- 丁基硫代乙醛

Rössner et al.(2002)		0.0006

butyl tiglate→惕各酸丁酯

4-tert-BUTYL-5,6,7-TRIHYDROBENZOTHIAZOLE,4- 叔丁基-5,6,7-三氢苯并噻唑，[84648-07-7]

Pelosi et al.(1983)	d	0.0015

butyraldehyde→正丁醛
butyric acid→正丁酸
γ-butyrolactone→ γ-丁内酯

butyronitrile→丁腈

C

cadaverine→尸胺
(+)-camphene→(+)- 玖烯
(-)-camphene→ (一)-顼烯

2-CAMPHOROXYMETHYLPYRAZINE,2- 樟脑氧基甲基吡嗪

Calabretta(1975,1978) d >0.5

2-CAMPHOROXY-3-METHYLPYRAZINE,2- 樟脑氧基-3-甲基吡嗪

Calabretta(1975,1978) d 0.3

2-CAMPHOROXY-5-METHYLPYRAZINE,2- 樟脑氧基-5-甲基吡嗪

Calabretta(1975,1978) d 0.3
camphor→樟脑
(1R)-(+)-camphor→(d)- 樟脑
(1S)-(一)-camphor→(1)- 樟脑
(d)-camphor→(d)- 樟脑
capric acid→癸酸
caproic acid→己酸
caprolactam→己内酰胺
caprylaldehyde→辛醛
caprylic acid→辛酸
carbaryl→西维因
carbitol→二甘醇乙醚

3-(ARBO ETHOXY-3-ETHYLTETRAHYDROFURAN-2,3-DIONE,4-羟基-3-乙酯基-3-乙基-2-氧代戊酸内酯

Rödel & Hempel(1974) r 0.2

CARBON DISULPHIDE,二硫化碳，[75-15-0]

ETS Laboratories(2002) 0.005

carbon tetrachloride→四氯化碳
(+)-2-carene→2- 蒈烯
3-carene→3- 蒈烯
(1S)-(+)-3-carene→(1S)-(+)-3- 蒈烯
δ3-carene=3- 蒈烯

2-CARENE EPOXIDE,2,3-环氧蒈烷，[62413-92-7]

Buttery et al.(1987b) d 0.5
carotol→胡萝卜醇
carvacrol→香芹酚
(d)-carvenone→(d)- 香芹酮
(1)-carvenone→(1)-香芹酮
carveol 1→顺-香芹醇

cis-carveol→顺-香芹醇
trans-carveol→反-香芹醇
(d)-carvomenthone→(+)- 薄荷酮
(1)-carvomenthone→(一)-薄荷酮
carvone→香芹酮
(d)-carvone→(d)- 香芹酮
(1)-carvone→(1)- 香芹酮
(4R)-(-)-carvone→(1)-香芹酮
(4S)-(一)-carvone→(d)-香芹酮
carvyl acetate→乙酸香芹酯
caryophyllene→石竹烯
β-caryophyllene→石竹烯
caryophyllene epoxide→石竹素
caryophyllene oxide→石竹素
catechol→邻苯二酚
celestolide→萨利麝香
cellosolve→乙二醇单乙醚
cellosolve acetate→乙二醇单乙醚乙酸酯

CHLORAMINE, 氯胺，[10599-90-3]

Krasner &Barrett(1984)		0.47

chlordane→氯丹
chloretone→三氯叔丁醇
chlorfenvinphos→毒虫畏

CHLORINE, 氯，[7782-50-5]

Klut(1913)		0.2～0.3
Sperry &Billings(1921)	r	1.0
Pangborn et al.(1970)	r	<0.8
Piriou &Perrelle(1999)		0.05
Mackey et al.(2004)		0.07～0.13
McDonald et al.(2009)		0.10

CHLORINE DIOXIDE,二氧化氯，[10049-04-4]

Widemann(1957)		0.07～0.08

chloroacetyl chloride→1-氯乙酰氯

2-CHLOROANILINE，邻氯苯胺，[95-51-2]

Zoeteman(1978)	d	0.003

3-CHLOROANILINE, 间氯苯胺，[108-42-9]

Khamuev(1965,1967)		2.6～3
Zoeteman(1978)	d	0.1

4-CHLOROANILINE, 对氯苯胺，[106-47-8]

Khamuev(1965,1967) 1.5
Zoeteman(1978) d 0.01

4-CHLOROANISOLE, 对氯苯甲醚，[623-12-1]

Young et al.(1996) 0.02

CHLOROBENZE, 氯苯，[108-90-7]

Holluta(1960) 0.1
Alexander et al.(1982) d 0.08

1-CHLORO-2-(1-CHLOROETHOXY)ETHANE,2,2'- 二氯乙醚，[111-44-4]

Rosen et al.(1963) 0.36

1-CHLORO-2-(1-CHLOROISOPROPOXY)PROPANE, 二氯异丙醚，[108-60-1]

Rosen et al.(1963) 0.2
Baker(1963) 0.32
Kölle et al.(1972) 0.3

4-chloro-m-cresol→4-氯间甲酚
6-chloro-m-cresol→6-氯间甲酚
4-chloro-o-cresol=4- 氯邻甲酚
6-chloro-o-cresol→6-氯邻甲酚
2-chloro-p-cresol→2-氯对甲酚

4-CHLORO-2-CYCLOPENTYLPHENOL,2- 环戊基-4-氯苯酚，[13347-42-7]

Dietz &Traud(1978) 0.3
chlorodibromomethane→一氯二溴甲烷

2-CHLORO-1-(2,4-DICHLOROPHENYL)VINYL DIETHYL PHOSPHATE,毒虫畏，[470-90-6]

Young et al.(1996) 0.34

4-CHLORO-3,5-DIMETHYLANISOLE,4- 氯-3,5-二甲基苯甲醚，[6981-15-3]

Gee et al.(1974) d 0.23

CHLORODIIODOMETHANE, 氯二碘甲烷，[638-73-3]

Cancho et al.(2001) 0.0002
chloroform→氯仿
4-chloroguaiacol=4- 氯-2-甲氧基苯酚

5-CHLORO-4-HYDROXY-3-METHOXYBENZALDEHYDE,5- 氯香草醛，[19463-48-0]

Kovacs et al.(1984) d 3.8

6-CHLORO-4-HYDROXY-3-METHOXYBENZALDEHYDE,6- 氯香草醛，[18268-76-3]

Kovacs et al.(1984) d 0.37

CHLOROIODOMETHANE, **氯碘甲烷，[593-71-5]**

Cancho et al.(2001) 0.0058～0.0089

N-CHLOROISOBUTYRALDIMINE,N 氯代异丁醛亚胺
Freuze et al.(2005) d 0.0002

N-CHLOROISOVALERALDIMINE,N 氯代异戊醛亚胺
Freuze et al.(2005) d 0.00025

4-CHLORO-2-ISOPROPYL-5-METHYLPHENOL,4- 氯-2-异丙基-5-甲基苯酚，[89-68-9]
Dietz &Traud(1978) 0.6

4-CHLORO-2-METHOXYPHENOL,4- 氯-2-甲氧基苯酚，[16766-30-6]
Kovacs et al.(1984) d 0.0042

5-CHLORO-2-METHYLANILINE,5- 氯邻甲苯胺，[95-79-4]
Zoeteman(1978) d 0.005

4-CHLORO-3-METHYLANISOLE,4- 氯-3-甲基苯甲醚，[13334-71-9]
Gee et al.(1974) d 0.11

2-CHLORO-6-METHYLANISOLE,2- 氯-6-甲基苯甲醚
Griffiths &Fenwick(1977) d 0.003

1-CHLORO-2-METHYLBENZENE, 邻氯甲苯，[95-49-8]
De Grunt(1975);De Grunt et al.(1977) d 0.01
Pisko et al.(1981) 0.04

1-CHLORO-3-METHYLBENZENE, 间氯甲苯，[108-41-8]
Young et al.(1996) 0.5

1-CHLORO-4-METHYLBENZENE, 对氯甲苯，[106-43-4]
Pisko et al.(1981) 0.04
Young et al.(1996) 0.15

4-CHLORO-2-METHYLPHENOL,4- 氯邻甲酚，[1570-64-5]
Griffiths &Land(1973) d 0.12
Dietz &Traud(1978) 1.8
Young et al.(1996) 0.2

6-CHLORO-2-METHYLPHENOL,6- 氯邻甲酚，[87-64-9]
Patterson(1972) 0.0001
Griffiths &Land(1973) d 0.00008

4-CHLORO-3-METHYLPHENOL,4- 氯间甲酚，[59-50-7]
Dietz &Traud(1978) 3
Young et al.(1996) 0.005

2-CHLORO-4-METHYLPHENOL,2- 氯对甲酚，[6640-27-3]

Young et al.(1996)		0.0003

2-CHLORO-5-METHYLPHENOL,6- 氯间甲酚，[615-74-7]

Dietz&Traud(1978)		0.02

2-chloro-6-methylphenol=6-氯邻甲酚

1-CHLORO-2-NITROBENZENE,邻氯硝基苯，[88-73-3]

Duguet et al.(1990)		0.02

o-chloronitrobenzene→邻氯硝基苯

4-CHLORO-2-NITROPHENOL,4- 氯-2-硝基苯酚，[89-64-5]

Dietz&Traud(1978)		0.8

2-CHLORO-4-NITROPHENOL,2- 氯-4-硝基苯酚，[619-08-9]

Dietz &Traud(1978)		5

1-CHLORO-1-NITROSOCYCLOHEXANE,1-氯-1-亚硝基环己烷

Cherkinski(1961)	d	0.005

2-CHLOROPHENOL, 邻氯苯酚，[95-57-8]

Hoak(1956)		0.00033
Burttschell et al.(1959)		0.002
De Grunt(1975);De Grunt et al.(1977)	d	0.0002～0.002
Dietz &Traud(1978)		0.01
Kovacs et al.(1984)	d	0.00012
Young et al.(1996)		0.00036

3-CHLOROPHENOL, 间氯苯酚，[108-43-0]

Hoak(1956)		0.2
Dietz &Traud (1978)		0.05

4-CHLOROPHENOL, 对氯苯酚，[106-48-9]

Helbig(1939)		0.1204
Hoak(1956)		0.033
Burttschell et al.(1959)		0.25
Baker(1963)		1.24
De Grunt(1975);De Grunt et al.(1977)	d	0.0005
Dietz &Traud(1978)		0.06
Young et al.(1996)		0.02

N-CHLOROPHENYLACETALDIMINE,N 氯代苯乙醛亚胺

Freuze et al.(2004,2005)	d	0.003

2-CHLORO-6-PHENYLANISOLE,2- 氯-6-苯基苯甲醚

Gee et al.(1974)	d	0.097

N-(4-CHLOROPHENYL)-N,N-DIMETHYLUREA, 灭草隆，[150-68-5]

Mikhailov(1967)		5

o-chlorothymol=4- 氯-2-异丙基-5-甲基苯酚
2-chlorotoluene→邻氯甲苯
3-chlorotoluene→间氯甲苯
4-chlorotoluene→对氯甲苯
5-chloro-0-toluidine→5-氯邻甲苯胺
5-chlorovanillin=5- 氯香草醛
6-chlorovanillin→6-氯香草醛
chlorpyrifos→毒死蜱
choline chloride→胆碱盐酸盐
1,8-cineole=1,8- 桉叶素
cinnamaldehyde= 肉桂醛
(E)-cinnamaldehyde→(E)- 肉桂醛
cinnamic acid→肉桂酸
cinnamic alcohol→肉桂醇
cinnamyl alcohol→肉桂醇
cis-cinnamic alcohol→顺-肉桂醇
trans-cinnamic alcohol→反-肉桂醇
citral→柠檬醛
citral a→香叶醛
citral b→橙花醛
citronellal→香茅醛
(3R)-(+)-citronellal→(+)- 香茅醛
(3S)-(-)-citronellal→ (一)-香茅醛
citronellol→香茅醇
(3R)-(+)-citronellol→(3R)-(+)- 香茅醇
(3S)-(-)-citronellol→(3S)- (一)-香茅醇
(1)-citronellol→(S)- (一)-香茅醇
citronellyl acetate→乙酸香茅酯
civetone→灵猫酮
co-ral→蝇毒磷

COUMARIN, 香豆素，[91-64-5]

Helbig(1939)		0.138
Cartwright &Kelley(1952)	d	0.05
Cartwright &Kelley(1952)	r	0.25
Appell(1969)		0.3
De Grunt(1975);De Grunt et al.(1977)	d	0.05
Buttery et al.(1978a)	d	0.034
Masanetz &Grosch(1998b)		0.025

creatinine→肌酸酐
creosol→对甲基愈创木酚
m-cresol→间甲酚

0-cresol→邻甲酚
p-cresol→对甲酚
p-cresyl acetate→乙酸对甲苯酯
crotonaldehyde→巴豆醛
cumene→异丙苯
cuminaldehyde→枯茗醛

1-CYANO-2,3-EPITHIOPROPANE,3,4-环硫丁腈，[58130-93-1]

Chin et al.(1996)	d	180

CYCLOBUTANOL，环丁醇，[2919-23-5]

Schnabel et al.(1988)	d	4.6～9.4

CYCLOBUTANONE，环丁酮，[1191-95-3]

Schnabel et al.(1988)	d	0.9～4.7

CYCLOBUTYLAMINE，环丁胺，[2516-34-9]

Amoore et al.(1975b)	d	32.5

β-cyclocitral→- 环柠檬醛

CYCLODECANONE，环癸酮，[1502-06-3]

Pelosi&Viti(1978)	d	0.44
Pelosi&Pisanelli(1981)	d	0.42
Schnabel et al.(1988)	d	0.29～0.48

cyclodecathiazole一环癸并噻唑

CYCLODODECANONE,环十二酮，[830-13-7]

Pelosi&Viti(1978)	d	0.19
Pelosi&Pisanelli(1981)	d	0.43

cyclododecathiazole→4,5,6,7,8,9,10,11,12,13-十氢环十二并噻唑

CYCLO-1,3-ETHYLENEDIOXY-1,3-TRIDECANEDIONE，昆仑麝香，[105-95-3]

Amoore et al.(1977)	d	0.033

CYCLOHEPTADECANONE，二氢灵猫酮，[3661-77-6]

Amoore et al.(1977)	d	0.0043

9-cis-CYCLOHEPTADECEN-1-ONE，灵猫酮，[542-46-1]

Amoore et al.(1977)	d	0.0031

CYCLOHEPTANOL，环庚醇，[502-41-0]

Schnabel et al.(1988)	d	4.8～9.5

CYCLOHEPTANONE，环庚酮，[502-42-1]

Pelosi&Viti(1978)	d	4.50
Schnabel et al.(1988)	d	0.090～0.47

CYCLOHEPTYLAMINE,环庚胺，[5452-35-7]

Amoore et al.(1975b)	d	65.8

CYCLOHEXADECANONE, 异麝香酮，[2550-52-9]

Amoore et al.(1977)	d	0.0073

CYCLOHEXANOL, 环己醇，[108-93-0]

Cherkinski(1961)	d	3.5
De Grunt(1975);De Grunt et al.(1977)	d	0.4
Schnabel et al.(1988)	d	0.090～0.47

CYCLOHEXANONE, 环己酮，[108-94-1]

Pelosi&Viti(1978)	d	14.4
Sarzynski(1982)		20
Schnabel et al.(1988)	d	0.28～0.67

cyclohexathiazole→4,5,6,7-四氢苯并噻唑

CYCLOHEXYLACETIC ACID,环己基乙酸，[5292-21-7]

Amoore(1976)	d	19.1

CYCLOHEXYLAMINE, 环己胺，[108-91-8]

Amoore et al.(1975b)	d	28.5

CYCLOHEXYL3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3- 甲基-3-苯基-2,3-环氧丙酸环己酯

Tekin &Karaman(1992)	d	7

3-CYCLOHEXYL-5,6-TRIMETHYLENE URACIL,环草啶，[2164-08-1]

Avdyushkina(1979)		0.15

CYCLONONANONE, 环壬酮，[3350-30-9]

Pelosi&Viti(1978)	d	0.10
Pelosi&Pisanelli(1981)	d	0.52
Schnabel et al.(1988)	d	0.098～0.48

CYCLOOCTADECANONE, 环十八酮，[6907-37-5]

Amoore et al.(1977)	d	0.023

CYCLOOCTANOL, 环辛醇，[696-71-9]

Schnabel et al.(1988)	d	10～19

CYCLOOCTANONE, 环辛酮，[502-49-8]

Pelosi&Viti(1978)	d	7.8
Pelosi&Pisanelli(1981)	d	13
Schnabel et al.(1988)	d	0.96～2.9

cyclooctathiazole→环辛并噻唑

cyclopentadecanolide→环十五内酯

CYCLOPENTADECANONE, 黄蜀葵酮，[502-72-7]

Amoore et al.(1977)	d	0.015

CYCLOPENTANOL, **环戊醇，**[96-41-3]

Schnabel et al.(1988)	d	9.5～19
Giri et al.(2010)	d	0.1251

CYCLOPENTANONE, 环戊酮，[120-92-3]

Pelosi&Viti(1978)	d	51.1
Schnabel et al.(1988)	d	9.3～47

cyclopentathiazole→环戊并噻唑

CYCLOPENTYL ACETATE, **乙酸环戊酯，**[933-05-1]

Teranishi et al.(1966)	d	0.021

CYCLOPENTYLAMINE, 环戊胺，[1003-03-8]

Amoore et al.(1975b)	d	190

CYCLOPROPYLAMINE, **环丙胺，**[765-30-0]

Amoore et al.(1975b)	d	38.9

cyclotene→甲基环戊烯醇酮

CYCLOTETRADECANONE, 环十四酮，[3603-99-4]

Amoore et al.(1977)	d	0.024

CYCLOTRIDECANONE, 环十三酮，[832-10-0]

Pelosi&Viti(1978)	d	0.31

CYCLOUNDECANONE,环十一酮，[878-13-7]

Pelosi &Viti(1978)	d	0.12
Pelosi&Pisanelli(1981)	d	0.10
Schnabel et al.(1988)	d	0.009～0.047

m-cymene→间伞花烃
p-cymene→对伞花烃

D

2,4-D→2,4- 二氯苯氧乙酸
β-damascenone→(E)-β- 大马酮
α-damascone→α-二氢大马酮
(d)-a-damascone→(d)-a- 二氢大马酮
(1)-a-damascone→(1)-a- 二氢大马酮
β-damascone→β-二氢大马酮
(E)-β-damascone→β-二氢大马酮
y-damascone→y-二氢大马酮
DDT→ 滴滴涕

2,4-DECADIENAL,2,4- 癸二烯醛，[2363-88-4]

Kossa et al.(1979);Tressl et al.(1979b,1980)		0.0003

(E,E)-2,4-DECADIENAL,(E,E)-2,4- 癸二烯醛，[25152-84-5]

Buttery et al.(1969b,1971,1973,1988a,1997,1999); Guadagni et al.(1972);Teranishi et al.(1974); Buttery(1981);Buttery &Ling(1995,1998)	d	0.00007
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.01
Grosch et al.(1993);Guth &Grosch(1994); Konopka et al.(1995);Milo &Grosch(1997); Kerscher&Grosch(2000)		0.0002
Jensen et al.(1999)	d	0.000045
Ong &Acree(1999)		0.0002
Takahashi et al.(2002)		0.0001
Karagül-Yüceer et al.(2004)	d	0.0002
Schuh &Schieberle(2006)	d	0.00016
Czerny et al.(2008)	d	0.000027
Czerny et al.(2008)	r	0.000077

(E,Z-2,4-DECADIENAL,(E,Z)-2,4- 癸二烯醛，[25152-83-4]

Buttery &Ling(1995)	d	0.00007
Kerler & Grosch(1997);Kerscher & Grosch(2000)		0.00004

(Z,Z)-4,7-DECADIENAL,(Z,Z)-4,7- **癸二烯醛，[22644-09-3]**

Van Lier et al.(1986)		0.0042

decahydronaphthalene→十氢萘

4,5,6,7,8,9,10,11,12,13-DECAHYDROCYCLODECATHIAZOLE,环癸噻唑，[84648-04-4]

Pelosi et al.(1983)	d	0.7

y-decalactone→γ-癸内酯

δ-decalactone→ δ-癸内酯

decalin→十氢萘

DECALOL, 十氢萘-1-酚，[529-32-8]

Koppe(1965)		0.01

DECANAL, 癸醛，[112-31-2]

Guadagni et al.(1963);Guadagni(1966,1968,1969, 1970c);Teranishi et al.(1974); Buttery et al.(1978b,1988a);Buttery(1981); Takeoka et al.(1995a)	d	0.0001～0.002
Ahmed et al.(1978a)	d	0.00197
Aoki&Koizumi(1986)		0.0062
Pino et al.(1986)	d	0.0049
Schnabel et al.(1988)	d	0.0041～0.0058

Kobayashi et al.(1990)	r	0.009
Sugisawa et al.(1991);Yang et al.(1992); Tamurav(1993,1995)	d	0.07～0.46
Belitz &Grosch(1992b)		0.005
Tamura et al.(1996)	d	0.036
Tamura et al.(1996)	r	0.245
Padrayuttawat et al.(1997)	d	0.03
Fabrellas et al.(2004)		0.00008～0.00019
Averbeck &Schierberle(2009,2011)	d	0.003

DECANE，癸烷，[124-18-5]

Zoeteman et al.(1971)	d	10

DECANOIC ACID,癸酸，[334-48-5]

Cherkinski(1961)	d	10.0
Amoore et al.(1968)	d	2.19
Schnabel et al.(1988)	d	1.0～5.0
Boonbumrung et al.(2001)	d	0.13
Karagül-Yüceer et al.(2003)	d	10

1-DECANOL, 癸醇，[112-30-1]

Ahmed et al.(1978a)	d	0.047
Schnabel et al.(1988)	d	0.0066～0.0082
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.775～2.8

2-DECANOL,2- 癸醇，[1120-06-5]

Schnabel et al.(1988)	d	0.025～0.041

3-DECANOL,3- 癸醇，[1565-81-7]

Schnabel et al.(1988)	d	0.079～0.41

4-decanolide→y-癸内酯

5-decanolide→δ-癸内酯

2-DECANONE,2- 癸酮，[693-54-9]

Teranishi et al.(1974)	d	0.003
Schnabel et al.(1988)	d	0.0083～0.041

3-DECANONE,3- 癸酮，[928-80-3]

Schnabel et al.(1988)	d	0.025～0.041

2,4,7-DECATRIENAL,2,4,7- 癸三烯醛，[51325-37-2]

Kossa et al.(1979);Tressl et al.(1979b,1980)		0.00001～0.0001

(E,E,Z)-2,4,7-DECATRIENAL,(E,E,Z)-2,4,7-癸三烯醛，[66642-86-2]

Seifert &Buttery(1980);Buttery(1989)	d	0.0009～0.00093

2-DECENAL,2- 癸烯醛，［3913-71-1］

Kossa et al.(1979);Tressl et al.(1979b,1980) 0.001

(E)-2-DECENAL,(E)-2- 癸烯醛，［3913-81-3］

Buttery et al.(1968,1988a);Guadagni et al.(1972);
Teranishi et al.(1974);Buttery(1981);
Buttery &Ling(1998) d 0.0003～0.0004
Sugisawa et al.(1991);Yang et al.(1992);
Tamura et al.(1993,1995) d 0.017～0.25

(Z-4-DECENAL,(Z)-4- 癸烯醛，［21662-09-9］

Seideneck &Schieberle(2011) 0.000004

(Z)-6-DECENAL,(Z)-6- 癸烯醛，［105683-99-6］

Masanetz &Grosch(1998a,1998b) 0.00034

(Z)dec-7-en-5-olide→茉莉内酯

DECYL ACETATE,乙酸癸酯，［112-17-4］

Sugisawa et al.(1991);Yang et al.(1992);
Tamura et al.(1993) d 0.225～1

decyl alcohol→癸醇
decyl aldehyde→癸醛

2-DECYL-3-ETHOXYPYRAZINE,2- 癸基-3-乙氧基吡嗪，［113685-84-0］

Masuda &Mihara(1988) d 0.06

2-DECYL-3-(ETHYLTHIO)PYRAZINE,2- 癸基-3-乙硫基吡嗪，［113685-94-2］

Masuda &Mihara(1988) d 0.12

2-DECYL-3-METHOXYPYRAZINE,2- 癸基-3-甲氧基吡嗪，［113685-81-7］

Masuda&Mihara(1988) d 0.04

2-DECYL-3-(METHYLTHIO)PYRAZINE,2- 癸基-3-甲硫基吡嗪，［113685-89-5］

Masuda &Mihara(1988) d 0.02

2-DECYL-3-PHENOXYPYRAZINE,2- 癸基-3-苯氧基吡嗪，［113685-86-2］

Masuda &Mihara(1988) d 0.07

2-DECYL-3-(PHENYLTHIO)PYRAZINE,2- 癸基-3-苯硫基吡嗪，［113685-98-6］

Masuda&Mihara(1988) d 0.3

2-DECYLPYRAZINE,2- 癸基吡嗪，［113685-78-2］

Masuda&Mihara(1988) d 1.1

dihydro--ionone→β- 二氢紫罗兰酮
delnav→敌噁磷
diacetone alcohol→二丙酮醇
diacetyl→2,3- 丁二酮

diallyl disulphide→二烯丙基二硫醚
diallyl sulphide→二烯丙基硫醚
1,3-diaminopropane→ 1,3- 丙二胺
diamyl ketone→6-十一酮
diazinon→二嗪磷

DIBENZOFURAN,二苯并呋喃，[132-64-9]

Lillard&Powers(1975)	d	0.12
Alexander et al.(1982)	d	0.0033

2,3-DIBROMO-6-CHLOROANISOLE,2,3- 二溴-6-氯苯甲醚

Diaz et al.(2005)		0.000014

2,5-DIBROMO-6-CHLOROANISOLE,2,5- 二溴-6-氯苯甲醚

Diaz et al.(2005)		0.000006

2,6-DIBROMO-3-CHLOROANISOLE,2,6- 二溴-3-氯苯甲醚

Diaz et al.(2004b,2005)		0.000002

2,6-DIBROMO-4-CHLOROANISOLE,2,6- 二溴-4-氯苯甲醚

Diaz et al.(2004b,2005)		0.000002

DIBROMOCHLOROMETHANE, 一氯二溴甲烷，[124-48-1]

Faust &Aly(1983)in Mackey et al.(2004)		0.3
Khiari et al.(2002)		0.05
McDonald et al.(2009)		0.06

DIBROMOIODOMETHANE, 二溴碘甲烷，[593-94-2]

Cancho et al.(2001)		0.0029～0.0064

2,6-DIBROMOPHENOL,2,6- 二溴苯酚，[608-33-3]

Piriou et al.(2007)	d	0.0013

1,3-DI-tert-BUTYL-4,6-DIHYDROXBENZENE,4,6- 二叔丁基间苯二酚，[5374-06-1]

Dietz&Traud(1978)		0.3

dibutyl ketone→5-壬酮

2,6-DI-tert-BUTYL-4-METHYLPHENOL,2,6- 二叔丁基对甲酚，[128-37-0]

Dietz &Traud(1978)		1

2,4-DI-tert-BUTYLPHENOL,2,4- 二叔丁基酚，[96-76-4]

Dietz &Traud(1978)		0.5

2,6-DI-tert-BUTYLPHENOL,2,6- 二叔丁基酚，[128-39-2]

Dietz &Traud(1978)		0.2

4,6-di-tert-butylresorcinol→4,6- 二叔丁基间苯二酚

cis-3,5-DIBUTYL-1,2,4-TRITHIOLANE, 顺-3,5-二丁基-1,2,4-三硫环戊烷

Rödel & Kruse(1982) 0.0113

trans-3,5-DIBUTYL-1,2,4-TRITHIOLANE, 反-3,5-二丁基-1,2,4-三硫环戊烷

Rödel & Kruse(1982) 0.00512

dichlobenil→敌草腈

DICHLORAMINE,二氯胺，[3400-09-7]

Krasner &Barrett(1984) 0.36

3,4-DICHLOROANILINE,3,4- 二氯苯胺，[95-76-1]

Zoeteman(1978) d 0.003

2,4-DICHLOROANISOLE,2,4- 二氯苯甲醚，[553-82-2]

Griffiths(1974) d 0.0004

Nijssen(1988) d 0.0019

Young et al.(1996) 0.0005

2,6-DICHLOROANISOLE,2,6- 二氯苯甲醚，[1984-65-2]

Griffiths(1974) d 0.00004

1,2-DICHLOROBENZENE,邻二氯苯，[95-50-1]

Kölle et al.(1972) 0.01

De Grunt et al.(1977) d 0.15

Zoeteman et al.(1978) d 0.45

1,3-DICHLOROBENZENE, 间二氯苯，[541-73-1]

Kölle et al.(1972) 0.02

Young et al.(1996) 0.17

1,4-DICHLOROBENZENE, 对二氯苯，[106-46-7]

Kölle et al.(1972) 0.03

De Grunt(1975);De Grunt et al.(1977) d 0.0003

Young et al.(1996) 0.018

2,6-DICHLOROBENZONITRILE, 敌草腈，[1194-65-6]

Young et al.(1996) 0.2

2,3-DICHLORO-6-BROMOANISOLE,2,3- **二氯-6-溴苯甲醚**

Diaz et al.(2004b,2005) 0.000005

2,5-DICHLORO-6-BROMOANISOLE,2,5- 二氯-6-溴苯甲醚

Diaz et al.(2005) 0.000002

2,6-DICHLORO-3-BROMOANISOLE,2,6-二氯-3-溴苯甲醚

Diaz et al.(2005) 0.000003

2,6-DICHLORO-4-BROMOANISOLE,2,6-二氯-4-溴苯甲醚

Diaz et al.(2004b,2005) 0.0000035～0.000004

4,5-dichlorocatechol→4,5- 二氯邻苯二酚
2,6-dichloro-1-cyanobenzene→敌草腈

4,5-DICHLORO-1,2-DIHYDROXYBENZENE,4,5-二氯邻苯二酚，[3428-24-8]

Kovacs et al.(1984)	d	3.5

2,4-DICHLORO-3,5-DIMETHYLANISOLE,2,4-二氯-3,5-二甲基茴香醚，[23400-00-2]

Gee et al.(1974)	d	0.39

3,5-DICHLORO-N(1,1-DIMETHYL-2-PROPYNYL)BENZAMIDE, **戊炔草胺，[23950-58-5]**

Young et al.(1996)		3

1,2-DICHLOROETHANE,1,2- 二氯乙烷，[107-06-2]

Amoore &Venstrom(1966);Amoore(1969)	d	29
Alexander et al.(1982)	d	2.8

1,1-DICHLOROETHENE,(E)-1,2- 二氯乙烯，[156-60-5]

Alexander et al.(1982)	d	1.6

2,2'-dichloroethyl ether→2,2'-二氯乙醚
3,4-dichloroguaiacol→3,4- 二氯-2-甲氧基苯酚
4,5-dichloroguaiacol→4,5- 二氯-2-甲氧基苯酚
4,6-dichloroguaiacol=4,6- 二氯-2-甲氧基苯酚

2,3-DICHLORO-4-HYDROXY-5-METHOXYBENZALDEHYDE,5,6-二氯香兰素，[18268-69-4]

Kovacs et al.(1984)	d	7.5

2,2'-dichloroisopropyl ether→二氯异丙醚

DICHLOROMETHANE, **二氯甲烷，[75-09-2]**

Alexander et al.(1982)	d	5.6

3,4-DICHLORO-2-METHOXYPHENOL,3,4- **二氯-2-甲氧基苯酚，[77102-94-4]**

Kovacs et al.(1984)	d	0.070

4,5-DICHLORO-2-METHOXYPHENOL,4,5- 二氯-2-甲氧基苯酚，[2460-49-3]

Kovacs et al.(1984)	d	0.0025

4,6-DICHLORO-2-METHOXYPHENOL,4,6- 二氯-2-甲氧基苯酚，[16766-31-7]

Kovacs et al.(1984)	d	0.0115

2,5-DICHLORO-4-METHYLANISOLE,2,5- **二氯-4-甲基苯甲醚**

Griffiths &Fenwick(1977)	d	0.1

2,6-DICHLORO-4-METHYLANISOLE,2,6- **二氯-4-甲基苯甲醚**

Griffiths &Fenwick(1977)	d	0.00009

2,4-DICHLORO-6-METHYLANISOLE,2,4- **二氯-6-甲基苯甲醚**

Griffiths &Fenwick(1977)	d	0.0001

2,3-DICHLORO-1,4-NAPHTHOQUINONE,二氯萘醌，[117-80-6]

Lisovskaya et al.(1967)		20

1,2-DICHLOROOXOETHANE,1- 氯乙酰氯，[79-04-9]

Alexander et al.(1982)	d	25

2,3-DICHLOROPHENOL,2,3- **二氯苯酚，[576-24-9]**

Dietz&Traud(1978)		0.03

2,4-DICHLOROPHENOL,2,4 二氯苯酚，[120-83-2]

Hoak(1956)		0.00065
Burttschell et al.(1959)		0.002
Baker(1963)		0.21
Dietz &Traud(1978)		0.04
Kovacs et al.(1984)	d	0.056
Van Gemert(1984)	d	0.004
Young et al.(1996)		0.029
Czerny et al.(2008)	d	0.0014
Czerny et al.(2008)	r	0.0028

2,5-DICHLOROPHENOL,2,5- 二氯苯酚，[583-78-8]

Hoak(1956)		0.00045
Dietz &Traud(1978)		0.03

2,6-DICHLOROPHENOL,2,6- 二氯苯酚，[87-65-0]

Burttschell et al.(1959)		0.003
De Grunt(1975);De Grunt et al.(1977)	d	0.0075～0.008
Dietz &Traud (1978)		0.2
Young et al.(1996)		0.022
Piriou et al.(2007)	d	0.002～0.007

3,4-DICHLOROPHENOL,3,4- 二氯苯酚，[95-77-2]

Dietz &Traud(1978)		0.1

3,5-DICHLOROPHENOL,3,5- 二氯苯酚，[591-35-5]

Van Gemert(1984)	d	0.25

2,4-DICHLOROPHENOXYACETIC ACID,2,4-二氯苯氧乙酸，[94-75-7]

Sigworth(1965)	d	3.13

N'-(3,4-DICHLOROPHENYL)-N,N-DIMETHYLUREA, 敌草隆，[330-54-1]

Mikhailov(1967)		1

1,2-DICHLOROPROPANE,1,2- 二氯丙烷，[78-87-5]

Alexander et al.(1982)	d	0.10

2,2-DICHLOROPROPANOIC ACID,茅草枯，[75-99-0]

Sigworth(1965)	d	23.2

1,3-DICHLOROPROPENE,1,3- 二氯丙烯，[542-75-6]

Alexander et al.(1982)	d	0.12

5,6-dichlorovanillin→5,6- 二氯香兰素
dicyclopentadiene→ 双环戊二烯
dieldrin→ 狄氏剂

1,1-DIETHOXYETHANE, 乙醛二乙缩醛，[105-57-7]

Mulders(1972,1973)	d	0.04～0.042
Fritsch &Schieberle(2005)		0.0049

DIETHYLAMINE, 二乙胺，[109-89-7]

Amoore et al.(1975b)	d	12.1
Amoore &Forrester(1976)	d	21.2

O,Q-DIETHYL O-(3-CHLORO-4-METHYL-7-COUMARINYL)PHOSPHOROTHIOATE,蝇毒磷，[56-72-4]

Sigworth(1965)	d	0.02

diethyl disulphide→二乙基二硫醚
diethylene glycol→二甘醇
diethylene glycol n-butyl ether→二甘醇丁醚
diethylene glycol ethyl ether→二甘醇乙醚

O,O-DIETHYL Q-2-ISOPROPYL-6-METHYL(PYRIMIDINE-4-YL)PHOSPHOROTHIOATE,二嗪磷，[333-41-5]

Young et al.(1996)		0.17

diethyl ketone→3-戊酮

N,N-DIETHYLMETHYLAMINE,N,N- 二乙基甲胺，[616-39-7]

Amoore &Forrester(1976)	d	0.198

2,3-DIETHYL-5-METHYLPYRAZINE,2,3- 二乙基-5-甲基吡嗪，[18138-04-0]

Cerny &Grosch(1993);Grosch et al.(1993)		0.001
Czerny &Wagner(1995);Czerny et al.(1996a,1996b)		0.00009
Czerny et al.(2008)	d	0.000031
Czerny et al.(2008)	r	0.000084

0,0-DIETHYL O(4-NITROPHENYL)PHOSPHOROTHIOATE, 巴拉松，[56-38-2]

Sigworth(1965)	d	0.04

2,5-DIETHYLPYRAZINE,2,5- 二乙基吡嗪，[13238-84-1]

Guadagni et al.(1972);Teranishi et al.(1974)	d	0.02

2,6-DIETHYLPYRAZINE,2,6- 二乙基吡嗪，[13067-27-1]

Guadagni et al.(1972);Teranishi et al.(1974)	d	0.006

a, a²-DIETHYL-4, 4'-STILBENEDIOL, **己烯雌酚，[56-53-1]**

Dietz &Traud(1978) 2.3

diethylstilbestrol→ 己烯雌酚

diethyl sulphide→乙硫醚

2,4-DIETHYLTHIAZOLE,2,4- 二乙基噻唑，[32272-49-4]

Teranishi et al.(1975) d 0.0065

2,5-DIETHYLTHIAZOLE,2,5- 二乙基噻唑，[15729-76-7]

Teranishi et al.(1975) d 0.00009

4, 5-DIETHYLTHIAZOLE, 4, 5- 二乙基噻唑

Buttery et al.(1976a) d 0.0051

0,O-DIETHYL Q-3,5,6-TRICHLORO-2-PYRIDYL PHOSPHOROTHIOATE,毒死蜱，[2921-88-2]

Alexander et al.(1982) d 0.0012

cis-3,5-DIETHYL-1,2,4-TRITHIOLANE, 顺-3, 5-二乙基-1, 2, 4-三硫环戊烷，[38348-25-3]

Rödel &Kruse(1982) 0.0000323

trans-3,5-DIETHYL-1,2,4-TRITHIOLANE, 反-3, 5-二乙基-1, 2, 4-三硫环戊烷，[38348-26-4]

Rödel & Kruse(1982) 0.0000154

cis-**3, 5-DIHEPTYL-1, 2, 4-TRITHIOLANE** , 顺-3, 5-二庚基-1, 2, 4-三硫环戊烷

Rödel &Kruse(1982) 0.0263

trans-3, 5-DIHEPTYL-1, 2, 4-TRITHIOLANE, 反-3, 5-二庚基-1, 2, 4-三硫环戊烷

Rödel &Kruse(1982) 0.0617

cis-3,5-DIHEXYL-1,2,4-TRITHIOLANE, 顺-3, 5-二己基-1, 2, 4-三硫环戊烷

Rödel & Kruse(1982) 0.0292

trans-3, 5-DIHEXYL-1, 2, 4-TRITHIOLANE, **反-3, 5-二己基-1, 2, 4-三硫环戊烷**

Rödel &Kruse(1982) 0.0240

2,5-dihydro-1H-azole→3-吡咯啉

3,4-dihydro-2H-azole→1- 吡咯啉

dihydrocarvone→ 二氢香芹酮

(d)-dihydrocarvone→(d)- 二氢香芹酮

(1)-dihydrocarvone→(1)- 二氢香芹酮

5,6-DIHYDRO-4H-CYCLOPENTATHIAZOLE, 环戊并噻唑，[5661-10-9]

Pelosi et al.(1983) d 0.55

2, 3-DIHYDRO-3, 5-DIHYDROXY-6-METHYL-4(4H)-PYRANONE, 2, 3- 二氢-3, 5-二羟基-6-甲基-4(H)-**吡喃-4-酮，[28564-83-2]**

Buttery et al.(1999) d 35

2, 5-DIHYDRO-3, 4-DIMETHYL-2, 5-DIOXOTHIOPHENE, 2, 5- 二氢-3, 4-二甲基-2, 5-二氧代噻吩

Albrand et al.(1980) d 0.007

dihydro-6-hydroxytheaspirane→6-羟基二氢茶螺烷

2,3-DIHYDRO-5-HYDROXY-6-METHYL-4H-PYRAN-4-ONE, **二氢麦芽酚**

Preininger et al.(2009,2010) d 0.25～1

3a,4-dihydro-3-isobutylenephthalide→3a,4-二氢3-异丁亚基苯酞

3a,4-dihydro-3-isovalidenephthalide→3a,4-二氢3-异戊亚基苯酞

dihydromaltol→二氢麦芽酚

3a,4-DIHYDRO-3-(3-METHYLBUTYLIDENE)PHTHALIDE,3a,4- 二氢3-异戊亚基苯酞

Gold&Wilson(1963) r <0.1

3a,4-DIHYDRO-3-(2-METHYLPROPYLIDENE)PHTHALIDE,3a,4- **二氢3-异丁亚基苯酞,[66983-88-8]**

Gold&Wilson(1963) r <0.1

5,7-DIHYDRO-2-METHYLTHIENO-(3,4D)-PYRIMIDINE,2- 甲基-5,7-二氢噻吩并[3,4-d]嘧啶,[36267-71-7]

Teranish et al.(1975) d 0.0009

1,10-dihydronootkatone→ 1,10-二氢圆柚酮

11,12-dihydronootkatone→ 11,12-二氢圆柚酮

3,7-DIHYDRO-1H-PURINE-2,6-DIONE, 黄嘌呤,[69-89-6]

Dietz &Traud(1978) >10

7,9-DIHYDRO-1H-PURINE-2,6,8(3H)-TRIONE, 尿酸,[69-93-2]

Dietz&Traud(1978) >10

DIHYDRO-2,4,6-TRIMETHYL-1,3,5(4H)-DITHIAZINE, 噻啶,[638-17-5]

Buttery(1981) d 0.001

1,2-DIHYDRO-1,1,6-TRIMETHYLNAPHTHALENE,1,1,6- 三甲基-1,2-二氢萘,[30364-38-6]

Buttery et al.(1990b) d 0.0025

1,2-DIHYDROXYBENZENE, 邻苯二酚,[120-80-9]

Dietz &Traud(1978) 8

1,3-DIHYDROXYBENZENE, 间苯二酚,[108-46-3]

Nesmeyanova(1953) 40

Dietz &Traud(1978) 6

1,4-DIHYDROXYBENZENE, 对苯二酚,[123-31-9]

Dietz &Traud(1978) 5

3,4-DIHYDROXY-3-HEXEN-2,5-DIONE,3,4- 二羟基-3-己烯-2,5-二酮

Engel et al.(2001) >1000

2,4-dihydroxy-3-methyl-2-hexenoic acid lactone→乙基葫芦巴内酯

diisobutylcarbinol→二异丁基甲醇

DIISOPROPANOLAMINE, 二异丙醇胺，[110-97-4]
Alexander et al.(1982) d 10

2,5-DIISOPROPYL-3,6-DIMETHOXYPYRAZINE,2,5- 二异丙基-3,6-二甲基吡嗪
Takken et al.(1975) d 0.67

2,2-DIISOPROPYL-1,3-DIOXOLANE,2,2- 二异丙基-1,3-二噁茂烷，[4421-10-7]
Pelosi&Pisanelli(1981) *d* *13*
diisopropyl disulphide→二异丙基二硫醚
diisopropyl ketone→2,4-二甲基-3-戊酮
dill ether→莳萝醚

2,5-DIMETHOXY-3,6-DIMETHYLPYRAZINE,2,5- 二甲氧基-3,6-二甲基吡嗪
Takken et al.(1975) d 0.18

(2,2-DIMETHOXYETHYL)BENZENE, 苯乙二甲缩醛，[101-48-4]
Appell(1969) 0.5

2,6-DIMETHOXYPHENOL,2,6- 二甲氧基苯酚，[91-10-1]
Wasserman(1966) d 1.85

(E)-1,2-DIMETHOXY-4-(1-PROPENYL)BENZENE, 异丁香酚甲醚，[93-16-3]
Zeller &Rychlik(2006) r 1.6

DIMETHYLAMINE, 二甲胺，[124-40-3]
Baker(1963) 23.2
Amoore et al.(1975b) d 17.6
Amoore &Forrester(1976) d 34.4
Kikuchi et al.(1976) 30

2-DIMETHYLAMINO-3-ISOBUTYLPYRAZINE,2- 二甲氨基-3-异丁基吡嗪
Takken et al.(1975) d 1.6

2-DIMETHYLAMINO-6-ISOBUTYLPYRAZINE,2- 二甲氨基-6-异丁基吡嗪
Takken et al.(1975) d 5

2-DIMETHYLAMINO-3-METHYLPYRAZINE,2- 二甲氨基-3-甲基吡嗪
Takken et al.(1975) d 0.18

2-DIMETHYLAMINO-6-METHYLPYRAZINE,2- 二甲氨基-6-甲基吡嗪
Takken et al.(1975) d 1.2

2,6-DIMETHYLANTHRACENE,2,6- 二甲基蒽，[613-26-3]
Brady(1968) 0.5

2,5-DIMETHYLBENZALDEHYDE,2,5- 二甲基苯甲醛，[5779-94-2]

Buttery et al.(1990b)	d	0.2

1,2-DIMETHYLBENZENE, 邻二甲苯，[95-47-6]

Rosen et al.(1962)		1.8
Zoeteman et al.(1971)		1
Giri et al.(2010)	d	0.45023

1,3-DIMETHYLBENZENE, 间二甲苯，[108-38-3]

Rosen et al.(1962)		1.1
Zoeteman et al.(1971)		1

1,4-DIMETHYLBENZENE, 对二甲苯，[106-42-3]

Rosen et al.(1962)		0.53
Zoeteman et al.(1971)		1

6,6-DIMETHYLBICYCLO[3.1.1]-2-HEPTENE-2-METHANOL, 桃金娘烯醇，[515-00-4]

Hirvi&Honkanen(1982)	d	0.007

1,3-DIMETHYLBICYCLO[3.3.0]-4-THIA-2,8-DIOXAOCTANE,1,3-二甲基二环[3.3.0]-4-硫代-2,8-二氧代辛烷

Van Dort et al.(1984)		0.001

2,2-DIMETHYLBUTANAL,2,2-二甲基丁醛，[2094-75-9]

Schnabel et al.(1988)	d	0.24～0.40

2,3-DIMETHYLBUTANOIC ACID,2,3-二甲基丁酸，[14287-61-7]

Schnabel et al.(1988)	d	4.6～9.3

3,3-DIMETHYLBUTANOIC ACID,3,3-二甲基丁酸，[1070-83-3]

Schnabel et al.(1988)	d	0.92～4.5

2,2-DIMETHYL-1-BUTANOL,2,2-二甲基-1-丁醇，[1185-33-7]

Schnabel et al.(1988)	d	4.2～8.3

2,3-DIMETHYL-1-BUTANOL,2,3-二甲基-1-丁醇，[54206-54-1]

Schnabel et al.(1988)	d	0.83～2.5

3,3-DIMETHYL-1-BUTANOL,3,3-二甲基-1-丁醇，[624-95-3]

Schnabel et al.(1988)	d	0.000082～0.00085

2,3-DIMETHYL-2-BUTANOL,2,3-二甲基-2-丁醇，[594-60-5]

Schnabel et al.(1988)	d	0.082～0.83

3,3-DIMETHYL-2-BUTANOL,3,3-二甲基-2-丁醇，[464-07-3]

Pelosi&Pisanelli(1981)	d	6.2
Schnabel et al.(1988)	d	1.6～4.1

2,2-DIMETHYL-3-BUTANONE, 甲基叔丁基酮，[75-97-8]

Schnabel et al.(1988)	d	0.40～0.80

2,5-DIMETHYL-4-BUTOXY-3(2H)-FURANONE,4- 丁氧基-2,5-二甲基-3(2H)-呋喃酮

Buttery &Ling(1996)	d	0.25

3,4-DIMETHYL-1,2-CYCLOPENTADIONE,3,4- 二甲基-1,2-环戊二酮，[13494-06-9]

Anon.(1986)		0.017～0.020

3,5-DIMETHYL-1,2-CYCLOPENTADIONE,3,5- 二甲基-1,2-环戊二酮，[13494-07-0]

Anon.(1986)		1

(8S,9S,10R,13R,14S)-10,13-dimethyl-1,2,6,7,8,9,11,12,14,15-decahydrocyclopenta[a]phenanthren-3-one→4,16-二烯-3-雄酮

trans-1,10-DIMETHYL-trans-9-DECALOL, 土臭素，[19700-21-1]

Safferman et al.(1967)		0.00016～0.0002
Medsker et al.(1968)		0.00005
Zoeteman &Piet(1973)		0.00001
Lillard&Powers(1975)	d	0.00013
Guadagni(1975)		0.00005
Buttery et al.(1976c,1994a);Buttery(1981,1993)	d	0.00002～0.000021
Tyler et al.(1979)	d	0.00001～0.00002
Persson(1979b)	r	0.000015
Tuorila et al.(1980)	d	0.000004
Sugiura et al.(1983)		0.00001
Ito et al.(1988)	d	0.000022～0.000055
Ito et al.(1988)	r	0.000047～0.000135
Sano(1988)	d	0.000094
Sano(1988)	d	0.00036
Tomita et al.(1988)		0.000002～0.00002
Burlingame(1989)		0.0000024
Finato et al.(1992)	d	0.00004
Young et al.(1996)		0.0000038
Rashash et al.(1997)		0.000006～0.00001
Piriou et al.(2009)	d	0.0000008～0.0000011

(+)-trans-1,10-DIMETHYL-trans-9-DECALOL,(+)- 土臭素

Piriou et al.(2009)	d	0.0000046～0.0000091

(—)-trans-1,10-DIMETHYL-trans-9-DECALOL,(-)- 土臭素

Piriou et al.(2009)	d	0.0000004～0.0000006

O,O-DIMETHYL S(1,2-DICARBETHOXYETHYL)PHOSPHORODITHIOATE,马拉硫磷，[121-75-5]

Sigworth(1965)	d	1.0

2,3-DIMETHYL-5-(1,2-DIMETHYLPROPYL)PYRAZINE,2,3- 二甲基-5-(1,2-二甲基丙基)吡嗪

Shibamoto(1986) d 1.00

dimethyl disulphide→二甲基二硫醚
0,O-dimethyl dithiophosphate→二甲基二硫代磷酸酯

DIMETHYLDITHIOPHOSPHORIC ACID, 二甲基二硫代磷酸酯, [756-80-9]
Cherkinski(1961) d 0.1

3a,9a-DIMETHYL-3aa,5aβ,9aa,9ba-DODECAHYDRONAPHTHO[2,1-b]FURAN,9- 表-18,19-双降龙涎香醚
Ohloff et al.(1985) 0.004

3a,9a-DIMETHYL-3aa,5aβ,9aa,9bβ-DODECAHYDRONAPHTHO[2,1-b]FURAN,18,19- 双降龙涎香醚
Ohloff et al.(1985) 0.0024

3a,9a-DIMETHYL-3aa,5aβ,9aβ,9ba-DODECAHYDRONAPHTHO[2,1-b]FURAN,18,19- 双降异龙涎香醚
Ohloff et al.(1985) 0.072

2,5-DIMETHYL-4-ETHOXY-3(2H)-FURANONE,2,5- 二甲基-4-乙氧基-3(2H)-呋喃酮, [65330-49-6]
Buttery &Ling(1996) d 2.9

dimethylethyl ethanoate→乙酸叔丁酯
dimethylethyl propanoate→丙酸叔丁酯

2,2-DIMETHYLHEPTANE,2,2- 二甲基庚烷, [1071-26-7]
Zoeteman et al.(1971) 50

2,6-DIMETHYL-4-HEPTANOL, 二异丁基甲醇, [108-82-7]
Rosen et al.(1963) 1.3

2,6-DIMETHYL-5-HEPTENAL, 甜瓜醛, [106-72-9]
Yang et al.(1992);Tamura et al.(1993) d 0.016

(3S,3aS,7aR)-3,6-DIMETHYL-2,3,3a,4,5,7a-HEXAHYDROBENZOFURAN, 莳萝醚; [70786-44-6]
Huopalahti(1986) 0.04
Blank et al.(1992) 0.03

2,3-DIMETHYL-2-HEXANOL,2,3- 二甲基-2-己醇, [19550-03-9]
Schnabel et al.(1988) d 0.42～0.66

2,5-DIMETHYL-2-HEXANOL,2,5- 二甲基-2-己醇, [3730-60-7]
Schnabel et al.(1988) d 1.2～1.7

3,4-DIMETHYL-2-HEXANOL,3,4- 二甲基-2-己醇, [31350-88-6]
Schnabel et al.(1988) d 0.85～4.2

2,2-DIMETHYL-3-HEXANOL,2,2- 二甲基-3-己醇, [4209-90-9]
Schnabel et al.(1988) d 0.0013～0.0039

2,3-DIMETHYL-3-HEXANOL,2,3- 二甲基-3-己醇，[4166-46-5]
Schnabel et al.(1988) d 0.0078～0.041

2,4-DIMETHYL-3-HEXANOL,2,4- 二甲基-3-己醇，[13432-25-2]
Schnabel et al.(1988) d 0.25～0.42

2,5-DIMETHYL-3-HEXANOL,2,5- 二甲基-3-己醇，[19550-07-3]
Schnabel et al.(1988) d 0.40～1.7

3,5-DIMETHYL-3-HEXANOL,3,5- 二甲基-3-己醇，[4209-91-0]
Schnabel et al.(1988) d 0.42～0.59

3,4-DIMETHYL-2-HEXANONE,3,4- 二甲基-2-己酮，[19550-10-8]
Schnabel et al.(1988) d 0.24～0.41

2,2-DIMETHYL-3-HEXANONE,2,2- 二甲基-3-己酮，[5405-79-8]
Schnabel et al.(1988) d 0.00041～0.00082

2,4-DIMETHYL-3-HEXANONE,2,4- 二甲基-3-己酮，[18641-70-8]
Schnabel et al.(1988) d 0.6～1.9

2,5-DIMETHYL-4-((Z)-3-HEXENOXY)-3(2H)-FURANONE,2,5- 二甲基-4-[(Z)-3-己烯氧基]-3(2H)-呋喃酮
Buttery &Ling(1996) d 1.9

(1S*)-1-[(1S*)-1,5-DIMETHYL-5-HEXENYL]-4-METHYL-3-CYCLOHEXENYL-1-OL,(1S*)-1-[(1S*)-1,5-二甲基-5-己烯基]-4-甲基-3-环己烯基-1-醇
Braun et al.(2003) d 0.000785

dimethylkahweofuran→ 二甲基咖啡呋喃

2,5-DIMETHYL4-METHOXY-3(2H)-FURANONE,4- 甲氧基-2,5-二甲基-3(2H)-呋喃酮，[4077-47-8]
Buttery &Ling(1996) d 3.4

2,5-DIMETHYL-4-(3-METHYLBUTOXY)-3(2H)-FURANONE,2,5- 二甲基-4-(3-甲基丁氧基)-3(2H)-呋喃酮
Buttery &Ling(1996);Buttery(1999) d 0.9

2,3-DIMETHYL-5-(1-METHYLBUTYL)PYRAZINE,2,3- 二甲基-5-(1-甲基丁基)吡嗪
Shibamoto(1986) d 0.77

2,3-DIMETHYL-5-(2-METHYLBUTYL)PYRAZINE,2,3- 二甲基-5-(2-甲基丁基)吡嗪，[75492-01-2]
Masuda &Mihara(1986);Shibamoto(1986) d 3.20

2,5-DIMETHYL-3-(METHYLDITHIO)FURAN,2,5- 二甲基-3-(甲基二硫)呋喃
Tressl &Silwar(1981);Silwar(1982) 0.00001

(1R)-(+)-2,2-DIMETHYL-3-METHYLENEBICYCLO[2.2.1]HEPTANE,(+)- 莰烯，[5794-03-6]
Padrayuttawat et al.(1997) d 1.86

(1S)-(-)-2,2-DIMETHYL-3-METHYLENEBICYCLO[2.2.1]HEPTANE,(-)- 莰烯，[5794-04-7]

Padrayuttawat et al.(1997) d 1.98

6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE,β 烯，[127-91-3]

Guadagni et al.(1966);Guadagni(1969);
Buttery et al.(1974);Takeoka(2001) d 0.006～0.14
Tamura et al.(2001) d 1.5
Pino &Mesa(2006) d 0.14

(1S,5S)-(-)-6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE,(-)-β 烯，[18172-67-3]

Padrayuttawat et al.(1997);Boonbumrung et al.(2001) d 4.16

(1R,5R)-(+)-6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE,(+)-β- 蒎烯，[19902-08-0]

Padrayuttawat et al.(1997);Boonbumrung et al.(2001)d 2.54

1-(2,2-DIMETHYL-6-METHYLENECYCLOHEXYL)-2-BUTEN-1-ONE,γ 二氢大马酮，[35087-49-1]
Pickenhagen &Furrer(1990) 0.0092

7,11-DIMETHYL-3-METHYLENE-1,6,10-DODECATRIENE, 金合欢烯，[77129-48-7]
Tamura et al.(1999) d 0.087

(E,E)-2,6-DIMETHYL-10-METHYLENE-2,6,11-DODECATRIENAL,β- 甜橙醛，[3779-62-2]

Guadagni(1965,1969,1970c);Teranishi et al.(1981);
Buttery(1981) d 0.00005～0.0002
Ahmed et al.(1978a) d 0.0038
Sugisawa et al.(1991);Yang et al.(1992);
Tamura et al.(1993) d 0.082

8,8-DIMETHYL-2-METHYLENE-6-OXABICYCLO[3.2.1]OCTANE,8,8- 二甲基-2-亚甲基-6-氧杂二环[3.2.1]辛烷，[19901-96-3]
Friese et al.(1979);Tressl et al.(1979a) 0.001～0.005

[1aR-(1aa,5β,5aβ,6aa)]-5,5a-DIMETHYL-6a-(1-METHYLETHYL)-1a,4,5,5a,6,6a-HEXAHYDR-OCYCLOPROP[a]INDEN-3(1H)-ONE,(d)- 三环酮
Haring et al.(1972) d 40～80

[1aS(1aa,5β,5aβ,6aa)]-5,5a-DIMETHYL-6a-(1-METHYLETHYL)-1a,4,5,5a,6,6a-HEXAHYDR-OCYCLOPROP[a]INDEN-3(1H)-ONE,(1)- 三环酮
Haring et al.(1972) d 80～120

2,5-DIMETHYL-3-(METHYLTHIO)PYRAZINE,2,5- 二甲基-3-(甲硫基)吡嗪，[59021-08-8]
Mihara et al.(1991) d 0.0013

1,3-DIMETHYLNAPHTHALENE,1,3- 二甲基萘，[575-41-7]
Seifert et al.(1975) d 0.042

2,6-DIMETHYLNAPHTHALENE,2,6- 二甲基萘，[581-42-0]

Brady(1968) 0.010

2,3-DIMETHYL-5-NEOPENTYLPYRAZINE,2,3-二甲基-5-新戊基吡嗪

Shibamoto(1986) d 3.00

2,6-DIMETHYL-4-NITROPHENOL,2,6-二甲基-4-硝基苯酚，[2423-71-4]

Dietz &Traud(1978) 2.5

0,0-DIMETHYL O(4-NITROPHENYL)PHOSPHOROTHIOATE,甲基对硫磷，[298-00-0]

Sigworth(1965) d 0.0123

(R)-(+)-4,8-dimethylnon-7-en-4-olide→(+)-(R)-4-羟基-4,8-二甲基-7-壬烯酸内酯*

(S)-(一)-4,8-dimethylnon-7-en-4-olide→(-)-(S)-4-羟基-4,8-二甲基-7-壬烯酸内酯

3,7-DIMETHYL-2,6-0CTADIENAL，柠檬醛，[5392-40-5]

Balavoine(1948) 0.0005

Appell(1969) 1

Ahmed et al.(1978a) d 0.0853

Pino et al.(1986) d 0.028

Voirol&Daget(1986) d 0.04～0.12

3,7-DIMETHYL-(E)-2,6-0CTADIENAL，香叶醛，[141-27-5]

Buttery et al.(1971,1989,1990a);Buttery(1981,1993) d 0.032

Sugisawa et al.(1991);Yang et al.(1992);

Tamura et al.(1993) d 0.1～0.46

Tamura et al.(1996) d 0.037

Tamura et al.(1996) r 0.41

Pino &Mesa(2006) d 0.032

3,7-DIMETHYL-(Z-2,6-0CTADIENAL，橙花醛，[106-26-3]

Buttery et al.(1989);Buttery(1993) d 0.03

Sugisawa et al.(1991);Yang et al.(1992);

Tamura et al.(1993) d 0.1～0.46

Tamura et al.(1996) d 0.1

Tamura et al.(1996) r 0.888

Boonbumrung et al.(2001) d 0.053

3,7-DIMETHYL-(E)-2,6-0CTADIEN-1-0L，香叶醇，[106-24-1]

Ohloff(1977,1978;Pickenhagen &Furrer(1990) 0.075

Pyysalo et al.(1977) d 0.075

De Grunt(1975);De Grunt et al.(1977) d 0.01

Pino et al.(1986) d 0.0041

Buttery et al.(1987b);Takeoka et al.(1990a) d 0.04

Larsen &Poll(1990) d 0.001～0.01

Sugisawa et al.(1991);Yang et al.(1992);

*此处原文中(R)-(-)-4,8-dimethylnon-7-en-4-olide 名字错误，在此修正

Tamura et al.(1993)	d	0.01～0.1
Ong&Acree(1999)		0.005
Schuh &Schieberle(2006)	d	0.0032
Czerny et al.(2008)	d	0.0011
Czerny et al.(2008)	r	0.0025
Seideneck &Schieberle(2011)		0.0066

3,7-DIMETHYL-(Z)-2,6-OCTADIEN-1-OL， 橙花醇，[106-25-2]

Ohloff(1977,1978);Pickenhagen &Furrer(1990)		0.29～0.3
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	0.68～2.2

3,7-DIMETHYL-1,6-OCTADIEN-3-OL， 芳樟醇，[78-70-6]

Guadagni et al.(1966);Buttery et al.(1969b,1971, 1974,1987b,1988a,1990a);Buttery(1981,1993); Takeoka(2001)	d	0.006
Appell(1969)		1
Ahmed et al.(1978a)	d	0.0053
Pino et al.(1986)	d	0.0047
Larsen &Poll(1990)	d	0.001～0.01
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	0.028
Larsen &Poll(1992)	d	0.00001～0.0001
Tamura et al.(1996)	d	0.05
Tamura et al.(1996)	r	1.082
Ong &Acree(1999)		0.0015
Tamura et al.(1999);Mookdasanit et al.(2003)	d	0.007～0.0074
Tamura et al.(2001)	d	0.001
Pino &Mesa(2006)	d	0.006
Averbeck &Schierberle(2009,2011)	d	0.00022

(S)-(+)- 3,7-DIMETHYL-1,6-0CTADIEN-3-OL,(d)- 芳樟醇，[126-90-9]

Padrayuttawat et al.(1997);Boonbumrung et al.(2001)	d	0.0074

(R)-(-)-3,7-DIMETHYL-1,6-0CTADIEN-3-OL,(1)- 芳樟醇，[126-91-0]

Padrayuttawat et al.(1997);Boonbumrung et al.(2001)	d	0.00080
Fritsch &Schieberle(2005)		0.00014
Schuh &Schieberle(2006)	d	0.0006
Czerny et al.(2008)	d	0.000087
Czerny et al.(2008)	r	0.00017

3,7-DIMETHYL-1,6-OCTADIEN-3-YL ACETATE,乙酸芳樟酯，[115-95-7]

Yang et al.(1992);Tamura et al.(1993)	d	1

3,7-DIMETHYL-(E)-2,6-OCTADIEN-1-YL ACETATE,乙酸香叶酯，[105-87-3]

Guadagni et al.(1966);Buttery(1981);

Buttery et al.(1988a);Takeoka et al.(1991a) d 0.009

Pino et al.(1986) d 0.036

Sugisawa et al.(1991);Yang et al.(1992);

Tamura et al.(1993) d 0.15～0.46

Pino &Mesa(2006) d 0.15

3,7-DIMETHYL-(Z-2,6-0CTADIEN-1-YL ACETATE,乙酸橙花酯，[141-12-8]

Pino et al.(1986) d 0.042

Sugisawa et al.(1991);Yang et al.(1992);

Tamura et al.(1993) d 2～8.5

3,7-DIMETHYL-(E)-1,6-OCTADIEN-1-YLFORMATE, **甲酸香叶酯，[105-86-2]**

Yang et al.(1992);Tamura et al.(1993) d 0.2

3,7-dimethyl-2,7-octadien-5-olide→5-羟基-3,7-二甲基-2,7-辛二烯酸内酯

3,7-dimethyl-2,7-octadien-6-olide→6-羟基-3,7-二甲基-2,7-辛二烯酸内酯

3,7-DIMETHYL-(E)-2,6-OCTADIEN-1-YL2-METHYLPROPANOATE, **异丁酸香叶酯**，[2345-26-8]

Guadagni et al.(1966) d 0.013

3,7-DIMETHYL-(E)-2,6-OCTADIEN-1-YL PROPANOATE,**丙酸香叶酯，[105-90-8]**

Guadagni et al.(1966) d 0.010

3,7-DIMETHYL-1,7-OCTANEDIOL, **羟基香茅醇，[107-74-4]**

Hirvi&Honkanen(1983) 5

(R*,S*)-3,7-dimethyl-4-octanolide→(R*,S*)-4- 羟基-3,7-二甲基辛酸内酯

(R*,R*)-3,7-dimethyl-4-octanolide→(R*,R*)-4- 羟基-3,7-二甲基辛酸内酯

(R*,S*)-3,7-dimethyl-6-octanolide→(R*,S*)-6- 羟基-3,7-二甲基辛酸内酯

(R*,R*)-3,7-dimethyl-6-octanolide→(R*,R*)-6- 羟基-3,7-二甲基辛酸内酯

(E)-3,7-DIMETHYL-1,3,6-0CTATRIENE,(E)-β- 罗勒烯，[3779-61-1]

Tamura et al.(2001) d 0.034

(Z)-3,7-DIMETHYL-1,3,6-OCTATRIENE,(Z-β- **罗勒烯，[3338-55-4]**

Takeoka(2001) d 0.055

Tamura et al.(2001) d 0.034

3,7-DIMETHYL-6-OCTENAL, 香茅醛，[106-23-0]

Appell(1969) 0.16

Ahmed et al.(1978a) d 0.066

Pino et al.(1986) d 0.031

Sugisawa et al.(1991);Yang et al.(1992);

Tamura et al.(1993) d 0.046～0.1

Tamura et al.(1996) d 0.006

Tamura et al.(1996) r 0.1

(R)-(+)-3,7-DIMETHYL-6-OCTENAL,(+)- 香茅醛，[2385-77-5]

Padrayuttawat et al.(1997)	d	0.03

(S)-(-)-3,7-DIMETHYL-6-OCTENAL, (一)-香茅醛，[5949-05-3]

Padrayuttawat et al.(1997)	d	0.03

3,7-DIMETHYL-6-0CTEN-1-OL，香茅醇，[106-22-9]

Appell(1969)		1
Pino et al.(1986)	d	0.0106
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.062～2.2

(R)-(**+)-3,7-DIMETHYL-6-0CTEN-1-OL,(R)-(+)-β-** 香茅醇，[1117-61-9]

Padrayuttawat et al.(1997)	d	0.04

(S)-(-)-3,7-DIMETHYL-6-OCTEN-1-OL,(S)-(-)-β **香茅醇，[7540-51-**4]

Ohloff(1977,1978)		0.04
Padrayuttawat et al.(1997)	d	0.04
Ong &Acree(1999)		0.008

3,7-DIMETHYL-6-OCTEN-1-YL ACETATE,**乙酸香茅酯，[150-84-5]**

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	1
Pino &Mesa(2006)	d	1

3,7-dimethyl-2-octen-4-olide→4-羟基-3,7-二甲基-2-辛烯酸内酯

(R*,S*)-3,7-dimethyl-6-octen-5-olide→(R*,S*)-5- 羟基-3,7-二甲基-6-辛烯酸内酯

(R*,R*)-3,7-dimethyl-6-octen-5-olide→(R*,R*)-5- 羟基-3,7-二甲基-6-辛烯酸内酯

3,7-dimethyl-2-octen-6-olide→6-羟基-3,7-二甲基-2-辛烯酸内酯

(R*,S*)-3,7-dimethyl-7-octen-6-olide→(R*,S*)-6- 羟基-3,7-二甲基-7-辛烯酸内酯

(R*,R*)-3,7-dimethyl-7-octen-6-olide→(R*,R*)-6- 羟基-3,7-二甲基-7-辛烯酸内酯

2,4-DIMETHYL-3-OXA-8-THIABICYCLO[3.3.0]-1,4-OCTADIENE, **二甲基咖啡呋喃**

Tressl(1989,1990)		0.0005

0,O-DIMETHYL S(4-OXO-3H-1,2,3-BENZOTRIAZINE-3-METHYL)PHOSPHORODITHIOATE, 保棉磷，[86-50-0]

Sigworth(1965)	d	0.0002

2,2-DIMETHYLPENTANAL,2,2- 二甲基戊醛，[14250-88-5]

Schnabel et al.(1988)	d	0.41～0.83

3,3-DIMETHYLPENTANAL,3,3- **二甲基戊醛**

Schnabel et al.(1988)	d	0.041～0.083

2,2-DIMETHYLPENTANE,2,2- **二甲基戊烷，[590-35-2]**

Zoeteman et al.(1971)		100

2,2-DIMETHYL-1-PENTANOL,2,2- 二甲基-1-戊醇，[2370-12-9]
Schnabel et al.(1988) d 0.0081～0.041

2,3-DIMETHYL-1-PENTANOL,2,3- 二甲基-1-戊醇，[10143-23-4]
Schnabel et al.(1988) d 0.83～1.6

2,4-DIMETHYL-1-PENTANOL,2,4- 二甲基-1-戊醇，[6305-71-1]
Schnabel et al.(1988) d 0.24～0.40

2,3-DIMETHYL-2-PENTANOL,2,3- 二甲基-2-戊醇，[4911-70-0]
Schnabel et al.(1988) d 1.6～4.2

2,4-DIMETHYL-2-PENTANOL,2,4- 二甲基-2-戊醇，[625-06-9]
Schnabel et al.(1988) d 2.4～4.1

4,4-DIMETHYL-2-PENTANOL,4,4- 二甲基-2-戊醇，[6144-93-0]
Schnabel et al.(1988) d 0.041～0.081

2,2-DIMETHYL-3-PENTANOL,2,2- 二甲基-3-戊醇，[3970-62-5]
Schnabel et al.(1988) d 0.041～0.083

2,3-DIMETHYL-3-PENTANOL,2,3- 二甲基-3-戊醇，[595-41-5]
Schnabel et al.(1988) d 0.42～0.84

2,4-DIMETHYL-3-PENTANOL,2,4- 二甲基-3-戊醇，[600-36-2]
Schnabel et al.(1988) d 0.082～0.42

4,4-DIMETHYL-2-PENTANONE,4,4- 二甲基-2-戊酮，[590-50-1]
Schnabel et al.(1988) d 0.0081～0.040

2,2-DIMETHYL-3-PENTANONE,2,2- 二甲基-3-戊酮，[564-04-5]
Schnabel et al.(1988) d 0.024～0.041

2,4-DIMETHYL-3-PENTANONE,2,4- 二甲基-3-戊酮，[565-80-0]
Schnabel et al.(1988) d 0.080～0.40

2,3-DIMETHYL-5-PENTYLPYRAZINE,2,3- 二甲基-5-戊基吡嗪
Shibamoto(1986) d 0.09

2,3-DIMETHYLPHENOL,2,3- 二甲基苯酚，[526-75-0]
Dietz &Traud(1978) 0.5

2,4-DIMETHYLPHENOL,2,4- 二甲基苯酚，[105-67-9]
Dietz &Traud(1978) 0.4

2,5-DIMETHYLPHENOL,2,5- 二甲基苯酚，[95-87-4]
Dietz &Traud(1978) 0.4

2,6-DIMETHYLPHENOL,2,6- 二甲基苯酚，[576-26-1]

Dietz &Traud (1978)		0.4
3,4-DIMETHYLPHENOL,3,4- 二甲基苯酚，[95-65-8]		
Dietz&Traud(1978)		1.2
3,5-DIMETHYLPHENOL,3,5- 二甲基苯酚，[108-68-9]		
Dietz&Traud(1978)		5.0
2,2-DIMETHYLPROPANAL, 特戊醛，[630-19-3]		
Schnabel et al.(1988)	d	0.078～0.12
2,2-DIMETHYLPROPANOIC ACID, 叔戊酸，[75-98-9]		
Amoore et al.(1968)	d	5.25
Zoeteman et al.(1971)		50
Schnabel et al.(1988)	d	5.0～20
2,2-DIMETHYL-1-PROPANOL, 新戊醇，[75-84-3]		
Schnabel et al.(1988)	d	0.82～2.5
1,1-DIMETHYLPROPYL ACETATE,乙酸叔戊酯，[625-16-1]		
Teranishi et al.(1966)	d	0.030
1,2-DIMETHYLPROPYL ACETATE,1,2-**二甲基乙酸，[5343-96-4]**		
Teranishi et al.(1966)	d	0.006
2,2-DIMETHYLPROPYL ACETATE,乙酸新戊酯，[926-41-0]		
Teranishi et al.(1966)	d	0.004
2,3-DIMETHYL-5-PROPYLPYRAZINE,2,3- **二甲基-5-丙基吡嗪，[32262-98-9]**		
Shibamoto(1986)	d	0.32
2,3-DIMETHYLPYRAZINE,2,3- 二甲基吡嗪，[5910-89-4]		
Guadagni et al.(1972);Teranishi et al.(1974);Buttery et al.(1988a,1997,1999);Buttery &Ling(1995,1998)	d	2.5
Calabretta(1973,1975,1978)	d	0.4
Mihara&Masuda(1988)	d	0.8
2,5-DIMETHYLPYRAZINE,2,5- 二甲基吡嗪，[123-32-0]		
Seifert et al.(1970);Guadagni et al.(1972);Teranishi et al.(1974);Buttery et al.(1988a,1994a,1997,1999); Buttery &Ling(1995,1998)	d	1.7～1.8
Koehler et al.(1971)	d	35
Mihara&Masuda(1988)	d	0.08
Pino &Mesa(2006)	d	1.75
2,6-DIMETHYLPYRAZINE,2,6- 二甲基吡嗪，[108-50-9]		
Koehler et al.(1971)	d	54

Guadagni et al.(1972);Teranishi et al.(1974);Buttery et al.(1988a,1997,1999);Buttery &Ling(1998)	d	1.5
Mihara &Masuda(1988)	d	0.4
Schirack et al.(2006)	d	0.718

2,5-DIMETHYL-4-(1-PYRROLIDINYL)-3(2H)-FURANONE,2,5- 二甲基-4-(1-吡咯烷基)-3(2H)-呋喃酮

Ottinger et al.(2001)		30～60

a,p-dimethylstyrene→ 对异丙烯基甲苯
dimethyl sulphide→二甲基硫醚
dimethyl tetrasulphide→二甲基四硫醚

2,4-DIMETHYLTHIAZOLE,2,4- 二甲基噻唑，[541-58-2]

Teranishi et al.(1975)	d	0.018

4,5-DIMETHYLTHIAZOLE,4,5- 二甲基噻唑，[3581-91-7]

Buttery et al.(1976a)	d	0.47

dimethyl trisulphide→二甲基三硫醚

cis-3,5-DIMETHYL-1,2,4-TRITHIOLANE，顺-3,5-二甲基-1,2,4-三硫环戊烷，[38348-23-1]

Rödel & Kruse(1982)		0.00200

trans-3,5-DIMETHYL-1,2,4-TRITHIOLANE，反-3,5-二甲基-1,2,4-三硫环戊烷，[38348-24-2]

Rödel & Kruse(1982)		0.000609

6,10-DIMETHYL-5,9-UNDECADIEN-2-ONE, 香叶基丙酮，[3796-70-1]

Buttery et al.(1971,1987a,1988a,1989,1990a,1997); Teranishi et al.(1974);Buttery(1993); Buttery &Ling(1995,1998)	d	0.06
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	6～6.4
Tandon et al.(2000)	d	0.186
Pino &Mesa(2006)	d	0.06

6,10-DIMETHYL-3,5,9-UNDECATRIEN-2-ONE，假紫罗兰酮，[141-10-6]

Teranishi et al.(1974)	d	>0.05
Buttery et al.(1989,1990a);Buttery(1993)	d	0.8

4,6-dinitro-0-cresol→2- 甲基-4,6-二硝基苯酚

2,4-DINITROPHENOL,2,4- 二硝基苯酚，[51-28-5]

Dietz&Traud(1978)		4

2,5-DINITROPHENOL,2,5- 二硝基苯酚，[329-71-5]

Dietz&Traud(1978)		2.4

2,6-DINITROPHENOL,2,6- 二硝基苯酚，[573-56-8]

Dietz &Traud(1978)		10

2,6-dinitrotoluene→2,6- 二硝基甲苯
18,19-dinorambrox⇒18,19- 双降龙涎香醚
18,19-dinorisoambrox=18,19- 双降异龙涎香醚

3,6-DIOXA-1-DECANOL, 二甘醇丁醚，[112-34-5]
Alexander et al.(1982) d 0.8

2,3-p-DIOXANEDITHIOL S,S-BIS(O,O-DIETHYLPHOSPHORODITHIOATE),敌噁磷，[78-34-2]
Sigworth(1965) d 0.06

4,8-DIOXA-1-NONANOL, 二丙二醇甲醚，[34590-94-8]
Alexander et al.(1982) d 40

3,6-DIOXA-1,8-OCTANEDIOL, 三甘醇，[112-27-6]
Alexander et al.(1982) d 700

3,6-DIOXA-1-OCTANOL, 二甘醇乙醚，[111-90-0]
Alexander et al.(1982) d 1.6

DI-(1-OXYDECYL)-PEROXIDE, **过氧化二癸烷**
Kobayashi et al.(1990) r 0.0045

cis-3,5-DIPENTYL-1,2,4-TRITHIOLANE, 顺-3,5-二戊基-1,2,4-三硫环戊烷
Rödel & Kruse(1982) 0.0256

trans-3,5-DIPENTYL-1,2,4-TRITHIOLANE, 反-3,5-二戊基-1,2,4-三硫环戊烷
Rödel & Kruse(1982) 0.0340
diphenyl→联苯
diphenyl disulphide→二苯基二硫醚
diphenyl ether→二苯醚
dipotassium phosphate→磷酸氢二钾

DIPROPYLAMINE,二丙胺，[142-84-7]
Amoore et al.(1975b) d 22.4
Amoore &Forrester(1976) d 24.8
dipropylene glycol→二丙二醇
dipropylene glycol methyl ether→二丙二醇甲醚
dipropyl ketone→4-庚酮

2,4-DIPROPYLTHIAZOLE,2,4- **二丙基噻唑**
Teranishi et al.(1975) d 0.026

cis-3,5-DIPROPYL-1,2,4-TRITHIOLANE, 顺-3,5-二丙基-1,2,4-三硫环戊烷
Rödel &Kruse(1982) 0.00151

trans-3,5-DIPROPYL-1,2,4-TRITHIOLANE, **反-3,5-二丙基-1,2,4-三硫环戊烷**

Rödel & Kruse(1982)		0.000762

3,4-dithiahexane→ 二乙基二硫醚
3,3'-dithiobis(2-methylfuran)→ 双(2-甲基-3-呋喃基)二硫醚
diuron→敌草隆
DMDS→二甲基二硫醚
y-dodecalactone→y-十二内酯
δ-dodecalactone→ δ-十二内酯
(R)-(+)-δ-dodecalactone→(R)-(+)-δ- 十二内酯
(S)-(一)-δ-dodecalactone→(S)-(-)-δ- 十二内酯
1,12-dodecamethylene diamine→氮杂环十三烷
dodecamethyleneimine→ 氮杂环十三烷

DODECANAL, 月桂醛，[112-54-9]

Guadagni et al.(1963)	d	0.002
Ahmed et al.(1978a)	d	0.00053
Pino et al.(1986)	d	0.0015
Schnabel et al.(1988)	d	0.00083～0.0017
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993,1995)	d	0.055
Tamura et al.(1996)	d	0.014
Tamura et al.(1996)	r	0.063
Padrayuttawat et al.(1997)	d	0.01
Fabrellas et al.(2004)		0.00013～0.00029

DODECANE,十二烷，[112-40-3]

Zoeteman et al.(1971)	d	10

dodecanenitrile→ 十二腈

1-DODECANOL, 月桂醇，[112-53-8]

Ahmed et al.(1978a)	d	0.073
Schnabel et al.(1988)	d	0.093～0.41
Sugisawa et al.(1991)	d	0.82
Tamura et al.(1996)	d	0.158
Tamura et al.(1996)	r	2.47
Boonbumrung et al.(2001)	d	0.016

2-DODECANOL,2- 十二醇，[10203-28-8]

Schnabel et al.(1988)	d	0.041～0.082

3-DODECANOL,3- 十二醇，[10203-30-2]

Schnabel et al.(1988)	d	0.041～0.082

4-dodecanolide→y-十二内酯
5-dodecanolide一δ-十二内酯

2-DODECANONE,2- 十二酮，[6175-49-1]

Schnabel et al.(1988)	d	0.042～0.083

3-DODECANONE,3- 十二酮，[1534-27-6]

Schnabel et al.(1988)	d	0.0083～0.042

(E)-2-DODECENAL,(E)-2- 十二烯醛，[20407-84-5]

Yang et al.(1992);Tamura et al.(1993)	d	0.0014

(R)-cis-6-y-dodecenolactone→(R)-(Z)-6-y- 十二碳烯酸内酯
(S)-cis-6-y-dodecenolactone→ (S)-(Z)-6-y-十二碳烯酸内酯
(Z)-6-dodecenyl-y-lactone→ (Z)-4-羟基-6-十二碳烯酸内酯

DODECYL PROPYLENE DIAMINE,月桂基丙二胺，[5538-95-4]

Rudeiko et al.(1982)		0.13

E

EICOSANOIC ACID,花生酸，[506-30-9]

Cherkinski(1961)	d	20.0

elemol→榄香醇
endrin→安特灵
(1)-9-epiambrox→(1)-9-表龙涎香醚
9-epi-18,19-dinorambrox⇒9-表-18,19-双降龙涎香醚
4-epinootkatone→4-表圆柚酮
(d)-9-epi-18-norambrox→(d)-9- 表-18-降龙涎香醚
9-epi-19-norambrox→9-表-19-降龙涎香醚
epn-300→苯硫磷
1,4-epoxy-1,3-butadiene→呋喃

4,5-EPOXY-(E)-2-DECENAL,4,5- 环氧-(E)-2-癸烯醛，[73528-38-8]

Heiler &Schieberle(1997)		0.00007

trans-4,5-EPOXY-(E)-2-DECENAL, 反-4,5-环氧-(E)-2- 癸烯醛，[134454-31-2]

Kerler &Grosch(1996)		0.00012
Ong et al.(1998)	d	0.005
Czerny et al.(2008)	d	0.000038
Czerny et al.(2008)	r	0.00013
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.00022

epoxydihydrolinalool→环氧二氢芳樟醇
epoxy-β-ionone→环氧-β-紫罗兰酮
(3R,4S,8S)-3,9-epoxy-1-p-menthene→ 莳萝醚

1,2-EPOXYPROPANE, 环氧丙烷，[75-56-9]

Antonova et al.(1981)		0.43

eremophilone→艾里莫酚酮
estragole→草蒿脑
ETBE→叔丁基乙醚

ETHANAL,　乙醛，[75-07-0]

Balavoine(1948)		0.0007
Flath et al.(1967);Teranishi et al.(1974);Aharoni et al.(1980);Buttery et al.(1988a,1994a,1997)	d	0.015
Petro-Turza(1978)		2.5
Mulders(1972,1973)	d	0.12～0.2
Amoore et al.(1976)	d	0.109
Ahmed et al.(1978a)	d	0.0170
Pino et al.(1986)	d	0.0087
Schnabel et al.(1988)	d	0.0079～0.039
Takahashi(1990)		25～50
Guth &Grosch(1994);Heiler &Schieberle(1997)		0.025
Milo(1995a,1995b);Milo &Grosch(1997); Kerscher&Grosch(2000)		0.01
Czerny et al.(2008);Steinhaus et al.(2009)	d	0.025
Czerny et al.(2008)	r	0.063
Giri et al.(2010)	d	0.0251

1,2-ETHANEDIAMINE,　乙二胺，[107-15-3]

Amoore et al.(1975b)	d	18300
Alexander et al.(1982)	d	12

1,2-ETHANEDIOL, 乙二醇，[107-21-1]

Alexander et al.(1982)	d	197

ETHANETHIOL,　乙硫醇，[75-08-1]

Moncrieff(1957)		0.002

ethanoic acid→乙酸

ETHANOL,　乙醇，[64-17-5]

Moncrieff(1957)		3000
Guadagni(1966,1968,1969,1970c);Flath et al.(1967); Aharoni et al.(1980);Teranishi et al.(1981); Takeoka et al.(1989);Hansen et al.(1992)	d	100
Sega et al.(1967)	d	8.2
Mitchell &Gregson(1968)	r	11100～116200
Williams(1972)		100～500
Mulders(1972,1973)	d	900～930
De Grunt(1975)	d	100
Sarzynski(1982)		50
Eichenbaum et al.(1983)	d	67500～191250
Pino et al.(1986)	d	1150
Granzer et al.(1986)		100～1000
Schnabel et al.(1988)	d	16～40

Rothe &Schrödter(1996)		3.5
Jensen et al.(1999)	d	>100
Mattes &DiMeglio(2001)	d	3.63
Boonbumrung et al.(2001)	d	4.51
Tamura et al.(2001)	d	200
Pino &Mesa(2006)	d	100
Czerny et al.(2008)	d	990
Czerny et al.(2008)	r	2000
Giri et al.(2010)	d	950

ethanolamine→乙醇胺

ETHENYLBENZENE, 苯乙烯，[100-42-5]

Rosen et al.(1963)		0.037
Baker(1963)		0.73
Zoeteman et al.(1971)		0.05
Boidron &Pons(1978)	d	0.08
Alexander et al.(1982)	d	0.0036
Young et al.(1996)		0.065

ETHENYL CYANIDE,丙烯腈，[107-13-1]

Baker(1963)		18.6

4-ETHENYL-2-METHOXYPHENOL, **对乙烯基愈创木酚，[7786-61-0]**

Buttery et al.(1976b,1988a,1994a,1997,1999); Buttery &Ling(1995,1998);Takeoka(2001)	d	0.003
Kossa et al.(1979);Tressl et al.(1979c)		0.003～0.005
Schieberle(1991,1992)	d	0.1
Semmelroch et al.(1995)		0.020
Pino &Mesa(2006)	d	0.003
Czerny et al.(2007b);Czerny et al.(2008)	d	0.0051
Czerny et al.(2007b);Czerny et al.(2008)	r	0.019
Vanbeneden et al.(2008)	d	0.088
Giri et al.(2010)	d	0.01202

5-ETHENYL-2-METHOXYPHENOL, 5-**乙烯基-2-甲氧基苯酚，[621-58-9]**

Pyysalo et al.(1977)	d	0.00075
Scheidig et al.(2007)	d	0.00015
Scheidig et al.(2007)	r	0.00035

4-ETHENYLPHENOL, 对乙烯基苯酚，[2628-17-3]

Pyysalo et al.(1977)	d	0.011
Buttery et al.(1988a,1994a,1997,1999); Buttery &Ling(1995,1998);Takeoka(2001)	d	0.01

ETHENYL PROPANOATE, 丙酸乙烯酯，[105-38-4]

De Grunt(1975);De Grunt et al.(1977)	d	0.04

ETHENYLPYRAZINE, 乙烯基吡嗪，[4177-16-6]

Buttery et al.(1997,1999);Buttery &Ling(1998)	d	0.7

trans-5-ETHENYLTETRAHYDRO-a,a,5-TRIMETHYL-2-FURANMETHANOL, 反-呋喃氧化芳樟醇，[34995-77-2]

Ong &Acree(1999)		0.06

[1R-(1a,3a,4β)]-4-ETHENYL-a,a,4-TRIMETHYL-3-(1-METHYLETHENYL)CYCLOHEXANE-METHANOL, 榄香醇，[639-99-6]

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al:(1993)	d	0.1

a-ETHENYL-a,3,3-TRIMETHYLOXIRANPROPANOL, 环氧二氢芳樟醇，[15249-35-1]

Pino et al.(1986)	d	1.148

2-ETHOXY-3,6-DIMETHYLPYRAZINE,2-乙氧基-3,6-二甲基吡嗪，[90197-08-3]

Mihara et al.(1991)	d	0.011

4-ETHOXY-2,5-DIMETHYL-3(2H)-FURANONE,2,5-二甲基-4-乙氧基-3(2H)-呋喃酮，[65330-49-6]

Buttery(1999)	d	2.9

2-ETHOXYETHANOL, 乙二醇单乙醚，[110-80-5]

Moncrieff(1957)		200
Alexander et al.(1982)	d	23.5
Sarzynski(1982)		125
Granzer et al.(1986)		50～1000

2-ETHOXYETHYL ACETATE,乙二醇单乙醚乙酸酯，[111-15-9]

Granzer et al.(1986)		5～50

2-ETHOXY-3-ETHYLPYRAZINE,2-乙氧基-3-乙基吡嗪，[35243-43-7]

Seifert et al.(1972);Teranishi et al.(1975)	d	0.011
Masuda &Mihara(1988)	d	0.02

3-ETHOXY-4-HYDROXYBENZALDEHYDE, 乙基香兰素，[121-32-4]

Cartwright &Kelley(1952)	d	0.1
Cartwright &Kelley(1952)	r	2

2-ETHOXY-5-ISOBUTYL-3-METHYLPYRAZINE,2-乙氧基-5-异丁基-3-甲基吡嗪，[78246-14-7]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.016

2-ETHOXY-5-ISOPROPYL-3-METHYLPYRAZINE,2-乙氧基-5-异丙基-3-甲基吡嗪，[99784-14-2]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.12

2-ETHOXY-3-METHYL-5-(2-METHYLBUTYL)PYRAZINE,2-乙氧基-3-甲基-5-(2-甲基丁基)吡嗪，

[99784-16-4]
Masuda&Mihara(1986);Shibamoto(1986) d 0.006～0.0061

2-ETHOXY-3-METHYL-5-(2-METHYLPENTYL)PYRAZINE,2-乙氧基-3-甲基-5-(2-甲基戊基)吡嗪，[99784-17-5]
Masuda &Mihara(1986);Shibamoto(1986) d 0.0027～0.003

2-ETHOXY-2-METHYLPROPANE，叔丁基乙醚，[637-92-3]
Vetrano(1993a) d 0.049
Vetrano(1993a) r 0.106
Van Wezel et al.(2009) d 0.001

2-ETHOXY-3-METHYLPYRAZINE,2-乙氧基-3-甲基吡嗪，[32737-14-7]
Masuda &Mihara(1986,1988) d 0.0008

2-ETHOXY-5-METHYLPYRAZINE,2-乙氧基-5-甲基吡嗪，[67845-34-5]
Mihara &Masuda(1988) d 0.012

2-ETHOXY-6-METHYLPYRAZINE,2-乙氧基-6-甲基吡嗪，[53163-97-6]
Mihara&Masuda(1988) d 0.005

2-ETHOXY-3-OCTYLPYRAZINE,2-乙氧基-3-辛基吡嗪，[113685-83-9]
Masuda&Mihara(1988) d 0.002

2-ETHOXY-3-PENTYLPYRAZINE,2-乙氧基-3-戊基吡嗪，[113685-82-8]
Masuda&Mihara(1988) d 0.00008

trans-2-ETHOXY-5-(1-PROPENYL)PHENOL,浓馥香兰素，[94-86-0]
Cartwright &Kelley(1952) d 0.01
Cartwright &Kelley(1952) r 0.4

ETHOXYPYRAZINE,2-乙氧基吡嗪，[38028-67-0]
Masuda&Mihara(1988) d 0.08

2-ETHOXY THIOZOLE,2-乙氧基噻唑
Giri et al.(2010) d 0.05115

ETHYL ACETATE,乙酸乙酯，[141-78-6]
Balavoine(1948) 10
Flath et al.(1967);Buttery(1981);Hansen et al.(1992)d 5.0
Sega et al.(1967) d 0.257
Guadagni(1970b);Teranishi et al.(1987);
Takeoka et al.(1989) d 0.005
Mulders(1972,1973) d 5～6.2
De Grunt(1975) d 1.0
Boidron(1978) 25
Sarzynski(1982) 5

Piggott &Findlay(1984)	d	5.9
Pino et al.(1986)	d	0.0085
Granzer et al.(1986)		10～50
Schnabel et al.(1988)	d	8.8～45
Takahashi(1990)		25～50
Larsen &Poll(1992)	d	0.1～1.0
Tamura et al.(1995)		50
Takeoka et al.(1996)	d	13.5
Tamura et al.(2001);Boonbumrung et al.(2001)	d	3.28～3.3
Pino &Mesa(2006)	d	5
Giri et al.(2010)	d	0.005

ethyl acrylate→丙烯酸乙酯
ethyl alcohol→乙醇

ETHYLAMINE, 乙胺，[75-04-7]

Amoore et al.(1975b)	d	95.1
De Grunt(1975)	d	10.0

3-(ETHYLAMINO)-4-METHYLPHENOL,3-(乙氨基)-4-甲酚，[120-37-6]

Dietz&Traud(1978)		0.04

ethyl amyl ketone→3-辛酮
ethyl angelate→当归酸乙酯

3-ETHYLANISOLE,3-乙基苯甲醚，[10568-38-4]

Dietz &Traud(1978)		0.02

4-ETHYLBENZALDEHYDE, 对乙基苯甲醛

Giri et al.(2010)	d	0.12323

ETHYLBENZENE,乙苯，[100-41-4]

Cherkinski(1961)	d	0.2
Rosen et al.(1963)		0.14
Zoeteman et al.(1971)		0.1
Boidron &Pons(1978)	d	1.2
Alexander et al.(1982)	d	0.0024
Young et al.(1996)		0.55
Giri et al.(2010)	d	2.20525

ETHYL BENZOATE,苯甲酸乙酯，[93-89-0]

Appell(1969)		0.4
Pyysalo et al.(1977);Hirvi&Honkanen(1984)	d	0.10
Buttery et al.(1988a);Takeoka et al.(1991b)	d	0.06
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.053
Giri et al.(2010)	d	0.05556

ETHYL 3-(4-BROMOPHENYL)-3-METHYL-2,3-EPOXYPROPANOATE,3-(4-溴苯基)-3-甲基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992)	d	0.5

2-ETHYLBUTANAL,2- 乙基丁醛，[97-96-1]

Schnabel et al.(1988)	d	0.041～0.081

ETHYL BUTANOATE,丁酸乙酯，[105-54-4]

Flath et al.(1967);Guadagni(1970b);Buttery(1981); Teranishi et al.(1987);Takeoka et al.(1989,2008)	d	0.001
Ahmed et al.(1978a)	d	0.00013
Piggott &Findlay(1984)	d	0.018
Pino et al.(1986)	d	0.0011
Schnabel et al.(1988)	d	0.0070～0.027
Takahashi(1990)		0.4
Schieberle(1991,1992)	d	0.001
Larsen &Poll(1992)	d	0.000001～0.00001
Boonbumrung et al.(2001)	d	0.00018
Labbe et al.(2007)		0.01
Pino &Mesa(2006)	d	0.001
Czerny et al.(2008);Steinhaus et al.(2009); Sinuco et al.(2010)	d	0.00076
Czerny et al.(2008)	r	0.0024
Burdack-Freitag et al.(2010)	d	0.0005(常规大气压)
Burdack-Freitag et al.(2010)	d	0.0049(低大气压)
Burdack-Freitag et al.(2010)	r	0.003(常规大气压)
Burdack-Freitag et al.(2010)	r	0.0084(低大气压)
Giri et al.(2010)	d	0.0009

2-ETHYLBUTANOIC ACID,2-乙基丁酸，[88-09-5]

Zoeteman et al.(1971)		10
Amoore(1976)	d	365
Schnabel et al.(1988)	d	0.093～0.46

2-ETHYL-1-BUTANOL,2- 乙基-1-丁醇，[97-95-0]

De Grunt(1975)	d	0.2
Schnabel et al.(1988)	d	0.082～0.42
Giri et al.(2010)	d	0.0752

2-(1-ETHYLBUTYL)-5,6-DIMETHYLPYRAZINE,2-(1- **乙基丁基)-5,6-二甲基吡嗪**

Shibamoto(1986)	d	0.82

ethyl tert-butyl ether→叔丁基乙醚
2-ethylbutyraldehyde→2- 乙基丁醛
ethyl butyrate→丁酸乙酯

2-ethylbutyric acid→2-乙基丁酸
ethyl caprate→癸酸乙酯
ethyl caproate→己酸乙酯
ethyl caprylate→辛酸乙酯
ethyl cinnamate→肉桂酸乙酯
ethyl(E)-cinnamate→(E)- 肉桂酸乙酯

ETHYL CYANIDE,丙腈，[107-12-0]

Fabrellas et al.(2004)		0.012～0.068

ETHYL CYCLOBUTANECARBOXYLATE,环丁基甲酸乙酯，[14924-53-9]

Takeoka et al.(1991b)	d	0.00001

ETHYL CYCLOHEPTANECARBOXYLATE,环庚基甲酸乙酯，[32777-26-7]

Takeoka et al.(1991b)	d	0.000002

ETHYL CYCLOHEXANECARBOXYLATE,环己基甲酸乙酯，[3289-28-9]

Takeoka et al.(1991b)	d	0.000001

ETHYL1-CYCLOHEXENECARBOXYLATE, 1-环己烯甲酸乙酯

Takeoka et al.(1991b)	d	0.0003

ETHYL3-CYCLOHEXENECARBOXYLATE, 3-环己烯羧酸乙酯，[15111-56-5]

Takeoka et al.(1991b)	d	0.000003

ETHYL CYCLOHEXYLACETATE,环己基乙酸乙酯，[5452-75-5]

Takeoka et al.(1991b)	d	0.00002

ETHYL CYCLOOCTANECARBOXYLATE,环辛基甲酸乙酯

Takeoka et al.(1991b)	d	0.000004

ETHYL CYCLOPENTANECARBOXYLATE,环戊基甲酸乙酯，[5453-85-0]

Takeoka et al.(1991b)	d	0.000001

ETHYL CYCLOPROPANECARBOXYLATE,环丙基甲酸乙酯，[4606-07-9]

Takeoka etal.(1991b)	d	0.0001

ETHYL(E,Z)-2,4-DECADIENOATE,(E,Z-2,4-癸二烯酸乙酯，[3025-30-7]

Takeoka et al.(1992)	d	0.1

ETHYL DECANOATE,癸酸乙酯，[110-38-3]

Schnabel et al.(1988)	d	0.0086～0.044
Takahashi(1990)		1.5
Takeoka et al.(1992)	d	0.122
Boonbumrung et al.(2001)	d	0.023
Pino &Mesa(2006)	d	6.3
Giri et al.(2010)	d	0.005

ETHYL 3-(3,4-DICHLOROPHENYL)-3-METHYL-2,3-EPOXYPROPANOATE,3-(3,4-二氯苯基)-3-甲基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992) d 2

ETHYLDIMETHYLAMINE, 乙基二甲胺，[598-56-1]

Amoore &Forrester(1976) d 0.00762

ETHYL 2,2-DIMETHYLBUTANOATE,2,2-二甲基丁酸乙酯

Takeoka et al.(1991b) d 0.0001

ETHYL 2,3-DIMETHYLBUTANOATE,2,3-二甲基丁酸乙酯

Takeoka et al.(1995) d 0.000004

ETHYL 3,3-DIMETHYLBUTANOATE,3,3-二甲基丁酸乙酯

Takeoka et al.(1991b) d 0.000003

2-ETHYL-5,5-DIMETHYL-1,3-DIOXANE,2-乙基-5,5-二甲基-1,3-二氧杂环乙烷，[768-58-1]

Petri et al.(1993) 0.00001

Schweitzer et al.(1999a) 0.000005～0.00001

ETHYL 2,3-DIMETHYLPENTANOATE,2,3-二甲基戊酸乙酯

Takeoka et al.(1995b) d 0.000002

ETHYL 3-(3,4-DIMETHYLPHENYL)-3-METHYL-2,3-EPOXYPROPANOATE,3-(3,4-二甲基苯基)-3-甲基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992) d 100

ETHYL 2,2-DIMETHYLPROPANOATE,叔戊酸乙酯，[3938-95-2]

Takeoka et al.(1995b) d 0.0002

2-ETHYL-3,5-DIMETHYLPYRAZINE,2-乙基-3,5-二甲基吡嗪，[13925-07-0]

Koehler et al.(1971) d 15

Guadagni(1973) 0.001

Cerny &Grosch(1993);Grosch et al.(1993) 0.002

Czerny &Wagner(1995);Czerny et al.(1996a,1996b) 0.00016

Buttery &Ling(1997b,1998);Buttery et al.(1997,1999)d 0.00004

3-ETHYL-2,5-DIMETHYLPYRAZINE,3-乙基-2,5-二甲基吡嗪，[13360-65-1]

Koehler et al.(1971) d 43

Guadagni et al.(1972);Teranishi et al.(1974);
Buttery(1981,1993);Buttery et al.(1994a);
Buttery &Ling(1995) d 0.0004

Tressl et al.(1977b) 0.005

Buttery &Ling(1997b);Buttery et al.(1997,1999);
Buttery &Ling(1998) d 0.0086

5-ETHYL-2,3-DIMETHYLPYRAZINE,5-乙基-2,3-二甲基吡嗪，[15707-34-3]

Shibamoto(1986);Mihara et al.(1991) d 0.53

5-ETHYL-2,4-DIMETHYLTHIAZOLE,5-乙基-2,4-二甲基-1,3-噻唑,[38205-61-7]

Teranishi et al.(1974);Buttery(1981) d 0.00009

ethyl disulphide→二乙基二硫醚

ETHYLDITHIOETHANE,二乙基二硫醚,[110-81-6]

De Grunt(1975);De Grunt et al.(1977) d 0.00001～0.00002

ETHYL DODECANOATE,月桂酸乙酯,[106-33-2]

Takahashi(1990) 3.5

Boonbumrung et al.(2001) d 0.40

Pino &Mesa(2006) d 5.9

ethylene brassylate→昆仑麝香

ethylene chloride→1,2-二氯乙烷

ethylenediamine→ 乙二胺

ethylene dichloride→1,2-二氯乙烷

ethylene glycol→乙二醇

ethylene glycol n-butyl ether→乙二醇丁醚

ethylene glycol ethyl ether→乙二醇单乙醚

ethylene glycol methyl ether→乙二醇单甲醚

ETHYL 2-ETHYLBUTANOATE,2-乙基丁酸乙酯

Takeoka et al.(1995b) d 0.000007

ETHYL2-ETHYLHEXANOATE,2-乙基己酸乙酯,[2983-37-1]

Takeoka et al.(1995b) d 0.050

ETHYL 3-ETHYL-2-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-乙基-2-甲基-3-苯基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992) d 3.5

ETHYL 2-ETHYLPENTANOATE,2-乙基戊酸乙酯

Takeoka et al.(1995b) d 0.00005

ETHYL 3-ETHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-乙基-3-苯基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992) d 18

2-ETHYL-3-(ETHYLTHIO)PYRAZINE,2-乙基-3-乙硫基吡嗪,[113685-90-8]

Masuda &Mihara(1988) d 0.06

ETHYL FORMATE,甲酸乙酯,[109-94-4]

Mulders(1972,1973) d 17

Aharoni et al.(1980) 17

Schnabel et al.(1988) d 8.9～89

ethyl glycol→乙二醇单乙醚

ethyl glycol acetate→乙二醇单乙醚乙酸酯

p-ethylguaiacol→对乙基愈创木酚
4-ethylguaiacol→对乙基愈创木酚

ETHYLHEPTANOATE, 庚酸乙酯，[106-30-9]

Teranishi et al.(1987);Takeoka et al.(1990a)	d	0.002～0.0022
Pino &Mesa(2006)	d	0.002
Giri et al.(2010)	d	0.0019

5-ETHYL-2-HEPTANOL,5- 乙基-2-庚醇，[19780-40-6]

Aoki&Koizumi(1986)		0.048

ETHYLHEXADECANOATE, 棕榈酸乙酯，[628-97-7]

Teranishi et al.(1987)	d	2
Buttery et al.(1988a)	d	>2
Pino &Mesa(2006)	d	2

2-ETHYLHEXANAL,2- 乙基己醛，[123-05-7]

Schnabel et al.(1988)	d	0.041～0.082

ETHYLHEXANOATE, 己酸乙酯，[123-66-0]

Guadagni(1970b);Buttery(1981); Teranishi et al.(1987);Takeoka et al.(1989,1990a,1992); Hansen et al.(1992)	d	0.001
Pyysalo et al.(1977);Hirvi &Honkanen(1984)	d	0.0003
Boidron(1978)		0.036
Schnabel et al.(1988)	d	0.00087～0.0043
Takahashi(1990)		0.22
Schieberle(1991,1992);Buhr et al.(2010)	d	0.005
Larsen &Poll(1992)	d	0.00001～0.0001
Boonbumrung et al.(2001)	d	0.0010
Pino &Mesa(2006)	d	0.001
Giri et al.(2010)	d	0.0022
Seideneck &Schieberle(2011)		0.005

2-ETHYLHEXANOIC ACID,2-乙基己酸，[149-57-5]

Schnabel et al.(1988)	d	27～63

2-ETHYL-1-HEXANOL,2- 乙基己醇，[104-76-7]

Rosen et al.(1963)		0.27
Lillard &Powers(1975)	d	1.28
Schnabel et al.(1988)	d	0.83～1.5
Suffet(1992)		0.198
Takahashi et al.(2002)		0.3
Giri et al.(2010)	d	25.4822

4-ETHYL-3-HEXANOL,4- 乙基-3-己醇

Schnabel et al.(1988)	d	0.078～0.17

4-ETHYL-3-HEXANONE,4-乙基-3-己酮，[6137-12-8]

Schnabel et al.(1988)	d	0.0082～0.041

(Z)-2-ETHYL-2-HEXENAL,(Z)-2-乙基-2-己烯醛

Robert et al.(2004)	d	0.125

2-ETHYLHEXYLACETATE，乙酸-2-乙基己酯，[103-09-3]

Schnabel et al.(1988)	d	0.043～0.26

2-ethylhexyl acrylate→2-乙基己基丙烯酸酯
2-ethylhexyl methacrylate→2-乙基己基甲基丙烯酸酯

2-ETHYLHEXYL 2-METHYL-2-PROPENOATE,2-乙基己基甲基丙烯酸酯，[688-84-6]

Piringer &Granzer(1984);Granzer et al.(1986)		0.02～0.5

2-ETHYLHEXYL 2-PROPENOATE,2-乙基己基丙烯酸酯，[103-11-7]

Piringer &Granzer(1984);Granzer et al.(1986)		0.005～0.2

ETHYL 2-HYDROXYBUTANOATE,2-羟基丁酸乙酯，[52089-54-0]

Takeoka et al.(1995b)	d	0.8

ETHYL 3-HYDROXYBUTANOATE,3-羟基丁酸乙酯，[5405-41-4]

Takeoka et al.(1995b)	d	2.5

ETHYL4-HYDROXYBUTANOATE,4-羟基丁酸乙酯，[999-10-0]

Atika et al.(1988);Takahashi(1990)		40～50

(R)-ETHYL3-HYDROXYHEXANOATE,(R)-3-羟基己酸乙酯

Buettner &Schieberle(2001a,2001b)		0.27

4-ETHYL-3-HYDROXY-5-METHYL-2(5H)-FURANONE,4-乙基-3-羟基-5-甲基-2(5H)-呋喃酮

Rödel & Hempel(1974)	r	0.45

5-ETHYL-3-HYDROXY-4-METHYL-2(5H)-FURANONE,乙基葫芦巴内酯，[698-10-2]

Pittet et al.(1970)		0.5～1.0
Rödel&Hempel(1974)	r	0.07
Semmelroch et al.(1995)		0.0075
Buttery(1999)	d	0.0001

2-ETHYL-4-HYDROXY-5-METHYL-3(2H)-FURANONE,2-乙基-4-羟基-5-甲基-3(2H)-呋喃酮，[27538-10-9]

Semmelroch &Grosch(1996)		0.02
Buttery(1999)	d	0.02

5-ETHYL-4-HYDROXY-2-METHYL-3(2H)-FURANONE,酱油酮，[27538-09-6]

Semmelroch et al.(1995)		0.00115

ETHYL2-HYDROXYPROPANOATE, 乳酸乙酯, [97-64-3]

Takahashi(1990)		50～250

6-ETHYL-3-ISOBUTYL-2H-2-PYRANONE,6- 乙基-3-异丁基-2H-2-吡喃酮, [17654-99-8]

Aguilar(2004)		0.003

ethyl isobutyrate→异丁酸乙酯

ethyl isohexanoate→异己酸乙酯

ethyl isovalerate→异戊酸乙酯

ethylkahweofuran→ 乙基咖啡呋喃

ethyl lactate→乳酸乙酯

ethyl laurate→月桂酸乙酯

ethyl mercaptan→乙硫醇

2-ETHYL-3-MERCAPTO-1-PENTANOL,2- 乙基-3-巯基-1-戊醇

Widder et al.(2001,2002)		0.0014

ETHYL 2-MERCAPTOPROPANOATE,2-巯基丙酸乙酯, [19788-49-9]

Takeoka et al.(1995b)	d	0.001

ethyl methacrylate→甲基丙烯酸乙酯

5-ETHYL-3-METHOXY-4-METHYL-2(5H)-FURANONE,5- 乙基-3-甲氧基-4-甲基-2(5H)-呋喃酮

Rödel & Hempel(1974)	r	4.8

5-ETHYL-3-METHOXY-2-METHYLPYRAZINE,5- 乙基-3-甲氧基-2-甲基吡嗪, [134079-38-2]

Mihara et al.(1991)	d	0.0002

4-ETHYL-2-METHOXYPHENOL, 对乙基愈创木酚, [2785-89-9]

Semmelroch et al.(1995)		0.050
Czerny et al.(2008)	d	0.0044
Czerny et al.(2008)	r	0.016
Giri et al.(2010)	d	0.08925

ETHYL 3-(2-METHOXYPHENYL)-3-METHYL-2,3-EPOXYPROPANOATE,3-(2-甲氧基苯基)-3-甲基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992)	d	2

ETHYL 3-(4-METHOXYPHENYL)-3-METHYL-2,3-EPOXYPROPANOATE,3-(4-甲氧基苯基)-3-甲基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992)	d	2

2-ETHYL-3-METHOXYPYRAZINE,2- 乙基-3-甲氧基吡嗪, [25680-58-4]

Seifert et al.(1970);Teranishi et al.(1974,1975)	d	0.0004～0.000425
Masuda &Mihara(1988)	d	0.01

N-ETHYLMETHYLAMINE,N 乙基甲基胺, [624-78-2]

Amoore et al.(1975b)	d	9.02

ETHYL 2-METHYLBUTANOATE,2-甲基丁酸乙酯，[7452-79-1]

Flath et al.(1967);Guadagni(1969,1970b);		
Buttery(1981);Teranishi et al.(1987);		
Takeoka et al.(1989,1990a)	d	0.0001～0.0003
Jakob et al.(1969)	d	0.00008
Schnabel et al.(1988)	d	0.000091～0.00026
Ong &Acree(1999)		0.0005
Pino &Mesa(2006)	d	0.000006
Takeoka et al.(2008)	d	0.000007
Czerny et al.(2008)	d	0.000013
Czerny et al.(2008)	r	0.000063

ETHYL(S-(+)-2-METHYLBUTANOATE,(S)-(+)-2- 甲基丁酸乙酯，[10307-61-6]

Takeoka et al.(1990b,1991a,1991b,1992)	d	0.000006
Averbeck &Schierberle(2009,2011)	d	0.000001

ETHYL 3-METHYLBUTANOATE,异戊酸乙酯，[108-64-5]

Schnabel et al.(1988)	d	0.000091～0.00043
Takeoka et al.(1991b)	d	0.00001
Pino &Mesa(2006)	d	0.0001
Czerny et al.(2008)	d	0.000023
Czerny et al.(2008)	r	0.00011
Giri et al.(2010)	d	0.00001

ETHYL(E)-2-METHYL-2-BUTENOATE, 惕各酸乙酯，[5837-78-5]

Takeoka et al.(1992,2008)	d	0.063～0.065

ETHYL(Z)-2-METHYL-2-BUTENOATE, 当归酸乙酯，[16509-44-7]

Takeoka et al.(1998)	d	0.00006

ETHYL3-METHYL-2-BUTENOATE,3- 甲基-2-丁烯酸乙酯，[638-10-8]

Takeoka et al.(1998)	d	0.025

ETHYL 3-METHYL-3-BUTENOATE,3-甲基-3-丁烯酸乙酯，[1617-19-2]

Takeoka et al.(1998)	d	0.00022

ethyl 2-methylbutyrate→2-甲基丁酸乙酯
ethyl 3-methylbutyrate→异戊酸乙酯

2-ETHYL-4-METHYL-1,3-DIOXOLANE,2- 乙基-4-甲基-1,3-二氧戊环，[4359-46-0]

Lillard&Powers(1975)	d	0.38
Schweitzer et al.(1999b)		0.000005～0.00001

5-ETHYL-4-METHYL-2(5H)-FURANONE,5- 乙基-4-甲基-2(5H)-呋喃酮

Rödel&Hempel(1974)	r	20

ETHYL 2-METHYLHEXANOATE,2-甲基己酸乙酯

Takeoka et al.(1995b) d 0.0025

ETHYL(E)-2-METHYL-2-HEXENOATE,(E)-2-甲基-2-己烯酸乙酯
Takeoka et al.(1998) d 0.0003

ETHYL3-METHYL-3-(4-METHYLPHENYL)-2,3-EPOXYPROPANOATE,3-甲基-3-(4-甲基苯基)-2,3-环氧丙酸乙酯
Tekin&Karaman(1992) d 17

ETHYL2-METHYL-3-(4-METHYLPHENYL)-3-PROPYL-2,3-EPOXYPROPANOATE,2-甲基-3-(4-甲基苯基)-3-丙基-2,3-环氧丙酸乙酯
Tekin &Karaman(1992) d 8.5

5-ETHYL-2-METHYL-3-(METHYLTHIO)PYRAZINE,5-乙基-2-甲基-3-甲硫基吡嗪,[134079-39-3]
Mihara et al.(1991) d 0.002

ETHYL 2-METHYL-3,4-PENTADIENOATE,2-甲基-3,4-戊二烯酸乙酯,[60523-21-9]
Takeoka et al.(1998) d 0.00005

2-ETHYL-3-METHYLPENTANAL,2-乙基-3-甲基戊醛,[42347-74-0]
Schnabel et al.(1988) *d* *0.077～0.42*

ETHYL 2-METHYLPENTANOATE,2-甲基戊酸乙酯,[39255-32-8]
Takeoka et al.(1995b) d 0.000003

ETHYL 3-METHYLPENTANOATE,3-甲基戊酸乙酯,[5870-68-8]
Takeoka et al.(1995b) d 0.000008

ETHYL4-METHYLPENTANOATE,异己酸乙酯,[25415-67-2]
Schnabel et al.(1988) d 0.00087～0.0043
Takeoka et al.(1995b) d 0.00001
Ong &Acree(1999) 0.005
Fritsch &Schieberle(2005) 0.000003

2-ETHYL-3-METHYLPENTANOIC ACID,2-乙基-3-甲基戊酸,[22414-77-3]
Schnabel et al.(1988) d 9.1～46

ETHYL(E)-2-METHYL-2-PENTENOATE,(E)-2-甲基-2-戊烯酸乙酯,[1617-40-9]
Takeoka et al.(1998) d 0.0115

ETHYL 2-METHYL-4-PENTENOATE,2-甲基-4-戊烯酸乙酯,[53399-81-8]
Takeoka et al.(1998) d 0.00001

ETHYL4-METHYL-4-PENTENOATE,4-甲基-4-戊烯酸乙酯,[4911-54-0]
Takeoka et al.(1998) d 0.00003

3-ETHYL-5-METHYLPHENOL,3-甲基-5-乙基苯酚,[698-71-5]
Dietz &Traud(1978) 1

ETHYL 2-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,2-甲基-3-苯基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992)	d	103

ETHYL3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE, 草莓醛，[77-83-8]

Appell(1969)		0.025
Tekin &Karaman(1992)	d	2

ethyl 3-methyl-3-phenylglycidate→草莓醛

ETHYL 3-(4-METHYLPHENYL)-3-PROPYL-2,3-EPOXYPROPANOATE,3-(4-甲基苯基)-3-丙基-2,3-环氧丙酸乙酯

Tekin &Karaman(1992)	d	78

ETHYL 2-METHYLPROPANOATE,异丁酸乙酯，[97-62-1]

Appell(1969)		0.025
Guadagni(1970b);Teranishi et al.(1987); Takeoka et al.(1989,2008)	d	0.0001
Schnabel et al.(1988)	d	0.0000081～0.000043
Ong &Acree(1999)		0.015
Pino &Mesa(2006)	d	0.0001
Czerny et al.(2008)	d	0.000089
Czerny et al.(2008)	r	0.00022
Seideneck &Schieberle(2011)		0.00002

ETHYL2-METHYL-2-PROPENOATE, 甲基丙烯酸乙酯，[97-63-2]

Piringer &Granzer(1984);Granzer et al.(1986)		0.002～0.05

2-ETHYL-3-METHYLPYRAZINE,2- 乙基-3-甲基吡嗪，[15707-23-0]

Guadagni et al.(1972);Teranishi et al.(1974)	d	0.13
Calabretta(1973)	d	0.13
Mihara &Masuda(1988)	d	0.5

2-ETHYL-5-METHYLPYRAZINE,2- 乙基-5-甲基吡嗪，[13360-64-0]

Guadagni et al.(1972);Teranishi et al.(1974); Buttery &Ling(1995,1998);Buttery et al.(1997,1999)	d	0.1
Mihara &Masuda(1988)	d	0.016

2-ETHYL-6-METHYLPYRAZINE,2- 乙基-6-甲基吡嗪，[13925-03-6]

Mihara &Masuda(1988)	d	0.04

5-ETHYL-2-METHYLPYRIDINE,5- 乙基-2-甲基吡啶，[104-90-5]

Rosen et al.(1963)		0.019

5-ETHYL-4-METHYLTHIAZOLE,5- 乙基-4-甲基噻唑，[31883-01-9]

Teranishi et al.(1974)	d	0.1

ETHYL2-(METHYLTHIO)ACETATE, 甲硫基乙酸乙酯，[4455-13-4]

Guadagni(1970b);Teranishi et al.(1987)	d	0.025

ETHYL4-(METHYLTHIO)BUTANOATE,4-甲硫基丁酸乙酯，[22014-48-8]

Takeoka et al.(1991a) d 0.019

ETHYL 3-(METHYLTHIO)PROPANOATE,3-甲硫基丙酸乙酯，[13327-56-5]

Takeoka et al.(1989) d 0.007

Giri et al.(2010) d 0.00845

ETHYL3-(METHYLTHIO)-(E)-2-PROPENOATE,3-甲硫基-(E)-2-丙烯酸乙酯，[136115-65-6]

Takeoka et al.(1991a) d 0.246

2-ETHYL-3-(METHYLTHIO)PYRAZINE,2-乙基-3-甲硫基吡嗪，[72987-62-3]

Masuda &Mihara(1988) d 0.04

ethyl myristate→肉豆蔻酸乙酯

O-ETHYL O4-NITROPHENYL PHENYLPHOSPHONOTHIOATE, 苯硫磷，[2104-64-5]

Sigworth(1965) d 0.018

ETHYL NONANOATE,壬酸乙酯，[123-29-5]

Takahashi(1990) 12

Pino &Mesa(2006) d 0.377

ETHYL OCTANOATE,辛酸乙酯，[106-32-1]

Takahashi(1990) 0.2～1.0

Takeoka et al.(1992) d 0.092

Gassenmeier &Schieberle(1995) d 0.005

Rychlik &Grosch(1996);Rychlik(1998) 0.07

Boonbumrung et al.(2001) d 0.015

Pino &Mesa(2006) d 0.194

Giri et al.(2010) d 0.0193

4-ETHYLOCTANOIC ACID,4-乙基辛酸，[16493-80-4]

Boelens et al.(1983) d 0.0018

ETHYL(E)-4-0CTENOATE,(E)-4-辛烯酸乙酯，[78989-37-4]

Takeoka et al.(1992) d 0.05

2-ETHYL-3-OXA-8-THIABICYCLO[3.3.0]-1,4-OCTADIENE, 乙基咖啡呋喃

Tressl(1989,1990) 0.005

ethyl palmitate→棕榈酸乙酯

ethyl pelargonate→壬酸乙酯

2-ETHYLPENTANAL,2-乙基戊醛

Schnabel et al.(1988) d 0.83～2.5

ETHYL PENTANOATE,戊酸乙酯，[539-82-2]

Flath et al.(1967);Teranishi et al.(1987);

Takeoka et al.(1989) d 0.0015～0.005

Schnabel et al.(1988)	d	0.0087～0.044
Giri et al.(2010)	d	0.0058

2-ETHYLPENTANOIC ACID,2-乙基戊酸，[20225-24-5]

Schnabel et al.(1988)	d	0.91～9.1

3-ETHYL-2-PENTANOL,3- 乙基-2-戊醇，[609-27-8]

Schnabel et al.(1988)	d	0.26～0.43

3-ETHYL-3-PENTANOL,3- 乙基-3-戊醇，[597-49-9]

Pelosi&Pisanelli(1981)	d	15
Schnabel et al.(1988)	d	0.042～0.084

3-ETHYL-2-PENTANONE,3- 乙基-2-戊酮，[6137-03-7]

Schnabel et al.(1988)	d	0.25～0.41

2-ETHYLPHENOL, 邻乙基苯酚，[90-00-6]

Dietz &Traud(1978)		0.3

3-ETHYLPHENOL, 间乙基苯酚，[620-17-7]

Dietz &Traud(1978)		0.8
Czerny et al.(2008)	d	0.00085
Czerny et al.(2008)	r	0.0017

4-ETHYLPHENOL, 对乙基苯酚，[123-07-9]

Pyysalo et al.(1977)	d	0.042
Dietz&Traud(1978)		0.6
Czerny et al.(2008)	d	0.013
Czerny et al.(2008)	r	0.021

ETHYL 2-PHENYLACETATE,苯乙酸乙酯，[101-97-3]

Giri et al.(2010)	d	0.15555

ETHYL3-PHENYL-2,3-EPOXYPROPANOATE,3-苯基-2,3-环氧乙烷丙酸乙酯，[121-39-1]

Tekin &Karaman(1992)	d	8.5

trans-ETHYL3-PHENYL-2,3-EPOXYPROPANOATE, 反-3-苯基-2,3-环氧乙烷丙酸乙酯

Tekin &Karaman(1992)	d	10

ethyl phenyl glycidate→3-苯基-2,3-环氧乙烷丙酸乙酯

ETHYL 3-PHENYLPROPENOATE,肉桂酸乙酯，[103-36-6]

Le Magnen(1952)		0.017～0.04

ETHYL(E)-3-PHENYLPROPENOATE,(E)- 肉桂酸乙酯，[4192-77-2]

Pino &Mesa(2006)	d	0.165

ethyl pivalate→叔戊酸乙酯

ETHYL PROPANOATE,丙酸乙酯，[105-37-3]

Ahmed et al.(1978a)	d	0.0099
Piggott &Findlay(1984)	d	1.9
Teranishi et al.(1987);Takeoka et al.(1989,1992)	d	0.01
Schnabel et al.(1988)	d	0.0089～0.045
Pino &Mesa(2006)	d	0.01

ETHYL2-PROPENOATE,　丙烯酸乙酯，[140-88-5]

Baker(1963)		0.0067
Piringer &Granzer(1984);Granzer et al.(1986)		0.0001～0.002

ETHYLPROPYLAMINE,N　乙基丙胺，[20193-20-8]

Amoore et al.(1975b)	d	17.4

4-ETHYL-5-PROPYLTHIAZOLE,4-　乙基-5-丙基噻唑，[57246-61-4]

Buttery et al.(1976a)	d	0.00006

ETHYLPYRAZINE,　乙基吡嗪，[13925-00-3]

Koehler et al.(1971)	d	22
Guadagni et al.(1972);Teranishi et al.(1974); Buttery &Ling(1995,1998);Buttery et al.(1999)	d	6
Masuda &Mihara(1988)	d	4
Buttery et al.(1997)	d	4

ETHYL SALICYLATE,水杨酸乙酯，[118-61-6]

Pino &Mesa(2006)	d	0.084

ethylsotolon→乙基葫芦巴内酯

ETHYL TETRADECANOATE,肉豆蔻酸乙酯，[124-06-1]

Teranishi et al.(1987)	d	4
Boonbumrung et al.(2001)	d	0.18
Pino &Mesa(2006)	d	4

1-(3-ETHYL-5,6,7,8-TETRAHYDRO-5,5,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE,万山麝香，[88-29-9]

Amoore et al.(1977)	d	0.0024

2-(ETHYLTHIO)-3,6-DIMETHYLPYRAZINE,2-　乙硫基-3,6-二甲基吡嗪，[59021-09-9]

Mihara et al.(1991)	d	0.021

2-(ETHYLTHIO)ETHANAL,2-　乙硫基乙醛

Rössner et al.(2002)		0.0008

(ETHYLTHIO)ETHANE,　乙硫醚，[352-93-2]

Kauffmann(1907)	r	0.08～0.11
Pietrzak &Barylko-Pikielna(1976)		0.0048

2-(ETHYLTHIO)ETHANOL,2-　乙硫基乙醇，[110-77-0]

Cherkinski(1961) d 0.01

2-(ETHYLTHIO)-5-ISOBUTYL-3-METHYLPYRAZINE,2- 乙硫基-5-异丁基-3-甲基吡嗪，[99784-27-7]
Masuda&Mihara(1986);Shibamoto(1986) d 0.032

2-(ETHYLTHIO)-5-ISOPROPYL-3-METHYLPYRAZINE,2- 乙硫基-5-异丙基-3-甲基吡嗪，[99784-25-5]
Masuda &Mihara(1986);Shibamoto(1986) d 0.085

2-(ETHYLTHIO)-3-METHYL-5-(2-METHYLBUTYL)PYRAZINE,2- 乙硫基-3-甲基-5-(2-甲基丁基)吡嗪，[99784-28-8]
Masuda&Mihara(1986);Shibamoto(1986) d 0.0025

2-(ETHYLTHIO)-3-METHYL-5-(2-METHYLPENTYL)PYRAZINE,2- 乙硫基-3-甲基-5-(2-甲基戊基)吡嗪，[99784-29-9]
Masuda &Mihara(1986);Shibamoto(1986) d 0.056

2-(ETHYLTHIO)-3-METHYLPYRAZINE,2- 乙硫基-3-甲基吡嗪，[32740-98-0]
Masuda &Mihara(1988) d 0.07

2-(ETHYLTHIO)-3-OCTYLPYRAZINE,2- 乙硫基-3-辛基吡嗪，[113685-93-1]
Masuda&Mihara(1988) d 0.002

2-(ETHYLTHIO)-3-PENTYLPYRAZINE,2- 乙硫基-3-戊基吡嗪，[113685-92-0]
Masuda &Mihara(1988) d 0.001

(ETHYLTHIO)PYRAZINE,2- 乙硫基吡嗪，[65032-06-6]
Masuda &Mihara(1988) d 0.9
ethyl tiglate→惕各酸乙酯

3-ETHYLTOLUENE, 间甲乙苯，[620-14-4]
Jüttner et al.(1995) r 0.8

4-ETHYLTOLUENE, 对甲乙苯，[622-96-8]
Jüttner et al.(1995) r 0.6

cis-1-ETHYL-2,2,6-TRIMETHYLCYCLOHEXANOL, 顺-1-乙基-2,2,6-三甲基环己醇
Finato et al.(1992) d 0.00012

(E)-(R)-2-ETHYL-4-(2,2,3-TRIMETHYL-3-PENTEN-1-YL)-2-BUTEN-1-OL,(E)-(R)-2- 乙基-4-(2,2,3-三甲基-3-戊烯-1-基)-2-丁烯-1-醇
Aida et al.(1997,2000) 0.00000018

(E)-(S)-2-ETHYL-4-(2,2,3-TRIMETHYL-3-PENTEN-1-YL)-2-BUTEN-1-OL,(E)-(S)-2- 乙基-4-(2,2,3-三甲基-3-戊烯-1-基)-2-丁烯-1-醇
Aida et al.(1997,2000) 0.0000092
ethyl valerate→戊酸乙酯
ethylvanillin→ 乙基香兰素
ethyl vinyl ketone→ 1-戊烯-3-酮

eucalyptol→1,8-桉叶素
eugenol→ 丁香酚
eugenol methyl ether→甲基丁香酚
exaltolide→环十五内酯
exaltone→黄 蜀 葵 酮

F

farnesene→金 合 欢 烯
farnesol→ 金合欢醇
fenchone→ 葑酮
(d)-fenchone→(+)- 葑 酮
(+)-fenchone→(+)- 葑 酮
(1)-fenchone→ (一)-葑酮
(一)-fenchone→ (一)-葑酮
fichtelite→朽松木烷
(E)-filbertone→(E)- 榛子酮
fixolide→吐纳麝香

2-FLUOROPHENOL, 邻氟苯酚, [367-12-4]

Dietz&Traud(1978)		1.5

3-FLUOROPHENOL, 间氟苯酚, [372-20-3]

Dietz &Traud (1978)		2

4-FLUOROPHENOL, 对氟苯酚, [371-41-5]

Dietz &Traud(1978)		2.3

formaldehyde→ 甲 醛

FORMIC ACID,甲酸, [64-18-6]

Guadagni(1966,1968,1969);Aharoni et al.(1980)	d	400～450
Amoore &Venstrom(1966);Amoore(1969)	d	1360～1500
Amoore et al.(1968)	d	3650
Brown et al.(1968)		25000
Zoeteman et al.(1971)		8000
Kikuchi et al.(1976)		1000
Rosen et al.(1979)	d	46
Schnabel et al.(1988)	d	1240～2440

2-FORMYL-1-FURFURYLPYRROLE,2-甲酰基-1-糠基吡咯

Buttery et al.(1997)	d	0.097

4-formyl-2-methoxyphenol→ 香兰素

2-FORMYL-1-METHYLPYRROLE ,N 甲基-2-吡咯甲醛, [1192-58-1]

Buttery et al.(1997);Buttery(1999)	d	0.037

FURAN, 呋喃, [110-00-9]

Mulders(1972,1973)	d	4.5～6

furaneol→菠萝酮
trans-furan linalool oxide→反-呋喃氧化芳樟醇
2-furanmethanethiol→糠硫醇

2-FURANMETHANOL, 糠醇，［98-00-0］

Buttery et al.(1994a,1997,1999);		
Buttery &Ling(1995,1998)	d	1.9～2.0
Giri et al.(2010)	d	4.50050

[2-(FURANYLMETHYL)THIO]PYRAZINE,2- 糠硫基吡嗪

Calabretta(1978)	d	<0.001

FURFURAL，糠醛，［98-01-1］

Appell(1969)		1
Buttery et al.(1969b,1971,1978b,1990a,1997,1999);		
Guadagni et al.(1972);Buttery(1981,1993);		
Buttery &Ling(1995,1998)	d	2～3
Buttery et al.(1988a,1994a)	d	23
Pino et al.(1986)	d	0.282
Takahashi(1990)		50～150
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.77
Pino &Mesa(2006)	d	3
Giri et al.(2010)	d	9.56200

furfuryl alcohol→糠醇
N-furfuryl-2-formylpyrrole→2-甲酰基-1-糠基吡咯
furfuryl mercaptan→糠硫醇
furfuryl methyl disulphide→糠基甲基二硫醚

1-FURFURYLPYRROLE,1- 糠基吡咯，［1438-94-4］

Tressl et al.(1979c,1985b);Silwar(1982)	d	0.1
Buttery et al.(1997)	d	0.1

furfurylthiol→糠硫醇

2-FURYLACETIC ACID,2-呋喃乙酸，［2745-26-8］

Davídek et al.(1979)		34.6

2-FURYLMETHANETHIOL, 糠硫醇，［98-02-2］

Tressl et al.(1979c);Tressl & Silwar(1981);		
Silwar(1982);Tressl(1989,1990)		0.000005～0.00001
Grosch et al.(1993);Guth &Grosch(1994)		0.00012～0.00013
Semmelroch et al.(1995);Schieberle &Hofmann(1996a, 1996b);Kerscher &Grosch(2000);Binggeli et al.(2003)		0.00001
Buttery et al.(1997);Buttery &Ling(1998)	d	0.000006
Marchand et al.(2000)	d	0.000001

Czerny et al.(2008)　d　0.000036
Czerny et al.(2008)　r　0.00008

3-(2-FURYL)PROPANOIC ACID,3-(2 呋喃)丙酸，[935-13-7]
Davídek et al.(1979)　15.6

G

galaxolide→ 佳乐麝香
geosmin→ 土臭素
geranial→香叶醛
geraniol→香叶醇
geranyl acetate→乙酸香叶酯
geranylacetone→香叶基丙酮
geranyl formate→甲酸香叶酯
geranyl isobutyrate→异丁酸香叶酯

GERANYLOXYMETHYLPYRAZINE, 香叶氧基甲基吡嗪
Calabretta(1975,1978)　d　>0.5

3-GERANYLOXY-2-METHYLPYRAZINE,3- 香叶氧基-2-甲基吡嗪
Calabretta(1975)　d　0.5
Calabretta(1978)　d　0.1

5-GERANYLOXY-2-METHYLPYRAZINE,5- 香叶氧基-2-甲基吡嗪
Calabretta(1975,1978)　d　0.1

geranyl propanoate→丙酸香叶酯
glutaraldehyde→1,5- 戊二醛
glycerin→ 甘油
glycerol→ 甘油
guaiacol→愈 创木酚
guthion→保棉磷

H

heliotropine→洋茉莉醛
heptachlor→七氯

3,4,5,6,7,8,8a-HEPTACHLORODICYCLOPENTADIENE, 七氯，[76-44-8]
Sigworth(1965)　d　0.02

HEPTADECANOIC ACID,十七酸，[506-12-7]
Cherkinski(1961)　d　20.0

1-HEPTADECENE,1- 十七烯，[6765-39-5]
Tamura et al.(1995)　8

7-HEPTADECENE,7- 十七烯，[54290-12-9]
Tamura et al.(1995)　5.6

2,4-HEPTADIENAL,2,4- 庚二烯醛，[5910-85-0]

Tamura et al.(2001)	d	0.15

(E,E)-2,4-HEPTADIENAL,(E,E)-2,4- 庚二烯醛，[4313-03-5]

Jensen et al.(1999)	d	0.056
Tamura et al.(1995)		0.8
Giri et al.(2010)	d	0.0154

(E,Z)-2,4-HEPTADIENAL,(E,Z-2,4- 庚二烯醛，[4313-02-4]

Giri et al.(2010)	d	0.0948

y-heptalactone→y-庚内酯

heptaldehyde→庚醛

heptamethylenimine→环庚亚胺

HEPTANAL, 庚醛，[111-71-7]

Guadagni et al.(1963,1972);Buttery et al.(1968, 1978b,1988a,1994a,1997,1999);Teranishi et al.(1974); Buttery &Ling(1995,1998);Takeoka et al.(1995a)	d	0.003
Amoore et al.(1976)	d	0.0195
Schnabel et al.(1988)	d	0.0041～0.0082
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.06～0.55
Fabrellas et al.(2004)		0.00025～0.00058
Limpawattana(2007)	d	0.00206
Giri et al.(2010)	d	0.0028

HEPTANE, 庚烷，[142-82-5]

Zoeteman et al.(1971)		50

(R/S)-2-HEPTANETHIOL,(R/S)-2- 庚硫醇，[628-00-2]

Simian et al.(2004);Robert et al.(2005)	d	0.010

(R)-2-HEPTANETHIOL,(R)-2- 庚硫醇

Simian et al.(2004)	d	0.010

(S)-2-HEPTANETHIOL,(S)-2- 庚硫醇

Simian et al.(2004)	d	0.010

HEPTANOIC ACID,庚酸，[111-14-8]

Cherkinski(1961)	d	3.0
Amoore et al.(1968)	d	10.4
Schnabel et al.(1988)	d	0.64～0.91

1-HEPTANOL, 正庚醇，[111-70-6]

Aoki &Koizumi(1986)		0.094
Schnabel et al.(1988)	d	0.33～0.58

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.4～4.6
Pino &Mesa(2006)	d	0.425
Giri et al.(2010)	d	0.0054

2-HEPTANOL,2- 庚醇，[543-49-7]

Pyysalo et al.(1977,1979)	d	0.070
Schnabel et al.(1988)	d	0.041～0.081
Giri et al.(2010)	d	0.065235

3-HEPTANOL,3- 庚醇，[589-82-2]

Schnabel et al.(1988)	d	0.24～0.41

4-HEPTANOL,4- 庚醇，[589-55-9]

Schnabel et al.(1988)	d	0.41～0.81

2-HEPTANONE,2- 庚酮，[110-43-0]

Land(1968)	r	3
Buttery et al.(1969b,1988a,1994a,1997,1999); Teranishi et al.(1974);Buttery &Ling(1995,1998)	d	0.14
Pyysalo et al.(1977)	d	0.37
Barylko-Pikielna et al.(1983)	d	0.75～1.33
Barylko-Pikielna et al.(1983)	r	2.66～3.73
Aoki&Koizumi(1986)		0.024
Schnabel et al.(1988)	d	0.021～0.041
Sugisawa et al.(1991)	d	4.6
Larsen &Poll(1992)	d	0.001～0.01
Pino &Mesa(2006)	d	0.14

3-HEPTANONE,3- **庚酮，[106-35-4]**

De Grunt(1975);De Grunt et al.(1977)	d	0.0075～0.008
Schnabel et al.(1988)	d	0.080～0.16

4-HEPTANONE,4- 庚酮，[123-19-3]

Schnabel et al.(1988)	d	0.0082～0.041

(E)-2-HEPTENAL,(E)-2- **庚烯醛**，[18829-55-5]

Guadagni et al.(1963,1972);Buttery et al.(1971, 1987a,1988a,1989,1990a);Teranishi et al.(1974); Buttery(1993);Buttery &Ling(1995,1998)	d	0.013
Eriksson et al.(1976)	d	0.051
Rashash et al.(1997)		0.04

4-HEPTENAL,4- **庚烯醛，[62238-34-0]**

Kossa et al.(1979);Tressl et al.(1979b,1980)		0.0004
Giri et al.(2010)	d	0.0042

(E)-4-HEPTENAL,(E)-4- 庚烯醛，[929-22-6]

McGill et al.(1974)		0.01

(Z)-4-HEPTENAL,(Z-4- 庚烯醛，[6728-31-0]

McGill et al.(1974)		0.0008
Milo(1995a,1995b)		0.0002
Schuh &Schieberle(2006)	d	0.00006
Czerny et al.(2008)	d	0.0000087
Czerny et al.(2008)	r	0.000025

(E)-2-HEPTEN-1-OL,(E)-2- 庚烯-1-醇，[33467-76-4]

Eriksson et al.(1976)	d	4.172

1-HEPTEN-3-ONE,1- 庚烯-3-酮，[2918-13-0]

Buettner &Schieberle(2001a)		0.00004

(E)-3-HEPTEN-2-ONE,(E)-3- 庚烯-2-酮，[5609-09-6]

Buttery et al.(1969b);Teranishi et al.(1974); Buttery(1989)	d	0.056

6-HEPTENYL ISOTHIOCYANATE,6-庚烯基芥子油

Masuda et al.(1996)		0.075

HEPTYL ACETATE,乙酸庚酯，[112-06-1]

Yang et al.(1992);Tamura et al.(1993)	d	0.32
Takeoka et al.(1996)	d	0.42

2-HEPTYL ACETATE,乙酸2-庚酯，[5921-82-4]

Schnabel et al.(1988)	d	0.087～0.43
Takeoka et al.(1996)	d	0.89

HEPTYLAMINE, 庚胺，[111-68-2]

Amoore et al.(1975b)	d	13.8

HEPTYL CYANIDE,辛腈，[124-12-9]

Fabrellas et al.(2004)		0.00013～0.0005

(R)-(—)-2-HEPTYLCYCLOPENTANONE,(R)- (—)-2-庚基环戊酮

Yamamoto et al.(2002)		0.07

(S)-(+)-2-HEPTYLCYCLOPENTANONE,(S)-(+)-2- 庚基环戊酮

Yamamoto et al.(2002)		0.07

heptyl isobutyrate→异丁酸庚酯

2-HEPTYL-3-METHOXYPYRAZINE,2- 庚基-3-甲氧基吡嗪，[113685-79-3]

Masuda &Mihara(1988)	d	0.000026

HEPTYL2-METHYLPROPANOATE, 异丁酸庚酯，[2349-13-5]

Guadagni et al.(1966);Teranishi et al.(1987)　d　0.012～0.013

HEPTYL PROPANOATE,丙酸庚酯，[2216-81-1]

Guadagni et al.(1966);Teranishi et al.(1987)　d　0.004

HEPTYLPYRAZINE，庚基吡嗪，[84005-70-9]

Masuda &Mihara(1988)　d　0.1

hexachloran→六六六

HEXACHLOROBENZENE, 六氯苯，[118-74-1]

Kölle et al.(1972)　3

1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,γ　六六六，[58-89-9]

Kölle et al.(1972)　0.2～4.0

a-1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,α　六六六，[319-84-6]

Sigworth(1965)　d　0.088

β-1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,β　六六六，[319-85-7]

Sigworth(1965)　d　0.00032

y-1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,γ　六六六，[58-89-9]

Sigworth(1965)　d　12.0

8-1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE,&　六六六，[319-86-8]

Sigworth(1965)　d　0.00013

1,2,3,4,10,10-HEXACHLORO-6,7-EPOXY-1,4,4a,5,6,7,8,8a-OCTAHYDRO-1,4-endo-endo-5,8-DIMETHANONAPHTHALENE,　安特灵，[72-20-8]

Sigworth(1965)　d　0.018

1,2,3,4,10,10-HEXACHLORO-6,7-EPOXY-1,4,4a,5,6,7,8,8a-OCTAHYDRO-1,4-endo-exo-5,8-DIMETHANONAPHTHALENE,　狄氏剂，[60-57-1]

Sigworth(1965)　d　0.041

HEXACHLOROETHANE, 六氯乙烷，[67-72-1]

Cherkinski(1961)　d　0.010

1,2,3,4,10,10-HEXACHLORO-1,4,4a,5,8,8a-HEXAHYDRO-1,4-endo-exo-5,8-DIMETHANON-APHTHALENE,　艾氏剂，[309-00-2]

Sigworth(1965)　d　0.017

hexachlorophene→六氯酚

w-hexadecalactone→16-十六内酯

δ9-hexadecenolactone→δ-十六-9-烯内酯

(E,E)-2,4-HEXADIENAL，山梨醛，[142-83-6]

Teranishi et al.(1974);Hansen et al.(1992)　d　0.06

Eriksson et al.(1976)　d　0.476

2,4-HEXADIEN-1-OL,2,4- 己二烯-1-醇，[111-28-4]

Kossa et al.(1979) 0.050

(E,E)-2,4-HEXADIEN-1-OL,(E,E)-2,4- **己二烯-1-醇，[17102-64-6]**

Eriksson et al.(1976) d 23.618

hexahydroazine→哌啶

(4,5,6,7,8,9-HEXAHYDROCYCLOOCTATHIAZOLE, **环辛并噻唑，[7140-68-3]**

Pelosi et al.(1983) d 0.67

HEXAHYDRO-1,1-DIMETHYL-4-METHYLENE-1H-CYCLOPENTA[cFURAN, **六氢-1,1-二甲基-4-亚甲基-1H-环戊并[c] 呋喃，[19901-95-2]**

Friese et al.(1979);Tressl et al.(1979a) 0.001～0.005

4,4a,5,6,7,8-HEXAHYDRO-4,4a-DIMETHYL-6-(1-METHYLETHENYL)-2(3H)-NAPHTHALEN-**ONE,4- 表圆柚酮，[27621-99-4]**

Guadagni(1969);Stevens et al.(1970) d 0.1

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[g]-2-BENZOPYRAN, 佳乐麝香，[1222-05-5]

Amoore et al.(1977) d 0.0041

Young et al.(1996) 0.005

2,3,4,5,8,8a-HEXAHYDRO-3-ISOPROPYL-6,8a-DIMETHYL-3a(1H)-AZULENOL, **胡萝卜醇，**[465-28-1]

Buttery et al.(1968) d 0.008

3,4,6,7,8,9-HEXAHYDRO-4,6,6,9,9-PENTAMETHYL- 1H-NAPHTHO[2,3-c]PYRAN, 麝香89

Amoore et al.(1977) d 0.010

y-hexalactone=y-己内酯

HEXAMETHYL-1,3-DIOXOLANE，六甲基1,3-二氧戊环

Pelosi&Pisanelli(1981) d 5.4

hexamethyleneimine→高哌啶

HEXANAL, 己醛，[66-25-1]

Guadagni et al.(1963,1972);Flath et al.(1967);
Buttery et al.(1969b,1971,1978b,1987a,1987b,1988a,1989,1990a,1994a,1997,1999);Teranishi et al.(1974);Buttery(1981,1993);Hansen et al.(1992);Buttery & Ling(1995,1998);Takeoka et al.(1995a) d 0.0045～0.005

Land(1968) r 0.4

Herrmann &Poeschel(1973) 0.75

Amoore et al.(1976) d 0.0228

Eriksson et al.(1976) d 0.019

Ahmed et al.(1978a) d 0.00918

Kossa et al.(1979)		0.350
Aoki&Koizumi(1986)		0.020
Pino et al.(1986)	d	0.0069
Schnabel et al.(1988)	d	0.0041～0.0081
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.064
Larsen &Poll(1992)	d	0.01～0.1
Grosch et al.(1993);Guth &Grosch(1994)		0.010～0.0105
Konopka et al.(1995);Milo&Grosch(1997); Kerscher &Grosch(2000)		0.0045
Jensen et al.(1999)	d	0.0025
Tandon et al.(2000)	d	0.479
Arena et al.(2001)		0.021
Tamura et al.(2001)	d	0.0091
Fabrellas et al.(2004)		0.00032～0.0004
Czerny et al.(2007c);Czerny et al.(2008)	r	0.01
Pino &Mesa(2006)	d	0.0045
Limpawattana(2007)	d	0.00278
Czerny et al.(2008);Steinhaus et al.(2009); Sinuco et al.(2010)	d	00024
Ömür-Ozbek &Dietrich(2008)		0.0039
Burdack-Freitag et al.(2010)	d	0.0615(常规大气压)
Burdack-Freitag et al.(2010)	d	0.098(低大气压)
Burdack-Freitag et al.(2010)	r	0.073(常规大气压)
Burdack-Freitag et al.(2010)	r	0.098(低大气压)
Giri et al.(2010)	d	0.005

1,5-HEXANEDIOL,1,5- 己二醇，[928-40-5]

Schnabel et al.(1988)	d	0.97～9.7

2,5-HEXANEDIOL,2,5- 己二醇，[2935-44-6]

Schnabel et al.(1988)	d	19～48

hexanenitrile→己腈

2-HEXANETHIOL,2- 己硫醇，[1679-06-7]

Robert et al.(2005)	d	0.06

HEXANOIC ACID,己酸，[142-62-1]

Cherkinski(1961)	d	3.0
Amoore et al.(1968);Amoore(1976)	d	9.2
Pyysalo et al.(1977)	d	3.7
Schnabel et al.(1988)	d	0.093～0.93
Larsen &Poll(1990)	d	1～10
Buttery et al.(1990a,1999);Buttery(1993)	d	3

Larsen &Poll(1992)	d	1.0～10
Tamura et al.(2001);Boonbumrung et al.(2001)	d	1.8～1.84
Karagül-Yüceer et al.(2003,2004)	d	0.0356～0.036
Pino &Mesa(2006)	d	3
Schuh &Schieberle(2006)	d	0.89

1-HEXANOL, 正己醇，[111-27-3]

Williams(1953)		2
Flath et al.(1967);Buttery et al.(1971,1978b,1989,1997,1999);Hansen et al.(1992);Buttery(1993)	d	0.5
Johansson et al.(1973)	d	2.0
Eriksson et al.(1976)	d	4.865
De Grunt(1975);De Grunt et al.(1977)	d	0.2
Buttery et al.(1988a);Takeoka et al.(1990a);Buttery &Ling(1995)	d	2.5
Aoki&Koizumi(1986)		0.150
Schnabel et al.(1988)	d	0.82～1.6
Sugisawa et al.(1991);Yang et al.(1992);Tamura et al.(1993,1995)	d	3.125～10
Larsen &Poll(1992)	d	0.01～0.1
Tandon et al.(2000)	d	0.759
Tamura et al.(2001);Boonbumrung et al.(2001)	d	1.6～1.62
Ito &Kubota(2005)	r	0.391～6.25
Pino &Mesa(2006)	d	0.5
Giri et al.(2010)	d	0.0056

2-HEXANOL, 2- 己醇，[626-93-7]

Pino et al.(1986)	d	0.0152
Schnabel et al.(1988)	d	0.082～0.41
Giri et al.(2010)	d	1.5082

3-HEXANOL, 3- 己醇，[623-37-0]

Schnabel et al.(1988)	d	0.82～2.5
Giri et al.(2010)	d	0.8205

4-hexanolide→ γ-己内酯

2-HEXANONE, 2- 己酮，[591-78-6]

Schnabel et al.(1988)	d	0.040～0.081
Boonbumrung et al.(2001)	d	0.56

3-HEXANONE, 3- 己酮，[589-38-8]

Schnabel et al.(1988)	d	0.041～0.081

2-HEXENAL, 2- 己烯醛，[505-57-7]

Kossa et al.(1979)		0.030

(E)-2-HEXENAL, 叶醛，[6728-26-3]

Guadagni et al.(1963);Flath et al.(1967);Buttery et al.(1969b,1971,1978b,1987a,1987b,1988a,1989,1990a); Teranishi et al.(1974);Buttery(1981,1989,1993); Hansen et al.(1992);Buttery &Ling(1998)	d	0.017
Herrmann &Poeschel(1973)		0.5
Eriksson et al.(1976)	d	0.316
Ahmed et al.(1978a)	d	0.0242
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.48～1
Larsen &Poll(1992)	d	0.01～0.1
Rashash et al.(1997)		0.05
Jensen et al.(1999)	d	0.096
Tandon et al.(2000)	d	0.123
Arena et al.(2001)		0.082
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.082
Czerny et al.(2007c);Czerny et al.(2008)	r	0.19
Czerny et al.(2008);Steinhaus et al.(2009)	d	0.11
Burdack-Freitag et al.(2010)	d	0.0887(常规大气压)
Burdack-Freitag et al.(2010)	d	0.0885(低大气压)
Burdack-Freitag et al.(2010)	r	0.4286(常规大气压)
Burdack-Freitag et al.(2010)	r	0.3981(低大气压)

(Z)-2-HEXENAL,(Z)-2- 己烯醛，[16635-54-4]

Giri et al.(2010)	d	0.0192

(E)-3-HEXENAL,(E)-3- 己烯醛，[69112-21-6]

Tamura et al.(2001)	d	0.16

(Z)-3-HEXENAL,(Z)-3- 己烯醛，[6789-80-6]

Buttery et al.(1971,1987a,1987b,1989,1990a); Teranishi et al.(1974);Buttery(1981,1989,1993); Hansen et al.(1992)	d	0.00025
Tandon et al.(2000)	d	0.026
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.0017
Czerny et al.(2008);Steinhaus et al.(2009); Sinuco et al.(2010)	d	0.00012
Czerny et al.(2008)	r	0.00021

(E)-4-HEXENAL,(E)-4- 己烯醛，[25166-87-4]

Teranishi et al.(1974)	d	0.0003

(E)-2-HEXEN-1-OL,(E)-2- 己烯-1-醇，[928-95-0]

Eriksson etal.(1976)	d	6.7

Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	4.25～10
Hansen et al.(1992)	d	0.4
Larsen &Poll(1992)	d	0.1～1.0
Arena et al.(2001)		4.2
Tamura et al.(2001)	d	0.10
Giri et al.(2010)	d	0.2319

(Z-2-HEXEN-1-OL,(Z)-2- 己烯-1-醇，[928-94-9]

Giri et al.(2010)	d	0.3593

3-HEXEN-1-OL,3- 己烯-1-醇，[544-12-7]

Kossa et al.(1979)		0.070
King(1985)	d	1.63

(E)-3-HEXEN-1-OL,(E)-3- 己烯-1-醇，[928-97-2]

King(1985)	d	1.55
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.11

(Z)-3-HEXEN-1-OL, 叶醇，[928-96-1]

Buttery et al.(1969b,1971,1978b,1987a,1987b,1989, 1990a,1994a);Buttery(1981,1993);Hansen et al.(1992)	d	0.07
King(1985)	d	0.36
Larsen &Poll(1990)	d	0.1～1
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	3.625～7
Khiari et al.(1995)		0.05
Masanetz &Grosch(1998a)		0.039
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.91
Darriet et al.(2002)	d	0.2
Ito &Kubota(2005)	r	0.195～1.56
Czerny et al.(2008)	d	0.0039
Czerny et al.(2008)	r	0.013
Jaeger et al.(2010)		1.9

1-HEXEN-3-ONE,1- 己烯-3-酮，[1629-60-3]

Buttery et al.(1978b);Buttery(1981,1989,1993)	d	0.00002～0.000024

4-((Z)-3-HEXENOXY)-2,5-DIMETHYL-3-(2H)-FURANONE,4-[(Z)-3- 己烯氧基]-2,5-二甲基-3-(2H)-呋喃酮

Buttery(1999)	d	1.9

3-HEXYLACETATE, 乙酸-3-己烯酯，[1708-82-3]

King(1985)	d	0.21

(E)-3-HEXENYL ACETATE,(E)-3-己烯基乙酸酯，[3681-82-1]

King(1985)	d	0.87

(Z)-3-HEXENYL ACETATE,乙酸叶醇酯，[3681-71-8]

King(1985)	d	0.056
Yang et al.(1992);Tamura et al.(1993)	d	0.32
Khiari et al.(1995)		0.001～0.002
Masanetz &Grosch(1998a)		0.008
Tamura et al.(2001)	d	0.016
Czerny et al.(2008)	d	0.013
Czerny et al.(2008)	r	0.031

(Z)-3-HEXENYL BUTANOATE,(Z)-3-己烯基丁酸酯，[16491-36-4]

Yang et al.(1992);Tamura et al.(1993)	d	0.32
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.50

(E)-2-HEXENYLHEXANOATE,(E)-2-己烯基己酸酯，[53398-86-0]

Ito &Kubota(2005)		0.781～3.13

(Z-2-HEXENYLHEXANOATE,(Z)-2-**己烯基己酸酯，[56922-79-3]**

Ito &Kubota(2005)	r	0.195～0.781

5-HEXENYL ISOTHIOCYANATE,5-**己烯基芥子油，[49776-81-0]**

Masuda et al.(1996)		0.021

HEXYL ACETATE,乙酸己酯，[142-92-7]

Flath et al.(1967);Guadagni(1970b);Buttery(1981); Teranishi et al.(1987)	d	0.002
Jakob et al.(1969)	d	0.085
Williams et al.(1977)	d	0.08
Schnabel et al.(1988)	d	0.0043～0.0088
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.48～8.2
Larsen &Poll(1992)	d	0.01～0.1
Takeoka et al.(1996)	d	0.115

2-HEXYL ACETATE,乙酸2-己酯，[5953-49-1]

Takeoka et al.(1996)	d	0.86

hexyl alcohol→正己醇

HEXYLAMINE, 己胺，[111-26-2]

Amoore et al.(1975b)	d	3.67
Amoore &Forrester(1976)	d	4.84

4-hexyl-1,3-benzenediol→4-己基间苯二酚

HEXYL BUTANOATE,丁酸己酯，[2639-63-6]

Takeoka et al.(1990a)	d	0.25

Pino &Mesa(2006) d 0.203

hexyl butyrate→丁酸己酯

(R)-(-)-2-HEXYLCYCLOPENTANONE,(R)-(-)-2- 己基环戊酮

Yamamoto et al.(2002) 0.01

(S)-(+)-2-HEXYLCYCLOPENTANONE,(S-(+)-2- 己基环戊酮

Yamamoto et al.(2002) 0.01

(Z)-2-HEXYL-2-DECENAL,(Z)-2- 己基-2-癸烯醛

Robert et al.(2004) d 0.1

5-HEXYLDIHYDRO-2(3H)-THIOPHENONE,γ 硫代癸内酯

Roling et al.(1998) 0.047

4-HEXYL-1,3-DIHDROXYBENZENE,4- 己基间苯二酚，[136-77-6]

Dietz &Traud(1978) 2

HEXYLHEXANOATE, 己酸己酯，[6378-65-0]

Sugisawa et al.(1991) d 6.4

5-HEXYL-3-HYDROXY-4-METHYL-2(5H)-FURANONE,5- 己基-3-羟基-4-甲基-2(5H)-呋喃酮

Rödel&Hempel(1974) r 1.3

hexyl isobutyrate→异丁酸己酯

2-HEXYL-3-METHOXYPYRAZINE,2- 己基-3-甲氧基吡嗪，[25680-56-2]

Seifert et al.(1970);Teranishi et al.(1974) d 0.000001

Masuda &Mihara(1988) d 0.00007

HEXYL 2-METHYLBUTANOATE,2-甲基丁酸己酯，[10032-15-2]

Jakob et al.(1969) d 0.06

Schnabel et al.(1988) d 0.086～0.43

Takeoka et al.(1990a) d 0.022

HEXYL 2-METHYLPROPANOATE,异丁酸己酯，[2349-07-7]

Guadagni et al.(1966);Teranishi et al.(1987);

Takeoka et al.(1990a) d 0.006～0.013

Schnabel et al.(1988) d 0.0086～0.026

HEXYL PROPANOATE,丙酸己酯，[2445-76-3]

Guadagni et al.(1966);Teranishi et al.(1987);

Takeoka et al.(1990a) d 0.008

HEXYLPYRAZINE,2- 己基吡嗪，[28217-91-6]

Masuda&Mihara(1988) d 0.2

4-hexylresorcin→4-己基间苯二酚

2-(HEXYLTHIO)ETHANAL,2- 己硫基乙醛

Rössner et al.(2002)	d	0.00008

hexylure→环草啶
hippuric acid→马尿酸
homofuraneol→酱油酮
hop ether→六氢-1,1-二甲基-4-亚甲基-1H-环戊并[c]呋喃
humulene→石竹烯
α-humulene→ α-石竹烯
humulene epoxide→石竹素
hydrocinnamonitrile→苯代丙腈

HYDROGEN CHLORIDE,氯化氢,[7647-01-1]

Alexander et al.(1982)	d	135

HYDROGEN CYANIDE,氢氰酸,[74-90-8]

Bailey &Powell(1885)		15
Brown &Robinette(1967)		0.001～0.01
Brown et al.(1968)		0.00065～0.0065

HYDROGEN SULPHIDE,硫化氢,[7783-06-4]

Pippen &Mecchi(1969)		0.01
Pomeroy &Cruse(1969)		0.00001～0.0001

hydroquinone→对苯二酚

4'-HYDROXYACETOPHENONE, 对羟基苯乙酮,[99-93-4]

Pyysalo et al.(1977)	d	5.5

1-hydroxyadamantane→1-羟基金刚烷

2-HYDROXYBENZALDEHYDE, 水杨醛,[90-02-8]

Dietz &Traud(1978)		0.03
Aoki&Koizumi(1986)		0.34

4-HYDROXYBENZOIC ACID,对羟基苯甲酸,[99-96-7]

Dietz &Traud(1978)		5

2-hydroxybiphenyl→2-联苯酚
4-hydroxybiphenyl→4-联苯酚

4-HYDROXYBUTANOIC ACID LACTONE,γ丁内酯,[96-48-0]

Akita et al.(1988);Takahashi(1990)		20～50
Buttery &Ling(1998)	d	>1

3-HYDROXY-2-BUTANONE, **乙偶姻,[513-86-0]**

Pyysalo et al.(1977)	d	0.055
Boidron(1984)	d	8
Larsen &Poll(1990)	d	1～10
Buttery et al.(1990a,1994a);Hansen et al.(1992); Buttery(1993)	d	0.8

Buttery &Ling(1995,1998);Buttery et al.(1999)	d	8
Boonbumrung et al.(2001)	d	0.014

hydrocinnamic acid→氢化肉桂酸

hydroxycitronellol→羟基香茅醇

4-HYDROXYDECANOIC ACID LACTONE,γ癸内酯，[706-14-9]

Engel et al.(1988);Buttery(1993)	d	0.011
Buttery(1981,1989)		0.0007
Tóth-Markus et al.(1989)	d	0.6
Larsen &Poll(1992)	d	0.001～0.01
Pino &Mesa(2006)	d	0.005
Czerny et al.(2007c);Czerny et al.(2008)	r	0.0026
Czerny et al.(2008)	d	0.0011

5-HYDROXYDECANOIC ACID LACTONE,δ癸内酯，[705-86-2]

Engel et al.(1988);Buttery(1993)	d	0.1
Ong &Acree(1999)		0.0025
Karagül-Yüceer et al.(2003,2004)	d	0.03
Pino &Mesa(2006)	d	0.41
Czerny et al.(2007c);Czerny et al.(2008)	r	0.051
Czerny et al.(2008)	d	0.031
Leksrisompong(2008);Leksrisompong et al.(2010)	d	0.066

5-HYDROXY-(Z)-7-DECENOIC ACID LACTONE,茉莉内酯

Engel et al.(1988)	d	2.0

6-hydroxydihydrotheaspirane→6-羟基二氢茶螺烷

4-HYDROXY-3,5-DIMETHOXYBENZALDEHYDE,丁 香醛，[134-96-3]

Dietz &Traud(1978)		1.9

2-HYDROXY-3,4-DIMETHYL-2-CYCLOPENTEN-1-ONE,3,4-二甲基环戊烯醇酮，[21835-00-7]

Nishimura &Mihara(1990)	d	0.02

3-HYDROXY-4,5-DIMETHYL-2(5H)-FURANONE,葫芦巴内酯，[28664-35-9]

Rödel&Hempel(1974)	r	0.07
Takahashi et al.(1976);Ohba et al.(1983);Takahashi &Akiyama(1993)		5.804
Grosch et al.(1993);Guth &Grosch(1994);Schieberle &Hofmann(1996a,1996b)		0.0003
Semmelroch et al.(1995)		0.02
Blank et al.(1996)	r	0.03
Buttery(1999)	d	0.0004
Schuh &Schieberle(2006)	d	0.02
Zeller &Rychlik(2006);Czerny et al.(2007);Czerny et al.(2008)	r	0.0011

Czerny et al.(2008)	d	0.00049
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.0017

4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE, 菠萝酮，[3658-77-3]

Pittet et al.(1970)		0.1～0.2
Pyysalo &Suihko(1976b);Pyysalo et al.(1977);Honkanen et al.(1980);Buttery(1993)	d	0.00003～0.00004
Wilson et al.(1990)	d	1.7
Schieberle(1991,1992);Grosch et al.(1993)		0.1
Larsen &Poll(1992)	d	0.001～0.01
Buttery et al.(1994b,1995,1997,1999);Buttery &Ling(1998);Buttery(1999)	d	0.06
Guth &Grosch(1994)		0.025
Semmelroch et al.(1995);Schieberle &Hofmann(1996a,1996b);Kerscher &Grosch(2000)		0.01
Guth(1996)		0.021～0.06
Ong &Acree(1999)		0.025
Karagül-Yüceer et al.(2004)	d	0.039
Schuh &Schieberle(2006)	d	0.03
Czerny et al.(2008);Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.04
Czerny et al.(2008)	r	0.16
Leksrisompong(2008);Leksrisompong et al.(2010)	d	0.0223

(+)-(R)-4-HYDROXY-4,8-DIMETHYL-7-NONENOIC ACID LACTONE,(+)-(R)-4-羟基-4,8-二甲基-7-壬烯酸内酯

Kitaura et al.(2004)		0.00016

(一)-(S)-4-HYDROXY-4,8-DIMZZETHYL-7-NONENOIC ACID LACTONE,(-)-(S)-4-羟基-4,8-二甲基-7-壬烯酸内酯

Kitaura et al.(2004)		0.00065

5-HYDROXY-3,7-DIMETHYL-2,7-OCTADIENOIC ACID LACTONE,5-羟基-3,7-二甲基-2,7-辛二烯酸内酯

Tateba &Mihara(1990)	d	0.4

6-HYDROXY-3,7-DIMETHYL-2,7-OCTADIENOIC ACID LACTONE,6-羟基-3,7-二甲基-2,7-辛二烯酸内酯

Tateba &Mihara(1990)	d	0.5

(R*,S*)-4-HYDROXY-3,7-DIMETHYLOCTANOIC ACID LACTONE,(R*,S*)-4-羟基-3,7-二甲基辛酸内酯

Tateba &Mihara(1990)	d	0.01

(R*,R*)-4-HYDROXY-3,7-DIMETHYLOCTANOIC ACID LACTONE,(R*,R*)-4-羟基-3,7-二甲

基辛酸内酯

Tateba &Mihara(1990) d 0.02

(R*, S*)-6-HYDROXY-3, 7-DIMETHYLOCTANOIC ACID LACTONE, (R*, S*)-6-羟基-3, 7-二甲基辛酸内酯

Tateba &Mihara(1990) d 0.3

(R*, R*)-6-HYDROXY-3, 7-DIMETHYLOCTANOIC ACID LACTONE, (R*, R*)-6-羟基-3, 7-二甲基辛酸内酯

Tateba &Mihara(1990) d 1.0

4-HYDROXY-3,7-DIMETHYL-2-0CTENOIC ACID LACTONE,4-羟基-3, 7-二甲基-2-辛烯酸内酯

Tateba &Mihara(1990) d 0.1

6-HYDROXY-3, 7-DIMETHYL-2-0CTENOIC ACID LACTONE, 6-羟基-3, 7-二甲基-2-辛烯酸内酯

Tateba &Mihara(1990) d 0.2

(R*,S*)-5-HYDROXY-3,7-DIMETHYL-6-0CTENOIC ACID LACTONE,(R*,S*)-5-羟基-3, 7-二甲基-6-辛烯酸内酯

Tateba &Mihara(1990) d 0.2

(R*,R*)-5-HYDROXY-3,7-DIMETHYL-6-0CTENOIC ACID LACTONE,(R*,R*)-5羟基-3, 7-二甲基-6-辛烯酸内酯

Tateba &Mihara(1990) d 1.3

(R*,S*)-6-HYDROXY-3,7-DIMETHYL-7-0CTENOIC ACID LACTONE,(R*,S*)-6-羟基-3, 7-二甲基-7-辛烯酸内酯

Tateba &Mihara(1990) d 0.2

(R*,R*)-6-HYDROXY-3,7-DIMETHYL-7-0CTENOIC ACID LACTONE,(R*,R*)-6-羟基-3, 7-二甲基-7-辛烯酸内酯

Tateba &Mihara(1990) d 1.6

1-HYDROXY-2, 4-DINITRONAPHTHALENE, 马休黄，[605-69-6]

Dietz &Traud(1978) >10

4-HYDROXYDODECANOIC ACID LACTONE,γ十二内酯，[2305-05-7]

Engel et al.(1988);Buttery(1993) d 0.007

Czerny et al.(2007c);Czerny et al.(2008) r 0.002

Czerny et al.(2008) d 0.00043

5-HYDROXYDODECANOIC ACID LACTONE, &十二内酯，[713-95-1]

Karagül-Yüceer et al.(2003,2004) d 0.00046～0.005

Czerny et al.(2008) d 0.053

Czerny et al.(2008) r 0.098

(R)-(+)-5-HYDROXYDODECANOIC ACID LACTONE, (R)-(+)-8-十二内酯

Yamamoto et al.(2002) 0.5

(S)-(-)-5-HYDROXYDODECANOIC ACID LACTONE,(S)-(一)-&十二内酯
Yamamoto et al.(2002) 0.05

(Z-4-HYDROXY-6-DODECENOIC ACID LACTONE,(Z)-4-羟基-6-十二烯酸内酯

Karagül-Yüceer et al.(2003)	d	0.0007
Christlbauer(2005)		0.013
Czerny et al.(2008)	d	0.0054
Czerny et al.(2008)	r	0.0096

(R)-(Z)-4-HYDROXY-6-DODECENOIC ACID LACTONE,(R)-顺-6-γ-十二碳烯酸内酯
Guichard et al.(1991) <0.5

(S)-(Z)-4-HYDROXY-6-DODECENOIC ACID LACTONE,(S)-顺-6-γ 十二碳烯酸内酯
Guichard et al.(1991) <0.5

4-hydroxy-3-ethoxycarbonyl-3-ethyl-2-0xopentanoic acid lactone→4-羟基-3-乙酯基-3-乙基-2-氧代戊酸内酯
2-hydroxyethyl acrylate→丙烯酸2-羟基乙酯

2-HYDROXYETHYL2-PROPENOATE，丙烯酸2-羟基乙酯，[818-61-1]
Alexander et al.(1982) d 0.010

(2-HYDROXYETHYL)TRIMETHYLAMMONIUM CHLORIDE,氯化胆碱，[67-48-1]
Alexander et al.(1982) d 0.16

4-HYDROXYHEPTANOIC ACID LACTONE,γ-庚内酯，[105-21-5]
Engel et al.(1988) d 0.4

16-HYDROXYHEXADECANOIC ACID LACTONE,16-十六内酯，[109-29-5]
Amoore et al.(1977) d 0.0046

5-HYDROXY-9-HEXADECENOIC ACID LACTONE,&十六-9-烯内酯
Amoore et al.(1977) d 0.0010

4-HYDROXYHEXANOIC ACID LACTONE,γ己内酯，[695-06-7]

Buttery et al.(1971);Engel et al.(1988)	d	1.6
Buttery et al.(1999)	d	0.05
Boonbumrung et al.(2001)	d	0.26
Ito &Kubota(2005)	r	12.5～100

4-HYDROXY-(2-HYDROXY)-3-METHYLHEXANOIC ACID LACTONE,4-羟基-2-羟基-3-甲基己酸内酯
Rödel & Hempel(1974) r 7

4-(2-HYDROXYISOPROPYL)-1-METHYL-1-CYCLOHEXENE,α-松油醇，[98-55-5]
Helbig(1939) 0.086

Buttery et al.(1968,1971,1974,1990a);Takeoka et al.(1990a);Buttery(1993);Takeoka(2001)	d	0.33～0.35
Ahmed et al.(1978a)	d	0.280
Pino et al.(1986)	d	0.0046
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	10～15
Tamura et al.(2001);Boonbumrung et al.(2001)	d	5.0
Averbeck &Schierberle(2011)	d	1.2

(S)-(—)-4-(2-HYDROXYISOPROPYL)-1-METHYL-1-CYCLOHEXENE,(4S)-(-)-a-松油醇，[10482-56-1]

Padrayuttawat et al.(1997)	d	9.18

(R)-(+)-4-(2-HYDROXYISOPROPYL)-1-METHYL-1-CYCLOHEXENE,(4R)-(+)-a- 松油醇，[7785-53-7]

Padrayuttawat et al.(1997)	d	6.80

4-HYDROXY-3-METHOXYBENZALDEHYDE,香兰素，[121-33-5]

Helbig(1939)		0.1533
Cartwright &Kelley(1952)	d	0.2
Cartwright &Kelley(1952)	r	4
Appell(1969)		1
Dietz &Traud(1978)		0.06
Herrmann &Abd EI Salam(1980b,1981)		0.226～1.78
Tilgner &Ziminska(1982)		0.28
Tuorila et al.(1982)	d	0.029～0.107
Mozell et al.(1986);Schwartz et al.(1987)	d	1.5～41
Voirol &Daget(1986)	d	0.3～1.6
Eccles et al.(1989)	d	66.7
Buttery &Ling(1995);Buttery et al.(1997,1999)	d	0.058
Semmelroch et al.(1995)		0.025
Ong &Acree(1999)		1.2
Karagül-Yüceer et al.(2003,2004)	d	0.064
Schuh &Schieberle(2006)	d	0.025
Czerny et al.(2008)	d	0.053
Czerny et al.(2008)	r	0.21

1-(4-HYDROXY-3-METHOXYPHENYL)ETHANONE, 香草乙酮，[498-02-2]

Pyysalo et al.(1977)	d	0.78

α-hydroxy-4-methoxytoluene→茴香醇

2-HYDROXY-3-METHYL-2-CYCLOPENTEN-1-ONE, 甲基环戊烯醇酮，[80-71-7,765-70-8]

Wasserman(1968)		2
Nishimura &Mihara(1990)	d	0.3

4-HYDROXY-5-METHYL-3(2H)-FURANONE, 菊苣酮，[19322-27-1]

Buttery et al.(1994b,1995);Buttery(1999)	d	23
Schieberle &Hofmann(1996a,1996b)		8.52

3-HYDROXY-4-METHYL-2(5H)-FURANONE,3- 羟基-4-甲基-2(5H)-呋喃酮

Rödel & Hempel(1974)	r	40

5-(HYDROXYMETHYL)FURFURAL,5- 羟甲基糠醛，[67-47-0]

Takahashi(1990)		1000

4-HYDROXY-3-METHYLHEXANOIC ACID LACTONE,4-羟基-3-甲基己酸内酯

Rödel&Hempel(1974)	r	15

4-HYDROXY-4-METHYL-2-PENTANONE, 二丙酮醇，[123-42-2]

Moncrieff(1957)		100
Lillard &Powers(1975)	d	44.12

3-HYDROXY-4-METHYL-5-PROPYL-2(5H)-FURANONE,3- 羟基-4-甲基-5-丙基-2(5H)-呋喃酮

Rödel & Hempel(1974)	r	0.3

3-HYDROXY-6-METHYL-2(2H)-PYRANONE,3- 羟基-6-甲基-2(2H)-吡喃酮

Schieberle &Hofmann(1996b)		0.015

5-hydroxy-6-methyl-2H-pyran-4(3H)-one→二氢麦芽酚

3-HYDROXY-2-METHYL-4-PYRONE, 麦芽酚，[118-71-8]

Pittet et al.(1970)		35
Bingham et al.(1990)	d	29
Buttery &Ling(1997a,1998);Buttery et al.(1997,1999)	d	2.5
Ong et al.(1998)	d	10
Schieberle(1998)		9
Karagül-Yüceer et al.(2003,2004)	d	0.21
Labbe et al.(2007)		1.24

1-HYDROXYNAPHTHALENE,a- 萘酚，[90-15-3]

Dietz &Traud(1978)		4

2-HYDROXYNAPHTHALENE,β 萘酚，[135-19-3]

Nesmeyanova(1953)		7
Baker(1963)		1.29
Dietz&Traud(1978)		3

4-HYDROXYNONANOIC ACID LACTONE,γ壬内酯，[104-61-0]

Appell(1969)		0.025
Belitz &Grosch(1992h)		0.030～0.065
Czerny et al.(2007c);Czerny et al.(2008)	r	0.027
Czerny et al.(2008)	d	0.0097

4-HYDROXYOCTANOIC ACID LACTONE, γ 辛内酯，[104-50-7]

Buttery et al.(1971,1999);Buttery(1981); Engel et al.(1988);Buttery &Ling(1998)	d	0.007～0.008
Boonbumrung et al.(2001)	d	0.014
Pino &Mesa(2006)	d	0.007
Czerny et al.(2007c);Czerny et al.(2008)	r	0.024
Czerny et al.(2008)	d	0.0065
Burdack-Freitag et al.(2010)	d	0.0120(常规大气压)
Burdack-Freitag et al.(2010)	d	0.0156(低大气压)
Burdack-Freitag et al.(2010)	r	0.0179(常规大气压)
Burdack-Freitag et al.(2010)	r	0.0222(低大气压)

5-HYDROXYOCTANOIC ACID LACTONE, δ 辛内酯，[698-76-0]

Engel et al.(1988)	d	0.4
Czerny et al.(2008)	d	0.2
Czerny et al.(2008)	r	0.42

15-HYDROXYPENTADECANOIC ACID LACTONE, 环十五内酯，[106-02-5]

Le Magnen(1950,1952)		0.000000001～0.002
Amoore &Venstrom(1966);Amoore(1969)	d	0.0007
Vierling &Rock(1967)		0.0001
Whissell-Buechy &Amoore(1973)	d	0.001
Amoore et al.(1975a)	d	0.001
Amoore et al.(1975b)	d	0.00398
Amoore et al.(1977)	d	0.0018

1-(4-HYDROXYPHENYL)-3-BUTANONE, 覆盆子酮，[5471-51-2]

Schmidlin-Mészáros(1971)		<0. 1
Larsen &Poll(1990)	d	0.001～0.01
Belitz &Grosch(1992d)		0.01

L-4-hydroxyproline→L-4-羟基脯氨酸

HYDROXYPROPANONE, 羟基丙酮，[116-09-6]

Buttery et al.(1994a,1999);Buttery &Ling(1998)	d	80～100
Takahashi et al.(2002)		10

3-HYDROXY-2-PYRONE,3- 羟基-2-吡喃酮，[496-64-0]

Pyysalo et al.(1977)	d	22.5

L-4-HYDROXY-2-PYRROLIDINECARBOXYLIC ACID,L-4-羟基脯氨酸，[51-35-4]

Dietz &Traud(1978)		>10

hydroxyquinol→偏苯三酚

14-HYDROXYTETRADECANOIC ACID LACTONE, 环十四内酯

Amoore et al.(1977)	d	0.0017

1-HYDROXY-3,7,11,15-TETRAMETHYL-2-HEXADECENE, 植醇，[150-86-7]
Tamura et al.(1995) 0.64
α-hydroxytoluene→苄醇

1-HYDROXYTRICYCLO[3.3.1.1(3.7)]DECANE,1- 羟基金刚烷，[768-95-6]
Pelosi&Pisanelli(1981) d 2.0

trans-2-HYDROXY-3,4,5-TRIMETHYL-2-CYCLOPENTEN-1-ONE, 反-2-羟基-3,4,5-三甲基-2-环戊烯-1-酮
Nishimura &Mihara(1990) d 0.4

cis-2-HYDROXY-3,4,5-TRIMETHYL-2-CYCLOPENTEN-1-ONE, 顺-2-羟基-3,4,5-三甲基-2-环戊烯-1-酮
Nishimura&Mihara(1990) d 0.015

4-HYDROXYUNDECANOIC ACID LACTONE,桃醛，[104-67-6]
Appell(1969) 0.06
Pino &Mesa(2006) d 0.41
Czerny et al.(2007c);Czerny et al.(2008) r 0.0042
Czerny et al.(2008) d 0.0021

(R)-(+)-5-HYDROXYUNDECANOIC ACID LACTONE,(R)-(+)-δ-十一内酯
Yamamoto et al.(2002) 0.1

(S)-(—)-5-HYDROXYUNDECANOIC ACID LACTONE,(S)-(—)-δ-十一内酯
Yamamoto et al.(2002) 0.03

HYPOCHLOROUS ACID,次氯酸，[7790-92-3]
Krasner &Barrett(1984) 0.21

I

INDAN, 茚满，[496-11-7]
De Grunt(1975);De Grunt et al.(1977) d 0.01

INDENE, 茚，[95-13-6]
Zoeteman et al.(1971) 0.001

INDOLE, 吲哚，[120-72-9]
Le Magnen(1952) 0.13～0.59
Holluta(1960) 0.3
Dietz&Traud(1978) 0.3
Buttery et al.(1988a) d 0.14
Karagül-Yüceer et al.(2003) d 0.021
Ito &Kubota(2005) r 1.56～25
Czerny et al.(2008) d 0.011
Czerny et al.(2008) r 0.04

IODINE, 碘，[7553-56-2]
Dietrich et al.(1999) 0.5
iodoform→碘仿

1-IODOOCTANE, **正辛基碘，**[629-27-6]
Takahashi et al.(2002) 0.0002

1-IODOPENTANE, **正戊基碘，**[628-17-1]
Takahashi et al.(2002) 1

2-IODOPHENOL, **邻碘苯酚，**[533-58-4]
Mirlohi(1997);Dietrich et al.(1999) 0.001

4-IODOPHENOL, 对碘苯酚，[540-38-5]
Mirlohi(1997);Dietrich et al.(1999) 0.5
α-ionone→α-紫罗兰酮
(d)-α-ionone→(R)-(+)-α- 紫罗兰酮
(1)-a-ionone→(S)-(-)-α- 紫罗兰酮
β-ionone→β- 紫罗兰酮
(E)-β-ionone→(E)-β- 紫罗兰酮
(+)-cis-a-irone→(+)- **顺-α-鸢尾酮**
(-)-cis-a-irone→(一)-顺-a-鸢尾酮
isoambrox→异龙涎香醚
isoamyl alcohol→异戊醇
isoamyl acetate→乙酸异戊酯
isoamyl butyrate→丁酸异戊酯
isoamyl caproate→己酸异戊酯
isoamyl caprylate→辛酸异戊酯
isoamyl isobutyrate→异丁酸异戊酯
isoamyl isovalerate→异戊酸异戊酯
isoamyl propylate→丙酸异戊酯
isoborneol→异冰片
Isobutanol→异丁醇

ISOBUTYL ACETATE,**乙酸异丁酯，**[110-19-0]
Sega et al.(1967) d 0.073
Guadagni(1970b);Takeoka et al.(1992) d 0.065
Schnabel et al.(1988) d 0.44～0.88
Takahashi(1990) 0.5～1.6
Giri et al.(2010) d 0.025
isobutyl alcohol→异丁醇

ISOBUTYLBENZENE, **异丁苯，**[538-93-2]
De Grunt(1975);De Grunt et al.(1977) d 0.0008～0.08

ISOBUTYL CYANIDE,异戊腈，[625-28-5]

Buttery et al.(1987a,1989,1990a);Buttery(1993)	d	1
Fabrellas et al.(2004)		0.0023～0.0032
Freuze et al.(2005)	d	0.21

5-ISOBUTYL-2,3-DIMETHYLPYRAZINE,5-异丁基-2,3-二甲基吡嗪，[32263-00-6]

Masuda&Mihara(1986);Shibamoto(1986)	d	0.77
Shibamoto(1986)	d	4.10

2-ISOBUTYL-4,5-DIMETHYLTHIAZOLE,2-异丁基-4,5-二甲基噻唑，[53498-32-1]

Buttery(1981)	d	0.01

3-isobutylenephthalide→3-异丁亚基苯酞

isobutyl isobutyrate→异丁酸异丁酯

ISOBUTYL ISOTHIOCYANATE,异丁基芥子油，[591-82-2]

Brevard et al.(1992)	d	2.5
Masuda et al.(1996)		0.13

2-ISOBUTYL-3-METHOXY-5,6-DIMETHYLPYRAZINE,2-异丁基-3-甲氧基-5,6-二甲基吡嗪

Seifert et al.(1972);Teranishi et al.(1974,1975)	d	0.315

5-ISOBUTYL-2-METHOXY-3-METHYLPYRAZINE,5-异丁基-2-甲氧基-3-甲基吡嗪，[78246-20-5]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.00018

2-ISOBUTYL-3-METHOXY-5-METHYLPYRAZINE,2-异丁基-3-甲氧基-5-甲基吡嗪

Seifert et al.(1972);Teranishi et al.(1974,1975)	d	0.00026

2-ISOBUTYL-3-METHOXY-6-METHYLPYRAZINE,2-异丁基-3-甲氧基-6-甲基吡嗪

Seifert et al.(1972);Teranishi et al.(1974,1975)	d	0.0026

2-ISOBUTYL-3-METHOXYPYRAZINE,2-甲氧基-3-异丁基吡嗪，[24683-00-9]

Buttery et al.(1969a,1969b);Seifert et al.(1970,1972); Guadagni(1969,1970c);Teranishi et al.(1974,1975); Buttery(1981,1993)	d	0.000002
Takken et al.(1975)	d	0.000016
Calabretta(1975,1978)	d	0.010
Mihara &Masuda(1988)	d	0.000045
Semmelroch &Grosch(1996)		0.000005
Young et al.(1996)		0.000001
Darriet et al.(2002)	d	0.000002
Czerny et al.(2008)	d	0.0000062
Czerny et al.(2008)	r	0.000038

3-isobutyl-2-methoxypyrazine→2-异丁基-3-甲氧基吡嗪

2-ISOBUTYL-5-METHOXYPYRAZINE,2-异丁基-5-甲氧基吡嗪

Calabretta(1975,1978)	d	0.010

3-ISOBUTYL-2-METHOXYPYRIDINE, 3-异丁基-2-甲氧基吡嗪
Seifert et al.(1972);Teranishi et al.(1975) d 0.011

ISOBUTYL2-METHYLBUTANOATE,2- 甲基丁酸异丁酯，[2445-67-2]
Schnabel et al.(1988) d 0.043～0.085

5-ISOBUTYL-3-METHYL-2-(METHYLTHIO)PYRAZINE,5- 异丁基-3-甲基-2-甲硫基吡嗪，[78246-17-0]
Masuda &Mihara(1986);Shibamoto(1986) d 0.015

5-ISOBUTYL-3-METHYL-2-PHENOXYPYRAZINE,5- 异丁基-3-甲基-2-苯氧基吡嗪，[78246-16-9]
Masuda &Mihara(1986);Shibamoto(1986) d 0.32

5-ISOBUTYL-3-METHYL-2-PHENYLPYRAZINE,5- 异丁基-3-甲基-2-苯基吡嗪
Shibamoto(1986) d 0.10

5-ISOBUTYL-3-METHYL-2-(PHENYLTHIO)PYRAZINE,5- 异丁基-3-甲基-2-苯硫基吡嗪，
[78246-19-2]
Masuda &Mihara(1986) d 0.1

ISOBUTYL 2-METHYLPROPANOATE,**异丁酸异丁酯，[97-85-8]**

Guadagni et al.(1966);Teranishi et al.(1987); Takeoka et al.(1990a)	d	0.03
Amoore et al.(1968)	d	4.37
Amoore &Forrester(1976)	d	2.67
Amoore et al.(1976)	d	2.1
Amoore et al.(1977)	d	2.84
Schnabel et al.(1988)	d	0.026～0.061

2-ISOBUTYL-3-METHYLPYRAZINE,2- 异丁基-3-甲基吡嗪，[13925-06-9]
Guadagni et al.(1972);Teranishi et al.(1974) d 0.035
Takken et al.(1975) d 0.13

2-ISOBUTYL-3-(METHYLTHIO)PYRAZINE,2- **异丁基-3-甲硫基吡嗪**
Takken et al.(1975) d 0.00033

isobutyl mustard oil→异丁基芥子油

ISOBUTYLPYRAZINE,2- 异丁基吡嗪，[29460-92-2]
Seifert et al.(1970) d 0.4

2-ISOBUTYLTHIAZOLE,2- **异丁基噻唑，[18640-74-9]**
Buttery et al.(1971,1987a,1989,1990a);
Buttery(1981,1993) d 0.0035
Tandon et al.(2000) d 0.029

2-(ISOBUTYLTHIO)ETHANAL,2- 异丁硫基乙醛
Rössner et al.(2002) 0.00008

isobutyric acid→异丁酸
isobutyraldehyde→异丁醛
isobutyronitrile→异丁腈
isocaproic acid→异己酸
isoeugenol→异丁香酚

2-ISOHEXYL-3-METHOXYPYRAZINE,2- 异己基-3-甲氧基吡嗪，[68844-95-1]

Mihara &Masuda(1988)	d	0.000006

isonootkatone→α-香根草酮

ISOOCTYL2,4-DICHLOROPHENOXYACETATE,2,4- 滴异辛酯，[25168-26-7]

Sigworth(1965)	d	0.12

ISOPENTYL ACETATE,乙酸异戊酯，[123-92-2]

Williams(1953)		0.5
Teranishi et al.(1966);Guadagni(1969,1970b); Buttery(1981);Teranishi et al.(1987); Takeoka et al.(1989,1992)	d	0.002～0.005
Sega et al.(1967)	d	0.019
Appell(1969)		0.4
Schnabel et al.(1988)	d	0.0087～0.043
Takahashi(1990)		1.6～2.5
Schieberle(1998)		0.088
Pino &Mesa(2006)	d	0.002
Giri et al.(2010)	d	0.00015

ISOPENTYL BENZOATE,苯甲酸异戊酯，[94-46-2]

Hirvi&Honkanen(1984)	d	0.25

ISOPENTYL BUTANOATE,丁酸异戊酯，[106-27-4]

Pino &Mesa(2006)	d	0.00013
Giri et al.(2010)	d	0.015

2-ISOPENTYL-5,6-DIMETHYLPYRAZINE,2- 异戊基-5,6-二甲基吡嗪，[18450-01-6]

Shibamoto(1986)	d	6.00

ISOPENTYL HEXANOATE,己酸异戊酯，[2198-61-0]

Hirvi&Honkanen(1984)	d	0.32

2-ISOPENTYL-3-METHOXYPYRAZINE,2- 异戊基-3-甲氧基吡嗪，[32737-13-6]

Mihara &Masuda(1988)	d	0.0000063

ISOPENTYL2-METHYLBUTANOATE,2- 甲基丁酸异戊酯，[27625-35-0]

Hirvi&Honkanen(1984)	d	0.14
Schnabel et al.(1988)	d	0.0086～0.043

ISOPENTYL 3-METHYLBUTANOATE,异戊酸异戊酯，[659-70-1]`

Hirvi &Honkanen(1984)	d	0.02

ISOPENTYL 2-METHYLPROPANOATE,异丁酸异戊酯，[2050-01-3]

Schnabel et al.(1988)	d	0.087～0.43

ISOPENTYL OCTANOATE,辛酸异戊酯，[2035-99-6]

Hirvi &Honkanen(1984)	d	0.07

ISOPENTYL PROPANOATE,丙酸异戊酯，[105-68-0]

Schnabel et al.(1988)	d	0.0086～0.043

2-(ISOPENTYLTHIO)ETHANAL,2- 异戊硫基乙醛

Rössner et al.(2002)		0.0003

isophorone→异佛尔酮
isoprene→异戊二烯
isopropanol→异丙醇
isopropanolamine→异丙醇胺

4-ISOPROPENYL-1-CYCLOHEXEN-1-CARBOXALDEHYDE, 紫苏醛，[2111-75-3]

Ahmed et al.(1978a)	d	0.0301
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.062～0.1
Tamura et al.(1996)	d	0.056
Tamura et al.(1996)	r	0.29
Boonbumrung et al.(2001)	d	0.030

(S)-(-)-4-ISOPROPENYL-1-CYCLOHEXEN-1-CARBOXALDEHYDE,(4S)- (一)-紫苏醛，[18031-40-8]

Padrayuttawat et al.(1997)	d	0.03

(R)-(+)-4-ISOPROPENYL-1-CYCLOHEXEN-1-CARBOXALDEHYDE,(4R)-(+)- **紫苏醛**

Padrayuttawat et al.(1997)	d	0.07

(4-ISOPROPENYL-1-CYCLOHEXENYL)METHANOL, 紫苏醇，[536-59-4]

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	7

(R)-(+)-(4-ISOPROPENYL-1-CYCLOHEXENYL)METHANOL,(4R)-(+)- 紫苏醇，[57717-97-2]

Padrayuttawat et al.(1997)	d	1.66

(S)-(-)-(4-ISOPROPENYL-1-CYCLOHEXENYL)METHANOL,(4S)- (一)-紫苏醇，[536-59-4]

Padrayuttawat et al.(1997)	d	1.10

8-ISOPROPENYL-5,6-DIMETHYLBICYCLO[4.4.0]-3-DECANONE,1,10- 二氢圆柚酮，[1803-39-0]

Stevens et al.(1970)	d	0.05

8-ISOPROPENYL-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE, **圆柚酮，[4674-50-4]**

Guadagni(1969,1970c);Stevens et al.(1970); Teranishi et al.(1981);Buttery(1981)	d	0.17～0.20
Pino et al.(1986)	d	0.8
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.28

(d)-8-ISOPROPENYL-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE,(+)- 圆柚酮

Haring et al.(1972)	d	0.6～1.0

(l)-8-ISOPROPENYL-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE, (—)-圆柚酮, **[38427-78-0]**

Haring et al.(1972)	d	400～800
Belitz &Grosch(1992d)		1

8-ISOPROPENYL-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-10-ONE, 艾里莫酚酮，[562-23-2]

Guadagni(1969);Stevens et al.(1970)	d	0.045

1-ISOPROPENYL-4-METHYLBENZENE, 对异丙烯基甲苯，[1195-32-0]

Masanetz &Grosch(1998a,1998b)		0.085

4-ISOPROPENYL-1-METHYL-1,3-CYCLOHEXADIENE, 对薄荷-1,3,8-三烯，[18368-95-1]

Masanetz &Grosch(1998a,1998b)		0.015

2-ISOPROPENYL-5-METHYL-1-CYCLOHEXANOL, 异蒲勒醇，[89-79-2]

Sugisawa et al.(1991)	d	1

5-ISOPROPENYL-2-METHYL-1-CYCLOHEXANONE, 二氢香芹酮，[7764-50-3]

Sugisawa et al.(1991)	d	3.25

(d)-5-ISOPROPENYL-2-METHYL-1-CYCLOHEXANONE,(d)- 二氢香芹酮，[5524-05-0]

Pelosi&Viti(1978)	d	0.82

(l)-5-ISOPROPENYL-2-METHYL-1-CYCLOHEXANONE,(l)- 二氢香芹酮，[619-02-3]

Pelosi&Viti(1978)	d	1.06

4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE,柠檬烯，[138-86-3]

Appell(1969)		1
Guadagni(1969);Buttery et al.(1969b,1971,1974, 1987b,1988a);Buttery(1981);Takeoka et al.(1990a)	d	0.01
De Grunt(1975);De Grunt et al.(1977)	d	0.004
Tuorila et al.(1982)	d	0.011～0.072
Pino et al.(1986)	d	0.229
Tamura et al.(1995)		3
Tamura et al.(1996);Mookdasanit et al.(2003)	d	1
Tamura et al.(1996)	r	3.5
Buttery &Ling(1998)	d	0.3
Tamura et al.(2001)	d	0.20

Averbeck(2002)		0.034
Pino &Mesa(2006)	d	1
Buhr et al.(2010)	d	0.2

(R)-(+)-4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE,(d)- 柠檬烯，[5989-27-5]

Ahmed et al.(1978a)	d	0.060
Belitz &Grosch(1992e)		0.2
Blank et al.(1992)		0.15
Buttery(1993);Buttery &Ling(1995)	d	0.2
Padrayuttawat et al.(1997);Boonbumrung et al.(2001)	d	1.20
Averbeck &Schierberle(2009,2011)	d	0.034

(S)-(**—)-4-ISOPROPENYL-1-METHYL-1-CYCLOHEXENE,(1)- 柠檬烯，[5989-54-8]**

Buttery(1993)	d	0.5
Padrayuttawat et al.(1997);Boonbumrung et al.(2001)	d	1.04

cis-4-ISOPROPENYL-1-METHYL-6-CYCLOHEXEN-2-OL, 顺-香芹醇，[1197-06-4]

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	4
Mookdasanit et al.(2003)	d	0.25

trans-4-ISOPROPENYL-1-METHYL-6-CYCLOHEXEN-2-OL, 反-香芹醇，[1197-07-5]

Yang et al.(1992);Tamura et al.(1993)	d	4
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.25

5-ISOPROPENYL-2-METHYL-2-CYCLOHEXEN-1-ONE, **香芹酮，[99-49-0]**

Pino et al.(1986)	d	0.0067
Sugisawa et al.(1991)	d	0.82
Yang et al.(1992);Tamura et al.(1993)	d	0.067
Mookdasanit et al.(2003)	d	0.1
Pino &Mesa(2006)	d	0.027

(S)**-(+)-5-ISOPROPENYL-2-METHYL-2-CYCLOHEXEN-1-ONE,(d)- 香芹酮，[2244-16-8]**

Leitereg et al.(1971a,1971b)	d	0.085～0.13
Ahmed et al.(1978a)	d	0.0027
Pelosi&Viti(1978)	d	0.60
Polak et al.(1989)		0.001～4.0
Polak et al.(1989)		0.001～0.7
Padrayuttawat et al.(1997)	d	0.25
Averbeck &Schierberle(2009,2011)	d	0.160

(R)-(-)-5-ISOPROPENYL-2-METHYL-2-CYCLOHEXEN-1-ONE,(1)- **香芹酮，[6485-40-1]**

Leitereg et al.(1971a,1971b)	d	0.002
Ohloff(1977,1978)		0.05
Peliso &Viti(1978)	d	0.043

Pelosi&Pisanelli(1981)	d	0.058
Polak et al.(1989)		0.0007～2.0
Polak et al.(1989)		0.02～0.15
Padrayuttawat et al.(1997)	d	0.01
Averbeck &Schierberle(2009,2011)	d	0.007

(1RS,5R)-5-ISOPROPENYL-2-METHYL-2-CYCLOHEXENYL ACETATE,乙酸香芹酯，[97-42-7]

Hirvi&Honkanen(1982)	d	0.0015

ISOPROPYL ACETATE,乙酸异丙酯，[108-21-4]

Sarzynski(1982)		8
Granzer et al.(1986)		0.5～5
Schnabel et al.(1988)	d	1.7～4.4

ISOPROPYLAMINE, 异丙胺，[75-31-0]

De Grunt(1975)	d	5.0

isopropyl alcohol→异丙醇

4-ISOPROPYLBENZALDEHYDE, 枯茗醛，[122-03-2]

Mookdasanit et al.(2003)	d	0.06
Pino &Mesa(2006)	d	0.4

ISOPROPYLBENZENE, 异丙苯，[98-82-8]

Zoeteman et al.(1971)		0.1
Young et al.(1996)		0.07

ISOPROPYL BUTANOATE,丁酸异丙酯，[638-11-9]

Schnabel et al.(1988)	d	0.043～0.086

isopropyl butyrate→丁酸异丙酯

ISOPROPYL CYANIDE,异丁腈，[78-82-0]

Fabrellas et al.(2004)		0.064～0.204
Freuze et al.(2005)	d	0.43

ISOPROPYL 2,4-DICHLOROPHENOXYACETATE,2,4-二氯苯氧乙酸异丙酯，[94-11-1]

Sigworth(1965)	d	0.0031～0.055

2-ISOPROPYL-3,5-DIMETHOXY-6-METHYLPYRAZINE,2-异丙基-3,5-二甲氧基-6-甲基吡嗪

Takken et al.(1975)	d	0.07

2-ISOPROPYL-3,6-DIMETHOXY-5-METHYLPYRAZINE,2-异丙基-3,6-二甲氧基-5-甲基吡嗪

Takken et al.(1975)	d	0.25

(d)-8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-1,9-DECADIEN-3-ONE,(d)-8-异丙基-5,6-二甲基二环[4.4.0]-1,9-癸二烯-3-酮

Haring et al.(1972)	d	5～10

(l)-8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-1,9-DECADIEN-3-ONE,(l)-8- 异丙基-5,6-二甲基二环[4.4.0]-1,9-癸二烯-3-酮

Haring et al.(1972)	d	40～100

8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-3-DECANONE, 四氢圆柚酮，[38427-80-4]

Stevens et al.(1970)	d	0.045

(d)-8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-3-DECANONE,(d)- 四氢圆柚酮

Haring et al.(1972)	d	5～20

(l)-8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-3-DECANONE,(l)- 四氢圆柚酮

Haring et al.(1972)	d	30～70

8-ISOPROPYL-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE,11,12- 二氢圆柚酮

Stevens et al.(1970)	d	0.5

2-ISOPROPYL-5,6-DIMETHYLPYRAZINE,5- 异丙基-2,3-二甲基吡嗪，[40790-21-4]

Masuda&Mihara(1986);Shibamoto(1986)	d	0.53

2-(ISOPROPYLDITHIO)PROPANE, 二异丙基二硫醚，[4253-89-8]

Mookdasanit et al.(2003)	d	0.043

8-ISOPROPYLIDENE-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE),α 香根草酮，[15764-04-2]

Stevens et al.(1970)	d	0.175

(d)-8-ISOPROPYLIDENE-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE,(d)-α- 香根草酮

Haring et al.(1972)	d	0.6～1.0

(l)-8-ISOPROPYLIDENE-5,6-DIMETHYLBICYCLO[4.4.0]-1-DECEN-3-ONE,(l)-α- 香根草酮

Haring et al.(1972)	d	6～15

(R)-(+)-4-ISOPROPYLIDENE-1-METHYL-3-CYCLOHEXANONE,(d)- 长叶薄荷酮，[89-82-7]

Pelosi&Viti(1978)	d	0.13

4-ISOPROPYLIDENE-1-METHYL-3-CYCLOHEXENE, 异松油烯，[586-62-9]

Buttery et al.(1968,1987b);Buttery(1981)	d	0.2
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.041
Pino &Mesa(2006)	d	0.2

2-{[(1S,2R,5S)-2-isopropyl-5-methylcyclohexyl]oxy}pyrazine→ 薄荷氧基吡嗪

(+)-2-{[(1S,2R,5S)-2-isopropyl-5-methylcyclohexyl]oxy}pyrazine→ (d)-薄荷氧基吡嗪

(-)-2-{[(1R,2S,5R)-2-isopropyl-5-methylcyclohexyl]oxy}pyrazine→ (l)-薄荷氧基吡嗪

isopropyl isobutyrate→异丁酸异丙酯

ISOPROPYL ISOTHIOCYANATE,异丙基芥子油，[625-59-2]

Brevard et al.(1992)	d	10.0
Masuda et al.(1996)		0.63

4-ISOPROPYL-8-MERCAPTO-1-METHYLTHIOL-1-CYCLOHEXENE,1-对薄荷烯-8-硫醇,

[71159-90-5]

Belitz &Grosch(1992d)		0.00000002

5-ISOPROPYL-2-METHOXY-3-METHYLPYRAZINE,5-异丙基-2-甲氧基-3-甲基吡嗪，[38346-76-8]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.026

2-ISOPROPYL-3-METHOXY-5-METHYLPYRAZINE,2-异丙基-3-甲氧基-5-甲基吡嗪

Takken et al.(1975)	d	0.000045

2-ISOPROPYL-3-METHOXY-6-METHYLPYRAZINE,2-异丙基-3-甲氧基-6-甲基吡嗪

Takken et al.(1975)	d	0.00005

2-ISOPROPYL-3-METHOXYPYRAZINE,2-异丙基-3-甲氧基吡嗪，[25773-40-4]

Seifert et al.(1970);Buttery(1981,1993)	d	0.000002
Calabretta(1975,1978)	d	0.010
Mihara &Masuda(1988)	d	0.000024
Young et al.(1996)		0.0000002
Masanetz &Grosch(1998a)		0.000004
Zeller &Richlik(2007);Czerny et al.(2008)	r	0.000013
Neta et al.(2008)	d	0.0000004
Czerny et al.(2008)	d	0.0000039

3-isopropyl-2-methoxypyrazine→2-异丙基-3-甲氧基吡嗪

2-ISOPROPYL-5-METHOXYPYRAZINE,2-异丙基-5-甲氧基吡嗪

Calabretta(1975,1978)	d	0.010

1-ISOPROPYL-3-METHYLBENZENE,间伞花烃，[535-77-3]

Tamura et al.(1995)		0.8

1-ISOPROPYL-4-METHYLBENZENE,对伞花烃，[99-87-6]

Zoeteman et al.(1971)		0.1
Buttery et al.(1974);Takeoka(2001)	d	0.15
Ahmed et al.(1978a)	d	0.0114
Pino et al.(1986)	d	0.0062
Young et al.(1996)		0.4
Padrayuttawat et al.(1997);Tamura et al.(2001); Boonbumrung et al.(2001)	d	0.1～0.12
Pino &Mesa(2006)	d	0.0114
Giri et al.(2010)	d	0.00501

trans-5-ISOPROPYL-2-METHYLBICYCLO[3.1.0]-2-HEXANOL,反-水合桧烯，[17699-16-0]

Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	55

1-ISOPROPYL-4-METHYLBICYCLO[3.1.0]-3-HEXANONE,alβ-侧柏酮，[546-80-5]

Pelosi&Pisanelli(1981)	d	0.36

1-ISOPROPYL-4-METHYLBICYCLO[3.1.0]-3-HEXEN-2-ONE, 缴柳酮，[24545-81-1]

Buttery et al.(1974)	d	0.75

ISOPROPYL2-METHYLBUTANOATE,2- 甲基丁酸异丙酯，[66576-71-4]

Schnabel et al.(1988)	d	0.043～0.087

4-ISOPROPYL-1-METHYL-1,3-CYCLOHEXADIENE,α- 松油烯，[99-86-5]

Boonbumrung et al.(2001);Mookdasanit et al.(2003)	d	0.08～0.085

4-ISOPROPYL-1-METHYL-1,4-CYCLOHEXADIENE,γ- 松油烯，[99-85-4]

Tamura et al.(1996)	d	1
Tamura et al.(1996)	r	2.89
Padrayuttawat et al.(1997);Tamura et al.(1999)	d	0.6
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.26
Takeoka(2001)	d	0.065
Pino &Mesa(2006)	d	1

4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,a- 水芹烯，[99-83-2]

Padrayuttawat et al.(1997);Tamura et al.(1999); Boonbumrung et al.(2001)	d	0.16
Pino &Mesa(2006)	d	0.04

(R)-(一)-4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,(1)-a- 水芹烯，[4221-98-1]

Belitz &Grosch(1992e);Blank et al.(1992)		0.5

(S)-(+)-4-ISOPROPYL-1-METHYL-1,5-CYCLOHEXADIENE,(d)-α- 水芹烯，[2243-33-6]

Huopalahti(1986)		0.04
Belitz &Grosch(1992e);Blank et al.(1992)		0.2

(1S,2R,5S)-(+)-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(d)- 薄荷脑，[15356-60-2]

Padrayuttawat et al.(1997)	d	0.92

(1R,2S,5R)-（一）-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(1)- 薄荷脑，[2216-51-5]

Pelosi&Viti(1978)	d	0.95
Pelosi&Pisanelli(1981)	d	2.5
Padrayuttawat et al.(1997)	d	2.28
Ottinger et al.(2001)		0.1～0.2

(1S,2S,5R)-(+)-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(1R,3S,4S)-(+)- 新薄荷脑，[2216-52-6]

Padrayuttawat et al.(1997)	d	0.81

(1R,2R,5S)-（一）-2-ISOPROPYL-5-METHYLCYCLOHEXANOL,(1S,3R,4R)- （一）-新薄荷脑，[20747-49-3]

Padrayuttawat et al.(1997)	d	1.05

(d)-5-ISOPROPYL-2-METHYLCYCLOHEXANONE,(+)- 薄荷酮

Pelosi&Viti(1978)	d	0.88

(1)-5-ISOPROPYL-2-METHYLCYCLOHEXANONE, (一)-薄荷酮

Pelosi&Viti(1978)	d	1.12

2-ISOPROPYL-5-METHYLCYCLOHEXANONE, 薄荷酮，[10458-14-7]

Amoore &Venstrom(1966);Amoore(1969)	d	0.17
Vickers et al.(2001)		2.4～4.9

(2R,5S)-(+)-2-ISOPROPYL-5-METHYLCYCLOHEXANONE,(d)- 薄荷酮，[3391-87-5]

Padrayuttawat et al.(1997)	d	0.21

(2S,5R)-(-)-2-ISOPROPYL-5-METHYLCYCLOHEXANONE,(1)- 薄荷酮，[14073-97-3]

Pelosi&Viti(1978)	d	0.17
Padrayuttawat et al.(1997)	d	0.35

4-ISOPROPYL-7-METHYLCYCLOHEXATHIAZOLE,4- 异丙基-7-甲基环己并噻唑，[84648-08-8]

Pelosi et al.(1983)	d	0.00036

(1)-4-ISOPROPYL-7-METHYLCYCLOHEXATHIAZOLE,(1)-4- 异丙基-7-甲基环己并噻唑，**[84710-13-4]**

Pelosi et al.(1983)	d	0.022

1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL,4- 萜烯醇，[562-74-3]

Buttery et al.(1968,1974);Takeoka(2001)	d	0.34
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	6.4
Tamura et al.(1996)	d	0.59
Tamura et al.(1996)	r	4.37
Tamura et al.(2001)	d	1.2

(S)-(+)-1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL,(+)-4- 萜品醇，[2438-10-0]

Padrayuttawat et al.(2001)	d	1.29

(R)-(一)-1-ISOPROPYL-4-METHYL-3-CYCLOHEXEN-1-OL, (一)-4-萜品醇

Padrayuttawat et al.(2001)	d	1.19

(d)-3-ISOPROPYL-5-METHYL-2-CYCLOHEXEN-1-ONE,(d)- 香芹酮

Pelosi&Viti(1978)	d	1.46

(1)-3-ISOPROPYL-5-METHYL-2-CYCLOHEXEN-1-ONE,(1)- 香芹酮

Pelosi &Viti(1978)	d	2.00

4-ISOPROPYL-1-METHYL-1-CYCLOHEXEN-3-ONE, 胡椒酮，[89-81-6]

Pelosi&Viti(1978)	d	0.68

(一)-1-[(1R,5S)-5-ISOPROPYL-2-METHYLCYCLOHEX-2-EN-1-YL]ETHANONE,(-)-(2R,4S)-2-乙酰基-对薄荷-6-烯

Yamamoto et al.(2001)		0.1

(+)-1-[(1S,5R)-5-ISOPROPYL-2-METHYLCYCLOHEX-2-EN-1-YL]ETHANONE,(+)-(2S,4R)-2-乙酰基-对薄荷-6-烯

Yamamoto et al.(2001)		2

1-ISOPROPYL-4-METHYLENEBICYCLO[3.1.0]HEXANE, 桧烯，[3387-41-5]

Buttery et al.(1968,1974);Buttery(1981)	d	0.075
Pino et al.(1986)	d	0.037
Boonbumrung et al.(2001);Mookdasanit et al.(2003)	d	0.98

4-ISOPROPYL-1-METHYLENE-2-CYCLOHEXENE, β-水芹烯，[555-10-2]

Buttery et al.(1987b)	d	0.5
Masanetz &Grosch(1998a,1998b)		0.036

5-ISOPROPYL-3-METHYL-2-(METHYLTHIO)PYRAZINE, 5-异丙基-3-甲基-2-甲硫基吡嗪，[99784-22-2]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.016

5-ISOPROPYL-2-METHYLPHENOL, 香芹酚，[499-75-2]

Dietz&Traud(1978)		0.8
Yang et al.(1992);Tamura et al.(1993)	d	2.29
Mookdasanit et al.(2003)	d	0.07
Pino &Mesa(2006)	d	2.29

2-ISOPROPYL-5-METHYLPHENOL, 百里香酚，[89-83-8]

Nesmeyanova(1953)		0.05
Buttery et al.(1974)	d	0.086
Pelosi&Viti(1978)	d	0.40
Dietz &Traud(1978)		0.5
Huopalahti(1986)		0.12
Yang et al.(1992);Tamura et al.(1993)	d	0.79
Mookdasanit et al.(2003)	d	0.188
Pino &Mesa(2006)	d	1.7

2-ISOPROPYL-6-METHYLPHENOL, 2-异丙基-6-甲基苯酚，[3228-04-4]

Dietz &Traud(1978)		1

5-ISOPROPYL-3-METHYL-2-PHENOXYPYRAZINE, 5-异丙基-3-甲基-2-苯氧基吡嗪，[99784-18-6]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.37

ISOPROPYL 3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-甲基-3-苯基-2,3-环氧丙酸异丙酯

Tekin &Karaman(1992)	d	8.5

5-ISOPROPYL-3-METHYL-2-(PHENYLTHIO)PYRAZINE, 5-异丙基-3-甲基-2-苯硫基吡嗪，[99784-30-2]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.16

ISOPROPYL2-METHYLPROPANOATE,　**异丁酸异丙酯，[617-50-5]**
Schnabel et al.(1988)　d　0.026～0.060

2-ISOPROPYL-3-METHYLPYRAZINE,2-　异丙基-3-甲基吡嗪，[15986-81-9]
Mihara &Masuda(1988)　d　0.016

2-ISOPROPYL-3-(METHYLTHIO)PYRAZINE,2-　**异丙基-3-甲硫基吡嗪，[67952-59-4]**
Mihara &Masuda(1988)　d　0.000047

isopropyl mustard oil→异丙基芥子油

2-ISOPROPYLPHENOL,2-　异丙基苯酚，[88-69-7]
Dietz &Traud(1978)　1

ISOPROPYLPYRAZINE,　异丙基吡嗪，[29460-90-0]
Calabretta(1973)　d　0.1

2-(ISOPROPYLTHIO)ETHANAL,2-　异丙硫基乙醛
Rössner et al.(2002)　0.0005

4-isopropyltoluene→ 对伞花烃
isopseudocumenol→2,3,5-　三甲基苯酚
isopulegol→异蒲勒醇
isovaleraldehyde→异戊醛
isovaleric acid→异戊酸
isovaleronitrile→异戊腈
3-isovalidenephthalide3-　异戊亚基苯酞

K

cis-ketone→4(4'- 顺-叔丁基环己基)-4-甲基-2-戊酮
(d)-ketone→(d)-2-　甲基-4[5.5.6(exo)- 三甲基-2-(exo)- 降冰片基]环己酮
(1)-ketone→(1)-2-　甲基-4[5.5.6(exo)- 三甲基-2-(exo)- 降冰片基]环己酮
kahweofuran→咖啡呋喃
karahana ether→8,8-二甲基-2-亚甲基-6-氧二环[3.2.1]辛烷

L

lauraldehyde→月桂醛
lauryl propylene diamine→月桂基丙二胺
leaf alcohol→叶醇
leaf aldehyde→叶醛
lenthionine→香菇素
linolenic acid→亚麻酸
limonene→柠檬烯
(4R)-(+)-limonene→(d)-　柠檬烯
(4S)-(-)-limonene→(1)-　柠檬烯
(d)-limonene→(d)-　柠檬烯
(1)-limonene→ (2)-柠檬烯

LIMONENE　EPOXIDE,氧化柠檬烯，[1195-92-2]

Buttery et al.(1987b) d 0.1

limonene oxide→氧化柠檬烯

cis-LIMONENE OXIDE,顺-氧化柠檬烯，[13837-75-7]

Yang et al.(1992);Tamura et al.(1993) d 0.25

trans-LIMONENE OXIDE,反-氧化柠檬烯，[4959-35-7]

Yang et al.(1992);Tamura et al.(1993) d 0.25

8,9-LIMONENE OXIDE,8,9-环氧柠檬烯，[31684-93-2]

Boonbumrung et al.(2001) d 0.20

(4R)-(+)-cis-LIMONENE-1,2-OXIDE,(4R)-(+)- 顺-1,2-环氧柠檬烯

Padrayuttawat et al.(1997) d 0.26

(4R)-(+)-trans-LIMONENE-1,2-OXIDE,(4R)-(+)- 反-1,2-环氧柠檬烯

Padrayuttawat et al.(1997) d 0.20

(4R,8R)-LIMONENE-8,9-OXIDE,(4R,8R)-8,9- 环氧柠檬烯

Padrayuttawat et al.(1997) d 0.1

(4R,8S)-LIMONENE-8,9-0XIDE,(4R,8S)-8,9- 环氧柠檬烯

Padrayuttawat et al.(1997) d 0.1

linalool→芳樟醇

(3S)-(+)-linalool→(3S)-(+)- 芳樟醇

(3R)-(一)-linalool→(3R)-（一）-芳樟醇

linalool oxide A→反-呋喃氧化芳樟醇

cis-linalooloxide→顺-氧化芳樟醇

trans-linalool oxide→反-氧化芳樟醇

linalyl acetate→乙酸芳樟酯

lindane→y-六六六

M

malathion→马拉硫磷

maltol→麦芽酚

maple lactone→甲基环戊烯醇酮

melonal→甜瓜醛

p-mentha-1,3,8-triene→ 对薄荷-1,3,8-三烯

1-p-menthene-8-thiol→1-对薄荷烯-8-硫醇

(1S,3S,4R)-(+)-menthol→(d)- 薄荷脑

(1R,3R,4S)-（一）-menthol→(1)- 薄荷脑

(1)-menthol→(1)- 薄荷脑

menthone→薄荷酮

(2R,5S)-(+)-menthone→(d)- 薄荷酮

(2S,5R)-（一）-menthone→(1)- 薄荷酮

(1)-menthone→(1)- 薄荷酮

MENTHYLOXYPYRAZINE, 薄荷氧基吡嗪
Masuda &Mihara(1989) d 0.003

(d)-MENTHYLOXYPYRAZINE,(+)- 薄荷氧基吡嗪
Masuda &Mihara(1989) d 0.01

(1)-MENTHYLOXYPYRAZINE, (—)-薄荷氧基吡嗪
Masuda &Mihara(1989) d 0.002

2-MERCAPTOBENZOTHIAZOLE,2- 巯基苯并噻唑，[149-30-4]
Lillard&Powers(1975) d 1.76

3-MERCAPTO-2-BUTANONE,3- 巯基-2-丁酮，[40789-98-8]
Schieberle &Hofmann(1996a,1996b) 0.003

2-MERCAPTOETHANOL,2- 巯基乙醇，[60-24-2]
Baker(1963) 0.64
Brown et al.(1968) 12.5

3-MERCAPTO-1-HEXANOL,3- 巯基-1-己醇，[51755-83-0]
Steinhaus et al.(2009);Sinuco et al.(2010) d 0.00006

3-MERCAPTOHEXYL ACETATE,3-巯基己基乙酸酯，[136954-20-6]
Steinhaus et al.(2009);Sinuco et al.(2010) d 0.00002

2-MERCAPTO-2-METHYL-1-BUTANOL,2- 巯基-2-甲基-1-丁醇
Sabater-Lüntzel et al.(2001) 0.0001

3-MERCAPTO-2-METHYL-1-BUTANOL,3- 巯基-2-甲基-1-丁醇，[227456-33-9]
Widder et al.(2001,2002) 0.00023

3-MERCAPTO-3-METHYL-1-BUTANOL,3- 巯基-3-甲基-1-丁醇，[34300-94-2]
Holscher et al.(1992) d 0.002～0.006

3-MERCAPTO-3-METHYLBUTYL FORMATE,3-巯基-3-甲基丁基甲酸酯，[50746-10-6]
Belitz &Grosch(1992f) 0.000003
Holscher et al.(1992) d 0.000002～0.000005

3-MERCAPTO-2-METHYL-1-HEPTANOL,3- 巯基-2-甲基-1-庚醇
Widder et al.(2001,2002) 0.077

3-MERCAPTO-2-METHYL-1-HEXANOL,3- 巯基-2-甲基-1-己醇
Widder et al.(2001,2002) 0.00031

3-MERCAPTO-2-METHYLPENTANAL,3- 巯基-2-甲基戊醛，[227456-28-2]
Widder et al.(2000) d 0.00095

3-MERCAPTO-2-METHYL-1-PENTANOL,3- 巯基-2-甲基-1-戊醇，[227456-27-1]
Widder et al.(2000) d 0.00015

Widder et al.(2001,2002)		0.00063
Granvogl et al.(2004)	d	0.0000007
Granvogl et al.(2004)	r	0.0000016

(2R,3S)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2R,3S)-3-硫基-2-甲基-1-戊醇

Sabater-Lüntzel et al.(2000);Pickenhagen(2001)	d	0.00004
Widder et al.(2001,2002)	d	0.00009

(2S,3R)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2S,3R)-3-硫基-2-甲基-1-戊醇

Sabater-Lüntzel et al.(2000);Pickenhagen(2001)	d	0.00003

(2R,3R)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2R,3R)-3-硫基-2-甲基-1-戊醇

Sabater-Lüntzel et al.(2000)	d	>0.012

(2S,3S)-3-MERCAPTO-2-METHYL-1-PENTANOL,(2S,3S)-3-硫基-2-甲基-1-戊醇

Sabater-Lüntzel et al.(2000)	d	>0.03

2-MERCAPTO-2-METHYL-4-PENTANONE,4-巯基-4-甲基-2-戊酮,[19872-52-7]

Tressl et al.(1980)		0.000005
Kendall(1980)		0.0000001

4-mercapto-4-methylpentan-2-one→2-巯基-2-甲基-4-戊酮

3-MERCAPTO-2-PENTANONE,3- 巯基-2-戊酮,[67633-97-0]

Schieberle &Hofmann(1996a,1996b); Kerscher &Grosch(2000)		0.0007

2-MERCAPTO-3-PENTANONE,2- 巯基-3-戊酮,[17042-24-9]

Schieberle &Hofmann(1996a,1996b)		0.0007

3-MERCAPTO-2-PROPYL-1-PENTANOL,3-巯基-2-丙基-1-戊醇

Widder et al.(2001,2002)		0.0105

mesifurane→4-甲氧基-2,5-二甲基-3(2H)-呋喃酮
mesitol→2,4,6- 三甲基苯酚
mesitylene→ 1,3,5- 三甲基苯
methacrylic acid→甲基丙烯酸

METHANAL,甲醛,[50-00-0]

Middleton(1956)	d	25
Baker(1963)		49.9
Schnabel et al.(1988)	d	990～2050

METHANETHIOL, **甲硫醇,[74-93-1]**

Guadagni et al.(1963,1968);Guadagni (1966,1969,1970c);Hansen et al.(1992)	d	0.00002
Sato et al.(1975);Takahashi(1990)		0.004
Guth &Grosch(1994);Milo(1995b); Milo &Grosch(1997);Kerscher &Grosch(2000)		0.0002

methanoic acid→甲酸

METHANOL， 甲醇，[67-56-1]

Moncrieff(1957)		2000
Sega et al.(1967)	d	36.9
Mitchell &Gregson(1968)	r	6300～50400
De Grunt(1975);De Grunt et al.(1977)	d	10
Sarzynski(1982)		125
Pino et al.(1986)	d	369.828
Schnabel et al.(1988)	d	800～1200

methional→3-甲硫基丙醛

methionol→3-甲硫基丙醇

methionyl acetate→乙酸3-甲硫基丙酯

4-METHOXYBENZALDEHYDE， 茴香醛，[123-11-5]

Zeller &Rychlik(2006)	r	0.047
Pino &Mesa(2006)	d	0.03
Czerny et al.(2008)	d	0.027
Czerny et al.(2008)	r	0.047

METHOXYBENZENE， 茴香醚，[100-66-3]

Griffiths(1974)	d	0.05
Dietz&Traub(1978)		0.2
Burdack-Freitag et al.(2010)	d	0.1525(常规大气压)
Burdack-Freitag et al.(2010)	d	0.1975(低大气压)
Burdack-Freitag et al.(2010)	r	0.1775(常规大气压)
Burdack-Freitag et al.(2010)	r	0.2100(低大气压)

4-METHOXYBENZYL ALCOHOL，茴香醇，[105-13-5]

Zeller &Rychlik(2006)	r	38

2-METHOXYBICYCLO[4.4.0]DECANE,β 甲氧基十氢化萘

Koppe(1965)		0.005

methoxychlor→甲氧氯

β-methoxydecalin→β-甲氧基十氢化萘

4-METHOXY-2,5-DIMETHYL-3(2H)-FURANONE，4-甲氧基-2,5-二甲基-3(2H)-呋喃酮，[4077-47-8]

Pyysalo &Honkanen(1976);Pyysalo et al.(1977)	d	0.00003～0.00004
Pyysalo et al.(1979)	d	0.01
Larsen &Poll(1992)	d	0.1～1.0
Buttery(1999)	d	3.4
Boonbumrung et al.(2001)	d	0.016
Pino &Mesa(2006)	d	0.00003
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.16

2-METHOXY-3,5-DIMETHYLPYRAZINE,2- 甲氧基-3,5-二甲基吡嗪

Calabretta(1973)	d	0.003
Czerny &Grosch(2000)	d	0.0000004

2-METHOXY-3,6-DIMETHYLPYRAZINE,3- 甲氧基-2,5-二甲基吡嗪，[19846-22-1]

Mihara et al.(1991)	d	0.0001

2-METHOXYETHANOL, **乙二醇单甲醚，[109-86-4]**

Alexander et al.(1982)	d	100

2-METHOXY-2-METHYLBUTANE, 叔戊基甲基醚，[994-05-8]

Vetrano(1993b)	d	0.194
Vetrano(1993b)	r	0.443
Van Wezel et al.(2009)	d	0.008

1-METHOXY-3-METHYL-3-BUTANETHIOL,1- **甲氧基-3-甲基-3-丁硫醇**，[94087-83-9]

Rigaud et al.(1986)		0.000001
Belitz &Grosch(1992f)		0.00000002

2-METHOXY-3-(2-METHYLBUTYL)PYRAZINE,2- 甲氧基-3-(2-甲基丁基)吡嗪，[115652-10-3]

Mihara &Masuda(1988)	d	0.000012

2-METHOXY-3-METHYL-5-(2-METHYLBUTYL)PYRAZINE,2- **甲氧基-3-甲基-5-(2-甲基丁基)吡**嗪，[78246-21-6]

Masuda&Mihara(1986);Shibamoto(1986)	d	0.00001

2-METHOXY-3-METHYL-5-(2-METHYLPENTYL)PYRAZINE,2- 甲氧基-3-甲基-5-(2-甲基戊基)吡嗪，[78261-14-0]

Masuda&Mihara(1986);Shibamoto(1986)	d	0.0012

2-METHOXY-3-(2-METHYLPENTYL)PYRAZINE,2- 甲氧基-3-(2-甲基戊基)吡嗪，[115652-11-4]

Mihara&Masuda(1988)	d	0.000008

2-METHOXY-4-METHYLPHENOL, 对甲基愈创木酚，[93-51-6]

Wasserman(1966)	d	0.09
Dietz &Traub(1978)		0.01
Czerny et al.(2008)	d	0.021
Czerny et al.(2008)	r	0.03

2-METHOXY-2-METHYLPROPANE,叔丁基甲基醚，[1634-04-4]

ARCO(1993)	d	0.041～0.048
ARCO(1993)	r	0.044～0.065
CFDRA(1993)	d	0.00036～0.00048
Vetrano(1993a);API(1994)	d	0.095
Vetrano(1993a);API(1994)	r	0.193/0.174～0.212
Young et al.(1996)		0.034
Dale et al.(1997)		0.043～0.071

Shen et al.(1998)		0.0135～0.0454
DEA(2000)		0.0074
Stocking et al.(2001)		0.015
CCFRA(2003)		0.018
Van Wezel et al.(2009)	d	0.007

METHOXYMETHYLPYRAZINE,2- 甲氧基-3-甲基吡嗪，[63450-30-6]

Calabretta(1973,1975,1978)	d	0.15

2-METHOXY-3-METHYLPYRAZINE,2- 甲氧基-3(5)-甲基吡嗪，[2847-30-5]

Seifert et al.(1970);Teranishi et al.(1974,1975)	d	0.004
Calabretta(1975,1978)	d	0.003
Masuda &Mihara(1988);Mihara &Masuda(1988)	d	0.007

2-METHOXY-5-METHYLPYRAZINE,2- 甲氧基-5-甲基吡嗪，[2882-22-6]

Calabretta(1973,1975,1978)	d	0.015
Mihara&Masuda(1988)	d	0.02

2-METHOXY-6-METHYLPYRAZINE,2- 甲氧基-6-甲基吡嗪，[2882-21-5]

Mihara &Masuda(1988)	d	0.017

2-METHOXY-3-OCTYLPYRAZINE,2- 甲氧基-6-辛基吡嗪，[113685-80-6]

Masuda &Mihara(1988)	d	0.00006

2-METHOXY-3-(3-(E)-PENTENYL)PYRAZINE,2- 甲氧基-3-[3-(E)-戊烯基]吡嗪，[115652-13-6]

Mihara&Masuda(1988)	d	0.00013

2-METHOXY-3-(3-(Z)-PENTENYL)PYRAZINE,2- 甲氧基-3-[3-(Z)-戊烯基]吡嗪，[115652-14-7]

Mihara &Masuda(1988)	d	0.0005

2-METHOXY-3-PENTYLPYRAZINE,2- 甲氧基-3-戊基吡嗪，[32737-12-5]

Masuda &Mihara(1988)	d	0.00002

2-METHOXYPHENOL, 愈创木酚，[90-05-1]

Le Magnen(1952)		0.02～0.1
Hoak(1956)		0.002～0.070
Wasserman(1966)	d	0.021
Buttery et al.(1971,1987b,1988a,1997,1999);Buttery (1981);Hansen et al.(1992);Buttery &Ling(1998)	d	0.003
Dietz &Traub(1978)		0.01
Kovacs et al.(1984)	d	0.02
Cerny &Grosch(1993)		0.0025
Ong &Acree(1999)		0.002
Karagül-Yüceer et al.(2003)	d	0.0109
Eisele &Semon (2005)	d	0.00048
Czerny et al.(2008)	d	0.00084

Czerny et al.(2008)	r	0.0016

1-(4-METHOXYPHENYL)-2-PROPANONE, 茴香基丙酮，[122-84-9]

Zeller &Rychlijk(2006)	r	1.8

1-METHOXY-2-PROPANOL, 丙二醇甲醚，[107-98-2]

Alexander et al.(1982)	d	4

1-METHOXY-4-((E)-1-PROPENYL)BENZENE, 反-茴香脑，[4180-23-8]

Zeller &Rychlik(2006);Czerny et al.(2008)	r	0.073
Pino &Mesa(2006)	d	0.086
Czerny et al.(2008)	d	0.015

2-METHOXY-4-(1-PROPENYL)PHENOL, 异丁香酚，[97-54-1]

Dietz &Traud(1978)		0.1

2-METHOXY-3-PROPYLPYRAZINE,2- **甲氧基-3-丙基吡嗪，**[25680-57-3]

Seifert et al.(1970);Teranishi et al.(1974)	d	0.000006
Masuda &Mihara(1988)	d	0.00012

METHOXYPYRAZINE,2- 甲氧基吡嗪，[3149-28-8]

Seifert et al.(1970);Teranishi et al.(1974)	d	0.7
Masuda &Mihara(1988)	d	0.4

2-METHOXYTETRACHLOROPHENOL, 四氯愈创木酚，[2539-17-5]

Kovacs et al.(1984)	d	0.88

2-METHOXY-3,4,5-TRICHLOROPHENOL,3,4,5- 三氯愈创木酚，[57057-83-7]

Kovacs et al.(1984)	d	0.074

2-METHOXY-4,5,6-TRICHLOROPHENOL,4,5,6- 三氯愈创木酚，[2668-24-8]

Kovacs et al.(1984)	d	0.074

2-methoxy-4-vinylphenol→对乙烯基愈创木酚
2-methoxy-5-vinylphenol→间乙烯基愈创木酚

METHYLACETATE, 乙酸甲酯，[79-20-9]

Balavoine(1948)		0.002
Schnabel et al.(1988)	d	1.5～47

1-(1-METHYL)ACETONYLPYRROLE,3-(1- 吡咯基)-2-丁酮，[98612-18-1]

Tressl et al.(1985b)	d	0.1

methyl acetophenone→对甲基苯乙酮

METHYL 3-ACETOXYHEXANOATE,3-乙酰氧基己酸甲酯，[77118-93-5]

Takeoka et al.(1989)	d	0.19

methyl acrylate→丙烯酸甲酯
methyl alcohol→甲醇

METHYLAMINE, 甲胺，[74-89-5]

Cherkinski(1961)	d	1.0
Baker(1963)		3.33
Amoore &Forrester(1976)	d	182

METHYL2-AMINOBENZOATE, 氨茴酸甲酯，[134-20-3]

Appell(1969)		0.06
Hirvi&Honkanen(1982)	d	0.003
Buttery(1999)	d	0.007
Pino &Mesa(2006)	d	0.003

methyl amyl ketone→2-庚酮

methyl angelate→顺-2-甲基-2-丁烯酸甲酯

2-METHYLANISOLE, 邻甲基苯甲醚，[578-58-5]

Dietz&Traub(1978)		0.3

3-METHYLANISOLE, 间甲基苯甲醚，[100-84-5]

Dietz &Traub(1978)		0.6

4-METHYLANISOLE,4- 甲基苯甲醚，[104-93-8]

Appell(1969)		0.025
Dietz &Traub(1978)		0.2

methyl anthranilate→氨茴酸甲酯

N-methylazolidine→1-甲基吡咯烷

methylbenzene→甲苯

METHYL BENZOATE,苯甲酸甲酯，[93-58-3]

Appell(1969)		1
Pyysalo et al.(1977)	d	0.11
Pino &Mesa(2006)	d	0.00052
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.073

2-METHYLBENZOTHIAZOLE,2- 甲基苯并噻唑，[120-75-2]

De Grunt(1975);De Grunt et al.(1977)	d	0.0075～0.008

1-METHYLBICYCLO[3.3.0]-2,8-DIOXA-4-THIAOCTANE,1-甲基-2,8-二氧杂-4-硫杂双环[3.3.0]辛烷

Van Dort et al.(1984)		0.1

1-METHYLBICYCLO[3.3.0]-2,4-DITHIA-8-OXAOCTANE,1-甲基-2,4-二硫杂-8-氧杂双环[3.3.0]辛烷，[67411-25-0]

Buttery et al.(1981)	d	0.0000004
Buttery &Seifert(1982)	d	0.006
Van Dort et al.(194)		0.001
Flament et al.(1988)		0.006

2-METHYL-1,3-BUTADIENE, 异戊二烯，[78-79-5]

Cherkinski(1961)	d	0.005

2-METHYLBUTANAL,2- 甲基丁醛，[96-17-3]

Amoore et al.(1976)	d	0.0125
Schnabel et al.(1988)	d	0.0024～0.0056
Buttery et al.(1994a,1997,1999); Buttery &Ling(1995,1998)	d	0.003
Milo &Grosch(1996a);Milo &Grosch(1997)		0.0013
Czerny et al.(2007a);Czerny et al.(2008)	r	0.0044
Czerny et al.(2008)	d	0.0015
Giri et al.(2010)	d	0.001

3-METHYLBUTANAL, 异戊醛，[590-86-3]

Guadagni et al.(1963,1972);Buttery et al.(1987a,1989,1990a,1994a,1997,1999); Buttery(1993);Buttery &Ling(1995,1998)	d	0.00015～0.0002
Land(1968)	r	13
Mulders(1972,1973)	d	0.007～0.009
Amoore et al.(1976)	d	0.00202
Schnabel et al.(1988)	d	0.0024～0.0040
Guth &Grosch(1994);Milo &Grosch(1996,1997); Kerscher &Grosch(2000)		0.00035～0.0004
Tandon et al.(2000)	d	0.006
Fabrellas et al.(2004)		0.0008～0.0039
Freuze et al.(2005)	d	0.005
Czerny et al.(2007a);Czerny et al.(2008)	r	0.0012
Czerny et al.(2008)	d	0.0005
Giri et al.(2010)	d	0.0011

3-methylbutanenitrile→异戊腈

2-METHYL-2-BUTANETHIOL, 叔戊硫醇，[1679-09-0]

Guadagni(1979)	d	0.000002

METHYL BUTANOATE, 丁酸甲酯，[623-42-7]

Ahmed et al.(1978a)	d	0.043
Pino et al.(1986)	d	0.0151
Schnabel et al.(1988)	d	0.009～0.09
Takeoka et al.(1989,1990,2008)	d	0.06～0.076
Larsen &Poll(1992)	d	0.001～0.01
Pino &Mesa(2006)	d	0.059

2-METHYLBUTANOIC ACID,2-甲基丁酸，[116-53-0]

Amoore et al.(1968);Amoore(1976)	d	0.60

Zoeteman et al.(1971)		40
Pyysalo et al.(1977)	d	0.18
Schnabel et al.(1988)	d	4.7～9.3
Larsen &Poll(1992)	d	0.01～0.1
Gassenmeier &Schieberle(1995)	d	0.1
Rychlik &Grosch(1996);Rychlik(1998); Buhr et al.(2010)		0.5～0.54
Czerny et al.(2008)	d	2.2
Czerny et al.(2008)	r	5.8

3-METHYLBUTANOIC ACID,异戊酸，[503-74-2]

Amoore(1968)	d	0.19
Amoore et al.(1968);Amoore(1976)	d	0.132
Zoeteman et al.(1971)		5
Amoore et al.(1975b)	d	0.142
Pyysalo et al.(1977);Hirvi&Honkanen(1984)	d	0.15
Boelens et al.(1983)	d	1
Schnabel et al.(1988)	d	0.92～2.8
Buttery et al.(1990a,1999);Buttery(1993); Buttery &Ling(1998)	d	0.25
Schieberle(1991,1992);Grosch et al.(1993); Gassenmeier &Schieberle(1995)	d	0.1
Rychlik &Grosch(1996);Rychlik(1998)		0.74
Rashash et al.(1997)		0.02
Ong &Acree(1999)		0.012
Pino &Mesa(2006)	d	0.07
Czerny et al.(2007a,2007c);Czerny et al.(2008)	r	1.2
Czerny et al.(2008)	d	0.49

2-METHYL-1-BUTANOL, 活性戊醇，[137-32-6]

Sega et al.(1967)	d	4.15
Pyysalo et al.(1977)	d	1.9
Schnabel et al.(1988)	d	0.25～0.42
Takeoka et al.(1990a);Buttery &Ling(1995)	d	0.3
Takahashi(1990)		50～65
Sugisawa et al.(1991)	d	32.5
Czerny et al.(2008)	d	1.2
Czerny et al.(2008)	r	3.7
Giri et al.(2010)	d	0.0159

3-METHYL-1-BUTANOL, 异戊醇，[123-51-3]

Williams(1953).		0.5
Sega et al.(1967)	d	0.291

Buttery et al.(1971,1978b,1987a,1988a,1989,1990a, 1994a);Hansen et al.(1992);Buttery(1993); Buttery &Ling(1995)	d	0.25～0.3
Mulders(1972,1973)	d	0.7～0.77
Pino et al.(1986)	d	1.005
Schnabel et al.(1988)	d	0.81～4.1
Takahashi(1990)		50～70
Schieberle(1991,1992);Gassenmeier &Schieberle(1995)	d	1
Sugisawa et al.(1991)	d	2.8
Tandon et al.(2000)	d	0.071
Boonbumrung et al.(2001)	d	3.06
Pino &Mesa(2006)	d	0.3
Czerny et al.(2008)	d	0.22
Czerny et al.(2008)	r	0.98
Giri et al.(2010)	d	0.004

2-METHYL-2-BUTANOL, 叔戊醇，[75-85-4]

Schnabel et al.(1988)	d	20～33

3-METHYL-2-BUTANOL,3- 甲基-2-丁醇，[598-75-4]

Schnabel et al.(1988)	d	0.41～0.82

3-METHYL-2-BUTANONE, 甲基异丙基酮，[563-80-4]

Amoore et al.(1976)	d	1.67
Schnabel et al.(1988)	d	0.81～1.2

4-(2-methylbutan-2-yl)phenol→4-叔戊基苯酚

2-METHYL-2-BUTENAL,2- 甲基-2-丁烯醛，[1115-11-3]

Buttery et al.(1990a);Buttery(1993)	d	0.5

(E)-2-METHYL-2-BUTENAL, 反-2-甲基-2-丁烯醛，[497-03-0]

Giri et al.(2010)	d	0.4589

3-METHYL-2-BUTENE-1-THIOL, 异戊烯基硫醇，[5287-45-6]

Tressl et al.(1977a,1979b,1980)		0.000002～0.000005
Holscher et al.(1992)	d	0.0000002～0.0000004

3-METHYL-2-BUTENOIC ACID,3,3-二甲基丙烯酸，[541-47-9]

Pyysalo et al.(1977)	d	14.0

3-METHYL-3-BUTENOIC ACID,3-甲基-3-丁烯酸，[1617-31-8]

Pyysalo et al.(1977)	d	0.60

3-METHYL-2-BUTEN-1-OL, 异戊烯醇，[556-82-1]

Pyysalo et al.(1977)	d	0.14
Sugisawa et al.(1991)	d	7.75

Boonbumrung et al.(2001) d 0.25

2-METHYL-3-BUTEN-1-OL,2- 甲基-3-丁烯-1-醇，[4516-90-9]
Tamura et al.(2001) d 1.1

3-METHYL-3-BUTEN-1-OL,3- 甲基-3-丁烯-1-醇，[763-32-6]
Giri et al.(2010) d 0.547125

2-METHYL-3-BUTEN-2-OL,2- 甲基-3-丁烯-2-醇，[115-18-4]
Sugisawa et al.(1991);Tamura et al.(1995) d 100
Boonbumrung et al.(2001) d 1.14

2-(3-METHYL-2-BUTENYL)-3-METHYLFURAN, 玫瑰呋喃，[15186-51-3]
Ohloff(1977,1978);Pickenhagen &Furrer(1990) 0.08～0.2

(1-METHYLBUTOXY)PYRAZINE,(1- 甲基丁氧基)吡嗪
Masuda&Mihara(1989) d 0.1

(d)-(1-METHYLBUTOXY)PYRAZINE,(d)-(1- 甲基丁氧基)吡嗪
Masuda &Mihara(1989) d 0.1

(1)-(1-METHYLBUTOXY)PYRAZINE, (1)-(1-甲基丁氧基)吡嗪
Masuda &Mihara(1989) d 0.1

2-METHYLBUTYL ACETATE,活性乙酸戊酯，[624-41-9]
Teranishi et al.(1966);Flath et al.(1967);
Guadagni(1970b);Buttery(1981);
Teranishi et al.(1987);Takeoka et al.(1992) d 0.005～0.011
3-methylbutyl acetate→乙酸异戊酯
3-methylbutyl-2 acetate→乙酸-1,2-二甲基丙酯

2-METHYLBUTYLAMINE,2- 甲基丁胺，[96-15-1]
De Grunt(1975) d 10.0

methyl tert-butyl ether→叔丁基甲基醚

2-METHYLBUTYLHEXANOATE, 己酸2-甲基丁酯，[2601-13-0]
Takeoka et al.(1990a) d 0.032

3-(3-METHYLBUTYLIDENE)PHTHALIDE,3- 异戊亚基苯酞
Gold &Wilson(1963) r <0.1
2-methylbutyl isobutyrate→异丁酸2-甲基丁酯
methyl butyl ketone→2-己酮
methyl tert-butyl ketone→甲基叔丁基酮

2-METHYLBUTYL2-METHYLBUTANOATE,2- 甲基丁酸2-甲基丁酯，[2445-78-5]
Guadagni et al.(1966);Teranishi et al.(1987) d 0.024
Giri et al.(2010) d 0.075

2-METHYLBUTYL 2-METHYLPROPANOATE,2-甲基丙酸2-甲基丁酯，[2445-69-4]

Guadagni et al.(1966);Teranishi et al.(1987) d 0.014

2-METHYLBUTYL PROPANOATE,丙酸2-甲基丁酯，[2438-20-2]

Guadagni et al.(1966);Teranishi et al.(1987) d 0.028

6-(2-METHYLBUTYL)-2,3,5-TRIMETHYLPYRAZINE,6-(2-甲基丁基)-2,3,5-三甲基吡嗪

Shibamoto(1986) d 1.12

methyl butyrate→丁酸甲酯

α-methylbutyric acid→2-甲基丁酸

methyl caprate→癸酸甲酯

methyl caproate→己酸甲酯

methyl caprylate→辛酸甲酯

methyl cellosolve→乙二醇单甲醚

methylchavicol→草蒿脑

methylchloroform→1,1,1-三氯乙烷

methyl p-cresol→大茴香醚

2-METHYLCYCLOHEXANONE,2-甲基环己酮，[583-60-8]

Schnabel et al.(1988) d 0.92～1.9

3-METHYLCYCLOHEXANONE,3-甲基环己酮，[591-24-2]

Schnabel et al.(1988) d 0.46～0.92

4-METHYLCYCLOHEXANONE,4-甲基环己酮，[589-92-4]

Schnabel et al.(1988) d 0.46～0.92

4-methylcyclohexathiazole=4-甲基-4,5,6,7-四氢苯并噻唑

6-methylcyclohexathiazole→6-甲基-4,5,6,7-四氢苯并噻唑

2-(4-METHYL-3-CYCLOHEXENYL)ISOPROPYL ACETATE,乙酸松油酯，[80-26-2]

Sugisawa et al.(1991);Yang et al.(1992);
Tamura et al.(1993) d 2.5

3-METHYLCYCLOPENTADECANONE,麝香酮，[541-91-3]

Amoore et al.(1977) d 0.0098

Pickenhagen(1989) 0.103

(R)-(-)-3-METHYLCYCLOPENTADECANONE,(R)-(—)-麝香酮

Pickenhagen(1989) 0.061

(S)-(+)-3-METHYLCYCLOPENTADECANONE,(S)-(+)-麝香酮

Pickenhagen(1989) 0.233

3-methyl-1,2-cyclopentanedione→甲基环戊烯醇酮

5-METHYL-5H-CYCLOPENTA[b]PYRAZINE,5-甲基-5H-环戊并吡嗪，[65128-99-6]

Schieberle &Grosch(1987);Grosch &Schieberle(1991) 0.015～0.025

methylcyclopentenolone→甲基环戊烯醇酮

METHYL(Z,Z)-4,8-DECADIENOATE,(Z,Z-4,8-　**癸二烯酸甲酯**

Buttery(1966);Guadagni et al.(1966); Teranishi et al.(1987)	d	0.010

METHYL DECANOATE,癸酸甲酯，[110-42-9]

Schnabel et al.(1988)	d	0.0043～0.0088

METHYL(Z)-4-DECENOATE，顺-4-癸烯酸甲酯，[7367-83-1]

Buttery(1966)		0.018
Guadagni et al.(1966);Teranishi et al.(1987); Takeoka et al.(1989)	d	0.003

methyl decyl ketone→2-十二酮

methyldiethylamine→N,N-二乙基甲胺

METHYL 2,2-DIMETHYLPROPANOATE,三甲基乙酸甲酯，[598-98-1]

Takeoka et al.(1995b)	d	0.028

2-METHYL-1,3-DINITROBENZENE,2,6-　二硝基甲苯，[606-20-2]

Kölle et al.(1972)		0.05～1

2-METHYL-4,6-DINITROPHENOL,4,6- 二硝基邻甲酚，[534-52-1]

Popov &Vrochinskii(1976)		0.93
Dietz&Traud(1978)		1.3

METHYLDITHIOMETHANE,　二甲基二硫醚，[624-92-0]

Amoore &Venstrom(1966);Amoore(1969)	d	0.0012
Mulders(1972,1973)	d	0.00016～0.00025
Land(1968)	r	0.09
Sato et al.(1975);Takahashi(1990)		0.0065～0.007
Buttery et al.(1976b);Hansen et al.(1992); Buttery &Ling(1998)	d	0.012
Milo(1995a,1995b)		0.0003
Buttery et al.(1997)	d	0.0003
Giri et al.(2010)	d	0.0011

2-[(METHYLDITHIO)METHYL]FURAN，糠基甲基二硫醚，[57500-00-2]

Mulders et al.(1976)		0.00004

2,2'-METHYLENEBIS(4-CHLOROPHENOL), 双氯酚，[97-23-4]

Dietz&Traud(1978)		0.5

2,2'-METHYLENEBIS(3,4,6-TRICHLORPHENOL),　六氯酚，[70-30-4]

Dietz &Traud(1978)		10

methylene chloride→二氯甲烷

3,4-(METHYLENEDIOXY)BENZALDEHYDE,　洋茉莉醛，[120-57-0]

Helbig(1939)		0.062

Appell(1969)		1

2,3-(methylenedithio)-2-methyltetrahydrofuran→2,3-（亚甲基双硫代)-2-甲基四氢呋喃
(±)-methyl epijasmonate→甲基茉莉酮酸酯
(+)-(Z)-methyl epijasmonate→(1R,2S)-(+)-甲基茉莉酮酸酯
methyleugenol→ 甲基丁香酚
methylethylamine→N-乙基甲基胺
methyl ethyl ketone→丁酮

METHYLFORMATE, 甲酸甲酯，[107-31-3]

Schnabel et al.(1988)	d	190～490

N-methyl-2-formylpyrrole→N-甲基-2-吡咯甲醛

2-METHYLFURAN,2- 甲基呋喃，[534-22-5]

Mulders(1972,1973)	d	3.5～4
Trubko &Teplyakova(1981b)		0.2

5-methylfuranacetic acid→5-甲基-2-呋喃乙酸

2-METHYL-3-FURANTHIOL,2- 甲基-3-呋喃硫醇，[28588-74-1]

Gasser &Grosch(1988)		0.000005～0.00001
Belitz &Grosch(1992c)		0.0000004
Schieberle &Hofmann(1996a,1996b); Kerscher &Grosch(2000)		0.000007

5-METHYLFURFURAL,5- 甲基糠醛，[620-02-0]

Buttery et al.(1997,1999)	d	0.5
Boonbumrung et al.(2001)	d	1.11

(5-methylfurfuryl)mercaptan→5- 甲基-2-呋喃甲硫醇

1-(5-METHYLFURFURYL)PYRROLE,1-(5- 甲基呋喃基)吡咯，[13678-52-9]

Tressl et al.(1979c,1981,1985b);Silwar(1982)	d	0.01

5-methyl-2-furylmethanethiol→5- 甲基-2-呋喃甲硫醇

5-METHYL-2-FURYLACETIC ACID,5-**甲基-2-呋喃乙酸**

Davídek et al.(1979)		6.8

3-(2-METHYL)FURYLDITHIO-3-(2-METHYL)FURAN, **双(2-甲基-3-呋喃基)二硫醚，[28588-75-2]**

Buttery et al.(1984)	d	0.00000002
Jezussek(2002)		0.00000008
Czerny et al.(2008)	d	0.00000032
Czerny et al.(2008)	r	0.00000076

2-(5-METHYL)FURYLMETHANETHIOL,5- 甲基-2-呋喃甲硫醇，[59303-05-8]

Tressl &Silwar(1981);Silwar(1982); Tressl(1989,1990)		0.00005
Schieberle &Hofmann(1996b)		0.00005

methyl glycol→乙二醇单甲醚

p-methylguaiacol→对甲基愈创木酚

2-METHYL-2-(E)-4-HEPTADIEN-6-ONE,6- 甲基-3,5E-庚二烯-2-酮
Buttery et al.(1971,1988a,1990a);Buttery(1993) d 0.375～0.38

2-METHYLHEPTANE,2- 甲基庚烷，[592-27-8]
Zoeteman et al.(1971) 50

METHYLHEPTANOATE, 庚酸甲酯，[106-73-0]
Guadagni et al.(1966);Teranishi et al.(1987);
Takeoka et al.(1989) d 0.004

2-METHYLHEPTANOIC ACID,2-甲基庚酸，[1188-02-9]
Amoore(1976) d 29.5

2-METHYL-2-HEPTANOL,2- 甲基-2-庚醇，[625-25-2]
Schnabel et al.(1988) d 0.16～0.40

6-METHYL-2-HEPTANOL,6- 甲基-2-庚醇，[4730-22-7]
Schnabel et al.(1988) d 0.039～0.40

2-METHYL-3-HEPTANOL,2- 甲基-3-庚醇，[18720-62-2]
Schnabel et al.(1988) d 0.33～0.57

3-METHYL-3-HEPTANOL,3- 甲基-3-庚醇，[5582-82-1]
Schnabel et al.(1988) d 0.0078～0.042

4-METHYL-3-HEPTANOL,4- 甲基-3-庚醇，[14979-39-6]
Schnabel et al.(1988) d 0.23～0.40

5-METHYL-3-HEPTANOL,5- 甲基-3-庚醇，[18720-65-5]
Schnabel et al.(1988) d 0.039～0.078

6-METHYL-3-HEPTANOL,6- 甲基-3-庚醇，[18720-66-6]
Schnabel et al.(1988) d 0.25～0.42

2-METHYL-4-HEPTANOL,2- 甲基-4-庚醇，[21570-35-4]
Schnabel et al.(1988) d 0.40～0.81

3-METHYL-4-HEPTANOL,3- 甲基-4-庚醇，[1838-73-9]
Schnabel et al.(1988) d 0.078～0.42

4-METHYL-4-HEPTANOL,4- 甲基-4-庚醇，[598-01-6]
Schnabel et al.(1988) d 0.57～0.82

6-METHYL-2-HEPTANONE,6- 甲基-2-庚酮，[928-68-7]
Schnabel et al.(1988) d 0.0081～0.024

2-METHYL-3-HEPTANONE,2- 甲基-3-庚酮，[13019-20-0]

Schnabel et al.(1988)	d	0.075～0.41

5-METHYL-3-HEPTANONE,5- 甲基-3-庚酮，[541-85-5]

Schnabel et al.(1988)	d	0.041～0.082

2-METHYL-4-HEPTANONE,2- 甲基-4-庚酮，[626-33-5]

Schnabel et al.(1988)	d	0.024～0.058

3-METHYL-4-HEPTANONE,3- 甲基-4-庚酮，[15726-15-5]

Burdack-Freitag &Schieberle(2010)		0.00005

5-methyl-4-heptanone→3-甲基-4-庚酮

6-METHYL-5-HEPTEN-2-OL,6- 甲基-5-庚烯-2-醇，[1569-60-4]

Buttery et al.(1990a);Buttery(1993)	*d*	*2*

methylheptenone→甲基庚烯酮

6-METHYL-5-HEPTEN-2-ONE, 甲基庚烯酮，[110-93-0]

Buttery et al.(1971,1987a,1988a,1989,1990a); Buttery(1981,1993)	d	0.05
Pyysalo et al.(1977)	d	0.85
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	1～8.2
Tandon et al.(2000)	d	0.525
Tamura et al.(2001)	d	0.16
Giri et al.(2010)	d	0.068

5-METHYL-(E)-2-HEPTEN-4-ONE,(E)- 榛子酮，[102322-83-8]

Belitz &Grosch(1992d)		0.00005
Burdack-Freitag & Schieberle (2010)		0.00005

methyl heptine carbonate→2-辛炔酸甲酯
methyl heptyl ketone→2-壬酮

METHYLHEXADECANOATE, 棕榈酸甲酯，[112-39-0]

Buttery et al.(1988a)	d	>2

N-methylhexahydroazine→N-甲基哌啶

3-METHYLHEXANE,3- 甲基己烷，[589-34-4]

Zoeteman et al.(1971)		500

METHYLHEXANOATE, 己酸甲酯，[106-70-7]

Pyysalo et al.(1977)	d	0.087
Schnabel et al.(1988)	d	0.039～0.43
Takeoka et al.(1989,1990a)	d	0.07～0.084
Larsen &Poll(1992)	d	0.01～0.1
Pino &Mesa(2006)	d	0.07

2-METHYLHEXANOIC ACID,2-甲基己酸，[4536-23-6]

Schnabel et al.(1988) d 0.92～2.7

5-METHYLHEXANOIC ACID,5-甲基己酸，[628-46-6]
Schnabel et al.(1988) d 4.6～27

5-METHYL-1-HEXANOL, 异庚醇，[627-98-5]
Schnabel et al.(1988) d 0.41～0.58

2-METHYL-2-HEXANOL,2- 甲基-2-己醇，[625-23-0]
Schnabel et al.(1988) d 1.6～3.3

3-METHYL-2-HEXANOL,3- 甲基-2-己醇，[2313-65-7]
Schnabel et al.(1988) d 0.081～0.41

5-METHYL-2-HEXANOL,5- 甲基-2-己醇，[627-59-8]
Schnabel et al.(1988) d 0.33～0.65

2-METHYL-3-HEXANOL,2- 甲基-3-己醇，[617-29-8]
Schnabel et al.(1988) d 0.046～0.081

3-METHYL-3-HEXANOL,3- 甲基-3-己醇，[597-96-6]
Schnabel et al.(1988) d 0.046～0.081

4-METHYL-3-HEXANOL,4- 甲基-3-己醇，[615-29-2]
Schnabel et al.(1988) d 0.17～0.43

5-METHYL-3-HEXANOL,5- 甲基-3-己醇，[623-55-2]
Schnabel et al.(1988) d 0.41～0.83

3-METHYL-2-HEXANONE,3- 甲基-2-己酮，[2550-21-2]
Schnabel et al.(1988) d 0.041～0.083

4-METHYL-2-HEXANONE,4- 甲基-2-己酮，[105-42-0]
Schnabel et al.(1988) d 0.00081～0.0041

5-METHYL-2-HEXANONE,5- 甲基-2-己酮，[110-12-3]
Schnabel et al.(1988) d 0.062～0.089

2-METHYL-3-HEXANONE,2- 甲基-3-己酮，[7379-12-6]
Schnabel et al.(1988) d 0.0081～0.040

5-METHYL-3-HEXANONE,5- 甲基-3-己酮，[623-56-3]
Schnabel et al.(1988) d 0.040～0.081

METHYL(E)-4-HEXENOATE,(E)-4- 己烯酸甲酯，[14017-81-3]
Takeoka et al.(1991a) d 0.147

METHYL 5-HEXENOATE,5-己烯酸甲酯，[2396-80-7]
Takeoka et al.(1991a) d 0.194

(1-METHYLHEXOXY)PYRAZINE,(1-甲基己氧基)吡嗪
Masuda&Mihara(1989) d 0.09

(d)-(1-METHYLHEXOXY)PYRAZINE,(d)-(1-甲基己氧基)吡嗪
Masuda&Mihara(1989) d 0.03

(1)-(1-METHYLHEXOXY)PYRAZINE,(1)-(1-甲基己氧基)吡嗪
Masuda &Mihara(1989) d 0.09

methyl hexyl ketone→2-辛酮

METHYL 3-HYDROXYBENZOATE,间羟基苯甲酸甲酯，[19348-10-9]
Pyysalo et al.(1977) d 2.0

METHYL4-HYDROXYBENZOATE, 对羟基苯甲酸甲酯，[99-76-3]
Pyysalo et al.(1977) d 2.6

(R)-METHYL3-HYDROXYHEXANOATE,(R)-3-羟基己酸甲酯
Buettner &Schieberle(2001b) 3.76

METHYL4-HYDROXY-3-METHOXYBENZOATE, 香草酸甲酯，[3943-74-6]
Pyysalo et al.(1977) d 0.79

METHYL(2R,3S)-2-HYDROXY-3-METHYLPENTANOATE,(2R,3S)-2-羟基-3-甲基戊酸甲酯
Steinhaus et al.(2009);Sinuco et al.(2010) d 0.013

METHYL(2S,3S)-2-HYDROXY-3-METHYLPENTANOATE,(2S,3S)-2-羟基-3-甲基戊酸甲酯
Steinhaus et al.(2009);Sinuco et al.(2010) d 0.0024

3-METHYLINDOLE, 粪臭素，[83-34-1]

Kauffmann(1907)		0.052
Dietz &Traud(1978)		0.01
Buttery et al.(1979);Buttery et al.(1997)	d	0.0002
Heiler(1995);Heiler &Schieberle(1997)		0.0007
Milo &Reineccius(1997)		0.15
Karagül-Yüceer et al.(2003)	d	0.003
Czerny et al.(2008)	d	0.00013
Czerny et al.(2008)	r	0.00041

methyl isoamyl ketone→5-甲基-2-己酮
2-methylisoborneol→2-甲基异冰片
methyl isobutyl ketone→4-甲基-2-戊酮
methyl isobutyrate→异丁酸甲酯
trans-methylisoeugenol→异丁香酚甲醚
methyl isopropyl ketone→甲基异丙基酮
methyl isovalerate→异戊酸甲酯

METHYL ISOTHIOCYANATE,甲基芥子油，[556-61-6]
Brevard et al.(1992) d 12.6

(±)-methyl jasmonate→(±)-甲基茉莉酮酸酯
(-)-(Z)-methyljasmonate→(-)-(Z)- 甲基茉莉酮酸酯
methyl mercaptan→甲硫醇
2-methylmercaptoacetaldehyde→2-甲硫基乙醛
2-methylmercaptoethanol→2-甲硫基乙醇
4-methylmercaptophenol→对甲硫基苯酚
methyl methacrylate→甲基丙烯酸甲酯

METHYL METHANETHIOSULPHINATE,甲基硫代亚磺酸甲酯，[13882-12-7]

Chin &Lindsay(1994)	d	0.55

METHYL METHANETHIOSULPHONATE,甲基硫代磺酸甲酯，[2949-92-0]

Chin&Lindsay(1994)	d	5

4-methyl-2-methoxyphenol→对甲基愈创木酚

METHYL N-METHYLANTHRANILATE,N甲基邻氨基苯甲酸甲酯，[85-91-6]

Pino &Mesa(2006)	d	0.349

METHYL2-METHYLBUTANOATE,2- 甲基丁酸甲酯，[868-57-5]

Teranishi et al.(1987);Takeoka et al.(1989)	d	0.00025
Schnabel et al.(1988)	d	0.00093～0.0044
Blank et al.(1992)		0.0004
Takeoka et al.(1998,2008)	d	0.0001～0.00014
Pino &Mesa(2006)	d	0.00025

METHYL (S)-(+)-2-METHYLBUTANOATE,(S)-(+)-2- 甲基丁酸甲酯，[10307-60-5]

Blank et al.(1992)		0.0003

METHYL3-METHYLBUTANOATE, 异戊酸甲酯，[556-24-1]

Schnabel et al.(1988)	d	0.0044～0.044

METHYL(E)-2-METHYL-2-BUTENOATE, 惕各酸甲酯，[6622-76-0]

Takeoka et al.(1998,2008)	d	0.13

METHYL(Z)-2-METHYL-2-BUTENOATE, 当归酸甲酯

Takeoka et al.(1998)	d	0.0016

3-METHYL-5-(2-METHYLBUTYL)-2-(METHYLTHIO)PYRAZINE,3- 甲基-5-(2-甲基丁基)-2-甲硫基吡嗪，[99784-24-4]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.00001～0.0001

3-METHYL-5-(2-METHYLBUTYL)-2-PHENOXYPYRAZINE,3- 甲基-5-(2-甲基丁基)-2-苯氧基吡嗪，[99784-20-0]

Masuda&Mihara(1986);Shibamoto(1986)	d	0.056～0.12

3-METHYL-5-(2-METHYLBUTYL)-2-(PHENYLTHIO)PYRAZINE,3- 甲基-5-(2-甲基丁基)-2-苯硫基吡嗪，[99784-32-4]

Masuda&Mihara(1986)	d	0.056

2-METHYL-3-(METHYLDITHIO)FURAN,2- 甲基-3-(甲基二硫基)呋喃，[65505-17-1]

Tressl &Silwar(1981);Silwar(1982)		0.00001
Schieberle(1998)		0.000004

7-METHYL-3-METHYLENE-1,6-OCTADIENE, 月桂烯，[123-35-3]

Guadagni et al.(1966);Guadagni(1969,1970c); Buttery et al.(1968,1974,1987b); Teranishi et al.(1981);Takeoka(2001)	d	0.013～0.015
Ahmed et al.(1978a)	d	0.036
Pino et al.(1986)	d	0.046
Tamura et al.(1996)	d	0.67
Tamura et al.(1996)	r	0.915
Masanetz &Grosch(1998a,1998b)		0.014
Padrayuttawat et al.(1997);Tamura et al.(2001); Boonbumrung et al.(2001)	d	0.099～0.10
Pino &Mesa(2006)	d	0.015
Zeller &Rychlik(2006);Czerny et al.(2008)	r	0.0049
Czerny et al.(2008)	d	0.0012

METHYL4-METHYL-2-HEXENOATE,4- 甲基-2-己烯酸甲酯，[54378-97-1]

Teranishi et al.(1987)	d	0.006

3-methyl-4-methylmercaptophenol→对甲硫基间甲酚

3-METHYL-5-(2-METHYLPENTYL)-2-(METHYLTHIO)PYRAZINE,3- 甲基-5-(2-甲基戊基)-2-甲硫基吡嗪，[78246-18-1]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.012

3-METHYL-5-(2-METHYLPENTYL)-2-PHENOXYPYRAZINE,3- 甲基-5-(2-甲基戊基)-2-苯氧基吡嗪，[99784-21-1]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.14

3-METHYL-5-(2-METHYLPENTYL)-2-(PHENYLTHIO)PYRAZINE,3- 甲基-5-(2-甲基戊基)-2-苯硫基吡嗪，[99784-33-5]

Masuda &Mihara(1986);Shibamoto(1986)	d	0.16

METHYL 3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-甲基-3-苯基-2,3-环氧丙酸甲酯

Tekin &Karaman(1992)	d	34

METHYL2-METHYLPROPANOATE, 异丁酸甲酯，[547-63-7]

Schnabel et al.(1988)	d	0.0045～0.0086
Takeoka et al.(1989,2008)	d	0.007

METHYL 2-METHYL-2-PROPENOATE,甲基丙烯酸甲酯，[80-62-6]

Piringer &Granzer(1984);Granzer et al.(1986)		0.05～0.5

cis-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN, 顺-玫瑰醚，[876-17-5]
Ong &Acree(1999) 0.0001

(1)-4-METHYL-2-(2-METHYL-1-PROPENYL)TETRAHYDROPYRAN,(1)- 顺-玫瑰醚，[3033-23-6]
Ohloff(1977,1978) 0.0005

METHYL4-(METHYLTHIO)BUTANOATE,4- 甲硫基丁酸甲酯，[53053-51-3]
Takeoka et al.(1991a) d 0.133

METHYL(METHYLTHIO)DITHIOMETHANE,2,3,5- 三硫杂己烷，[423474-44-2]
Kubota et al.(1994) d 0.04
Spadone et al.(2006) d 0.0008

2-METHYL-3-(METHYLTHIO)FURAN,2- 甲基-3-甲硫基呋喃，[63012-97-5]
Tressl &Silwar(1981);Silwar(1982) 0.00005
Gasser &Grosch(1988) 0.025～0.030
methyl(methylthio)methyl disulphide→2,3,5-三硫杂己烷

3-METHYL-4-(METHYLTHIO)PHENOL, 对甲硫基间甲酚，[3120-74-9]
Dietz &Traud(1978) 0.2

METHYL3-(METHYLTHIO)PROPANOATE,3- 甲硫基丙酸甲酯，[13532-18-8]
Takeoka et al.(1989) d 0.18

METHYL 3-(METHYLTHIO)-(E)-2-PROPENOATE,3-甲硫基-(E)-2-丙烯酸甲酯，[15804-85-5]
Takeoka et al.(1991a) d 0.095

METHYL 3-(METHYLTHIO)-(Z)-2-PROPENOATE,3-甲硫基-(Z)-2-丙烯酸甲酯，[15904-84-4]
Takeoka et al.(1991a) d 0.025

2-METHYL-3-(METHYLTHIO)PYRAZINE,2- 甲基-3-甲硫基吡嗪，[2882-20-4]
Calabretta(1973,1975,1978) d 0.001
Masuda&Mihara(1986,1988) d 0.004

2-METHYL-5-(METHYLTHIO)PYRAZINE,2- 甲基-5-甲硫基吡嗪，[2884-14-2]
Calabretta(1973,1978) d 0.004
Mihara &Masuda(1988) d 0.06

2-METHYL-6-(METHYLTHIO)PYRAZINE,2- 甲基-6-甲硫基吡嗪，[2884-13-1]
Mihara &Masuda(1988) d 0.02
methyl mustard oil→甲基芥子油

1-METHYLNAPHTHALENE,1- 甲基萘，[90-12-0]
Lillard&Powers(1975) d 0.02
De Grunt(1975);De Grunt et al.(1977) d 0.0075～0.008

2-METHYLNAPHTHALENE,2- 甲基萘，[91-57-6]
Lillard &Powers(1975) d 0.01

De Grunt et al.(1977) d 0.003

methyl neopentyl ketone→4,4-二甲基-2-戊酮

1-METHYL-2-NITROBENZENE, 邻硝基甲苯，[88-72-2]

De Grunt(1975) d 0.13

1-METHYL-4-NITROBENZENE, 对硝基甲苯，[99-99-0]

De Grunt(1975);De Grunt et al.(1977) d 0.003

3-METHYL-1-NITROBUTANE,3- 甲基-1-硝基丁烷，[627-67-8]

Buttery et al.(1989,1990a);Buttery(1993) d 0.15

4-METHYL-2-NITROPHENOL, 邻硝基对甲苯酚，[119-33-5]

Dietz&Traud(1978) 0.8

5-METHYL-2-NITROPHENOL,5- 甲基-2-硝基苯酚，[700-38-9]

Dietz&Traud(1978) 0.2

4-METHYL-3-NITROPHENOL, 间硝基对甲苯酚，[2042-14-0]

Dietz&Traud(1978) 2

3-METHYL-4-NITROPHENOL, 对硝基间甲苯酚，[2581-34-2]

Dietz&Traud(1978) 5

2-METHYL-5-NITROPHENOL,2- 甲基-5-硝基苯酚，[5428-54-6]

Dietz&Traud(1978) 0.3

2-METHYL-1-NITROPROPANE,2- 甲基-1-硝基丙烷，[625-74-1]

Buttery et al.(1990b) *d* *5*

2-METHYLNONANE,2- 甲基壬烷，[871-83-0]

Zoeteman et al.(1971) 10

3-METHYL-2,4-NONANEDIONE,3- 甲基-2,4-壬二酮，[113486-29-6]

Masanetz &Grosch(1998b) 0.00003

Schuh &Schieberle(2006) d 0.00001

methyl nonyl ketone→2-十一酮

3-METHYLOCTANE,3- 甲基辛烷，[2216-33-3]

Zoeteman et al.(1971) 100

METHYL OCTANOATE,辛酸甲酯，[111-11-5]

Schnabel et al.(1988) d 0.27～0.87

Takeoka et al.(1989,1992) d 0.2

Pino &Mesa(2006) d 0.2

METHYL(E)-3-OCTENOATE,(E)-3- 辛烯酸甲酯，[35234-16-3]

Takeoka et al.(1989) d 0.15

methyl octyl ketone→2-癸酮

METHYL2-OCTYNOATE,2- 辛炔酸甲酯，[111-12-6]

Appell(1969) 0.025

2-METHYL-3-OXA-8-THIABICYCLO[3.3.0]-1,4-OCTADIENE, 咖啡呋喃，[26693-24-3]

Tressl &Silwar(1981);Silwar(1982) 0.005
Tressl(1989,1990) 0.0005

METHYL 3-0XO-2-(2-(Z)-PENTENYL)CYCLOPENTANE-1-ACETATE,(±)-茉莉酸甲酯，[20073-13-6]

Acree et al.(1984,1985) *d* *5.7*

(1R,2R)-（一）-METHYL3-0XO-2-(2-(Z)-PENTENYL)CYCLOPENTANE-1-ACETATE,(-)-(Z)-茉莉酸甲酯，[1211-29-6]

Acree et al.(1985) d >0.07

METHYL 3-0XO-2-(2-(Z)-PENTENYL)CYCLOPENTANE-1-ACETATE,(±)-表茉莉酸甲酯

Acree et al.(1984,1985) d 0.013

(1R,2S)-(+)-METHYL3-0XO-2-(2-(Z)-PENTENYL)CYCLOPENTANE-1-ACETATE,(+)-(Z)-表茉莉酸甲酯，[95722-42-2]

Acree et al.(1985) d 0.003

methyl palmitate→棕榈酸甲酯
methyl parathion→甲基对硫磷

2-METHYLPENTANAL,2- 甲基戊醛，[123-15-9]

Schnabel et al.(1988) d 0.0016～0.0032

3-METHYLPENTANAL,3- 甲基戊醛，[15877-57-3]

Schnabel et al.(1988) d 0.00041～0.00081

4-METHYLPENTANAL,4- 甲基戊醛，[1119-16-0]

Amoore et al.(1976) d 0.39

METHYL PENTANOATE,戊酸甲酯，[624-24-8]

Schnabel et al.(1988) d 0.044～0.089
Takeoka et al.(1989) d 0.02

2-METHYLPENTANOIC ACID,2-甲基戊酸，[97-61-0]

Amoore(1976) d 10.0
Schnabel et al.(1988) d 9.3～46

3-METHYLPENTANOIC ACID,3-甲基戊酸，[105-43-1]

Schnabel et al.(1988) d 0.046～0.28

4-METHYLPENTANOIC ACID,异己酸，[646-07-1]

Amoore et al.(1968) d 0.81

2-METHYL-1-PENTANOL, 2- 甲基-1-戊醇，[105-30-6]
Schnabel et al.(1988) d 0.83～1.2

3-METHYL-1-PENTANOL, 3- 甲基-1-戊醇，[589-35-5]
Schnabel et al.(1988) d 0.83～4.1
Giri et al.(2010) d 0.0075

4-METHYL-1-PENTANOL，异己醇，[626-89-1]
Schnabel et al.(1988) d 0.82～4.1

2-METHYL-2-PENTANOL, 2- 甲基-2-戊醇，[590-36-3]
Schnabel et al.(1988) d 4.1～8.2

3-METHYL-2-PENTANOL, 3- 甲基-2-戊醇，[565-60-6]
Schnabel et al.(1988) d 0.83～4.2

4-METHYL-2-PENTANOL, 4- 甲基-2-戊醇，[108-11-2]
Schnabel et al.(1988) d 2.5～4.1

2-METHYL-3-PENTANOL, 2- 甲基-3-戊醇，[565-67-3]
Schnabel et al.(1988) d 0.42～0.83

3-METHYL-3-PENTANOL, 3- 甲基-3-戊醇，[77-74-7]
Schnabel et al.(1988) d 2.5～4.1

3-METHYL-2-PENTANONE, 甲基仲丁基酮，[565-61-7]
Schnabel et al.(1988) d 0.041～0.081

4-METHYL-2-PENTANONE, 4- 甲基-2-戊酮，[108-10-1]
Sarzynski(1982) 7
Schnabel et al.(1988) d 0.24～0.64

2-METHYL-3-PENTANONE, 2- 甲基-3-戊酮，[565-69-5]
Schnabel et al.(1988) d 0.04～0.08

2-METHYL-2-PENTENAL, 2- 甲基-2-戊烯醛，[623-36-9]
Persson &Jüttner(1983) r 0.29

(E)-2-METHYL-2-PENTENAL, 2- 甲基-(E)-2-戊烯醛
Robert et al.(2004) d 0.25

(1-METHYLPENTOXY)PYRAZINE, (1- 甲基戊氧基)吡嗪
Masuda &Mihara(1989) d 0.1

(d)-(1-METHYLPENTOXY)PYRAZINE, (d)-(1- 甲基戊氧基)吡嗪
Masuda&Mihara(1989) d 0.07

(1)-(1-METHYLPENTOXY)PYRAZINE,(1)-(1- 甲基戊氧基)吡嗪
Masuda&Mihara(1989) d 0.2

4-METHYL-2-PENTYLAMINE, 4- 甲基-2-戊胺

De Grunt(1975)	d	150

2-METHYLPHENOL, 邻甲酚，[95-48-7]

Rosen et al.(1962)		0.26
Baker(1963)		0.65
Dietz &Traud(1978)		1.4

3-METHYLPHENOL, 间甲酚，[108-39-4]

Rosen et al.(1962)		0.25
Baker(1963)		0.68
Dietz&Traud(1978)		0.8
Czerny et al.(2008)	d	0.015
Czerny et al.(2008)	r	0.031

4-METHYLPHENOL, 对甲酚，[106-44-5]

Rosen et al.(1962)		0.055
De Grunt(1975);De Grunt et al.(1977)	d	0.1
Buttery et al.(1988a)	d	0.055
Dietz &Traud (1978)		0.2
Kerscher(2000)		0.001
Karagül-Yüceer et al.(2003)	d	0.0027
Czerny et al.(2008)	d	0.0039
Czerny et al.(2008)	r	0.01

2-METHYL-3-PHENOXYPYRAZINE, 2- 甲基-3-苯氧基吡嗪，[91137-78-9]

Masuda &Mihara(1988)	d	0.2

4-METHYLPHENYL ACETATE, 乙酸对甲酚酯，[140-39-6]

Appell(1969)		0.025

methyl phenyl carbinol→1-苯乙醇

(2R,4S)-cis-2-METHYL-4-PHENYL-1,3-DIOXOLANE,(2R,4S)- 顺-2-甲基-4-苯基-1,3-二氧戊环

Pickenhagen &Schatkowski(2001,2007)		0.125

(2S,4R)-cis-2-METHYL-4-PHENYL-1,3-DIOXOLANE,(2S,4R)- 顺-2-甲基-4-苯基-1,3-二氧戊环

Pickenhagen &Schatkowski(2001,2007)		0.384

(2R,4R)-trans-2-METHYL-4-PHENYL-1,3-DIOXOLANE,(2R,4R)- 反-2-甲基-4-苯基-1,3-二氧戊环

Pickenhagen &Schatkowski(2001,2007)		0.384

(2S,4S)-trans-2-METHYL-4-PHENYL-1,3-DIOXOLANE,(2S,4S)- 反-2-甲基-4-苯基-1,3-二氧戊环

Pickenhagen &Schatkowski(2001,2007)		0.589

METHYL3-PHENYL-2,3-EPOXYPROPANOATE,3- 苯基-2,3-环氧丙酸甲酯

Tekin &Karaman(1992)	d	15

trans-METHYL 3-PHENYL-2,3-EPOXYPROPANOATE,反-3-苯基-2,3-环氧丙酸甲酯

Tekin&Karaman(1992)	d	17

3-METHYL-1-PHENYL-3-PENTANOL,3- 甲基-1-苯基-3-戊醇，[10415-87-9]

Amoore &Venstrom(1966);Amoore(1968)	d	6.4
Rosen et al.(1979)	d	0.018

2-METHYL-3-(PHENYLTHIO)PYRAZINE,2- 甲基-3-苯硫基吡嗪，[91091-02-0]

Masuda&Mihara(1988)	d	0.3

N-METHYLPIPERIDINE,N- 甲基哌啶，[626-67-5]

Amoore &Forrester(1976)	d	1.17

2-METHYLPROPANAL, 异丁醛，[78-84-2]

Guadagni et al.(1963,1972);Buttery et al.(1997)	d	0.0009～0.001
Amoore et al.(1968)	d	0.0435
Amoore(1969)	d	0.009
Mulders(1972,1973)	d	0.01
Amoore et al.(1976)	d	0.0023
Schnabel et al.(1988)	d	0.00040～0.0024
Milo &Grosch(1996,1997);Kerscher &Grosch(2000)		0.0007
Fabrellas et al.(2004)		0.00032～0.0015
Freuze et al.(2005)	d	0.004
Czerny et al.(2008)	d	0.00049
Czerny et al.(2008)	r	0.0019
Giri et al.(2010)	d	0.0015

2-methylpropanenitrile→异丁腈

METHYL PROPANOATE,丙酸甲酯，[554-12-1]

Ahmed et al.(1978a)	d	0.100
Schnabel et al.(1988)	d	4.6～8.8

2-METHYLPROPANOIC ACID,异丁酸，[79-31-2]

Holluta(1960)		0.05
Amoore et al.(1968);Amoore(1976)	d	8.5
Zoeteman et al.(1971)		30
Pyysalo et al.(1977)	d	0.3
Schnabel et al.(1988)	d	0.97～9.5
Larsen &Poll(1992)	d	0.01～0.1
Buttery &Ling(1998)	d	0.05
Pino &Mesa(2006)	d	5.3
Czerny et al.(2008)	d	16
Czerny et al.(2008)	r	29
Giri et al.(2010)	d	6.5505

2-METHYL-1-PROPANOL, 异丁醇，[78-83-1]

Moncrieff(1957)		200
Sega et al.(1967)	d	0.565
Amoore et al.(1968)	d	22.5
Mulders(1972,1973)	d	3.2～3.3
Amoore et al.(1976)	d	12.5
Alexander et al.(1982)	d	0.36
Sarzynski(1982)		13
Schnabel et al.(1988)	d	8.2～20
Takahashi(1990)		16
Guth(1996)		1
Czerny et al.(2008)	d	0.55
Czerny et al.(2008)	r	2.3
Giri et al.(2010)	d	6.5052

2-METHYL-2-PROPANOL, 叔丁醇，[75-65-0]

Moncrieff(1957)		1000
Schnabel et al.(1988)	d	8.2～19

METHYL2-PROPENOATE, **丙烯酸甲酯，[96-33-3]**

Piringer &Granzer(1984);Granzer et al.(1986)		0.005～0.01

2-METHYLPROPENOIC ACID,甲基丙烯酸，[79-41-4]

Piringer &Granzer(1984);Granzer et al.(1986)		2～100

methyl propionate→丙酸甲酯

(1-METHYLPROPOXY)PYRAZINE, (1-甲基丙氧基)吡嗪

Masuda &Mihara(1989)	d	0.1

(d)-(1-METHYLPROPOXY)PYRAZINE,(d)-(1-**甲基丙氧基)吡嗪**

Masuda &Mihara(1989)	d	0.1

(1)-(1-METHYLPROPOXY)PYRAZINE, (1)-(1-甲基丙氧基)吡嗪

Masuda &Mihara(1989)	d	0.1

2-methylpropyl-2 acetate→乙酸叔丁酯

3-(2-METHYLPROPYLIDENE)PHTHALIDE,3-**异丁亚基苯酞**

Gold &Wilson(1963)	r	<0.1

methyl propyl ketone→2-戊酮

(d)-cis-2-METHYL-4-PROPYL-1,3-OXATHIANE,(d)-**顺-2-甲基-4-丙基-1,3-氧硫杂环己烷**

Pickenhagen &Brönner-Schindler(1984); Pickenhagen(2001)	d	0.002

(1)-cis-2-METHYL-4-PROPYL-1,3-OXATHIANE, (1)-顺-2-甲基-4-丙基-1,3-氧硫杂环己烷

Pickenhagen &Bronner-Schindler(1984);
Pickenhagen(2001) d 0.004

2-METHYL-3-PROPYLPYRAZINE,2- 甲基-3-丙基吡嗪，[15986-80-8]
Mihara &Masuda(1988) d 0.06

2-METHYL-6-PROPYLPYRAZINE,2- 甲基-6-丙基吡嗪，[29444-46-0]
Sizer et al.(1975) ≤0.1

METHYLPYRAZINE, 甲基吡嗪，[109-08-0]
Koehler et al.(1971) d 105
Guadagni et al.(1972);Teranishi et al.(1974);
Buttery et al.(1994a,1999);Buttery &Ling(1995,1998)d 60
Buttery et al.(1988a) d 0.06
Calabretta(1973,1975,1978) d 100
Masuda &Mihara(1988) d 30

1-METHYLPYRROLIDINE,1- 甲基吡咯烷，[120-94-5]
Amoore et al.(1975b) d 0.0114
Amoore &Forrester(1976) d 0.0167

3-METHYL-2-(1-PYRROLIDINYL)-2-CYCLOPENTEN-1-ONE,3- 甲基-2-(1-吡咯烷基)-2-环戊烯-1-酮
Ottinger et al.(2001) 43.5～72.5

5-METHYL-2-(1-PYRROLIDINYL)-2-CYCLOPENTEN-1-ONE,5- 甲基-2-(1-吡咯烷基)-2-环戊烯-1-酮，[41357-00-0]
Ottinger et al.(2001) 2.6～5.2

(S-(-)-3-(1-METHYL-2-PYRROLIDINYL)PYRIDINE,S-(-)- 烟碱，[54-11-5]
Hummel et al.(1991) 47～191
Hummel et al.(1992) d 16～260
Rosenblatt et al.(1998) 470～2000

(R)-(+)-3-(1-METHYL-2-PYRROLIDINYL)PYRIDINE,R-(+)- 烟碱
Hummel et al.(1992) d 32～130

METHYL SALICYLATE,水杨酸甲酯，[119-36-8]
Helbig(1939) 0.0349
Buttery et al.(1969b,1971,1987a,1987b,1989,1990a);
Hansen et al.(1992);Buttery(1993);
Buttery &Ling(1995) d 0.04
Pino &Mesa(2006) d 0.04
3-(methylsulfanyl)propanal→3-甲硫基丙醛

4-METHYL-4,5,6,7-TETRAHYDROBENZOTHIAZOLE,4- 甲基-4,5,6,7-四氢苯并噻唑，[84648-05-5]
Pelosi et al.(1983) d 0.024

6-METHYL-4,5,6,7-TETRAHYDROBENZOTHIAZOLE,6- 甲基-4,5,6,7-四氢苯并噻唑，[84648-06-6]

Pelosi et al.(1983)	d	0.049

METHYLTETRATHIOMETHANE,二甲基四硫醚，[5756-24-1]

Granvogl &Schieberle(2010)	r	0.00002

4-METHYLTHIAZOLE,4- 甲基噻唑，[693-95-8]

Marchand et al.(2000)	d	0.055

5-METHYL-2-THIENYLACETIC ACID,(5-甲基-2-噻吩基)乙酸

Davídek et al.(1979)		4.4

2-(METHYLTHIO)BENZOTHIAZOLE,2- 甲硫基苯并噻唑，[615-22-5]

Kolle et al.(1972)		0.005
De Grunt(1975)	d	0.0075

3-(METHYLTHIO)BUTANAL,3- 甲硫基丁醛，[16630-52-7]

Kubota(1981)		0.0025

4-(METHYLTHIO)BUTYL ISOTHIOCYANATE,4-甲硫基丁基芥子油，[4430-36-8]

Buttery et al.(1976b);Buttery(1981)	d	0.003～0.0034

METHYL THIOCYANATE,硫氰酸甲酯，[556-64-9]

Brevard et al.(1992)	d	10.0
Hansen et al.(1992)	d	0.010

2-(METHYLTHIO)ETHANAL,2- 甲硫基乙醛，[23328-62-3]

Buttery et al.(1971)	d	0.016
Rössner et al.(2002)		0.0001

1-(METHYLTHIO)ETHANETHIOL,1- 甲硫基乙硫醇，[31331-53-0]

Brinkman et al.(1972)	r	<0.001

2-(METHYLTHIO)ETHANOL,2- 甲硫基乙醇，[5271-38-5]

Buttery et al.(1971);Hansen et al.(1992)	d	0.12

2-(methylthiofurfurane)pyrazine→2-糠硫基吡嗪

2-METHYL-3-THIOFURFURYLPYRAZINE,2- 甲基-3-糠硫基吡嗪

Calabretta(1978)	d	<0.001

2-METHYL-5-THIOFURFURYLPYRAZINE,2- 甲基-5-糠硫基吡嗪

Calabretta(1978)	d	<0.001

METHYL THIOHEPTANOATE,庚酸甲硫醇酯

Guadagni et al.(1966);Teranishi et al.(1987)	d	0.002

7-(METHYLTHIO)HEPTYL ISOTHIOCYANATE,7-甲硫基庚基芥子油，[4430-38-0]

Masuda et al.(1996)		0.28

3-(METHYLTHIO)HEXANAL,3- 甲硫基己醛，[38433-74-8]		
Buttery et al.(1990b)	d	0.003
METHYL THIOHEXANOATE,己酸甲硫醇酯，[2432-77-1]		
Guadagni et al.(1966);Teranishi et al.(1987)	d	0.0003
6-(METHYLTHIO)HEXYL ISOTHIOCYANATE,6-甲硫基己基芥子油，[4430-39-1]		
Masuda et al.(1996)		0.49
METHYLTHIOMETHANE, 二甲基硫醚，[75-18-3]		
Guadagni et al.(1963);Guadagni(1966,1968,1969);		
Buttery et al.(1971,1990a,1994a);Buttery(1981,1993)	d	0.0003～0.00033
Koptyaev(1967)		0.03
Mulders(1972,1973)	d	0.001
Sato et al.(1975)		0.010
De Grunt(1975)	d	0.010
Spedding &Raut(1982)		0.00008
Belitz &Grosch(1992c)		0.001
Milo &Grosch(1997);Kerscher &Grosch(2000)		0.0003
Karagül-Yüceer et al.(2004)	d	0.0003
Czerny et al.(2008)	d	0.00084
Czerny et al.(2008)	r	0.0011
Averbeck &Schierberle(2009,2011)	d	0.00012
2-METHYLTHIO-3-METHYLPYRAZINE,2- 甲硫基-3-甲基吡嗪		
Calabretta(1973,1978)	d	0.02
2-(METHYLTHIOMETHYL)ETHANAL,2- 甲硫基甲基乙醛		
Rössner et al.(2002)		0.00003
1-(METHYLTHIO)-3-OCTANONE,1- 甲硫基-3-辛酮		
Buttery et al.(1990b)	d	0.0055
2-(METHYLTHIO)-3-OCTYLPYRAZINE,2- 甲硫基-3-辛基吡嗪，[113685-88-4]		
Masuda &Mihara(1988)	d	0.0007
1-(METHYLTHIO)-3-PENTANONE,1- 甲硫基-3-戊酮，[66735-69-1]		
Buttery et al.(1990b)	d	0.15
5-(METHYLTHIO)PENTYL ISOTHIOCYANATE,5-甲硫基戊基芥子油，[4430-42-6]		
Masuda et al.(1996)		0.80
2-(METHYLTHIO)-3-PENTYLPYRAZINE,2- 甲硫基-3-戊基吡嗪，[113685-87-3]		
Masuda &Mihara(1988)	d	0.00012
2-METHYL-3-THIOPHENETHIOL,2- 甲基-3-噻吩硫醇，[2527-76-6]		
Schieberle &Hofmann(1996a,1996b)		0.00002

4-(METHYLTHIO)PHENOL,4- 甲硫基苯酚，[1073-72-9]

Dietz &Traud(1978)		0.8

3-(METHYLTHIO)PROPANAL,3- 甲硫基丙醛，[3268-49-3]

Buttery et al.(1971,1990a,1994a,1997,1999); Guadagni et al.(1972);Buttery(1981,1993); Buttery &Ling(1995,1998)	d	0.0002
Cerny &Grosch(1993);Grosch et al.(1993)		0.0018
Guth &Grosch(1994);Milo(1995a); Milo &Grosch(1997);Kerscher &Grosch(2000)		0.0002
Karagül-Yüceer et al.(2004)	d	0.0004
Czerny et al.(2007a);Czerny et al.(2008)	r	0.0014
Czerny et al.(2008);Steinhaus et al.(2009); Sinuco et al.(2010)	d	0.00043
Giri et al.(2010)	d	0.00045

3-(METHYLTHIO)-1-PROPANOL,3- 甲硫基丙醇，[505-10-2]

Fritsch &Schieberle(2005)		0.25
Czerny et al.(2008)	d	0.036
Czerny et al.(2008)	r	0.069
Giri et al.(2010)	d	0.12323

3-(METHYLTHIO)PROPYL ACETATE,乙酸3-甲硫基丙酯，[16630-55-0]

Wyllie &Leach(1992)		0.03

3-(METHYLTHIO)PROPYL CYANIDE,3-甲硫基丙基氰

Buttery et al.(1976b)	d	0.082

3-(METHYLTHIO)PROPYL ISOTHIOCYANATE,3-甲硫基丙基芥子油，[505-79-3]

Buttery et al.(1976b);Buttery(1981)	d	0.005
Masuda et al.(1996)		0.65

2-(METHYLTHIO)-3-PROPYLPYRAZINE,2- 甲硫基-3-丙基吡嗪，[68650-83-8]

Mihara&Masuda(1988)	d	0.001

(METHYLTHIO)PYRAZINE,2- 甲硫基吡嗪，[21948-70-9]

Masuda &Mihara(1988)	d	0.2

methyl tiglate→惕各酸甲酯

4-METHYL-2,3,6-TRICHLOROANISOLE,4- 甲基-2,3,6-三氯苯甲醚

Griffiths &Fenwick(1977)	d	0.0008

2-METHYL-1,1,1-TRICHLORO-2-PROPANOL, 三氯叔丁醇，[57-15-8]

Pelosi&Pisanelli(1981)	d	50

(2R,3R,1'R,2'R,6'R,7'R)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL, (2R,3R,1'R,2'R,6'R,7'R)-3- 甲基-4-(三环[5.2.1.0^{2},6]癸-4-烯-8-亚基)-2-丁醇

Kappey et al.(2003);Hölscher et al.(2004) d 0.137

(2R,3R,1'S,2'S,6'S,7'S)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2R,3R,1'S,2'S,6'S,7'S)-3-甲基-4-(三环[5.2.1.0²,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.204

(2R,3S,1'R,2'R,6'R,7'R)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2R,3S,1'R,2'R,6'R,7'R)-3-甲基-4-(三环[5.2.1.0²,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.070

(2R,3S,1'S,2'S,6'S,7'S)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2R,3S,1'S,2'S,6'S,7'S)-3-甲基-4-(三环[5.2.1.02,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.168

(2S,3R,1'R,2'R,6'R,7'R)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2S,3R,1'R,2'R,6'R,7'R)-3-甲基-4-(三环[5.2.1.0²,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.005

(2S,3R,1'S,2'S,6'S,7'S)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2S,3R,1'S,2'S,6'S,7'S)-3-甲基-4-(三环[5.2.1.0²,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.072

(2S,3S,1'R,2'R,6'R,7'R)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2S,3S,1'R,2'R,6'R,7'R)-3-甲基-4-(三环[5.2.1.02,6]癸-4-烯-8-亚基)2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.046

(2S,3S,1'S,2'S,6'S,7'S)-3-METHYL-4-(TRICYCLO[5.2.1.02,6]DEC-4-EN-8-YLIDENE)BUTAN-2-OL,(2S,3S,1'S,2'S,6'S,7'S)-3-甲基-4-(三环[5.2.1.02,6]癸-4-烯-8-亚基)-2-丁醇
Kappey et al.(2003);Hölscher et al.(2004) d 0.159

12-METHYLTRIDECANAL,12- 甲基十三醛，[75853-49-5]
Guth &Grosch(1993);Grosch et al.(1993);
Kerscher &Grosch(2000) 0.0001

(d)-2-METHYL-4[5.5.6(exo)-TRIMETHYL-2-(exo)-NORBORNYL]CYCLOHEXANONE,(d)-2-甲基-4[5.5.6(外)-三甲基-2-(外)-降冰片基]环己酮
Amoore et al.(1977) d 0.00028

(1)-2-METHYL-4[5.5.6(exo)-TRIMETHYL-2-(exo)-NORBORNYL]CYCLOHEXANONE,(1)-2-甲基-4[5.5.6(外)-三甲基-2-(外)-降冰片基]环己酮
Amoore et al.(1977) d 0.009

(E)-(R)-2-METHYL-4-(2,2,3-TRIMETHYL-3-PENTEN-1-YL)-2-BUTEN-1-OL,(E)-(R)-2-甲基-4-(2,2,3-三甲基-3-戊烯-1-基)-2-丁烯-1-醇
Aida et al.(1997,2000) 0.0000099

(E)-(S)-2-METHYL-4-(2,2,3-TRIMETHYL-3-PENTEN-1-YL)-2-BUTEN-1-OL,(E)-(S)-2- 甲基-4-

(2,2,3-三甲基-3-戊烯-1-基)-2-丁烯-1-醇

Aida et al.(1997,2000)		0.000082

METHYLTRITHIOMETHANE, 二甲基三硫醚，[3658-80-8]

Buttery et al.(1976b,1990b,1994a,1997,1999); Buttery(1981,1993);Takeoka et al.(1991a); Hansen et al.(1992);Buttery &Ling(1998); Takeoka(2001)	d	0.00001
Wajon et al.(1986)		0.000005～0.00001
Milo &Grosch(1997)		0.000006
Wright et al.(2006)	d	0.00000007
Czerny et al.(2008)	d	0.0000099
Czerny et al.(2008)	r	0.000016
Giri et al.(2010)	d	0.00010

2-METHYLUNDECANE,2- 甲基十一烷，[7045-71-8]

Zoeteman et al.(1971)		10

methyl valerate→戊酸甲酯
methyl vanillate→香草酸甲酯
MIB→2-甲基异冰片
monochloramine→氯胺
monuron→灭草隆
MTBE→叔丁基甲基醚
mucidone→6-乙基-3-异丁基-2H-2-吡喃酮
muscone→麝香酮
(R)-(一)-muscone→(R)-(一)-麝香酮
(S)-(+)-muscone→(S)-(+)- 麝香酮
musk ambrette→葵子麝香
musk ketone→酮麝香
musk T→昆仑麝香
musk xylene→二甲苯麝香
musk 89→麝香89
myrcene→月桂烯
myristaldehyde→肉豆蔻醛
myristic acid→肉豆蔻酸
myristicin→肉豆蔻醚
myrtenol→桃金娘烯醇

N

NAPHTHALENE, 萘，[91-20-3]

Holluta(1960)		0.5
Rosen et al.(1963)		0.0068
Koppe(1965)		0.001
Zoeteman et al.(1971)		0.005

Young et al.(1996) 0.006
1-naphthol→α-萘酚
2-naphthol→β-萘酚

1-NAPHTHYL-N-METHYLCARBAMATE，西维因，[63-25-2]
Young et al.(1996) 0.28
(1R,3S,4S)-(+)-neomenthol→(+)- 新薄荷醇
(1S,3R,4R)-(一)-neomenthol→（一)-新薄荷醇
neopentyl acetate→乙酸新戊酯
neopentyl alcohol→新戊醇
neral→橙花醛
nerol→橙花醇
nerolidol→橙花叔醇
neryl acetate→橙花醇乙酸酯
S-(一)-nicotine→（一)-烟碱
R-(+)-nicotine→(+)- 烟碱

NITROBENZENE，硝基苯，[98-95-3]
De Grunt(1975) d 0.2
4-nitro-m-cresol→4-硝基间甲酚
6-nitro-m-cresol→-6-硝基间甲酚
5-nitro-0-cresol→5-硝基邻甲酚
2-nitro-p-cresol→邻硝基对甲酚
3-nitro-p-cresol=3- 硝基对甲酚

NITROCYCLOHEXANE， 硝基环己烷，[1122-60-7]
Cherkinski(1961) d 0.15
nitrogen trichloride→三氯化氮

2-NITROPHENOL， 邻硝基苯酚，[88-75-5]
Dietz&Traud(1978) 1.7

3-NITROPHENOL， 间硝基苯酚，[554-84-7]
Dietz&Traud(1978) 0.6

4-NITROPHENOL， 对硝基苯酚，[100-02-7]
Dietz &Traud(1978) 2.5

1-NITRO-2-PHENYLETHANE,B- 硝基苯乙烷，[6125-24-2]
Buttery et al.(1989,1990a);Buttery(1993) d 0.002

2-NITROPROPANE,2- 硝基丙烷，[79-46-9]
Amoore et al.(1976) d 24.9
Sarzynski(1982) 22

N-NITROSODIPHENYLAMINE,N 亚硝基二苯胺，[62-75-9]

Korolev et al.(1980)		0.1

2-nitrotoluene→邻硝基甲苯

4-nitrotoluene→对硝基甲苯

NONADECANOIC ACID,十九酸,[646-30-0]

Cherkinski(1961)	d	20.0

2,4-NONADIENAL,2,4- 壬二烯醛,[6750-03-4]

Tressl et al.(1979b,1980)		0.00005

(E,E)-2,4-NONADIENAL,(E,E)-2,4- 壬二烯醛,[5910-87-2]

Teranishi et al.(1974)	d	0.00009
Konopka et al.(1995)		0.00009
Tamura et al.(1995)		0.008
Milo &Grosch(1997)		0.0001
Jensen et al.(1999)	d	0.0000017
Buttery &Ling(1998)	d	0.00001
Schuh &Schieberle(2006)	d	0.00016
Czerny et al.(2008)	d	0.000062
Czerny et al.(2008)	r	0.00019
Giri et al.(2010)	d	0.0001

2,6-NONADIENAL, 反-2,6-壬二烯醛,[17587-33-6]

Kossa et al.(1979);Tressl et al.(1979b,1980)		0.0005

(E,Z)-2,6-NONADIENAL,(E,Z-2,6- 壬二烯醛,[557-48-2]

Buttery et al.(1969b);Teranishi et al.(1974); Buttery(1981,1989,1993)	d	0.00001
Burlingame et al.(1992)	d	0.0000018～0.0000022
Burlingame et al.(1992)	r	0.0000067～0.00001
Tamura et al.(1995)		0.000108
Milo &Grosch(1997);Kerscher &Grosch(2000)		0.00002
Rashash et al.(1997)		0.000004
Boonbumrung et al.(2001)	d	0.00014
Pino &Mesa(2006)	d	0.00002
Schuh &Schieberle(2006)	d	0.00003
Czerny et al.(2008)	d	0.0000045
Czerny et al.(2008)	r	0.0000091
Giri et al.(2010)	d	0.0008

(E,Z)-2,6-NONADIEN-1-OL,(E,Z-2,6- 壬二烯-1-醇,[28069-72-9]

Heiler(1995);Heiler &Schieberle(1997)		0.0002
Arena et al.(2001)		0.001
Takahashi et al.(2002)		0.001

(E,Z)-3,6-NONADIEN-1-OL,(E,Z-3,6- 壬二烯-1-醇，[56805-23-3]

Buttery et al.(1982b)	d	0.003

(Z,Z)-3,6-NONADIEN-1-OL,(Z,Z-3,6- 壬二烯-1-醇，[53046-97-2]

Buttery(1981)	d	0.01

(E,E)-2,5-NONADIEN-4-ONE,(E,E)-2,5- 壬二烯-4-酮，[61759-51-1]

Buttery et al.(1969b);Buttery(1989)	d	0.004

(E,Z)-3,6-NONADIENYL ACETATE,(E,Z-3,6-壬二烯-1-醇乙酸酯，[76649-26-8]

Buttery et al.(1982b);Teranishi et al.(1987)	d	0.011～0.015

y-nonalactone→y-壬内酯

NONANAL, 壬醛，[124-19-6]

Guadagni et al.(1963,1972);Teranishi et al.(1974); Buttery et al.(1978b,1988a,1999);Buttery(1981); Buttery &Ling(1995,1998);Takeoka et al.(1995a)	d	0.001
Ahmed et al.(1978a)	d	0.00253
Aoki&Koizumi(1986)		0.0058
Pino et al.(1986)	d	0.0044
Schnabel et al.(1988)	d	0.0041～0.0082
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.1
Belitz &Grosch(1992b)		0.005
Tamura et al.(1996)	d	0.04
Tamura et al.(1996)	r	0.26
Mookdasanit et al.(2003)	d	0.049
Fabrellas et al.(2004)		0.00032～0.00055
Limpawattana(2007)	d	0.00206
Czerny et al.(2008)	d	0.0028
Czerny et al.(2008)	r	0.008
Giri et al.(2010)	d	0.0011

NONANE, 壬烷，[111-84-2]

Zoeteman et al.(1971)		10

2-NONANETHIOL,2- 壬硫醇，[13281-11-3]

Robert et al.(2005)	d	0.09

NONANOIC ACID,壬酸，[112-05-0]

Cherkinski(1961)	d	3.0
Amoore et al.(1968)	d	8.8
Schnabel et al.(1988)	d	4.6～9.0

1-NONANOL,1- 壬醇，[143-08-8]

Pyysalo &Suihko(1976a)	d	0.09

Aoki&Koizumi(1986)		0.034
Schnabel et al.(1988)	d	0.042～0.082
Buttery et al.(1988a);Takeoka et al.(1991a)	d	0.05
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	1
Giri et al.(2010)	d	0.0455

2-NONANOL,2- 壬醇，[628-99-9]

Schnabel et al.(1988)	d	0.058～0.082

3-NONANOL,3- 壬醇，[624-51-1]

Schnabel et al.(1988)	d	0.087～0.25

4-NONANOL,4- 壬醇，[5932-79-6]

Schnabel et al.(1988)	d	0.087～0.42

5-NONANOL,5- 壬醇，[623-93-8]

Schnabel et al.(1988)	d	0.087～0.25

4-nonanolide=y-壬内酯

2-NONANONE,2- 壬酮，[821-55-6]

Teranishi et al.(1974)	d	0.005
Hirvi&Honkanen(1982)	d	0.038
Aoki&Koizumi(1986)		0.0109
Buttery et al.(1988a)	d	0.2
Schnabel et al.(1988)	d	0.041～0.082

3-NONANONE,3- 壬酮，[925-78-0]

Schnabel et al.(1988)	d	0.017～0.033

4-NONANONE,4- 壬酮，[4485-09-0]

Schnabel et al.(1988)	d	0.0082～0.041

5-NONANONE,5- 壬酮，[502-56-7]

Schnabel et al.(1988)	d	0.0082～0.041

(E,E,Z-2,4,6-NONATRIENAL,(E,E,Z)-2,4,6- 壬三醛

Schuh &Schieberle(2006)	d	0.000026

2-NONENAL,2- 壬烯醛，[2463-53-8]

Kossa et al.(1979);Tressl et al.(1979b,1980)		0.0001

(E)-2-NONENAL,(E)-2- 壬烯醛，[18829-56-6]

Guadagni et al.(1963,1972);Buttery et al.(1968,1971,		
1978b,1988a);Teranishi et al.(1974);Buttery(1981,		
1989,1993);Buttery &Ling(1995,1998)	d	0.00008
Heiler(1995)		0.00015

Milo(1995a,1995b);Milo &Grosch(1996b);		
Kerscher &Grosch(2000)		0.00025
Tamura et al.(1995)		0.000125
Jensen et al.(1999)	d	0.00023
Ong &Acree(1999)		0.0001
Tamura et al.(2001)	d	0.0004
Pino &Mesa(2006)	d	0.00008
Schuh &Schieberle(2006)	d	0.0004
Czerny et al.(2007c);Czerny et al.(2008)	r	0.00069
Limpawattana(2007)	d	0.00009
Czerny et al.(2008)	d	0.00019

(Z-2-NONENAL,(Z)-2- 壬烯醛，[60784-31-8]

Heiler(1995)		0.000004
Kerscher &Grosch(2000);Kerscher(2001)		0.00002

(Z-6-NONENAL,(Z)-6- 壬烯醛，[2277-19-2]

Guadagni(1970b);Seifert(1981);Buttery(1989)	d	0.000005
Buttery(1981)	d	<0.001

(E)-2-NONEN-1-OL,(E)-2- 壬烯-1-醇，[31502-14-4]

Yang et al.(1992);Tamura et al.(1993)	d	0.13
Arena et al.(2001)		0.209

(Z)-6-NONEN-1-OL,(Z)-6- 壬烯-1-醇，[35854-86-5]

Buttery et al.(1982b	d	0.001

3-NONEN-2-ONE,3- 壬烯-2-酮，[14309-57-0]

Takeoka et al.(1990a)	d	0.8

1-NONEN-3-ONE,1- 壬烯-3-酮，[24415-26-7]

Ott et al.(1997)	d	0.000000008
Pons et al.(2011)	d	0.000001

1-NONEN-4-ONE,1- 壬烯-4-酮，[61168-10-3]

Buttery et al.(1969b);Buttery(1981,1989)	d	0.0004

(E)-2-NONEN-4-ONE,(E)-2- 壬烯-4-酮，[27743-70-0]

Buttery et al.(1969b,1971);Teranishi et al.(1974);		
Buttery(1981,1989)	d	0.0009

(E)-3-NONENYLACETATE,(E)-3- 壬烯-1-醇乙酸酯

Buttery et al.(1982b)	d	0.060

(Z)-6-NONENYL ACETATE,(Z-6-壬烯-1-醇乙酸酯，[76238-22-7]

Buttery et al.(1982b);Teranishi et al.(1987);		
Buttery(1989)	d	0.002

NONYLACETATE, 乙酸壬酯，[143-13-5]

Guadagni(1970b);Teranishi et al.(1987)	d	0.2
Ahmed et al.(1978a)	d	0.057
Yang et al.(1992);Tamura et al.(1993)	d	0.6

2-NONYL ACETATE,壬基乙酸酯，[14936-66-4]

Takeoka et al.(1996)	d	0.31

4-NONYLPHENOL, 对壬基酚，[104-40-5]

Dietz&Traud(1978)		1

nootkatone→圆柚酮
(d)-nootkatone→(d)- 圆柚酮
(1)-nootkatone→(1)-圆柚酮
(+)-nootkatone→(d)- 圆柚酮
(一)-nootkatone→(1)-圆柚酮
(1)-18-norambrox→(L)-18-降龙涎香醚
19-norambrox→19-降龙涎香醚
norfuraneol→菊苣酮
(d)-18-norisoambrox→(d)-18- 降异龙涎香醚
(1)-19-norisoambrox→(1)-19-降异龙涎香醚

0

(E)-β-ocimene→(E)-β- 罗勒烯
(Z)-β-ocimene→(Z)-β- 罗勒烯

1,2,4,5,6,7,8,8-0CTACHLORO-2,3,3a,4,7,7a-HEXAHYDRO-4,7-METHANOINDENE, 氯丹，[5103-71-9]

Sigworth(1965)	d	0.0005～0.0025

OCTADECANOIC ACID,硬脂酸，[57-11-4]

Cherkinski(1961)	d	20.0

9,12,15-0CTADECATRIENOIC ACID,亚麻酸，[463-40-1]

Rashash et al.(1997)		0.005

(E,E)-2,4-OCTADIENAL,(E,E)-2,4- 辛二醛，[30361-28-5]

Tamura et al.(1995)		0.01

1,3-0CTADIENE,1,3- 辛二烯，[1002-33-1]

Persson & Jüttner(1983)	r	5.6

(Z)-1,5-0CTADIEN-3-0L,(Z-1,5- 辛二烯-3-醇，[50306-18-8]

Whitfield et al.(1982)	r	0.01

1,5-0CTADIEN-2-0NE,1,5- 辛二烯-2-酮

Tressl et al.(1979b,1980)		0.000002

(E,E)-3,5-0CTADIEN-2-0NE,(E,E)-3,5- 辛二烯-2-酮，[30086-02-3]

Buttery(1989);Hansen et al.(1992); Buttery &Ling(1995,1998)	d	0.10～0.15

(E,Z)-3,5-0CTADIEN-2-ONE,(E,Z)-3,5- 辛二烯-2-酮，[4173-41-5]

Buttery &Ling(1995)	d	0.15

1,5-OCTADIEN-3-ONE,1,5- 辛二烯-3-酮，[65213-86-7]

Kossa et al.(1979)		0.000002

(Z)-1,5-0CTADIEN-3-ONE,(Z-1,5- 辛二烯-3-酮，[65767-22-8]

Swoboda &Peers(1977)	d	0.0000012
Whitfield et al.(1982)	r	0.000001
Buttery(1989)		0.000001
Belitz &Grosch(1992b);Milo &Grosch(1997)		0.0000012
Darriet et al.(2002)	d	0.0000007～0.0000009

1,2,3,4,5,6,7,8-OCTAHYDROANTHRACENE, 对称八氢蒽

Koppe(1965)		0.001

4,5,6,7,8,9,10,11-0CTAHYDROTHIAZOLE, 环癸噻唑，[84648-03-3]

Pelosi et al.(1983)	d	0.58

γ-octalactone→γ-辛内酯
δ-octalactone→ δ-辛内酯

OCTANAL, 辛醛，[124-13-0]

Guadagni et al.(1963);Buttery et al.(1968,1978b,1988a, 1999);Teranishi et al.(1974);Buttery(1981,1989); Buttery &Ling(1998)	d	0.0007
Ahmed et al.(1978a)	d	0.00141
Aoki&Koizumi(1986)		0.0031
Pino et al.(1986)	d	0.0064
Schnabel et al.(1988)	d	0.00041～0.00082
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.08～0.082
Belitz &Grosch(1992b)		0.008
Tamura et al.(1996)	d	0.03
Tamura et al.(1996)	r	0.248
Padrayuttawat et al.(1997)	d	0.0009
Fabrellas et al.(2004)		0.00032～0.00046
Pino &Mesa(2006)	d	0.0007
Limpawattana(2007)	d	0.00098
Czerny et al.(2008)	d	0.0034
Czerny et al.(2008)	r	0.0069
Averbeck &Schierberle(2009,2011)	d	0.0008

Giri et al.(2010)	d	0.000587

OCTANE, 辛烷，[111-65-9]

Zoeteman et al.(1971);De Grunt(1975)		10

octanenitrile→辛腈

2-OCTANETHIOL,2- 辛硫醇，[3001-66-9]

Robert et al.(2005)	d	0.05

OCTANOIC ACID,辛酸，[124-07-2]

Cherkinski(1961)	d	3.0
Amoore et al.(1968);Amoore(1976)	d	19.0
Schnabel et al.(1988)	d	0.91～1.9
Karagül-Yüceer et al.(2003,2004)	d	1.405
Pino &Mesa(2006)	d	3

1-OCTANOL, 正辛醇，[111-87-5]

Baker(1963)		0.13
Pyysalo &Suihko(1976a)	d	0.48
Ahmed et al.(1978a)	d	0.190
Aoki&Koizumi(1986)		0.0775
Schnabel et al.(1988)	d	0.042～0.083
Buttery et al.(1988a);Takeoka et al.(1992)	d	0.11
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993,1995)	d	0.875～1
Padrayuttawat et al.(1997)	d	0.1
Pino &Mesa(2006)	d	0.19
Giri et al.(2010)	d	0.1258

2-OCTANOL, 仲辛醇，[123-96-6]

Aoki &Koizumi(1986)		0.0715
Schnabel et al.(1988)	d	0.0078～0.042

3-OCTANOL,3- 辛醇，[589-98-0]

Pyysalo &Suihko(1976a)	d	0.018
Schnabel et al.(1988)	d	0.078～0.25

4-OCTANOL,4- 辛醇，[589-62-8]

Schnabel et al.(1988)	d	0.40～0.82

4-octalactone→γ-辛内酯

5-octalactone→ δ-辛内酯

2-OCTANONE,2- 辛酮，[111-13-7]

Aoki &Koizumi(1986)		0.0145
Schnabel et al.(1988)	d	0.041～0.062
Buttery et al.(1988a);Buttery &Ling(1998)	d	0.05

Pino &Mesa(2006)	d	0.005
Giri et al.(2010)	d	0.0502

3-OCTANONE,3- 辛酮，[106-68-3]

Pyysalo &Suihko(1976a)	d	0.050
Schnabel et al.(1988)	d	0.021～0.041
Buttery et al.(1988a)	d	0.028
Takahashi et al.(2002)		0.07
Darriet et al.(2002)	d	0.023
Giri et al.(2010)	d	0.0214

4-OCTANONE,4- 辛酮，[589-63-9]

Schnabel et al.(1988)	d	0.041～0.082

octanthrene→对称八氢蒽

2-0CTENAL,2- 辛烯醛，[2363-89-5]

Kossa et al.(1979)		0.0002

(E)-2-0CTENAL,(E)-2- 辛烯醛，[2548-87-0]

Buttery et al.(1971,1988a,1999);Guadagni et al.(1972);Teranishi et al.(1974);Buttery &Ling(1998)	d	0.003
Eriksson et al.(1976)	d	0.004
Pyysalo &Suihko(1976a)	d	0.003
Belitz &Grosch(1992b)		0.004
Tamura et al.(1995)		0.02
Rashash et al.(1997)		<0.006
Jensen et al.(1999)	d	0.00034
Pino &Mesa(2006)	d	0.003

1-OCTENE,1- 辛烯，[111-66-0]

De Grunt(1975);De Grunt et al.(1977)	d	0.0005

2-0CTEN-1-0L,2- 辛烯-1-醇，[22104-78-5]

Kossa et al.(1979)		0.075

(E)-2-OCTEN-1-OL,(E)-2- 辛烯-1-醇，[18409-17-1]

Kaminski et al.(1972)	r	0.1
Eriksson et al.(1976)	d	0.84
Pyysalo &Suihko(1976a)	d	0.040
Takahashi et al.(2002)		0.02

(Z-5-0CTEN-1-0L,(Z)-5- 辛烯-1-醇，[64275-73-6]

Seifert(1981)	d	0.006

1-0CTEN-3-OL,1- 辛烯-3-醇，[3391-86-4]

Cronin &Ward(1971)		0.1

Kaminski et al.(1972)		0.01
Buttery et al.(1974,1988a,1999);Buttery(1981); Takeoka et al.(1991a);Buttery &Ling(1995,1998)	d	0.001～0.0014
Kossa et al.(1979)		0.0005
Pyysalo &Suihko(1976a)	d	0.010
Whitfield et al.(1982)	r	0.025
Buttery(1981,1989)		0.000005
Tamura et al.(1995)		0.01
Ong &Acree(1999)		0.018
Darriet et al.(2002)	d	0.007
Giri et al.(2010)	d	0.0015

(Z)-5-OCTEN-2-ONE,(Z)-5- 辛烯-2-酮，[22610-86-2]

Buttery(1989);Hansen et al.(1992)	d	0.030

(Z)-5-OCTEN-3-ONE,(Z)-5- **辛烯-3-酮**

Dárriet et al.(2002)	d	0.001

1-OCTEN-3-ONE,1- 辛烯-3-酮，[4312-99-6]

Cronin &Ward(1971)		0.01
Pyysalo &Suihko(1976a)	d	0.004
Swoboda &Peers(1977)	d	0.000089
Buttery et al.(1978b,1990b);Buttery(1981,1989,1993)	d	0.000005
Kossa et al.(1979);Tressl et al.(1979b,1980)		0.0005
Whitfield et al.(1982)	r	0.0001
Konopka et al.(1995);Milo &Grosch(1997); Kerscher &Grosch(2000)		0.00005
Buttery et al.(1997,1999);Buttery &Ling(1998)	d	0.00005
Darriet et al.(2002)	d	0.000007
Czerny et al.(2007c);Czerny et al.(2008)	r	0.000036～0.00004
Czerny et al.(2008)	d	0.000016
Pons et al.(2011)	d	0.000003

1-OCTEN-3-YL ACETATE,1-辛烯-3-醇乙酸酯，[2442-10-6]

Pyysalo &Suihko(1976a)	d	0.09

1-OCTEN-3-YL PROPANOATE,1-辛烯-3-醇丙酸酯，[63156-02-5]

Pyysalo &Suihko(1976a)	d	0.022

OCTYL ACETATE,乙酸辛酯，[112-14-1]

Guadagni et al.(1966);Teranishi et al.(1987); Takeoka et al.(1992)	d	0.012
Ahmed et al.(1978a)	d	0.047
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	0.45～4.6

Takeoka et al.(1996)	d	0.19
Pino &Mesa(2006)	d	0.047

2-OCTYL ACETATE,乙酸-2-乙基己酯，[103-09-3]

Takeoka et al.(1996)	d	0.1

OCTYLAMINE, 辛胺，[111-86-4]

Amoore et al.(1975b)	d	2.64

OCTYL BUTANOATE,丁酸辛酯，[110-39-4]

Sugisawa et al.(1991)	d	8.2
Boonbumrung et al.(2001)	d	0.25

octyl butyrate→丁酸辛酯

octyl isobutyrate→异丁酸辛酯

OCTYL 3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-甲基-3-苯基-2,3-环氧丙酸辛酯

Tekin &Karaman(1992)	d	720

OCTYL 2-METHYLPROPANOATE,异丁酸辛酯，[109-15-9]

Guadagni et al.(1966);Teranishi et al.(1987)	d	0.006
Pino &Mesa(2006)	d	0.006

2-0CTYL-3-(PHENYLTHIO)PYRAZINE,2- 辛基-3-苯硫基吡嗪，[113685-97-5]

Masuda &Mihara(1988)	d	0.08

OCTYLPYRAZINE, 辛基吡嗪，[110823-72-8]

Masuda&Mihara(1988)	d	0.4

oenanthic acid→庚酸

4-OXA-2,6-HEPTANEDIOL, 二丙二醇，[110-98-5]

Alexander et al.(1982)	d	240

11-OXAHEXADECALACTONE, 麝香R-1,[3391-83-1]

Amoore et al.(1977)	d	0.019

12-OXAHEXADECALACTONE, 麝香内酯，[6707-60-4]

Amoore et al.(1977)	d	0.045

3-OXA-1,5-PENTANEDIOL, 二甘醇，[111-46-6]

Alexander et al.(1982)	d	240

4-0XODECANAL,4- 氧代癸醛，[43160-78-7]

Takeoka et al.(1995a)	d	0.012

4-OXOHEPTANAL,4- 氧代庚醛

Takeoka et al.(1995a)	d	0.8

4-OXOHEXANAL,4- 氧代己醛

Takeoka et al.(1995a)	d	3

4-OXONONANAL,4- 氧代壬醛

Takeoka et al.(1995a)	d	0.15

oxymethylfurfural→5-羟甲基糠醛

P

parathion→巴拉松

pelargonic acid→壬酸

pemenone=4(4'- 顺-叔丁基环己基)-4-甲基-2-戊酮

PENTABROMOANISOLE, 五溴苯甲醚，[1825-26-9]

Diaz et al.(2005)		0.000043

PENTACHLOROANISOLE, 五氯苯甲醚，[1825-21-4]

Curtis et al.(1972)		0.004
Nijssen(1988)	d	0.00041
Diaz et al.(2005)		0.00024

PENTACHLOROBENZENE, 五氯苯，[608-93-5]

Kölle et al.(1972)		0.06

PENTACHLOROPHENOL, 五氯苯酚，[87-86-5]

Hoak(1956)		0.3
Dietz &Traud(1978)		1.6
Young et al.(1996)		0.023

6,9-PENTADECADIEN-2-ONE,6,9- **十五二烯-2-酮**

Buttery et al.(1967)		0.001

w-pentadecalactone一环十五内酯

PENTADECANAL, 十五醛，[2765-11-9]

Von Ranson &Belitz(1992)	r	0.43
Tamura et al.(1995)		1

PENTADECANOIC ACID,十五酸，[1002-84-2]

Cherkinski(1961)	d	10.0

1-PENTADECENE, 十五烯，[13360-61-7]

Tamura et al.(1995)		3.6

pentamethyleneimine→哌啶

PENTANAL, 戊醛，[110-62-3]

Guadagni et al.(1963);Teranishi et al.(1974);Buttery et al.(1978b,1988a,1997);Buttery &Ling(1995)	d	0.012
Johansson et al.(1973)	d	0.100
Amoore et al.(1976)	d	0.0606
Schnabel et al.(1988)	d	0.016～0.024

Jensen et al.(1999)	d	0.022
Fabrellas et al.(2004)		0.0027～0.005
Pino &Mesa(2006)	d	0.012

1,5-PENTANEDIAL,1,5- 戊二醛，[111-30-8]

Nichiporenko et al.(1987)		100

1,5-PENTANEDIAMINE, 尸胺，[462-94-2]

Holluta(1960)		20
Wang et al.(1975)		190

1,4-PENTANEDIOL,1,4- 戊二醇，[626-95-9]

Schnabel et al.(1988)	d	9.9～49

1,5-PENTANEDIOL,1,5- **戊二醇，[111-29-5]**

Schnabel et al.(1988)	d	500～790

2,4-PENTANEDIOL,2,4- 戊二醇，[625-69-4]

Schnabel et al.(1988)	d	9.6～29

2,3-PENTANEDIONE,2,3- 戊二酮，[600-14-6]

Buttery et al.(1994a,1997,1999); Buttery &Ling(1995,1998)	d	0.020
Blank et al.(1991);Milo &Grosch(1996,1997)		0.029～0.030

1-PENTANETHIOL, 戊硫醇，[110-66-7]

Pietrzak &Barylko-Pikielna(1976)		0.0008

PENTANOIC ACID,戊酸，[109-52-4]

Cherkinski(1961)	d	3.0
Amoore et al.(1968);Amoore(1976)	d	1.37
Zoeteman et al.(1971)		10
Schnabel et al.(1988)	d	0.94～4.7
Buttery et al.(1999)	d	3
Boonbumrung et al.(2001)	d	0.28
Karagül-Yüceer et al.(2003)	d	1.207
Czerny et al.(2007c)		0.024
Czerny et al.(2008)	d	11
Czerny et al.(2008)	r	17

1-PENTANOL, 戊醇，[71-41-0]

Sega et al.(1967)	d	2.54
Rabin &Cain(1986)	d	28～70
Schnabel et al.(1988)	d	1.6～4.1

Buttery et al.(1988a,1989,1990a,1994a,1997,1999); Hansen et al.(1992);Buttery(1993); Buttery &Ling(1995,1998)	d	4
Boonbumrung et al.(2001)	d	0.12
Pino &Mesa(2006)	d	4
Giri et al.(2010)	d	0.1502
2-PENTANOL,2- 戊醇，［6032-29-7］		
Schnabel et al.(1988)	d	8.1～16
3-PENTANOL,3- 戊醇，［584-02-1］		
Schnabel et al.(1988)	d	5.7～8.2
Giri et al.(2010)	d	4.125
2-PENTANONE,2- 戊酮，［107-87-9］		
Manning &Robinson(1973)		70
Schnabel et al.(1988)	d	1.6～4.0
Larsen &Poll(1992)	d	0.01～0.1
Boonbumrung et al.(2001)	d	1.38
3-PENTANONE,3- 戊酮，［96-22-0］		
Schnabel et al.(1988)	d	0.040～0.082
1,2,3,5,6-PENTATHIEPANE, 香菇素，［292-46-6］		
Wada et al.(1967)		0.27～0.53
2-PENTENAL,2- 戊烯醛，［764-39-6］		
Tandon et al.(2000)	d	0.055
(E)-2-PENTENAL, 反-2-戊烯醛，［1576-87-0］		
Buttery et al.(1989);Buttery(1993)	d	1.5
Jensen et al.(1999)	d	0.31
Tamura et al.(2001)	d	0.98
2-PENTEN-1-OL,2- 戊烯-1-醇，［20273-24-9］		
Tamura et al.(1995)	d	1.1
(E)-2-PENTEN-1-OL,(E)-2- 戊烯-1-醇，［1576-96-1］		
Giri et al.(2010)	d	0.0892
(Z-2-PENTEN-1-OL,(Z)-2- 戊烯-1-醇，［1576-95-0］		
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.72
1-PENTEN-3-OL,1- 戊烯-3-醇，［616-25-1］		
Buttery et al.(1971,1989,1990a);Buttery(1993); Buttery &Ling(1995,1998)	d	0.4

Giri et al.(2010)	d	0.3581

3-PENTEN-2-ONE,3- 戊烯-2-酮，[625-33-2]

Buttery et al.(1988a)	d	0.0015
Boonbumrung et al.(2001)	d	1.20

1-PENTEN-3-ONE,1- 戊烯-3-酮，[1629-58-9]

Buttery et al.(1971,1987a,1989,1990a); Guadagni et al.(1972);Buttery(1989,1993)	d	0.001～0.0013
Ahmed et al.(1978a)	d	0.0009
Tandon et al.(2000)	d	0.023

4-PENTENYL ISOTHIOCYANATE,4-戊烯基异硫氰酸酯，[18060-79-2]

Masuda et al.(1996)		0.22

PENTYL ACETATE,乙酸戊酯，[628-63-7]

Balavoine(1948)		0.00001
Baker(1963)		0.08
Guadagni(1966,1968,1969,1970c);Flath et al.(1967); Teranishi et al.(1966,1981,1987);Buttery(1981)	d	0.005
Sega et al.(1967)	d	0.009
Rausch &Serafetinides(1975a,b)	d	0.0041
Rausch&Serafetinides(1975b)	r	8.2
Delaney et al.(1977);Bosma et al.(1981)	d	0.013
Delaney et al.(1977);Bosma et al.(1981)	r	130
Schnabel et al.(1988)	d	0.0089～0.089
Takeoka et al.(1996)	d	0.043

2-PENTYL ACETATE,乙酸-2-戊酯，[626-38-0]

Teranishi et al.(1966)	d	0.002
Schnabel et al.(1988)	d	0.00087～0.0087
Takeoka et al.(1996)	d	0.015

3-PENTYL ACETATE,乙酸-3-戊酯，[620-11-1]

Teranishi et al.(1966)	d	0.009

PENTYLAMINE, 戊胺，[110-58-7]

Amoore et al.(1975b)	d	15.9
Amoore &Forrester(1976)	d	9.21

4-tert-PENTYLANISOLE,4- 叔戊基苯甲醚

Gee et al.(1974)	d	0.031

PENTYL BUTANOATE,丁酸戊酯，[540-18-1]

Takeoka et al.(1990a)	d	0.21

2-PENTYL BUTANOATE,丁酸2-戊酯，[60415-61-4]

Schnabel et al.(1988) d 0.044～0.087

2-pentyl butyrate→丁酸2-戊酯

PENTYL CYANIDE, 己腈，[628-73-9]

Fabrellas et al.(2004) 0.0032～0.004

2-PENTYLFURAN,2- 戊基呋喃，[3777-69-3]

Buttery et al.(1969b,1971,1978b,1990a,1997,1999);
Buttery(1993);Buttery &Ling(1995,1998) d 0.006
Aoki &Koizumi(1986) 0.0145
Giri et al.(2010) d 0.00580

2-PENTYLHEXANOATE, 己酸2-戊酯，[88164-61-8]

Schnabel et al.(1988) d 0.043～0.089

PENTYL2-METHYLBUTANOATE,2- 甲基丁酸戊酯，[68039-26-9]

Schnabel et al.(1988) d 0.0086～0.043

PENTYL 3-METHYL-3-PHENYL-2,3-EPOXYPROPANOATE,3-甲基-3-苯基-2,3-环氧丙酸戊酯

Tekin &Karaman(1992) *d* *59*

PENTYL2-METHYLPROPANOATE, 异丁酸戊酯，[2445-72-9]

Schnabel et al.(1988) d 0.043～0.085

(Z)-2-PENTYL-2-NONENAL,(Z)-2- 戊基-2-壬烯醛

Robert et al.(2004) d 0.2

PENTYL PENTANOATE, 戊酸戊酯，[2173-56-0]

Schnabel et al.(1988) d 0.026～0.060

4-tert-PENTYLPHENOL,4- 叔戊基苯酚，[80-46-6]

Dietz &Traud(1978) 0.8

2-PENTYL-3-PHENOXYPYRAZINE,2- 戊基3-苯氧基吡嗪，[113685-72-9]

Masuda &Mihara(1988) d 0.05

2-PENTYL-3-(PHENYLTHIO)PYRAZINE,2- 戊基-3-苯硫基吡嗪，[113685-96-4]

Masuda &Mihara(1988) d 0.01

PENTYLPYRAZINE, 戊基吡嗪，[6303-75-9]

Koehler et al.(1971) d 1
Masuda &Mihara(1988) d 0.005

2-PENTYLPYRIDINE,2- 戊基吡啶，[2294-76-0]

Buttery et al.(1977);Buttery(1993) d 0.0006

6-PENTYL-2-PYRONE,6- 戊基-2-吡喃酮，[27593-23-3]

Engel et al.(1988) d 0.15

PENTYL SALICYLATE,水杨酸戊酯，[2050-08-0]

Le Magnen(1952)	0.0008～0.0029

2-(PENTYLTHIO)ETHANAL,2- 戊硫基乙醛

Rössner et al.(2002)	0.0001

6-PENTYLTETRAHYDRO-2H-THIOPYRAN-2-ONE, δ- 硫代癸内酯

Roling et al.(1998)	0.006

pepper pyrazine→胡椒嗪
perchloroethylene→ 四氯乙烯
perillaldehyde→ 紫苏醛
(4S)-(-)-perillaldehyde→(4S)-(-)- 紫苏醛
(4R)-(+)-perillaldehyde→(4R)-(+)- 紫苏醛
perillyl alcohol→紫苏醇
(4R)-(+)-perillyl alcohol→(4R)-(+)-紫苏醇
(4S)-(一)-perillyl alcohol→(4S)-(一)-紫苏醇
α-phellandrene→ α-水芹烯
β-phellandrene→ β-水芹烯

PHENANTHRENE, 菲，[85-01-8]

Koppe(1965)	1.0

phenethyl acetate→乙酸苯乙酯
phenethyl alcohol→苯乙醇

PHENOL, 苯酚，[108-95-2]

Helbig(1939)		7.13
Le Magnen(1952)		8.7～28.6
Nesmeyanova(1953)		25
Hoak(1956)		0.5
Burttschell et al.(1959)		＞1
Holluta(1960)		1
Rosen et al.(1962)		4.2
Baker(1963)		5.9
Dietz &Traud(1978)		4
Persson et al.(1987)		5.6
Young et al.(1996)		0.031
Mirlohi(1997);Dietrich et al.(1999)		5
Giri et al.(2010)	d	58.58525

PHENOXYBENZENE, 二苯醚，[101-84-8]

Appell(1969)	0.5
Kölle et al.(1972)	0.015

3-PHENOXYBENZYL CHLORIDE, 3-苯氧基苄氯，[53874-66-1]

Shtabskii et al.(1991)	0.03

PHENOXYPYRAZINE,3- 苯氧基吡嗪，[107697-82-5]		
Masuda &Mihara(1988)	d	0.03
phenylacetaldehyde→苯乙醛		
2-phenylacetaldehyde dimethylacetal→苯乙二甲缩醛		
PHENYLACETIC ACID,苯乙酸，[103-82-2]		
Appell(1969)		1
Münch &Schieberle(1998);Schieberle(1998)		1
Ong&Acree(1999)		2
Carunchia Whetstine et al.(2005)	d	0.464
Czerny et al.(2008)	d	6.1
Czerny et al.(2008)	r	12
phenylacetonitrile→苯乙腈		
phenylalanine→DL-苯丙氨酸		
phenylbenzene→联苯		
1-PHENYL-1-CYCLOHEXENE,1- 苯基-1-环己烯，[771-98-2]		
Koszinowski et al.(1980)	r	0.010
3-PHENYL-1-CYCLOHEXENE,3- 苯基-1-环己烯，[15232-96-9]		
Koszinowski et al.(1980)	r	0.010
4-PHENYL-1-CYCLOHEXENE,4- 苯基-1-环己烯，[4994-16-5]		
Koszinowski et al.(1980)	r	0.010
PHENYLDITHIOBENZENE,二苯基二硫醚，[882-33-7]		
Brady(1968)		0.005
2-PHENYLETHANAL, 苯乙醛，[122-78-1]		
Buttery et al.(1969b,1971,1978b,1988a,1989,1990a, 1997,1999);Guadagni et al.(1972);Buttery(1981, 1993);Hansen et al.(1992);Buttery &Ling(1995, 1998)	d	0.004
Fabrellas et al.(2004)		0.0003～0.00043
Freuze et al.(2004,2005)	d	0.03
Carunchia Whetstine et al.(2005)	d	0.002
Pino &Mesa(2006)	d	0.004
Schuh &Schieberle(2006)	d	0.0063
1-PHENYLETHANOL, 苏合香醇，[98-85-1]		
Rosen et al.(1963)		1.45
Pyysalo et al.(1977)	d	0.70
Tandon et al.(2000)	d	0.479
2-PHENYLETHANOL, 苯乙醇，[60-12-8]		

Sega et al.(1967)	d	0.00317
Appell(1969)		1
Rausch &Serafetinides(1975a,b)	d	0.000015
Rausch &Serafetinides(1975b)	r	1.2
Pyysalo et al.(1977)	d	0.086
Buttery et al.(1987a,1987b,1988a,1989,1990a); Buttery(1993)	d	1～1.1
Zatorre &Jones-Gotman(1990)	d	1.5～3.5
Takahashi(1990)		40～75
Schieberle(1991,1992); Gassenmeier &Schieberle(1995)	d	1
Graham et al.(1995)	d	1.5
Rashash et al.(1997)		0.06
Ong &Acree(1999)		2
Bonfils et al.(2004)	d	7.2
Jacquot et al.(2004)		472
Carunchia Whetstine et al.(2005)	d	0.122
Pino &Mesa(2006)	d	1.1
Schuh &Schieberle(2006)	d	1
Czerny et al.(2007a);Czerny et al.(2008)	r	0.39
Czerny et al.(2008)	d	0.14
Giri et al.(2010)	d	0.56423

1-PHENYLETHYL ACETATE,乙酸苏合香酯，[93-92-5]

Appell(1969)		0.16

2-PHENYLETHYL ACETATE,乙酸苯乙酯，[103-45-7]

Takahashi(1990)		3～5
Ong &Acree(1999)		0.02
Carunchia Whetstine et al.(2005)	d	0.019
Pino &Mesa(2006)	d	0.48
Giri et al.(2010)	d	0.24959

phenyl ethyl alcohol→苯乙醇

β-phenylethyl alcohol→苯乙醇

2-PHENYLETHYL CYANIDE,苯代丙腈，[645-59-0]

Buttery et al.(1976b)	d	0.015

2-PHENYLETHYLFORMATE, 甲酸苯乙酯，[104-62-1]

Pyysalo et al.(1977)	d	0.27

2-PHENYLETHYL ISOTHIOCYANATE,2-苯乙基芥子油，[2257-09-2]

Buttery et al.(1976b);Buttery(1981,1993)	d	0.006
Masuda et al.(1996)		0.24

β-phenylethylmethylethylcarbinol→3- 甲基-1-苯基-3-戊醇
2-phenylethyl mustard oil→2-苯乙基芥子油

PHENYL ISOTHIOCYANATE,苯基芥子油，[103-72-0]

Kauffmann(1907)		2.1

phenylmethanol→ 苯甲醇
phenylmethylcarbinol→1- 苯乙醇
phenyl mustard oil→苯基芥子油

2-PHENYLPHENOL,2-联苯酚，[90-43-7]

Dietz &Traud(1978)		0.4

4-PHENYLPHENOL,4-联苯酚，[92-69-3]

Dietz&Traud(1978)		0.7

3-PHENYLPROPANOIC ACID,**氢化肉桂酸，[501-52-0]**

Ong&Acree(1999)		5

3-PHENYL-2-PROPENAL, **肉桂醛，[104-55-2]**

Amoore(1969)		0.05
Appell(1969)		0.16
Pyysalo et al.(1977)	d	0.75

3-PHENYL-(E)-2-PROPENAL,(E)- 肉桂醛，[14371-10-9]

Pino &Mesa(2006)	d	6

(E)-3-PHENYL-2-PROPENOIC ACID,肉桂酸，[140-10-3]

Ong et al.(1998)	d	5
Ong &Acree(1999)		2

3-PHENYL-2-PROPEN-1-OL, **肉桂醇，[104-54-1]**

Appell(1969)		1
Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.077

3-PHENYL-(Z-2-PROPEN-1-OL, **顺-肉桂醇，[4510-34-3]**

Pyysalo et al.(1977)	d	0.081

3-PHENYL-(E)-2-PROPEN-1-OL, **反-肉桂醇，[4407-36-7]**

Pyysalo et al.(1977)	d	2.8

3-PHENYL-2-PROPEN-1-YLACETATE, **乙酸肉桂酯，[103-54-8]**

Steinhaus et al.(2009);Sinuco et al.(2010)	d	0.15

2-(PHENYLTHIO)-3-PROPYLPYRAZINE,2- 苯硫基-3-丙基吡嗪，[113685-95-3]

Masuda &Mihara(1988)	d	0.09

(PHENYLTHIO)PYRAZINE, 苯硫基吡嗪，[107697-83-6]

Masuda &Mihara(1988)	d	0.4

phloroglucinol→间苯三酚
phytol→植醇
picric acid→苦味酸
α-pinene→α- 烯
(1S,5S)-(—)-a-pinene→(S)-(—)-a- 烯
(1R,5R)-(+)-a-pinene→(R)-(+)-α- 烯
(R)-α-pinene→(R)-(+)-α- 烯
β-pinene→β- 蒎烯
(1S,5S)-(-)-β-pinene(-)-β- 烯
(1R,5R)-(+)-β-pinene→(1R)-(+)-β-蒎烯
1-piperideine→2,3,4,5- 四氢吡啶
3-piperideine→1,2,5,6- 四氢吡啶

PIPERIDINE,哌啶，[110-89-4]

Amoore et al.(1975b)	d	65.8
Amoore &Forrester(1976)	d	70.6

piperitone→胡椒酮
piperonal→洋茉莉醛

POTASSIUM ETHYL XANTHATE,乙基黄原酸钾，[140-89-6]

Trofimovich et al.(1976)		0.1

potassium isoamyl xanthate→异戊基黄原酸钾

POTASSIUM ISOBUTYL XANTHATE,异丁基黄原酸钾，[13001-46-2]

Trofimovich et al.(1976)		0.005

POTASSIUM ISOPENTYL XANTHATE,异戊基黄原酸钾，[928-70-1]

Trofimovich et al.(1976)		0.005

POTASSIUM ISOPROPYL XANTHATE,异丙基黄原酸钾，[140-92-1]

Trofimovich et al.(1976)		0.05

POTASSIUM PHOSPHATE,DIBASIC,磷酸氢二钾，[7758-11-4]

Alexander et al.(1982)	d	>40000

prenyl alcohol→异戊烯醇
prenyl mercaptan→异戊烯基硫醇

2-(PRENYLTHIO)ETHANAL, 异戊烯硫基乙醛

Rössner et al.(2002)		0.00005

PROPANAL, 丙醛，[123-38-6]

Guadagni et al.(1963);Teranishi et al.(1974); Buttery et al.(1988a);Buttery et al.(1997)	d	0.0095～0.01
Amoore et al.(1976)	d	0.145
Herrmann &Abd EI Salam(1980a)		0.067
Schnabel et al.(1988)	d	0.081～0.16

Milo(1995a,1995b);Milo &Grosch(1996a)		0.010
Fabrellas et al.(2004)		0.011～0.012
Giri et al.(2010)	d	0.0151

1,3-PROPANEDIAMINE,1,3- **丙二胺，[109-76-2]**

Amoore et al.(1975b)	d	12400

1,2-PROPANEDIOL，丙二醇，[57-55-6]

Alexander et al.(1982)	d	340

1-PROPANETHIOL, 丙硫醇，[107-03-9]

Pietrzak &Barylko-Pikielna(1976)		0.0031

1,2,3-PROPANETRIOL, 甘油，[56-81-5]

Alexander et al.(1982)	d	>20000

PROPANOIC ACID,丙酸，[79-09-4]

Amoore et al.(1968);Amoore(1976)	d	40.3
Zoeteman et al.(1971)		200
Kikuchi et al.(1976)		32.8
Schnabel et al.(1988)	d	0.96～5.0
Larsen &Poll(1992)	d	0.1～1.0
Buttery &Ling(1998);Buttery et al.(1999)	d	2
Karagül-Yüceer et al.(2003)	d	2.19

1-PROPANOL,丙醇，[71-23-8]

Williams(1953)		6～45
Moncrieff(1957)		50
Guadagni(1966,1968,1969);Flath et al.(1967)	d	9
Sega et al.(1967)	d	6.08
Mitchell &Gregson(1968)	r	600～6300
Mulders(1972,1973)	d	40
Cain(1974)		337
Halpin(1978)		200000～650000
Sarzynski(1982)		67
Schnabel et al.(1988)	d	5.7～7.8
Takahashi(1990)		50
Pino &Mesa(2006)	d	9
Giri et al.(2010)	d	8.5056

2-PROPANOL, **异丙醇，[67-63-0]**

Moncrieff(1957)		70
Sega et al.(1967)	d	601
Antonova &Salmina(1981)		0.25
Sarzynski(1982)		8333

Granzer et al.(1986)		100～2000
Schnabel et al.(1988)	d	40～78
Giri et al.(2010)	d	9.7879

PROPANONE, 丙酮，[67-64-1]

Cheesman &Mayne(1953)		187～263
Moncrieff(1957)		300
Holluta(1960)		5
Baker(1963)		40.9
Blondheim &Reznik(1971)		10000
Mulders(1972,1973)	d	300～335
Manning &Robinson(1973)		500
De Grunt(1975);De Grunt et al.(1977)	d	40
Sarzynski(1982)		476
Eichenbaum et al.(1983)	d	59375
Pino et al.(1986)	d	437.119
Granzer et al.(1986)		50～1000
Schnabel et al.(1988)	d	120～160
Odeigah(1994)		20000
Rashash et al.(1997)		0.04～0.08
Tandon et al.(2000)	d	0.832

2-propanoyl-1-pyrroline→2-丙酰基-1-吡咯啉

2-PROPENAL, 丙烯醛，[107-02-8]

Guadagni et al.(1963);Teranishi et al.(1974)	d	0.11

PROPENOIC ACID,丙烯酸，[79-10-7]

Piringer &Granzer(1984);Granzer et al.(1986)		0.5～10

2-PROPENYLDITHIO-2-PROPENE,二烯丙基二硫醚，[2179-57-9]

Teleky-Vamossy &Petro-Turza(1986)	d	0.03
Teleky-Vamossy &Petro-Turza(1986)	r	0.08

propenylguaethol→浓馥香兰素

2-PROPENYLTHIO-2-PROPENE, 二烯丙基硫醚，[592-88-1]

Pietrzak &Barylko-Pikielna(1976)		0.0325
Teleky-Vamossy &Petro-Turza(1986)	d	0.1
Teleky-Vamossy &Petro-Turza(1986)	r	0.3

propional→丙醛

propionaldehyde→丙醛

propionic acid→丙酸

propionitrile→丙腈

2-PROPIONYL-1-PYRROLINE,2- 丙酰基-1-吡咯啉，[133447-37-7]

Belitz &Grosch(1992a)		0.0001

Buttery et al.(1997);Buttery(1999)	d	0.0001

PROPYL ACETATE,乙酸丙酯，[109-60-4]

Sarzynski(1982)		3
Piggott &Findlay(1984)	d	11.0
Schnabel et al.(1988)	d	2.7～6.2
Takeoka et al.(1996)	d	2

2-PROPYL ACETATE,乙酸异丙酯，[108-21-4]

Takeoka et al.(1996)	d	1.99

propyl alcohol→丙醇

PROPYLAMINE, 丙胺，[107-10-8]

Amoore et al.(1975b)	d	90.1
Amoore &Forrester(1976)	d	62.4

PROPYLBENZENE, 丙基苯，[103-65-1]

Giri et al.(2010)	d	0.17712

PROPYL BUTANOATE,丁酸丙酯，[105-66-8]

Flath et al.(1967);Teranishi et al.(1987)	d	0.018
Takeoka et al.(1990a,1992)	d	0.124
Schnabel et al.(1988)	d	0.00087～0.0043
Boonbumrung et al.(2001)	d	0.16
Pino &Mesa(2006)	d	0.018

propyl butyrate→丁酸丙酯

PROPYL CYANIDE,丁腈，[109-74-0]

Fabrellas et al.(2004)		0.032～0.070

propylene chloride→1,2-二氯丙烷

propylene glycol→丙二醇

propylene glycol methyl ether→丙二醇甲醚

propylene oxide→环氧丙烷

(Z)-2-PROPYL-2-HEPTENAL,(Z)-2-丙基-2-庚烯醛

Robert et al.(2004)	d	0.15

PROPYL4-HYDROXYBENZOATE, 尼泊金丙酯，[94-13-3]

Dietz &Traud(1978)		0.02

propyl isobutyrate→2-甲基丙酸丙酯

propyl isovalerate→异戊酸丙酯

propyl mercaptan→丙硫醇

PROPYL2-METHYLBUTANOATE,2-甲基丁酸丙酯，[37064-20-3]

Schnabel et al.(1988)	d	0.000087～0.00043
Takeoka et al.(1998)	d	0.0002

PROPYL 3-METHYLBUTANOATE,异戊酸丙酯，[557-00-6]

Schnabel et al.(1988)	d	0.0087～0.043

PROPYL(E)-2-METHYL-2-BUTENOATE, 惕各酸丙酯，[61692-83-9]

Takeoka et al.(1998)	d	0.012

PROPYL(Z)-2-METHYL-2-BUTENOATE, 当归酸丙酯，[53082-57-8]

Takeoka et al.(1998)	d	0.07

PROPYL 2-METHYLPROPANOATE,2-甲基丙酸丙酯，[644-49-5]

Schnabel et al.(1988)	d	0.000086～0.00043

2-PROPYLPENTANAL,2- 丙基戊醛，[18295-59-5]

Schnabel et al.(1988)	d	0.42～0.83

2-PROPYLPHENOL,2- 丙基苯酚，[644-35-9]

Czerny &Buettner(2009)	d	0.039
Czerny &Buettner(2009)	r	0.064

3-PROPYLPHENOL,3- 丙基苯酚，[621-27-2]

Czerny &Buettner(2009)	d	0.00029
Czerny &Buettner(2009)	d	0.00062

4-PROPYLPHENOL,4- 丙基苯酚，[645-56-7]

Dietz &Traud(1978)		0.5
Czerny &Buettner(2009)	d	0.107
Czerny &Buettner(2009)	r	0.149

PROPYL PROPANOATE,丙酸正丙酯，[106-36-5]

Flath et al.(1967);Teranishi et al.(1987)	d	0.057
Schnabel et al.(1988)	d	0.44～0.88

PROPYLPYRAZINE, 丙基吡嗪，[18138-03-9]

Masuda &Mihara(1988)	d	0.3

4-PROPYLTHIAZOLE,4- 丙基噻唑，[41981-60-6]

Teranishi et al.(1974)	d	0.3

2-(PROPYLTHIO)ETHANAL, 丙硫基乙醛

Rössner et al.(2002)		0.00007

propyzamide→戊炔草胺

prussic acid→氢氰酸

pseudocumene→1,2,4-三甲苯

pseudoionone→假紫罗兰酮

(d)-pulegone→长叶薄荷酮

putrescine→腐胺

PYRAZINE ，吡嗪，[290-37-9]

Teranishi et al.(1971,1974);Buttery et al.(1994a,1999);Buttery &Ling(1995,1998)	d	75～180
Calabretta(1973,1975,1978)	d	500
Masuda &Mihara(1988)	d	300

PYRIDINE, 吡啶，[110-86-1]

Kauffmann(1907)		4
Le Magnen(1952)		0.83～1.66
Moncrieff(1957)		0.5
Holluta(1960)		0.1
Baker(1963)		0.82
Henkin &Bartter(1966);Henkin &Hoye(1966);Henkin(1967a,1967b,1968)	d	0.00079
Henkin &Bartter(1966);Henkin &Hoye(1966);Henkin(1967b,1968)	r	7.9～40
Henkin et al.(1968);Hoye et al.(1970)	d	0.0079
Henkin et al.(1968);Hoye et al.(1970)	r	790
Henkin et al.(1971,1972);Henkin &Smith(1971);Marshall &Henkin(1971);Henkin &Larson(1972);Schechter &Henkin(1974)	d	0.0079
Henkin et al.(1971,1972);Henkin &Smith(1971);Marshall &Henkin(1971);Henkin &Larson(1972);Schechter &Henkin(1974)	r	79
Baker &Luh(1973)	d	0.0003～2.9
Amoore et al.(1975b)	d	4.33
Filla et al.(1975);De Michele et al.(1976);Campanella et al.(1978)	d	0.000079～0.79
Rausch &Serafetinides(1975a,b)	d	0.20
Rausch &Serafetinides(1975b)	r	25
Henkin et al.(1976);Henkin(1976);Delaney et al.(1977);Bosma et al.(1981)	d	0.000079～0.79
Henkin et al.(1976);Henkin(1976);Delaney et al.(1977);Bosma et al.(1981)	r	7.9～790
Sullivan &Burch(1976);Burch et al.(1978)	d	0.27
Sullivan &Burch(1976);Burch et al.(1978)	r	11
Sherman et al.(1979)	d	3.8
Lawas et al.(1979)	d	19
Lawas et al.(1979)	r	302
Rosen et al.(1979)	d	0.0079
Perry et al.(1980)	d	0.00003
Vreman et al.(1980)	d	9～39
Garrett-Laster et al.(1984)	d	0.0079

Garrett-Laster et al.(1984)	r	0.079
Amoore(1986a,b)	d	2～8
Amoore(1986a)	r	12
Rabin &Cain(1986)	d	3～9
Buttery et al.(1988a,1994a,1999); Buttery &Ling(1998)	d	2
Pino &Mesa(2006)	d	2

pyrocatechol→邻苯二酚

pyrogallo→邻苯三酚

PYRROLE, 吡咯，[109-97-7]

Holluta(1960)		10
Amoore et al.(1975b)	d	49.6
Buttery &Ling(1995)	d	20

2-PYRROLECARBALDEHYDE,2- 吡咯甲醛，[1003-29-8]

Pyysalo et al.(1977)	d	65.0

PYRROLIDINE, 四氢吡咯，[123-75-1]

Amoore et al.(1975b)	d	20.2

(R)-(+)-2-PYRROLIDINECARBOXYLIC ACID,D-**脯氨酸，[344-25-2]**

Laska(2010)	d	8630

(S)-(—)-2-PYRROLIDINECARBOXYLIC ACID,L-**脯氨酸，[147-85-3]**

Laska(2010)	d	11510

PYRROLIDINO[1,2-e]-4H-2,4-DIMETHYL-1,3,5-DITHIAZINE,(2S,4S,8aR)- **四氢-2,4-二甲基-4H-吡咯并[2,1-D]-1,3,5- 二噻嗪，[116505-60-3]**

Kubota et al.(1991)	d	0.00000000000001

1-PYRROLINE,1- **吡咯啉，[5724-81-2]**

Amoore et al.(1975b)	d	0.0220
Teranishi et al.(1975)	d	0.0023

3-PYRROLINE,3- 吡咯啉，[109-96-6]

Amoore et al.(1975b)	d	62.8

1-(1-pyrrolyl)-2-propanone→1-丙酮基吡咯

Q

QUINOLINE, 喹啉，[91-22-5]

Baker(1963)		0.71

R

raspberry ketone→覆盆子酮

resorcinol→间苯二酚

rose furan→玫瑰呋喃

(1)-rose oxide→(1)-顺-玫瑰醚
cis-rose oxide→顺-玫瑰醚

ROTUNDONE, **莎草奥酮**

Wood et al.(2008,2010)	d	0.000008

S

sabinene→桧烯
trans-sabinene hydrate→反-水合桧烯
safrole→黄樟素
salicylaldehyde→水杨醛

SELINENE, 芹子烯

Koppe(1965)		0.001

α-sinensal→α-甜橙醛
β-sinensal→β-甜橙醛
skatole→粪臭素
sorbic aldehyde→山梨醛
sotolon→葫芦巴内酯
spermidine→亚精胺
spermine→精胺
stearic acid→硬脂酸
strawberry aldehyde→草莓醛
styralyl acetate→乙酸苏合香酯
styralyl alcohol→1-苯乙醇
styrene→苯乙烯
sugarone→2-乙基-4-羟基-5-甲基-3-(2H)呋喃酮
(R/S)-3-sulfanylhexan-1-ol→3-巯基-1-己醇
(R/S)-3-sulfanylhexyl acetate→乙酸(R/S)-3-巯基-1-己酯

SULPHUR DIOXIDE,二氧化硫，[7446-09-5]

Brenner et al.(1955)	r	50～100

syringaldehyde→丁香醛
syringol→2,6-二甲氧基苯酚

T

TAME→叔戊基甲基醚
y-terpinene→γy-松油烯
1-terpinen-4-0l→4-萜烯醇
(4S)-(+)-terpinen-4-0l→(+)-4-萜品醇
(4R)-(-)-terpinen-4-0l→(-)-4-萜品醇
α-terpineol→α-松油醇
(4S)-(一)-a-terpineol→(4S)-(-)-a-松油醇
(4R)-(+)-a-terpineol→(4R)-(+)-α-松油醇
terpinolene→异松油烯
terpinyl acetate→乙酸松油酯

tetra→四氯化碳

2,3,4,6-TETRACHLOROANISOLE,2,3,4,6- 四氯苯甲醚，[938-22-7]

Curtis et al.(1972)		0.000004
Nijssen(1988)	d	0.0000011

1,2,3,4-TETRACHLOROBENZENE,1,2,3,4- 四氯苯，[634-66-2]

Kölle et al.(1972)		0.02

1,2,3,5-TETRACHLOROBENZENE,1,2,3,5- 四氯苯，[634-90-2]

Kölle et al.(1972)		0.4

1,2,4,5-TETRACHLOROBENZENE,1,2,4,5- 四氯苯，[95-94-3]

Kölle et al.(1972)		0.13

tetrachlorocatechol→四氯邻苯二酚

TETRACHLORO-1,2-DIHYDROXYBENZENE, **四氯邻苯二酚，[1198-55-6]**

Kovacs et al.(1984)	d	>3.5

TETRACHLOROETHENE, 四氯乙烯，[127-18-4]

Kölle et al.(1972)		0.3
Alexander et al.(1982)	d	0.24

tetrachloroethylene→四氯乙烯

TETRACHLOROMETHANE, 四氯化碳，[56-23-5]

Alexander et al.(1982)	d	1.08

tetrachloroguaiacol→四氯愈创木酚

2,3,4,6-TETRACHLOROPHENOL,2,3,4,6- 四氯苯酚，[58-90-2]

Hoak(1956)		47
Dietz&Traud(1978)		0.6
Kovacs et al.(1984)	d	10

1,2,3,4,4a,4ba,5,6,7,8,8aβ,9,10,10aa-TETRADECAHYDRO-7a-ISOPPROPYL-1β,4aβ-DIMETHYLPHENANTHRENE, **朽松木烷，[2221-95-6]**

Koppe(1965)		1.0

w-tetradecalactone→环十四内酯

TETRADECANAL, **肉豆蔻醛，[124-25-4]**

Von Ranson &Belitz(1992)	r	0.064
Yang et al.(1992);Tamura et al.(1993)	d	0.067
Tamura et al.(1996)	d	0.053
Bonfils et al.(2004)	d	0.11

TETRADECANE, 十四烷，[629-59-4]

Tamura et al.(1995)		1

TETRADECANOIC ACID,肉豆蔻酸，[544-63-8]

Cherkinski(1961)	d	10.0

(Z)-7-TETRADECENAL,(Z-7- 十四烯醛

Widder et al.(2008)		0.0026

(E)-8-TETRADECENAL,(E)-8- 十四烯醛

Widder et al.(2008)		0.000009

(Z-8-TETRADECENAL,(Z-8- 十四烯醛

Widder et al.(2008)		0.00124

(Z-9-TETRADECENAL,(Z)-9- 十四烯醛

Widder et al.(2008)		0.00144

1-TETRADECENE,1- 十四烯，[1120-36-1]

Tamura et al.(1995)		0.06

4,5,6,7-TETRAHYDROBENZOTHIAZOLE,4,5,6,7- 四氢苯并噻唑，[4433-49-2]

Pelosi et al.(1983)	d	0.22

3a,4,7,7a-TETRAHYDRO-4,7-METHANOINDENE, 双环戊二烯，[77-73-6]

Ventura et al.(1997)		0.00001～0.000025

1,2,3,4-TETRAHYDRONAPHTHALENE,1,2,3,4- 四氢萘，[119-64-2]

Rosen et al.(1963)		0.018

1,2,3,4-TETRAHYDROPYRIDINE,2,3,4,5- 四氢吡啶，[505-18-0]

Amoore et al.(1975b)	d	0.302

1,2,3,6-TETRAHYDROPYRIDINE,1,2,5,6- 四氢吡啶，[694-05-3]

Amoore et al.(1975b)	d	226

1,2,3,4-TETRAHYDRO-1,1,6-TRIMETHYLNAPHTHALENE,1,1,6- 三甲基-1,2,3,4-四氢萘，**[475-03-6]**

Buttery et al.(1990b)	d	0.002

tetrahydronootkatone→四氢圆柚酮

tetralin→ 1,2,3,4- 四氢萘

1,2,7,7-TETRAMETHYL-exo-BICYCLO[2.2.1]-2-HEPTANOL,2- 甲基异冰片，[2371-42-8]

Medsker et al.(1969)		0.0001
Rosen et al.(1970)		0.0001
Zoeteman &Piet(1973)		0.00001
Persson &York(1978)	r	0.000018
Persson &York(1978)	r	0.000020
Persson(1979a)	r	0.000042
Persson(1979a)	r	0.000035

Sugiura et al.(1983)		0.000007
Persson(1983)		0.000038
Persson (1983)		0.000008
Ito et al.(1988)	d	0.000004～0.000005
Ito et al.(1988)	r	0.000008～0.000033
Sano(1988)	d	0.000004
Sano(1988)	d	0.000012
Tomita et al.(1988)		0.000002～0.00002
Belitz &Grosch(1992g)		0.00003
Vitzthum et al.(1994)		0.0000025
Young et al.(1996)		0.000015
Rashash et al.(1997)		0.000006～0.00001
Piriou et al.(2009)	d	0.0000012～0.0000018

(1R)-1,2,7,7-TETRAMETHYL-exo-BICYCLO[2.2.1]-2-HEPTANOL,(-)-2- 甲基异冰片

Blank &Grosch (2002)		0.000002～0.000003

4-(1,1,3,3-TETRAMETHYLBUTYL)PHENOL, 对特辛基苯酚，[140-66-9]

Dietz &Traud(1978)		2.7

cis-1,2,2,6-TETRAMETHYLCYCLOHEXANOL, 顺-1,2,2,6-四甲基环己醇，[139895-91-3]

Finato et al.(1992)	d	0.00008

trans-1,2,2,6-TETRAMETHYLCYCLOHEXANOL, 反-1,2,2,6-四甲基环己醇，[139895-92-4]

Finato et al.(1992)	d	0.0015

(+)-4-((1S,5R)-2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE,(+)- 顺-**a-鸢尾酮**

Brenna et al.(1999)	d	100

(一)-4-((1S,5R)-2,5,6,6-TETRAMETHYL-2-CYCLOHEXEN-1-YL)-cis-3-BUTEN-2-ONE, (一)-顺-**a-鸢尾酮**

Brenna et al.(1999)	d	10

2,6,6,9-TETRAMETHYL-1,4,8-CYCLOUNDECATRIENE,α- 石竹烯，[6753-98-6]

Guadagni et al.(1966);Guadagni(1969,1970c); Buttery et al.(1987b)	d	0.12～0.16
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.39
Pino &Mesa(2006)	d	0.16

3aβ,6,6,9aβ-TETRAMETHYL-1,2,3a,4,5,5aβ,6,7,8,9a,9bβ-DODECAHYDRONAPHTHO[2,1-b] FURAN,5β- 龙涎香醚

Escher et al.(1990)	d	0.011

(3aR)-3a,6,6,9a-TETRAMETHYL-3aa,5aβ,9aa,9bβ-DODECAHYDRONAPHTHO[2,1-b]
FURAN，龙涎香醚，[6790-58-5]

Pickenhagen(1989)		0.0006

(+)-(3aR)-3a,6,6,9a-TETRAMETHYL-3aa,5aβ,9aa,9bβ-DODECAHYDRONAPHTHO[2,1-b]FURAN,(d)- 龙涎香醚

Ohloff et al.(1985);Pickenhagen(1989)		0.0024～0.0026

(3aS)-3a,6,6,9a-TETRAMETHYL-3aa,5aa,9aβ,9ba-DODECAHYDRONAPHTHO-[2,1-b]-FURAN, 异龙涎香醚，[68365-88-8]

Ohloff et al.(1985)		0.034

(-)-(3aS)-3a,6,6,9a-TETRAMETHYL-3aa,5aβ,9aa,9bβ-DODECAHYDRONAPHTHO[2,1-b]FURAN,(1)- 龙涎香醚

Ohloff et al.(1985);Pickenhagen(1989)		0.0003

(3aS)-3a,6,6,9a-TETRAMETHYL-3aa,5aβ,9aa,9bβ-DODECAHYDRONAPHTHO[2,1-b]FURAN,(1)-9- 表-龙涎香醚

Ohloff et al.(1985)		0.00015

1,5,9,9-TETRAMETHYL-[1R-(1R*,4E,7E,11R*)]-12-0XABICYCLO[9.1.0]DODECA-4,7-DIENE, 律草烯环氧化物I,[19888-33-6]

Tressl et al.(1979a)		0.01

2,6,10,10-TETRAMETHYL-1-0XASPIRO[4,5]DECAN-6-OL,6- 羟基二氢茶螺烷，[53398-90-6]

Ohloff(1977,1978)		0.0002

TETRAMETHYLPYRAZINE,2,3,5,6- 四甲基吡嗪，[1124-11-4]

Koehler et al.(1971)	d	10
Calabretta(1975,1978)	d	1.0
Giri et al.(2010)	d	2.52502

2,4,5,7-TETRATHIAOCTANE, 双(甲基硫甲基)二硫醚

Kubota et al.(1994)	d	0.0035

2-thenyl mercaptan→2-噻吩甲基硫醇

2-THENYLTHIOL,2- 噻吩甲基硫醇，[6258-63-5]

Schieberle &Hofmann(1996a,1996b)		0.00004

thialdine→噻啶

THIAMINE, 硫胺素，[59-43-8]

Comrey et al.(1958)		0.024～6250

THIAMINE HYDROCHLORIDE, 盐酸硫胺，[67-03-8]

Kurkela&Uutela(1972)	d	0.0098～0.156

4-thiapentanal→3-甲硫基丙醛

THIAZOLE, 噻唑，[288-47-1]

Teranishi et al.(1974)	d	3.1

Marchand et al.(2000) d 0.038

thibetolid→ 环十五内酯

2-THIENYLACETIC ACID,2-噻吩乙酸，[1918-77-0]

Davidek et al.(1979) 22.6

3-(2-THIENYL)PROPANOIC ACID,3-(2-噻吩)丙酸，[5928-51-8]

Davídek et al.(1979) 13.2

2-thienylthiol→2- 噻吩硫醇

γ-thiodecalactone→ γ-硫代癸内酯

δ-thiodecalactone→δ- 硫代癸内酯

THIOPHENE, 噻吩，[110-02-1]

Henkin &Bartter(1966);Henkin(1967a) d 0.084

Henkin &Bartter(1966) r 84

2-THIOPHENECARBOXALDEHYDE,2- 噻吩甲醛，[98-03-3]

Buttery et al.(1994a) d 5

2-THIOPHENEMETHANOL,2- **噻吩甲醇，[636-72-6]**

Buttery et al.(1994a) d 15

2-THIOPHENETHIOL,2- 噻吩硫醇，[7774-74-5]

Marchand et al.(2000) d 0.0008

Burdack-Freitag &Schieberle(2010) 0.0006

thiophenol→ 苯硫酚

a/β-thujone=a/β- 侧柏酮

thymol→ 百里香酚

tiglaldehyde→ 反-2-甲基-2-丁烯醛

tiglic aldehyde→反-2-甲基-2-丁烯醛

TOLUENE, **甲苯，[108-88-3]**

Zoeteman et al.(1971) 1

Alexander et al.(1982) *d* 0.024

Sarzynski(1982) 5

Granzer et al.(1986) 1～20

Schirack et al.(2006) d 0.527

a-toluenenitrile→苯乙腈

4-tolyl acetate→乙酸对甲苯酯

tonalide→吐纳麝香

2,3,6-TRIBROMOANISOLE,2,3,6- **三溴苯甲醚**

Diaz et al.(2004b,2005) 0.000010～0.000011

2,4,6-TRIBROMOANISOLE,2,4,6- **三溴苯甲醚，[607-99-8]**

Saxby(1985) 0.000000008

UKWIR(1996)		0.00000003
Whitfield et al.(1997)	d	0.00000002
Diaz et al.(2004b,2005)		0.000010～0.000012

TRIBROMOMETHANE, **溴仿，[75-25-2]**

De Grunt(1975);De Grunt et al.(1977)	d	0.3
CIRSEE in Mackey et al.(2004)		0.005
McDonald et al.(2009)		0.16

2,4,6-TRIBROMOPHENOL,2,4,6- 三溴苯酚，[118-79-6]

Piriou et al.(2007)	d	0.029～0.03

TRICHLORAMINE, 三氯化氮，[10025-85-1]

Krasner &Barrett(1984)		0.03

2,4,6-TRICHLOROANILINE,2,4,6- 三氯苯胺，[634-93-5]

Mändli(1990)		0.050

2,3,6-TRICHLOROANISOLE,2,3,6- **三氯苯甲醚，[50375-10-5]**

Curtis et al.(1972)		0.0000000003
Griffiths &Fenwick(1977)	d	0.000004
Guadagni &Buttery(1978)	d	0.0000074～0.0000245
Diaz et al.(2005)		0.000005

2,4,6-TRICHLOROANISOLE,2,4,6- **三氯苯甲醚，[87-40-1]**

Curtis et al.(1972)		0.00000003
Nijssen(1988)	d	0.000000076
Young et al.(1996)		0.0000009
Diaz et al.(2005)		0.000030

1,2,3-TRICHLOROBENZENE,1,2,3- 三氯苯，[87-61-6]

Kölle et al.(1972)		0.01
De Grunt et al.(1977)	d	0.02

1,2,4-TRICHLOROBENZENE,1,2,4- 三氯苯，[120-82-1]

Kölle et al.(1972)		0.005
Zoeteman(1978)	d	0.005

1,3,5-TRICHLOROBENZENE,1,3,5- 三氯苯，[108-70-3]

Kölle et al.(1972)		0.05

1,1,1-TRICHLORO-2,2-BIS(4-CHLOROPHENYL)ETHANE, **滴滴涕，[50-29-3]**

Sigworth(1965)	d	0.35

1,1,1-TRICHLORO-2,2-BIS(4-METHOXYPHENYL)ETHANE, **甲氧氯，[72-43-5]**

Sigworth(1965)	d	4.7

3,4,5-trichlorocatechol=3,4,5- 三氯邻苯二酚

3,4,5-TRICHLORO-1,2-DIHYDROXYBENZENE,3,4,5- 三氯邻苯二酚，[56961-20-7]

Kovacs et al.(1984)	d	>3.5

1,1,1-TRICHLOROETHANE,1,1,1- **三氯乙烷，[71-55-6]**

Alexander et al.(1982)	d	0.47
Young et al.(1996)		20

TRICHLOROETHENE, 三氯乙烯，[79-01-6]

Cherkinski(1961)	d	0.5
Alexander et al.(1982)	d	0.56
Sarzynski(1982)		29

3,4,5-trichloroguaiacol=3,4,5-三氯愈创木酚

4,5,6-trichloroguaiacol→4,5,6- 三氯愈创木酚

TRICHLOROMETHANE, 氯仿，[67-66-3]

De Grunt(1975);De Grunt et al.(1977)	d	0.1
Alexander et al.(1982)	d	1
Skvortsov et al.(1983)		18.03
Young et al.(1996)		30
Khiari et al.(2002)		0.09
McDonald et al.(2009)		0.12

2,3,6-TRICHLOROPHENOL,2,3,6- 三氯酚，[933-75-5]

Dietz &Traud(1978)		0.3

2,4,5-TRICHLOROPHENOL,2,4,5- 三氯酚，[95-95-4]

Hoak(1956)		0.011
Dietz &Traud(1978)		0.2
Young et al.(1996)		0.35

2,4,6-TRICHLOROPHENOL,2,4,6- 三氯酚，[88-06-2]

Hoak(1956)		0.1
Burttschell et al.(1959)		>1
Dietz &Traud(1978)		0.3
Kovacs et al.(1984)	d	0.94

2,4,5-TRICHLOROPHENOXYACETIC ACID,2,4,5-三氯苯氧乙酸，[93-76-5]

Sigworth(1965)	d	2.92

2-(2,4,5-TRICHLOROPHENOXY)PROPANOIC ACID,2,4,5-涕丙酸，[93-72-1]

Sigworth(1965)	d	0.78

(d)-tricycloketone→(d)- 三环酮

(1)-tricycloketone→(1)-三环酮

TRIDECANAL, 十三醛，[10486-19-8]

Von Ranson &Belitz(1992)	r	0.008

Yang et al.(1992);Tamura et al.(1993)	d	0.07
Tamura et al.(1995)		0.01

TRIDECANOIC ACID,十三酸，[638-53-9]

Cherkinski(1961)	d	10.0

TRIETHANOLAMINE, 三乙醇胺，[102-71-6]

Alexander et al.(1982)	d	160

TRIETHYLAMINE, 三乙胺，[121-44-8]

Amoore &Forrester(1976)	d	2.21

triethylene glycol→三甘醇

2',3',4'-TRIHYDROXYACETOPHENONE,2,3,4- 三羟基苯乙酮，[528-21-2]

Dietz &Traud(1978)		2

1,2,3-TRIHYDROXYBENZENE, 邻苯三酚，[87-66-1]

Dietz&Traud(1978)		2

1,2,4-TRIHYDROXYBENZENE, 偏苯三酚，[533-73-3]

Dietz&Traud (1978)		>10

1,3,5-TRIHYDROXYBENZENE, 间苯三酚，[108-73-6]

Dietz&Traud(1978)		>10

2,4,4'-TRIHYDROXYBENZOPHENONE,2,4,4'- 三羟基二苯甲酮，[1470-79-7]

Dietz&Traud(1978)		6

TRIIODOMETHANE, 碘仿，[75-47-8]

Bruchet et al.(1989)		0.000020
Cancho et al.(2001)		0.00003～0.0001

trimethylacetic acid→叔戊酸

TRIMETHYLAMINE, 三甲胺，[75-50-3]

Kauffmann(1907)	r	0.5
Le Magnen(1952)		10～20
Baker(1963)		1.7
Hobson-Frohock et al.(1973);Griffiths et al.(1979)	d	0.0005
Amoore et al.(1975b)	d	0.000367
Amoore &Forrester(1976)	d	0.000467
Kikuchi et al.(1976)		0.6
Trubko &Teplyakova(1981a)		0.02
Tuorila et al.(1982)	d	0.008～0.023

2,3,6-TRIMETHYLANISOLE,2,3,6- 三甲基苯甲醚

Griffiths &Fenwick(1977)	d	0.009

2,4,6-TRIMETHYLANISOLE,2,4,6- 三甲基苯甲醚，[4028-66-4]		
Griffiths &Fenwick(1977)	d	0.0008
TRIMETHYLARSINE, 三甲基胂，[593-88-4]		
Whitfield et al.(1983)		0.000002
1,2,4-TRIMETHYLBENZENE,1,2,4- 三甲基苯，[95-63-6]		
Zoeteman et al.(1971)		0.5
Jüttner et al.(1995)	r	0.26
1,3,5-TRIMETHYLBENZENE, 均三甲苯，[108-67-8]		
Baker(1963)		0.027
Zoeteman et al.(1971)		0.5
De Grunt(1975);De Grunt et al.(1977)	d	0.003
Jüttner et al.(1995)	r	0.7
(1R,2S)-(+)-endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANOL, 冰片，[507-70-0]		
Yang et al.(1992);Tamura et al.(1993)	d	0.14
Padrayuttawat et al.(1997)	d	0.18
(1S,2R)-(-)-endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANOL,(1S)- (一)-冰片，[464-45-9]		
Padrayuttawat et al.(1997)	d	0.08
exo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANOL, 异冰片，[124-76-5]		
Muller&Heller(1977)		0.001～0.01
De Grunt et al.(1977)	d	0.0025
Zoeteman et al.(1978)	d	0.015
Köster et al.(1981)	d	0.0085～0.016
1,3,3-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE, 葑酮，[1195-79-5]		
Yang et al.(1992);Tamura et al.(1993)	d	1.2
Zeller &Rychlik(2006)	r	0.44
(1S)-(+)-1,3,3-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,(+)- 葑酮，[4695-62-9]		
Pelosi&Pisanelli(1981)	d	0.51
Padrayuttawat et al.(1997)	d	0.24
(1R)-(-)-1,3,3-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,(-)- 葑酮，[7787-20-4]		
Pelosi&Pisanelli(1981)	d	0.35
Padrayuttawat et al.(1997)	d	0.44
Czerny et al.(2008)	d	0.11
Czerny et al.(2008)	r	0.44
1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE, 樟脑，[76-22-2]		
Le Magnen(1952)		0.25～0.83
Sugisawa et al.(1991);Yang et al.(1992); Tamura et al.(1993)	d	4.6

(1R)-(+)-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,(d)- 樟脑，[464-49-3]

Lillard&Powers(1975)	d	1.29
Pelosi&Pisanelli(1981)	d	1.0
Padrayuttawat et al.(1997)	d	1.36

(1S)-(—)-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE,(1)- 樟脑，[464-48-2]

Padrayuttawat et al.(1997)	d	0.52
Zeller &Rychlik(2006)	r	1.47

2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,α- 烯，[80-56-8]

Guadagni et al.(1966);Guadagni(1969);		
Buttery et al.(1974,1987b);Takeoka(2001)	d	0.006
Appell(1969)		0.5
De Grunt(1975);De Grunt et al.(1977)	d	0.0025～0.003
Ahmed et al.(1978a)	d	0.0095
Pino et al.(1986)	d	0.062
Tamura et al.(1996)	d	2.08
Tamura et al.(1996)	r	2.082
Tamura et al.(2001)	d	0.19
Pino &Mesa(2006)	d	0.006
Czerny et al.(2008)	d	0.014
Czerny et al.(2008)	r	0.041

(1S,5S)-(-)-2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,(S)- (—)-a- 烯，[7785-26-4]

Padrayuttawat et al.(1997);Boonbumrung et al.(2001); Mookdasanit et al.(2003)	d	0.10

(1R,5R)-(+)-2,6,6-TRIMETHYLBICYCLO[3.1.1]-2-HEPTENE,(R)-(+)-α- 烯，[7785-70-8]

Padrayuttawat et al.(1997)	d	0.02
Buettner &Schieberle(2001a,2001b)		0.005
Zeller &Rychlik(2006);Czerny et al.(2008)	r	0.0046
Czerny et al.(2008)	d	0.0022

3,7,7-TRIMETHYLBICYCLO[4.1.0]-2-HEPTENE,2- 蒈烯，[4497-92-1]

Buttery et al.(1987b)	d	4.0

3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-HEPTENE,3- 蒈烯，[13466-78-9]

Tamura et al.(1996)	d	0.77
Tamura et al.(1996)	r	2.03
Pino &Mesa(2006)	d	0.77

(1S-(+)-3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-HEPTENE,(1S)-(+)-3- 蒈烯，[498-15-7]

Boonbumrung et al.(2001)	d	0.044

endo-1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTYLACETATE, 乙酸冰片酯，[76-49-3]

Buttery et al.(1968);Takeoka(2001)	d	0.075

Yang et al.(1992);Tamura et al.(1993)	d	1.38

1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-(E)-2-BUTEN-1-ONE,(E)-β **大马酮,** **[23726-93-4]**

Ohloff(1977,1978)		0.01
Ohloff(1978)		0.000009
Meilgaard(1978)		0.5
Braell(1984)	d	0.000002
Buttery et al.(1988b,1989,1990a);Buttery(1993)	d	0.000002
Schieberle(1991)	d	0.000004
Semmelroch et al.(1995)		0.00000075
Ong&Acree(1999)		0.00001
Boonbumrung et al.(2001)	d	0.0000013
Plotto et al.(2006)	d	0.00000358～0.00000834(感知)
Plotto et al.(2006)	d	0.0000382～0.00013(无法感知)
Plotto et al.(2006)	7	0.0000113(感知)
Pino &Mesa(2006)	d	0.01
Schuh &Schieberle(2006)	d	0.000004
Czerny et al.(2007c)	r	0.00043
Czerny et al.(2008)	d	0.000013
Czerny et al.(2008)	r	0.000056
Averbeck &Schierberle(2009,2011)	d	0.000002

4-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-3-BUTEN-2-ONE, **二氢-β-紫罗兰酮,** **[17283-81-7]**

Meilgaard(1978)		0.001

2,2,6-TRIMETHYLCYCLOHEXANONE,2,2,6- 三甲基环庚烷,[2408-37-9]

Persson &Jüttner(1983)	r	0.310
Takeoka et al.(1990a)	d	0.1

2,6,6-TRIMETHYL-1-CYCLOHEXENE-1-CARBOXALDEHYDE,β 环柠檬醛,[432-25-7]

Persson &Jüttner(1983)	r	0.0193
Buttery et al.(1989,1990a);Takeoka et al.(1990a); Hansen et al.(1992);Buttery(1993)	d	0.005
Rashash et al.(1997)		0.003

1,3,3-TRIMETHYLCYCLOHEXENE,1,3,3- **三甲基环己烯,[503-47-9]**

Persson &Jüttner(1983)	r	7.1

a,a,4-trimethyl-3-cyclohexene-1-methanethiol→1-对薄荷烯-8-硫醇

2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-ONE,2,6,6- **三甲基-2-环己烯-1-酮,[20013-73-4]**

Persson &Jüttner(1983)	r	0.420
Buttery et al.(1990b)	d	0.15

3,5,5-TRIMETHYL-2-CYCLOHEXEN-1-ONE, 异佛尔酮，[78-59-1]

Pelosi&Viti(1978)	d	11.9
Pelosi&Pisanelli(1981)	d	11

(E)-1-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE,β 大马酮，[23726-91-2]

Pickenhagen &Furrer(1987,1990)		0.00009
Belitz &Grosch(2001)		0.000002

(R)-(+)-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE,(d)-α- **大马酮，**
[28102-28-5]

Pickenhagen(1989,2001);Fehr &Galindo(1991)		0.1

(S)-(-)-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE,(1)-a- **大马酮，**
[116497-11-1]

Pickenhagen(1989,2001);Fehr &Galindo(1991)		0.0015

4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,α- 紫罗兰酮，[127-41-3]

Appell(1969)		0.06
Larsen &Poll(1990)	d	0.001～0.01
Buttery &Ling(1995)	d	0.0006
Tamura et al.(1995)		0.05
Buttery et al.(1997)	d	0.0004
Plotto et al.(2006)	d	0.00378
Plotto et al.(2006)	r	0.0106

(R)-(+)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(R)-(+)-α- 紫罗兰酮，
[24190-29-2]

Polak et al.(1989)		0.00003～0.0059
Polak et al.(1989)		0.00064～0.328
Polak et al.(1989)		0.00004～0.036

(S)-(-)-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(S)- (一)-α-紫罗兰酮，
[14398-36-8]

Polak et al.(1989)		0.0001～0.021
Polak et al.(1989)		0.00064～0.656
Polak et al.(1989)		0.0008～0.487

4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,β 紫罗兰酮，[14901-07-6]

Guadagni(1966,1968,1969,1970c);Buttery et al (1971,1987a,1989,1990a);Teranishi et al.(1974); Buttery(1981,1993);Hansen et al.(1992);		
Buttery &Ling(1995)	d	0.000007
Larsen &Poll(1990)	d	0.0001～0.001
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	0.006～0.205

Tamura et al.(1995)		0.06
Buttery et al.(1997)	d	0.00001
Tandon et al.(2000)	d	0.023
Tamura et al.(2001);Boonbumrung et al.(2001)	d	0.0059
Plotto et al.(2006)	d	0.000135～0.000168(感知)
Plotto et al.(2006)	d	0.823～1.31(无法感知)
Plotto et al.(2006)	r	0.000521(感知)
Plotto et al.(2006)	r	1.78(无法感知)
Schuh &Schieberle(2006)	d	0.0002
Czerny et al.(2007c)		0.0002
Czerny et al.(2008)	d	0.0035
Czerny et al.(2008)	r	0.0084

(E)-4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE,(E)-β- 紫罗兰酮，[79-77-6]

Pino &Mesa(2006)	d	0.000007

cis-1-(2,6,6-TRIMETHYLCYCLOHEXYL)-3-HEXANOL, 顺-1-(2,6,6-三甲基环己基)-3-己醇

Schulte-Elte et al.(1987)	d	0.240

trans-1-(2,6,6-TRIMETHYLCYCLOHEXYL)-3-HEXANOL, 反-1-(2,6,6-三甲基环己基)-3-己醇

Schulte-Elte et al.(1987)	d	0.032

3a,6,9a-TRIMETHYL-3aa,5aβ,9aa,9ba-DODECAHYDRONAPHTHO[2,1-b]FURAN,9- 表-19-降龙涎香醚

Ohloff et al.(1985)		0.075

(3aR)-3a,6,9a-TRIMETHYL-3aa,5aβ,6a,9aa,9ba-DODECAHYDRONAPHTHO[2,1-b]FURAN, (d)-9-表-18-降龙涎香醚

Ohloff et al.(1985)		0.012

2,6,10-TRIMETHYL-2,6,9,11-DODECATETRAENAL,α- 甜橙醛，[17909-77-2]

Guadagni(1969,1970c);Teranishi et al.(1981)	d	0.00005
Sugisawa et al.(1991)	d	0.22

3,7,11-TRIMETHYL-2,6,10-DODECATRIEN-1-OL, 金合欢醇，[4602-84-0]

Ohloff(1977,1978);Pickenhagen &Furrer(1990)		0.02～0.2
Sugisawa et al.(1991)	d	1

3,7,11-TRIMETHYL-1,6,10-DODECATRIEN-3-OL, 橙花叔醇，[7212-44-4]

Pickenhagen &Furrer(1990)		0.12
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	2.25～10
Larsen &Poll(1992)	d	0.01～0.1

(E)-3,7,11-TRIMETHYL-1,6,10-DODECATRIEN-3-OL,(E)- 橙花叔醇，[40716-66-3]

Pino &Mesa(2006)	d	0.25

trimethylenediamine→1,3-丙二胺
trimethyleneimine→氮杂环丁烷

4,11,11-TRIMETHYL-8-METHYLENEBICYCLO[7.2.0]-4-UNDECENE, **石竹烯，[87-44-5]**

Guadagni et al.(1966);Guadagni(1969);		
Buttery et al.(1978b,1987b)	d	0.064～0.090
Tamura et al.(2001)	d	0.15
Boonbumrung et al.(2001)	d	1.54
Pino &Mesa(2006)	d	0.064

[1R-(1R*,4R*,6R*,10S*)]-4,12,12-TRIMETHYL-9-METHYLENE-5-0XATRICYCLO[8.2.04 ,6] DODECANE, 石竹素，[1139-30-6]

Buttery et al.(1987b)	d	0.2
Sugisawa et al.(1991);Yang et al.(1992);		
Tamura et al.(1993)	d	5.5
Tamura et al.(2001)	d	0.41

(3aa,5aβ,6β,9aa,9bβ)-3a,6,9a-TRIMETHYLNAPHTHO[2,1-b]FURAN,19- 降龙涎香醚

Ohloff et al.(1985)		0.003

[3aR-(3aa,5aβ,6a,9aa,9bβ)]-3a,6,9a-TRIMETHYLNAPHTHO[2,1-b]FURAN,(1)-18- 降龙涎香醚

Ohloff et al.(1985)		0.0014

[3aR-(3aa,5aß,6a,9aβ,9ba)]-3a,6,9a-TRIMETHYLNAPHTHO[2,1-b]FURAN,(d)-18- 降异龙涎香醚

Ohloffet al.(1985)		0.17

[3aS(3aa,5aβ,6β,9aβ,9ba)]-3a,6,9a-TRIMETHYLNAPHTHO[2,1-b]FURAN,(1)-19- 降异龙涎香醚

Ohloff et al.(1985)		0.18

4-(2,2,6-TRIMETHYL-7-0XABICYCLO[4.1.0]HEPT-1-YL)-3-BUTEN-2-ONE, 环氧-β-紫罗兰酮，[36340-49-5]

Buttery et al.(1989);Takeoka et al.(1990a);		
Buttery(1993)	d	0.1

1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE,1,8- 桉叶素，[470-82-6]

Le Magnen(1952)		0.013～0.04
Amoore &Venstrom(1966);Amoore(1969)	d	0.012
Appell(1969)		1
Buttery et al.(1974,1987b);Takeoka(2001)	d	0.0013
Pelosi&Pisanelli(1981)	d	0.021
Sugisawa etal.(1991);Yang etal.(1992);		
Tamura et al.(1993)	d	0.023～0.064
Padrayuttawat et al.(1997)	d	0.003
Pino &Mesa(2006)	d	0.0013
Zeller &Rychlik(2006);Czerny et al.(2008)	r	0.0046

Czerny et al.(2008) d 0.0011

2,4,5-TRIMETHYLOXAZOLE,2,4,5- 三甲基噁唑，[20662-84-4]
Marchand et al.(2000) d 0.017

2,2,4-TRIMETHYL-1-PENTANOL,2,2,4- **三甲基-1-戊醇，[123-44-4]**
Schnabel et al.(1988) d 0.42～0.82

2,2,4-TRIMETHYL-3-PENTANOL,2,2,4- **三甲基-3-戊醇，[5162-48-1]**
Pelosi&Pisanelli(1981) d 0.035
Schnabel et al.(1988) d 0.0078～0.042

2,3,5-TRIMETHYLPHENOL,2,3,5- 三甲基苯酚，[697-82-5]
Dietz &Traud(1978) 2.3

2,4,5-TRIMETHYLPHENOL,2,4,5- 三甲基苯酚，[496-78-6]
Dietz &Traud(1978) 2.3

2,4,6-TRIMETHYLPHENOL,2,4,6- **三甲基苯酚，[527-60-6]**
Dietz &Traud(1978) 0.5

3,4,5-TRIMETHYLPHENOL,3,4,5- **三甲基苯酚，[527-54-8]**
Dietz &Traud (1978) >10

(2R,4S,6R)-2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE,(2R,4S,6R)-2,4,6- **三甲基-4-苯基-1,3-二氧己环**
Kappey et al.(2000) 0.00085

(2R,4R,6R)-2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE,(2R,4R,6R)-2,4,6- **三甲基-4-苯基-1,3-二氧己环**
Kappey et al.(2000) 0.332

TRIMETHYLPYRAZINE,2,3,5- 三甲基吡嗪，[14667-55-1]
Koehler et al.(1971) *d* 9
Calabretta(1973,1975,1978) *d* 0.4
Czerny &Wagner(1995) 0.091
Buttery et al.(1997,1999);Buttery &Ling(1998) *d* 0.023
Giri et al.(2010) *d* 0.35012

2,4,5-TRIMETHYL-1,3-THIAZOLE,2,4,5- 三甲基噻唑，[13623-11-5]
Giri et al.(2010) d 0.045

cis-a,a,5-TRIMETHYL-5-VINYLTETRAHYDROFURFURYL **ALCOHOL,顺-氧化芳樟醇，[5989-33-3]**
Yang et al.(1992);Tamura et al.(1993) d 0.32
Boonbumrung et al.(2001) d 0.10

trans-a,a,5-TRIMETHYL-5-VINYLTETRAHYDROFURFURYL **ALCOHOL,反-氧化芳樟醇，**

[34995-77-2]

Yang et al.(1992);Tamura et al.(1993) d 0.32

Boonbumrung et al.(2001) d 0.19

2,4,6-TRINITROPHENOL，苦味酸，[88-89-1]

Dietz &Traud(1978) 4

TRIPROPYLAMINE, 三丙胺，[102-69-2]

Amoore &Forrester(1976) d 5.14

2,3,5-trithiahexane→2,3,5- 三硫杂己烷

2,3,4-trithiapentane→ 二甲基三硫醚

1,2,4-TRITHIOLANE,1,2,4- 三硫杂环戊烷，[289-16-7]

Rödel & Kruse(1982) 0.00766

L-tyrosine→L-酪氨酸

U

umbellulone→伞 形 酮

y-undecalactone→桃醛

(R)-(+)-8-undecalactone→ (R)-(+)-δ-十一内酯

(S)- (一)-δ-undecalactone→(S)- (一)- δ-十一 内酯

2,4-UNDECADIENAL,2,4- 十一碳二烯醛，[13162-46-4]

Tressl et al.(1980) 0.00001

UNDECANAL, 十一醛，[112-44-7]

Guadagni et al.(1963);Teranishi et al.(1974) d 0.005

Schnabel et al.(1988) d 0.00041～0.0083

Sugisawa et al.(1991);Yang et al.(1992);
Tamura et al.(1993) d 0.04～0.1

Padrayuttawat et al.(1997) d 0.01

Fabrellas et al.(2004) 0.00003～0.00009

Pino &Mesa(2006) d 0.0125

UNDECANE, 十一烷，[1120-21-4]

Zoeteman et al.(1971) 10

UNDECANOIC ACID,十一酸，[112-37-8]

Cherkinski(1961) d 10.0

1-UNDECANOL, 十一醇，[112-42-5]

Schnabel et al.(1988) d 0.086～0.41

Tamura et al.(1995) 0.7

2-UNDECANOL,2- 十一醇，[1653-30-1]

Schnabel et al.(1988) d 0.0086～0.041

3-UNDECANOL,3- 十一醇，[6929-08-4]

Schnabel et al.(1988)	d	0.0086～0.041

4-UNDECANOL,4- 十一醇，[4272-06-4]

Schnabel et al.(1988)	d	0.041～0.083

5-UNDECANOL,5- 十一醇，[37493-70-2]

Schnabel et al.(1988)	d	0.41～0.83

6-UNDECANOL,6- 十一醇，[23708-56-7]

Schnabel et al.(1988)	d	0.0086～0.041

2-UNDECANONE,2- 十一酮，[112-12-9]

Guadagni et al.(1966);Teranishi et al.(1974); Buttery et al.(1988a);Buttery &Ling(1995)	d	0.007
Schnabel et al.(1988)	d	0.041～0.082
Giri et al.(2010)	d	0.0055

3-UNDECANONE,3- 十一酮，[2216-87-7]

Schnabel et al.(1988)	d	0.0083～0.041

4-UNDECANONE,4- 十一酮，[14476-37-0]

Schnabel et al.(1988)	d	0.041～0.083

5-UNDECANONE,5- 十一酮，[33083-83-9]

Schnabel et al.(1988)	d	0.041～0.083

6-UNDECANONE,6- 十一酮，[927-49-1]

Schnabel et al.(1988)	d	0.085～0.41

(E,Z)-1,3,5-UNDECATRIENE,(E,Z-1,3,5- 十一碳三烯，[51447-08-6]

Steinhaus &Schieberle(2005)	d	0.00002

(6EIZ,8E)-6,8,10-UNDECATRIEN-2-ONE,(6EIZ,8E)-6,8,10- 十一碳三烯-2-酮

Miyazawa et al.(2010)		0.0007

(6EIZ,8E)-6,8,10-UNDECATRIEN-3-ONE,(6EIZ,8E)-6,8,10- 十一碳三烯-3-酮

Miyazawa et al.(2010)		0.00001

(6EIZ8E)-6,8,10-UNDECATRIEN-4-ONE,(6EIZ,8E)-6,8,10- 十一碳三烯-4-酮

Miyazawa et al.(2010)		0.000072

(E)-2-UNDECENAL, 反-2-十一烯醛，[53448-07-0]

Czerny et al.(2008)	d	0.00078
Czerny et al.(2008)	r	0.0014

UNDECYL ACETATE,乙酸十一酯，[1731-81-3]

Yang et al.(1992);Tamura et al.(1993)	d	0.25

UNDECYL CYANIDE,十二腈，[2437-25-4]

Fabrellas et al.(2004)　0.00009～0.00032

uric acid→尿酸

V

valeraldehyde→ 戊醛

valeric acid→戊酸

valeronitrile→ 戊腈

vanillin→ 香兰素

versalide→ 万山麝香

α-vetivone→ α-香根草酮

vinylbenzene→苯乙烯

vinyl cyanide→丙烯腈

p-vinylguaiacol→ 对乙烯基愈创木酚

4-vinylguaiacol→ 对乙烯基愈创木酚

vinylidene chloride→偏氯乙烯

4-vinylphenol→ 对乙烯基苯酚

vinyl propanoate→丙酸乙烯酯

vinyl propionate→丙酸乙烯酯

vinylpyrazine→ 乙烯基吡嗪

X

xanthine→ 黄嘌呤

m-xylene→间二甲苯

0-xylene 一邻二甲苯

p-xylene→ 对二甲苯

2,3-xylenol→2,3- 二甲基苯酚

2,4-xylenol→2,4- 二甲基苯酚

2,5-xylenol→2,5- 二甲基苯酚

2,6-xylenol→2,6- 二甲基苯酚

3,4-xylenol=3,4- 二甲基苯酚

3,5-xylenol→3,5- 二甲基苯酚

参 考 文 献

A

ACREE,T.E.,J.BARNARD&D.G.CUNNINGHAM(1984),The analysis of odor-active volatiles in gas chromatographic effluents,In:P.Schreier(Ed.),Analysis of volatiles:methods and applications,Walter de Gruyter,Berlin,251-267

ACREE,T.E.,R.NISHIDA&H.FUKAMI(1985),Odor thresholds of the stereoisomers of methyl jasmonate,J.Agric.Food Chem.,33,425-427

AGUILAR,A.(2004),Inactivation of Streptomyces griseus by common water treatment disinfectants,Thesis,Arizona State University

AHARONI,Y.,J.K.STEWART,D.G GUADAGNI&T.R.MON(1980),Thrips mortality and strawberry quality after vacuum fumigation with acetaldehyde or ethyl formate,J.Am.Soc.Hort.Sci.,105,926-929

AHMED,E.M.,R.A.DENNISON,R.H.DOUGHERTY &P.E.SHAW(1978a),Flavor and odor thresholds in water of selected orange juice components,J.Agric Food Chem.,26,187-191

AIDA, T., M. HARADA, H. IWAI , A. AMANO, T. YAMASAKI & T. YAMAMOTO (1997), (E)-(R)-2-Alkyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)-2-buten-1-0l,process for preparing the same,and use thereof in perfume compositions,European Patent 829463

AIDA,T.,M.HARADA,T.YAMAMOTO,H.IWAI,A.AMANO&T.YAMASAKI(2000),(E)-(R)-2-Alkyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)-2-buten-1-0l,process for preparing the same,and use thereof,United States Patent 6084138

AKITA,O.,T.HASUO,S.HARA&K.YOSHIZAWA(1988),Ethyl 4-hydroxybutyrate and gamma-butyrolactone in sake (in Jap.),Hakkokogaku,66,149-155

ALBRAND,M.,P.DUBOIS,P.ETIEVANT,R.GELIN &B.TOKARSKA(1980),Identification of a new volatile compound in onion (Allium cepa)and leek(Allium porum):3,4-dimethyl-2,5-dioxo-2,5-dihydro-thiophene,J.Agric.Food Chem.,28, 1037-1038

ALEXANDER,H.C.,W.M.McCARTY,E.A.BARTLETT&A.N.SYVERUD(1982),Aqueous odor and taste threshold values of industrial chemicals,J.Am.Water Works Assoc.,74,595-599

AMOORE,J.E.&D.VENSTROM(1966),Sensory analysis of odor qualities in terms of the stereochemical theory,J.Food Sci., 31,118-128

AMOORE,J.E.(1968),Odor-blindness as a problem in odorization,Proc.Operating Sect.,Amer.Gas Assoc.Distribution Conf., 242-247(cited by:J.E.Amoore,A plan to identify most of the primary odors,in:C.Pfaffmann(Ed.),Olfaction and taste, Proceedings of the third international symposium,Rockefeller University Press,New York,1969,158-171)

AMOORE,J.E.,D.VENSTROM &A.R.DAVIS(1968),Measurement of specific anosmia,Percept.Mot.Skills,26,143-164

AMOORE,J.E.(1969),A plan to identify most of the primary odors,In:C.Pfaffmann(Ed.),Olfaction and taste,Proc.of the third Int.Symposium,Rockefeller University Press,New York,1969,158-171

AMOORE,J.E.,J.R.POPPLEWELL&D.WHISSELL-BUECHY(1975a),Sensitivity of women to musk odor:no menstrual variation,J.Chem.Ecol.,1,291-297

AMOORE,J.E.,LJ.FORRESTER&R.G BUTTERY(1975b),Specific anosmia to 1-pyrroline:the spermous primary odor,J. Chem.Ecol.,1,299-310

AMOORE,J.E.(1976),Synthetic flavors:a new approach to efficiency and safety,Chem.Senses Flavour,2,27-38

AMOORE,J.E.&LJ.FORRESTER(1976),Specific anosmia to trimethylamine:the fishy primary odor,J.Chem.Ecol.,2,49-56

AMOORE,J.E.,LJ.FORRESTER&P.PELOSI(1976),Specific anosmia to isobutyraldehyde:the malty primary odor,Chem. Senses Flavour,2,17-25

AMOORE,J.E.,P.PELOSI &LJ.FORRESTER(1977),Specific anosmia to 5a-androst-16-en-3-one and w-pentadecalactone:the urinous and musky primary odors,Chem.Senses Flavour,2,401-425

AMOORE,J.E.&R.G BUTTERY(1978),Partition coefficients and comparative olfactometry,Chem.Senses Flavour,3,57-71

AMOORE,J.E.(1986a),The chemistry and physiology of odor sensitivity,J.Am.Water Works Assoc.,78,70-76

AMOORE,J.E.(1986b),Effects of chemical exposure on olfaction in humans,In:C.S.Barrow(Ed.),Toxicology of the nasal passages,Hemisphere Publishing Corporation,Washington,155-190

ANON.(1986),Givaudan Corporation,Product data sheet(cited by:J.C.Lefingwell &D.Leffingwell,GRAS flavor chemicals-detection thresholds,Perfum.Flavor.,16(1991),no.1,1-19)

ANTONOVA,VI.&Z.A.SALMINA(1978),The maximum permissible concentration of isopropyl alcohol in the water of reservoirs,with regard to the effect on gonads and progeny(in Russ.),Gig.Sanit.,no.1,8-11

ANTONOVA,V.I.,E.A.ZOMMER,A.D.KUZNETSOVA & N.A.PETROVA(1981),Toxicology of propylene oxide and its stipulation in reservoir water (in Russ.),Gig.Sanit.,no.7,76-79

AOKI,M.&N.KOIZUMI(1986),Organoleptic properties of the volatile components of buckwheat flour and their changes during storage after milling(Studies on the flavor of buckwheat Part II),Nippon Shokuhin Kogyo Gakkaishi [Journal of the Japanese Society for Food Science and Technology],33,769-772

API(American Petroleum Institute)(1994),Odor threshold studies performed with gasoline and gasoline combined with MBTE, ETBE,and TAME,API Publication no.4592,Washington,D.C.(Cited by:A.J.Stocking,IH.Suffet,M.J.McGuire &M.C. Kavanaugh,Implications of an MBTE odor study for setting drinking water standards,J.Am.Wat Works Assoc.,93(2001), 95-105)

APPELL,L.(1969),Physical foundations in perfumery VIII.The minimum perceptible,Am.Perfum.Cosmet.,84,no.3,45-50

ARCO(ARCO Chemical Co.)(1993),The odor and taste threshold studies performed with methyl tertiary butyl ether and ethyl tertiary butyl ether,Windsor,Conn.(cited by:A.J.Stocking,LH.Suffet,M.J.McGuire &M.C.Kavanaugh,Implications of an MBTE odor study for setting drinking water standards,J.Am.Wat Works Assoc.,93(2001),95-105)

ARENA,E.,S.CAMPISI,B.FALLICO,M.C.LANZA&E.MACCARONE(2001),Aroma value of volatile compounds of *prickly pear(Opuntia ficus indica(L.)mill.Cactaceae),Ital.J.Food Sci.,13,311-319*

AVDYUSHKINA,S.I.(1979),Experimental substantiation of maximum permissible concentration of hexylure in water bodies (in Russ.),Gig.Sanit,no.5,15-18

AVERBECK, M. (2002), Einfluss von Lagerung und Abfüllung auf qualitätsbestimmende Aromastoffe in Orangensaft aud Konzrat, Thesis, Technische Universität München (cited by: A. Zeller & M. Rychlik, Character impact odorants of fennel fruits and fennel tea,J.Agric.Food Chem.,54(2006),3686-3692)

AVERBECK,M.&PH.SCHIEBERLE(2009),Characterisation of the key aroma compounds in a freshly reconstituted orange juice from concentrate,Eur.Food Res.Technol.,229,611-622

AVERBECK,M.&P.SCHIEBERLE(2011),Influence of different storage conditions on changes in the key aroma compounds of orange juice reconstituted from concentrate,Eur.Food Res.Technol.,232,129-142

B

BAILEY,E.H.S.&L.M.POWELL(1885),Some special tests in regard to the delicacy of the sense of smell,Trans.Kansas Acad. Sci.,9,100-101

BAKER,R.A.(1963),Threshold odors of organic chemicals,J.Am.Water Works Assoc.,55,913-916

BAKER,R.A.,&M.-D.LUH(1973),Odor effects of pyridine-montmorillonite in aqueous solution,Sci.Total Environ.,2,13-20

BALAVOINE, P. (1948), Observations sur les qualités olfactives et gustatives des aliments, Mitt. Geb. Lebensmittelunters. Hyg., 39,342-350

BARYLKO-PIKIELNA,N.,M.ROTHE,E.PIETRZAK&A.JACKOWSKA(1983),Sensory characteristics of 2-heptanone.Part I.Threshold values,concentration/odour intensity relations,methodological aspects,Nahrung,27,391-401

BELITZ, H.-D. & W. GROSCH (1992a), Lehrbuch der Lebensmittelchemie, 4. Auflage, Berlin, pp 325 (cited by: M. Rychlik, P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ,H.-D.&W.GROSCH(1992b),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,pp 187(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ,H.-D.&W.GROSCH(1992c),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,pp 322(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ,H.-D.&W.GROSCH(1992d),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,pp 305(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut fir Lebensmittelchemie der Technischen Universitat München,1998,p.63)

BELITZ,H.-D.&W.GROSCH(1992e),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,p 340(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutschee Forschungsanstalt für Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ, H.-D. & W. GROSCH (1992f), Lehrbuch der Lebensmittelchemie, 4. Auflage, Berlin, pp 344 (cited by: M. Rychlik, P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ, H.-D. & W. GROSCH (1992g), Lehrbuch der Lebensmittelchemie, 4. Auflage, Berlin, pp 316 (cited by: M. Rychlik, P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ,H.-D.&W.GROSCH(1992h),Lehrbuch der Lebensmittelchemie,4.Auflage,Berlin,pp 336(cited by:M.Rychlik,P. Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BELITZ,H.-D.&W.GROSCH(2001),Lehrbuch der Lebensmittelchemie,5.Ed.,Springer Verlag,Heidelberg(cited by:E. Fuhrmann &W.Grosch,Character impact odorants of the apple cultivars Elstar and Cox Orange,Nahrung/Food,46(2002) 187-193)

BEMELMANS,J.M.H.,&HJ.A.DEN BRABER(1983),Investigation of an iodine-like taste in herring from the Baltic Sea,Wat. Sci.Tech.,15,105-113

BINGGELI,E.C.,K.G GASSENMEIER,J.MOLNAR&P.SCHIEBERLE(2003),Production of 2-furfurylthiol in Brassica seed and use of the same,United States Patent Application 2003/0165587

BINGHAM,A.F,GG BIRCH,C.DE GRAAF,J.M.BEHAN &K.D.PERRING(1990),Sensory studies with sucrose-maltol mixtures,Chem.Senses,15,447-456

BLANK,I,A.SEN &W.GROSCH(1991),Aroma impact compounds of Arabica and Robusta coffe.Qualitative and quantitative data,Fourteenth International Conference on Coffee Science,San Francisco,July 14-19,ASIC 91,p.117-129(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

BLANK,I,A.SEN &W.GROSCH(1992),Sensory study on the character-impact flavour compounds of dill herb(Anethum graveolens L.),Food Chem.,43,337-343

BLANK et al.(1996),Unpublished results(cited by:I.Blank,J.Lin,R.Fumeaux,D.H.Welti &LB.Fay,Formation of 3-hydroxy-4,5-dimethyl-2(5H)-furanone(sotolone)from 4-hydroxy-L-isoleucine and 3-amino-4,5-dimethyl-3,4-dihydro-2(5H)-furanone,J.Agric.Food Chem.,44(1996)1851-1856)

BLANK,I.&W.GROSCH(2002),On the role of (-)-2-methylisoborneol for the aroma of Robusta coffee,J.Agric.Food Chem., 50,4653-4656

BLONDHEIM,S.H.&L.REZNIK(1971),The threshold for the smell of acetone and its relationship to the ability to taste phenylthiocarbamate,Experienta,27,1282-1283

BOELENS,H.,H.G.HARING&D.DE RIJKE(1983),Threshold values of and human preferences for 4-ethyl octanoic and 3-methyl butanoic acid,Perfumer &Flavorist,8,February/March,71-73

BOIDRON,J.-N.(1978),Unpublished results(cited by:P.Ribereau-Gayon,Wine flavor,in:G Charalambous &GE.Inglett (Eds),Flavor of foods and beverages.Chemistry and technology,Academic Press,New York,1978,355-381)

BOIDRON,J.-N.&M.PONS(1978),Dosage du styrene dans les vins,Ann.Fals.Exp.Chim.,71,369-377

BOIDRON,J.N.(1984),Unpublished results(cited by:A.Bertrand,C.Smirou-Bonnamour &A.Lonvaud-Funel,Aroma compounds formed in malolactic fermentation,In:L.Nykanen &P.Lehtonen,Flavour research of alcoholic beverages, Foundation for Biotechnical and Industrial Fermentation Research,Helsinki,1984,39-49)

BONFILS,P.,P.FAULCON&P.AVAN(2004),Screening of olfactory function usifn the Biolfa®olfactory test:investigations in patients with dysosmia,Acta Otolaryngol.,124,1063-1071

BOONBUMRUNG, S., H. TAMURA, J. MOOKDASANIT, H. NAKAMOTO, M. ISHIHARA, T. YOSHIZAWA & W. VARANYANOND(2001),Characteristic aroma components of the volatile oil of yellow keaw mango fruits determined by limited odor unit method,Food Sci.Technol.Res.,7,200-206

BOSMA,J.E.,R.I.HENKIN,R.L.CHRISTIANSEN &J.R.HERDT(1981),Hypoplasia of the nose and eyes,hyposmia, hypogeusia,and hypogonadotrophic hypogonadism in two males,J.Craniofacial Genet.Develop.Biol.,1,153-184

BRADY,S.O.(1968),Taste and odor components in refinery effluents,Proc.Div.Refin.Am.Pet.Inst.,48,556-560

BRAELL,P.A.(1984),The role of beta-damascenone in grape flavour,Thesis,Cornell University,Ithaca(cited by:D.G Cunningham,T.E.Acree,J.Barnard,R.M.Butts &P.A.Braell,Charm analysis of apple volatiles,Food Chem.,19(1986) 137-147)

BRAUN,N.A.,M.MEIER,G SCHMAUS,B.HÖLSCHER&W.PICKENHAGEN(2003),Enantioselectivity in odor perception: synthesis and olfactory properties of iso-β-bisabolol,a new natural product,Helv.Chim.Acta,86,2698-2708

BRENNA,E.,C.FUGANTI,G.FRONZA,L.MALPEZZI,A.RIGHETTI&S.SERRA(1999),Enzyme-mediated preparation of (+)-and(-)-cis-aα-irone and(+)-and(-)-trans-a-irone,Helv.Chim.Acta,82,2246-2259

BRENNER,M.W.,J.L.OWADES &T.FAZIO(1955),Determination of volatile sulfur compounds V.Sulfur dioxide,Proc.Am. Soc.Brew.Chem.,133-144

BREVARD,H.,M.BRAMBILLA,A.CHAINTREAU,J.-P.MARION&H.DISERENS(1992),Occurrence of elemental sulphur in capers(Capparis spinosa L.)and first investigation of the flavour profile,Flavour Fragrance J.,7,313-321

BRINKMAN,H.W.,H.COPIER,JJ.M.DE LEUW&S.B.TJAN(1972),Components contributing to beef flavor.Analysis of the headspace volatiles of beef broth,J.Agric.Food Chem.,20,177-181

BROWN,K.S.&R.R.ROBINETTE(1967),No simple pattern of inheritance in ability to smell solutions of cyanide,Nature (London),215,406-408

BROWN,K.S.,C.M.MACLEAN&R.ROBINETTE(1968),The distribution of the sensitivity to chemical odors in man,Human Biol.,40,456-472

BRUCHET,A.,K.N'GUYEN,L.MALLEVIALLE &C.ANSELME(1989),Identification and behaviour of iodonated haloform medicinal odor,AWWA Seminar Proceedings,The identification and treatment of taste and odor compounds,AWWA Annual Conference,Los Angeles,CA,125-141(cited by:IH.Suffet,J.Ho&J.Mallevialle,Off-flavors in raw and potable water,in: M.J.Saxby(Ed.),Food taints and off-flavours,Blackie Academic&Professional,London,1993,89-120)

BUETTNER,A.&P.SCHIEBERLE(2001a),Evaluation of key aroma compounds in hand-squeezed grapefruit juice(Citrus paradisi Macfayden)by quantitation and flavor reconstitution experiments,J.Agric.Food Chem.,49,1358-1363

BUETTNER,A.&P.SCHIEBERLE(2001b),Evaluation of aroma differences between hand-squeezed juices from Valencia late and navel oranges by quantitation of key odorants and flavor reconstitution experiments,J.Agric.Food Chem.,49,2387-2394

BUHR,K.,B.KÖHLNHOFER,A.HEILIG,J.HINRICHS&P.SCHIEBERLE(2010),Behaviour of selected flavour compounds in dairy matrices:stability and release,,In:I.Blank,H.Wüst &C.Yeretzian(Eds),Expression of multidisciplinary flavour scienc,ZHAW Zürcher Hochschule für Angewandte Wissenschaften,165-168

BURCH,R.E.,D.A.SACKIN,J.A.URSICK,M.M.JETTON &J.E.SULLIVAN(1978),Decreased taste and smell acuity in cirrhosis,Arch.Intern.Med.,138,743-746

BURDACK-FREITAG,A.&P.SCHIEBERLE(2010),Changes in the key odorants of Italian hazelnuts(Coryllus avellana L.var. tonda romana)induced by roasting,J.Agric.Food Chem.,6351-6359

BURDACK-FREITAG,A.,D.BULLINGER,E.MAYER&K.BREUER(2010),Odor and taste perception at normal and low atmospheric pressure in a simulated aircraft cabin,J.Verbr.Lebensm.,DOI 10.007/s00003-010-0630-y

BURLINGAME,G.A.(1989),Geosmin in a river water system,Proc.Am.Water Works Assoc.Ann.Conf,Identification and treatment of taste and odor compounds,Los Angeles,June 1989,AWWA,Denver,CO(cited by:P.Howgate,Tainting of farmed fish by geosmin and 2-methyl-iso-borneol:a review of sensory aspects and of uptake/depuration,Aquaculture,234,155-181)

BURLINGAME,G.A.,J.J.MULDOWNEY&R.E.MADDREY(1992),Cucumber flavor in Philadelphia'sdrinking water,J.Am. Water Works Assoc.,84,no.8,92-97

BURTTSCHELL,R.H.,A.A.ROSEN,F.M.MIDDLETON&M.B.ETTINGER(1959),Chlorine derivatives of phenol causing taste and odor,J.Am.Water Works Assoc.,51,205-214

BUTTERY,R.G(1966),Personal communication,In:GB.Nickerson &S.T.Likens,Gas chromatographic evidence for the occurrence of hop oil components in beer,J.Chromatog.,21,1-5

BUTTERY,R.G,R.E.LUNDIN &L.LING(1967),Characterization of some Cis constituents of hop oil,J.Agric.Food Chem., 15,58-65

BUTTERY,R.G,R.M.SEIFERT,D.G GUADAGNI,D.R.BLACK &L.C.LING(1968),Characterization of some volatile constituents of carrots,J.Agric.Food Chem.,16,1009-1015

BUTTERY,R.G,R.M.SEIFERT,R.E.LUNDIN,D.G.GUADAGNI&L.C.LING(1969a),Characterisation of an important aroma component of bell peppers,Chem.Ind.(London),490-491

BUTTERY,R.G,R.M.SEIFERT,D.G.GUADAGNI & L.C.LING(1969b),Characterization of some volatile constituents of bell peppers,J.Agric.Food Chem.,17,1322-1327

BUTTERY,R.G,R.M.SEIFERT,D.G.GUADAGNI &LC.LING(1971),Characterization of additional volatile components of tomato,J.Agric.Food Chem.,19,524-529

BUTTERY,R.G,D.G GUADAGNI &L.C.LING(1973),Volatile components of baked potatoes,J.Sci.Food Agric,24, 1125-1131

BUTTERY,R.G,D.R.BLACK,D.G GUADAGNI,L.C.LING,G.CONNOLY&R.TERANISHI(1974),California bay oil.I. Constituents,odor properties,J.Agric.Food Chem.,22,773-777

BUTTERY,R.G,D.G GUADAGNI&R.E.LUNDIN(1976a),Some 4,5-dialkylthiazoles with potent bell pepper like aromas,J. Agric.Food Chem.,24,1-3

BUTTERY,R.G,D.G GUADAGNI,L.C.LING R.M.SEIFERT &W.LIPTON(1976b),Additional volatile components of cabbage,broccoli,and cauliflower,J.Agric.Food Chem.,24,829-832

BUTTERY,R.G,D.G GUADAGNI&LC.LING(1976c),Geosmin,a musty of-flavor of dry beans,J.Agric.Food Chem.,24, 419-420

BUTTERY,R.G,LC.LING,R.TERANISHI &T.R.MON(1977),Roasted lamb fat:basic volatile components,J.Agric.Food Chem.,25,1227-1229

BUTTERY,R.G,L.C.LING&M.M.BEAN(1978a),Coumarin off-odor in wheat flour,J.Agric.Food Chem.,26,179-180

BUTTERY,R.G,D.G.GUADAGNI&L.C.LING(1978b),Volatile aroma components of cooked artichoke,J.Agric.Food Chem., 26,791-793

BUTTERY,R.G,D.G GUADAGNI &J.A.GARIBALDI(1979),Identification of offensive odor compounds from potato processing plant waste effluent irrigation fields,J.Agric.Food Chem.,27,646-647

BUTTERY,R.G(1981),Vegetable and fruit flavors,In:R.Teranishi,R.A.Flath &H.Sugisawa(Eds),Flavor research:recent advances,Marcel Dekker,Inc.,New York,175-216

BUTTERY,R.G,R.M.SEIFERT,J.G.TURNBAUGH,D.G GUADAGNI&L.C.LING(1981),Odor threshold of thiamin odor compound 1-methylbicyclo[3.3.0]-2,4-dithia-8-oxaoctane,J.Agric.Food Chem.,29,183-185

BUTTERY,R.G&R.M.SEIFERT(1982),Thiamin odor compound odor threshold:synthetic vs."“natural”,J.Agric.Food Chem., 30,1261

BUTTERY,R.G,L.C.LING&B.0.JULIANO(1982a),2-Acetyl-1-pyrroline:an important aroma component of cooked rice, Chem.Ind.(London),958-959

BUTTERY,R.G,R.M.SEIFERT,L.C.LING,E.L.SODERSTROM,J.M.OGAWA&J.G.TURNBAUGH(1982b),Additional aroma components of honeydew melon,J.Agric.Food Chem.,30,1208-1211

BUTTERY,R.G,L.C.LING O.J.BIENVENIDO&J.G.TURNBAUGH(1983),Cooked rice aroma and 2-acetyl-1-pyrroline,J. Agric.Food Chem.,31,823-826

BUTTERY,R.G,W.E.HADDON,R.M.SEIFERT &J.G TURNBAUGH(1984),Thiamin odor and bis(2-methyl-3-furyl) disulfide,J.Agric.Food Chem.,32,674-676

BUTTERY,R.G,R.TERANISHI &L.C.LING(1987a),Fresh tomato volatiles:a quantitative study,J.Agric.Food Chem.,35, 540-544

BUTTERY,R.G,L.C.LING&D.M.LIGHT(1987b),Tomate leaf volatile aroma components,J.Agric.Food Chem.,35, 1039-1042

BUTTERY,R.G,J.G TURNBAUGH &LC.LING(1988a),Contribution of volatiles to rice aroma,J.Agric.Food Chem.,36, 1006-1009

BUTTERY,R.G,R.TERANISHI&LC.LING(1988b),Identification of damascenone in tomato volatiles,Chem.Ind.(London), 1988,238

BUTTERY,R.G(1989),Importance of lipid derived volatiles to vegetable and fruit flavor,In:D.B.Min&TH.Smouse(Eds), Flavor chemistry of lipid foods,The American Oil Chemists'Society,Champaign,Illinois,156-165

BUTTERY,R.G,R.TERANISHI,R.A.FLATH &LC.LING(1989),Fresh tomato volatiles.Composition and sensory studies,In: R.Teranishi,R.G Buttery &F.Shehidi(Eds),Flavor chemistry:trends and developments,ACS Symposium Series 388, American Chemical Society,Washington D.C.,213-222

BUTTERY,R.G,R.TERANISHI,L.C.LING &J.G TURNBAUGH(1990a),Quantitative and sensory studies on tomato paste volatiles,J.Agric.Food Chem.,38,336-340

BUTTERY,R.G,R.TERANISHI,R.,A.FLATH &LC.LING(1990b),Identification of additional tomato paste volatiles,J. Agric.Food Chem.,38,792-795

BUTTERY,R.G(1993),Quantitative and sensory aspects of flavor of tomato and other vegetables and fruits,In:TE.Acree &R. Teranishi(Eds),Flavor science;sensible principles and techniques,American Chemical Society,Washington D.C.,259-286

BUTTERY,R.G&LC.LING(1994),Importance of 2-aminoacetophenone to the flavor of masa corn flour products,J.Agric. Food Chem.,42,1-2

BUTTERY,R.G,D.J.STERN & L.C.LING(1994a),Studies on flavor volatiles of some sweet corn products,J.Agric.Food Chem.,42,791-795

BUTTERY,R.G,G.R.TAKEOKA,GE.KRAMMER&L.C.LING(1994b),Identification of 2,5-dimethyl-4-hydroxy-3(2H)-furanone(furaneol)and 5-methyl-4-hydroxy-3(2H)-furanone in fresh and processed tomato,Lebensm.Wiss.Technol.,27, 592-594

BUTTERY,R.G,G.R.TAKEOKA&L.C.LING(1995),Furaneol:odor threshold and importance to tomato aroma,J.Agric.Food Chem.,43,1638-1640

BUTTERY,R.G&LC.LING(1995),Volatile flavor components of corn torillas and related products,J.Agric.Food Chem.,43, 1878-1882

BUTTERY,R.G&LC.LING(1996);Direct formation of 4-alkoxy derivatives from 2,5-dimethyl-4-hydroxy-3(2H)-furanone and aliphatic alcohols,J.Agric.Food Chem.,44,1512-1514

BUTTERY,R.G&LC.LING(1997a),2,5-Dimethyl-4-hydroxy-3(2H)-furanone in corn products,J.Agric.Food Chem.,45, 1306-1308

BUTTERY,R.G&LC.LING(1997b),2-Ethyl-3,5-dimethylpyrazine and 2-ethyl-3,6-dimethylpyrazine:odor thresholds in water solution,Lebensm.Wiss.Technol.,30,109-110

BUTTERY,R.G,L.C.LING &D.J STERN(1997),Studies on popcorn aroma and flavor volatiles,J.Agric.Food Chem.,45, 837-843

BUTTERY,R.G&LC.LING(1998),Additional studies of flavor components of corn tortilla chips,J.Agric.Food Chem.,46, 2764-2769

BUTTERY,R.G,W.J.ORTS,GR.TAKEOKA&Y.NAM(1999),Volatile flavor components of rice cakes,J.Agric.Food Chem., 47,4353-4356

BUTTERY,R.G(1999),Flavor chemistry and odor thresholds,In:R.Teranishi,L.Wick &I.Hornstein(Eds),Flavor chemistry: thirty years of progress,Kluwer Academic/Plenum Publishers,New York,353-365

C

CAIN,W.S.(1974),Contribution of the trigeminal nerve to perceived odor magnitude,Ann.N.Y.Acad.Sci.,237,28-34

CAIN,W.S.(1982),Sumner's "on testing the sense of smell"revisited,Yale J.Biol.Med.,55,515-519

CAIN,W.S.,J.GENT,E.A.CATALANOTTO&R.B.GOODSPEED(1983),Clinical evaluation of olfaction,Am.J.Otolaryngol, 4,252-256

CAIN,W.S.,J.F.GENT,R.B.GOODSPEED & G.LEONARD(1988),Evaluation of olfactory dysfunction in the Connecticut chemosensory clinical research center,Laryngoscope,98,83-88

CAIN,W.S.(1989),Testing olfaction in a clinical setting,Ear Nose Throat J.,68,316-328

CALABRETTA,PJ.(1973),Pyrazines-potent flavour and aroma agents,Food Manufacture Ingredient Survey,March,7-8,10

CALABRETTA,PJ.(1975),Odor characteristics and thresholds of 2-methyl pyrazine and derivatives,Cosmetics and Perfumery, 90,June,74-75,79-80

CALABRETTA,PJ.(1978),Synthesis of some substituted pyrazines and their olfactive properties,Perfum.Flavor.,3,no 3,33-34, 36,40-42

CAMPANELLA,G,A.FILLA&G DE MICHELE(1978),Smell and taste acuity in epileptic syndromes,Eur.Neurol.,17, 136-141

CANCHO,B.,C.FABRELLAS,A.DIAZ,E.VENTURA &T.GALCERAN(2001),Determination of the odor threshold concentrations of iodinated trihalomethanes in drinking water,J.Agric.Food Chem.,49,1881-1884

CARTWRIGHT,L.C.&P.H.KELLEY(1952),Flavor quality and strength of propenyl guaethol as a vanilla extender or replacement,Food Technol.,6,372-376

CARUNCHIA WHETSTINE,M.E,K.R.CADWALLADER&M.DRAKE(2005),Characterization of aroma compounds responsible for the rosy/floral flavor in cheddar cheese,J.Agric.Food Chem.,53,3126-3132

CCFRA(Campden and Chorleywood Food Research Association)(2003),Consumer odour threshold of methyl tertiary butyl ether(MBTE)in water,CCFRA,UK,Report Number S/REP/74638/2(cited by:LH.Suffet,A re-evaluation of the the taste and odour of methyl teritary butyl ether(MTBE)in drinking water,Water Sci.Technol.,55(2007),no.5,265-273)

CERNY,C.&W.GROSCH(1993),Quantification of character-impact odour compounds of roasted beef,Z.Lebensm.Unters. Forsch.,196,417-422

CFDRA(Campden Food and Drink Research Association)(1993),Flavour and odour thresholds of methyl tertiary butyl ether (MBTE)in water,CFDRA,UK,Report Number S/14084/01(cited by:LH.Suffet,A re-evaluation of the the taste and odour of methyl teritary butyl ether(MTBE)in drinking water,Water Sci.Technol.,55(2007),no.5,265-273)

CHALÉ-RUSH,A.,J.R.BURGESS&R.D.MATNES(2007),Multiple routes of chemosensitivity to free fatty acids in humans, Am.J.Physiol.Gastrointest.Liver Physiol.,292,G1206-G1212

CHEESMAN,GH.&S.MAYNE(1953),The influence of adaptation on absolute threshold measurements for olfactory stimuli, Quart.J.Exp.Psychol.,5,22-30

CHERCHINSKI,W.(1961),Protection of natural waterbasins against pollution with industrial wastewater,In:Literature on water supply and pollution control,Book no.5,U.S.Department of Commerce,Office of technical service,Washington D.C., TT-61-31601-5(cited by:LJ.van Gemert &A.H.Nettenbreijer(Eds),Compilation of odour threshold values in air and water, National Institute for Water Supply,Voorburg & Central Institute for Nutrion and Food Research TNO,Zeist,Netherlands)

CHIN,H.-W.&R.C.LINDSAY(1994),Mechanism of formation of volatile sulfur compounds following the action of cysteine sulfoxide lyases,J.Agric.Food Chem.,42,1529-1536

CHIN,H.-W.,Q.ZENG &R.C.LINDSAY(1996),Occurrence and flavor properties of sinigrin hydrolysis products in fresh cabbage,J.Food Sci.,61,101-104

CHRISTLBAUER,M.(2005),Aroma compounds of processed vegetables as modifiers of freshly prepared beef and pork gravy aromas,PhD Thesis TU Munich(cited by Czerny,M.,M.Christlbauer,M.Christlbauer,A.Fischer,M.Granvogl,M.Hammer, C.Hartl,N.M.Hernandez &P.Schieberle,Re-investigation on odour thresholds of key aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions,Eur.Food Res.Technol.,228(2008), 265-273)

COMREY,A.L.,E.KLEIN &G.WATSON(1958),The effect of thiamine on thiamine sniff thresholds,J.Gen.Psychol.,59, 105-109

CRONIN,D.A.&M.K.WARD(1971),The characterisation of some mushroom volatiles,J.Sci.Food Agric.,22,477-479

CURTIS,R.F.,D.G LAND,N.M.GRIFFITHS,M.GEE,D.ROBINSON,J.L.PEEL,C.DENNIS &J.M.GEE(1972),2,3,4,6-Tetrachloroanisole association with musty taint in chickens and microbiological formation,Nature(London),235,223-224

CZERNY,M.&R.WAGNER(1995),Personal communication(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

CZERNY,WAGNER &GROSCH(1996a),Unpublished results(cited by:P.Semmelroch &W.Grosch,Studies on character impact odorants of coffee brews,J.Agric.Food Chem.,44(1996),537-543)

CZERNY,WAGNER&GROSCH(1996b),Unpublished results(Cited by:J.Kerler &W.Grosch,Odorants contributing to warmed-over flavor(WOF)of refrigerated cooked beef,J.Food Sci.,61(1996)1271-1274,1284)

CZERNY,M.&W.GROSCH(2000),Potent odorants of raw Arabica coffee.Their changes during roasting,J.Agric.Food Chem., 48,868-872

CZERNY et al.(2007a),in preparation(cited by:P.Steinhaus &P.Schieberle,Characterization of the key aroma compounds in soy sauce using approaches of molecular sensory science,J.Agric.Food Chem.,55,6262-6269)

CZERNY etal.(2007b),in preparation(cited by:C.Scheidig,M.Czerny&P.Schieberle,Changes in key odorants of raw coffee beans during storage under defined conditions,J.Agric.Food Chem.,55,5768-5775)

CZERNY et al.(2007c),unpublished data(cited by:V.Greger &P.Schieberle,Characterization of the key aroma compounds in apricots(Prunus armeniaca)by application of the molecular science concept,J.Agric.Food Chem.,55(2007),5521-5528)

CZERNY,M.,M.CHRISTLBAUER,M.CHRISTLBAUER,A.FISCHER,M.GRANVOGL,M.HAMMER,C.HARTL,N.M. HERNANDEZ&P.SCHIEBERLE(2008),Re-investigation on odour thresholds of key aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions,Eur.Food Res.Technol.,228,265-273

CZERNY,M.&A.BUETTNER(2009),Odor-active compounds in cardboard,J.Agric.Food Chem.,57,9979-9984

D

DALE,M.S.et al.(1997),Taste-and-odor threshold determinations using the flavor profile method,Proc.1997 AWWA WQTQ, Denver(cited by:A.J.Stocking,LH.Suffet,M.J.McGuire &M.C.Kavanaugh,Implications of an MBTE odor study for setting drinking water standards,J.Am.Wat Works Assoc.,93(2001),95-105)

DARRIET,P.,M.PONS,R.HENRY,O.DUMONT,V.FINDELING P.CARTOLARO,A.CAONNEC&D.DUBOURDIEU (2002),Impact odorants contributing to the fungus type aroma from grape berries contaminated by powdery mildew(Uncinula necator);incidence of enzymatic activities of the yeast Saccharomyces cervisiae,J.Agric.Food Chem.,50,3277-3282

DAVÍDEK, J., J. HAJŠLOVÁ, V. KUBELKA & J. VELÍŠEK (1979), Flavour significant compounds in yeast autolysate Gistex X-II powder.Part I.Acidic fraction,Nahrung,23,673-680

DEA(Danish Environmental Agency)(2000),Taste/odour study on MTBE performed by ISO-method with measured concentrations,Copenhagen(cited by:A.van Wezel,L.Puijker,C.Vink,A.Versteegh &P.de Voogt,Odour and flavor thresholds of gasoline additives(MTBE,ETBE and TAME)and their occurrence in Dutch drinking water collection areas, Chemosphere,76(2009),672-676)

DELANEY,P.,R.I.HENKIN,H.MANZ,A.SATTERLY&H.BAUER(1977),Olfactory sarcoidosis,Arch.Otolaryngol.,103, 717-724

DELFINI, C. (1987), Observations experimentales sur l'origine et la disparition de l'alcool benzylique et de l'aldehyde benzoique dans les mouts et les vins,Bull.O.IV.,60,463-473

DIAZ,A.,F.VENTURA&M.T.GALCERAN(2004a),Identification of 2,3-butanedione(diacetyl)as the compound causing events at trace levels in the Llobregat river and Barcelona's treated water(Spain),J.Chromat.A,1034,175-182

DIAZ,A.,C.FABRELLAS,M.T.GALCERAN &E.VENTURA(2004b),Synthesis and odour thresholds of mixed halogenated anisoles in water,WatSci.Tech.,49,no.9,115-119

DIAZ,A.,C.FABRELLAS,F.VENTURA&M.T.GALCERAN(2005),Determination of the odor threshold concentrations of chlorobrominated anisoles in water,J.Agric.Food Chem.,53,383-387

DIETRICH,A.M.,S.MIRLOHI,W.E.DACOSTA,J.P.DODD,R.SAUER,M.HOMAN&J.SCHULZ(1999),Flavor profile analysis and GC/MS detection of phenolic iodinated disinfection byproducts in drinking water for the USA space program,Wat. Sci.Tech.,40,no.6,45-51

DIETZ,F.&J.TRAUD(1978),Geruchs-und Geschmacks-Schwellen-Konzentrationen von Phenolkörpern,Gwf-Wasser/Abwasser, 119,318-325

DORT,H.M.VAN,L.M.VAN DER LINDE &D.DE RIJKE(1984),Identification and synthesis of new odor compounds from photolysis of thiamin,J.Agric.Food Chem.,32,454-457

DUGUET,JP,C.ANSELME,P.MAZOUNIE &J.MALLEVIALLE(1990),Application of combined ozone-hydrogen peroxide for the removal of aromatic compounds from a groundwater,Ozone-Science and Engineering,12,281-294

E

ECCLES,R.,M.S.M.JAWAD &S.MORRIS(1989),Olfactory and trigeminal thresholds and nasal resistance to airflow,Acta Otolaryngol.(Stockh.),108,268-273

EICHENBAUM,H.,TH.MORTON,H.POTTER&S.CORKIN(1983),Selective olfactory deficits in case H.M.,Brain,106, 459-472

EISELE,T.A.,&M.J.SEMON(2005),Best estimated aroma and taste detection threshold for guaiaicol in water and apple juice,J. Food Sci.,70,S267-S269

ENGEL,K.-H.,R.A.FLATH,R.G BUTTERY,T.R.MON,D.W.RAMMING &R.TERANISHI(1988),Investigation of volatile constitutents in nectarines.1.Analytical and sensory characterization of aroma components in some nectarine cultivars,J.Agric. Food Chem.,36,549-553

ENGEL,W.,T.HOFMANN &P.SCHIEBERLE(2001),Characterization of 3,4-dihydroxy-3-hexen-2,5-dione as the first open-chain caramel-like smelling flavor compound,Eur.Food Res.Technol.,213,104-106

ERIKSSON,C.E.,B.LUNDGREN&K.VALLENTIN(1976),Odor detectability of aldehydes and alcohols originating from lipid oxidation,Chem.Senses Flavour,2,3-15

ESCHER,S.,W.GIERSCH,Y.NICLASS,G BERNARDINELLI&G OHLOFF(1990),Configuration-odor relationships in 5β-ambrox,Helv.Chim.Acta,73,1935-1947

ESKENAZI,B.,W.S.CAIN,R.A.NOVELLY&R.MATTSON(1986),Odor perception in temporal lobe epilepsy patients with and without temporal lobectomy,Neuropsychol.,24,553-562

ETS LABORATORIES(2002)(cited by:P.A.Vazquez-Landaverde,JA.Torres &M.C.Qian,Quantification of trace volatile sulfur compounds in milk by solid-phase microextraction and gas-chromatography-pulsed flame photometric detection,J.Dairy Sci.,89,2919-2927)

F

FABRELLAS,C.,L.MATIA &F.VENTURA(2004),Determination of odour threshold concentrations and dose-response relations in water of several minor disinfection by-products:akdehydes and alkyl nitriles,Wat.Sci.Technol.,49,no.9,267-272

FEHR,C.&J.GALINDO(1991),Use of cycloaliphatic ketones as perfuming and flavoring ingredients,United States Patent 4990496

FILLA, A., G. DE MICHELE & G. CAMPANELLA (1975), Zinco ed acuità olfattiva negli epilettici, Acta Neurol., 30, 563-568

FINATO,B.,R.LORENZI&P.PELOSI(1992),Synthesis of new earthy odorants,J.Agric.Food Chem.,40,857-859

FLAMENT,I.,A.FURRER&W.PICKENHAGEN(1988),Unpublished results(cited by:I.Flament&C.Chevallier,Analysis of volatile constituents of coffee aroma,Chem.Ind.(London),592-596)

FLATH,R.A.,D.R.BLACK,D.G GUADAGNI,W.H.MCFADDEN &TH.SCHULZ(1967),Identification and organoleptic evaluation of compounds in Delicious apple essence,J.Agric.Food Chem.,15,29-35

FRIESE, L., F. FENDESACK & R. TRESSL (1979), Untersuchung von Hopfenaromastoffen, ihr Verhalten während der Lagerung und Gärung und ihr Beitrag zum Bieraroma, Monatsschrift für Brauerei, 32, 255-259

FREUZE,I.,S.BROSILLON,D HERMAN,A.LAPLANCHE,C.DÉMOCRATE & J.CAVARD(2004),Odorous products of the chlorination of phenylalanine in water:formation, evolution, and quantification, Environ.Sci.Technol.,38,4134-4139

FREUZE,,I,S.BROSILLON,A.LAPLANCHE,D.TOZZA&J.CAVARD(2005),Effect of chlorination on the formation of odorous disinfection by-products,Water Res.,39,2536-2642

FRITSCH,H.T.&P.SCHIEBERLE(2005),Identification based on quantitative measurements and aroma recombination of the character impact odorants in a Bavarian Pilsner-type beer,J.Agric.Food Chem.,53,7544-7551

G

GARRETT-LASTER,M.,R.M.RUSSELL&PE.JACQUES(1984),Impairment of taste and olfaction in patients with cirrhosis: the role of vitamin A,Hum.Nutr.Clin.Nutr.,38C,203-214

GASSENMEIER,K. & P.SCHIEBERLE(1995),Potent aromatic compounds in the crumb of wheat bread(French-type)-influence of pre-ferments and studies on the formation of key odorants during dough processing,Z.Lebensm.Unters.Forsch., 201,241-248

GASSER,U.&W.GROSCH(1988),Identification of volatile flavour compounds with high aroma values from cooked beef,Z. Lebensm. Unters. Forsch., 186, 489-494

GEDDES,J.,R.HUWS &P.PRATT(1991),Olfactory acuity in the positive and negative syndromes of schizophrenia,Biol. Psychiatry,29,774-778

GEE,M.G,N.M.GRIFFITHS&R.G.FENWICK(1974),Potential metabolites of phenolic disinfectants:preparation and odour properties of some anisoles,Pestic.Sci.,5,703-708

GEMERT,L.J.VAN(1984),Unpublished results

GIRI,A.,K.OSAKO&T.OHSHIMA(2010),Identification and characterization of headspace volatiles of fish miso,a Japanese fish meat based fermenented paste,with special emphasis on effect of fish species and meat washing,Food Chem.,120,621-631

GOLD,H.J.&C.W.WILSON(1963),Alkylidene phthalides and dihydrophthalides from celery,J.Org.Chem.,28,985-987

GOWER,D.B.,S.BIRD &P.SHARMAN &F.R.HOUSE(1985),Axillary 5a-androst-16-en-3-one in men and women: relationships with olfactory acuity to odorous 16-androstenes,Experienta,41,1134-1136

GRAHAM,C.S.,B.G GRAHAM,J.A.BARTLETT,A.E.HEALD &S.S.SCHIFFMAN(1995),Taste and smell losses in HIV infected patients,Physiol.Behav.,58,287-293

GRANVOGL,M.,M.CRISTLBAUER&P.SCHIEBERLE(2004),Quantitation of the intense aroma compound 3-mercapto-2-methylpentan-1-ol in raw and processed onions(Allium cepa)of different origins and in other Allium varieties using a stable isotope dilution assay,J.Agric.Food Chem.,52,2797-2802

GRANVOGL,M.&P.SCHIEBERLE(2010),Quantification of dimethyl tetrasulphide in onions by a newly developed stable isotope dilution assay,In:I.Blank,H.Wüst & C.Yeretzian(Eds),Expression of multidisciplinary flavour scienc,ZHAW Zürcher Hochschule für Angewandte Wissenschaften,455-458

GRANZER, R., J. KOSZINOWSKI, L. ROBINSON-MAND & O. PIRINGER (1986), Der Einfluß von Restlösemitteln und monomeren Acrylaten aus Verpackungen auf die sensorischen Eigenschaften von Lebensmitteln,Verpackungs-Rundschau,37, no.8,53-58

GRIFFITHS,N.M.&D.G LAND(1973),6-Chloro-o-cresol taint in biscuits,Chem.Ind.(London),904

GRIFFITHS,N.M.(1974),Sensory properties of the chloro-anisoles,Chem.Senses Flavour,1,187-195

GRIFFITHS,N.M.&GR.FENWICK(1977),Odour properties of chloroanisoles-effects of replacing chloro-by methyl groups, Chem.Senses Flavour,2,487-491

GRIFFITHS,N.M,D.G.LAND&A.HOBSON-FROHOCK(1979),Trimethylamine and egg taint,Br.Poult.Sci.,20,55-558

GROSCH,W.&P.SCHIEBERLE(1991),Unpublished results (cited by:W.Grosch &P.Schieberle,Bread,in:H.Maarse(Ed.), Volatile compounds in foods and beverages, Marcel Dekker, Inc., New York, pp.41-77)

GROSCH,W.,G ZEILER-HILGART,C.CERNY&H.GUTH(1993),Studies on the formation of odorants contributing to meat flavours,In:P.Schreier &P.Winterhalter(Eds.),Progress in flavour precursor studies,Allured Publishing Company,Carol Stream Il.,329-342

GRUNT,F.E.DE(1975),Unpublished data(cited by:LJ.van Gemert &A.H.Nettenbreijer(Eds),Compilation of odour threshold values in air and water,National Institute for Water Supply,Voorburg &Central Institute for Nutrion and Food Research TNO,Zeist,Netherlands)

GRUNT,E.E.DE,B.C.J.ZOETEMAN,GJ.PIET&M.PH.VAN DER HEUVEL(1977),Methods for the sensory evaluation of water quality,R.I.D.-Mededeling 77-5,Rijksinstituut voor Drinkwatervoorziening,Voorburg,The Netherlands

GUADAGNI,D.G,R.G BUTTERY & S. OKANO(1963),Odour thresholds of some organic compounds associated with food flavours, J. Sci. Food Agric., 14, 761-765

GUADAGNI,D.G(1965),Unpublished results (cited by:E.M.Ahmed,R.A.Dennison,R.H.Dougherty &P.E.Shaw,Flavor and odor thresholds in water of selected orange juice components,J.Agric Food Chem.,26(1978),187-191)

GUADAGNI,D.G(1966),Private communication(cited by:R.Teranishi,High resolution gas chromatography in aroma research, Am.Perfum.Cosm.,82(1967),no.9,43-51)

GUADAGNI,D.G,R.G BUTTERY&J.HARRIS(1966),Odour intensities of hop oil components,J.Sci.Food Agric.,17, 142-144

GUADAGNI,D.G(1968),Requirements for coordination of instrumental and sensory techniques,In:Correlation of subjective-objective methods in the study of odors amd taste,ASTM Special Technical Publication no.440,American Society for Testing and Materials,Philadelphia,36-48

GUADAGNI,D.G(1969),Private communication (cited by:R.Teranishi,Development of methodology for flavor chemistry past, present and future,in:D.B.Min &TH.Smouse(Eds),Flavor chemistry of lipid foods,The American Oil Chemists'Society, Champaign,Illinois,1989,13-25)

GUADAGNI,D.G.(1970a),Private communication(cited by:R.G.Buttery & J.A.Garibaldi,Odorous compounds from potato processing waste effluent irrigation fields:volatile acids,J.Agric.Food Chem.,28(1980),158-159)

GUADAGNI,D.G(1970b),Unpublished work (cited by:R.G.Buttery,R.M.Seifert,L.C.Ling,E.L.Soderstrom,J.M.Ogawa & J.G.Turnbaugh,Additional aroma components of honeydew melon,J.Agric.Food Chem.,30(1982),1208-1211)

GUADAGNI,D.G(1970c),Private communication(cited by:R.Teranishi,Odor and molecular structure,In:G Ohloff &A.E. Thomas(Eds),Gustation and olfaction,Academic Press,London/New York,1971,165-177)

GUADAGNI,D.G,R.G BUTTERY &J.G TURNBAUGH(1972),Odour thresholds and similarity ratings of some potato chip components,J.Sci.Food Agric.,23,1435-1444

GUADAGNI,D.G(1973),Unpublished work (cited by:R.G.Buttery,D.G Guadagni &L.C.Ling,Volatile components of baked potatoes,J.Sci.Food Agric.,24(1973),1125-1131)

GUADAGNI,D.G(1975),Personal communication(In:K.E.Murray,P.A.Bannister &R.G Buttery,Geosmin:an important volatile constituent of beetroot(Beta vulgaris),Chem.Ind.(London),1975,973-974)

GUADAGNI,D.G.,&R.G.BUTTERY(1978),Odor threshold of 2,3,6-trichloroanisole in water,J.Food Sci.,43,1346-1347

GUADAGNI,D.G(1979),Unpublished work(cited by:R.G Buttery,R.M.Seifert,J.G Turnbaugh,D.G.Guadagni &LC.Ling (1981),Odor threshold of thiamin odor compound methylbicyclo[3.3.0]-2,4-dithia-8-0xaoctane,J.Agric.Food Chem.,29, 183-185)

GUICHARD,E.,A.MOSANDL,A.HOLLNAGEL,A.LATRASSE&R.HENRY(1991),Chiralγ-lactones from Fusarium poae. Enantiomeric ratios and sensory differentiation of cis-6-y-dodecenolactone enantiomers,Z.Lebensm.Unters.Forsch.,193, 26-31

GUTH,H.&W.GROSCH(1993),12-Methyltridecanal,a species-specific odorant of stewed beef,Lebensm.Wiss.Technol.,26, 171-177

GUTH,H.&W.GROSCH(1994),Identification of the character impact compounds odorants of stewed bef juice by instrumental analyses and sensory studies,J.Agric.Food Chem.,42,2862-2866

GUTH,H.(1996),Thesis of habilitation,TU München(cited by:M.Rychlik,P.Schieberle&W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

H

HALPIN,B.(1978),Effects of arousal level on olfactory sensitivity,Percept.Motor Skills,46,1095-1102

HANSEN,M.,R.G.BUTTERY,D.J.STERN,M.I.CANTWELL&L.C.LING(1992),Broccoli storage under low-0xygen atmosphere:identification of higher boiling volatiles,J.Agric.Food Chem.,40,850-852

HARDY,S.L.,C.P.BRENNAND &B.W.WYSE(1981),Taste thresholds of individuals with diabetes melitus and of control subjects,J.Am.Diet.Assoc.,79,286-289

HARING,D.G,F.RIJKENS,H.BOELENS&A.VAN DER GEN(1972),Olfactory studies on enantiomeric eremophilane sesquiterpenoids,J.Agric.Food Chem.,20,1018-1021

HEILER,C.(1995),personal communication(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds, odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

HEILER,C.&P.SCHIEBERLE(1997),Quantitative instrumental and sensory studies on aroma compounds contributing to a metallic flavour defect in buttermilk,Int.Dairy J.,7,659-666

HELBIG,W.A.(1939),A uniform basis for activated carbon comparison,J.Am.Water Works.Assoc.,31,1931-1944

HENKIN,R.I.&F.C.BARTTER(1966),Studies on olfactory thresholds in normal man and in patients with adrenal cortical insuffiency:the role of adrenal cortical steroids and of serum sodium concentration,J.Clin.Invest.,45,1631-1639

HENKIN,R.I.&R.C.HOYE(1966),Hyposmia secondary to excision of the olfactory epithelium.The definition of primary and accessory areas of olfaction,Life Sci.,5,331-341

HENKIN,R.I.(1967a),Abnormalities of taste and olfaction in various disease states,In:M.R.Kare &O.Maller(Eds),The chemical senses and nutrition,The Johns Hopkins Press,Baltimore,95-113

HENKIN,R.I.(1967b),Abnormalities of taste and olfaction in patients with chromatin negative gonadal dysgenesis,J.Clin. Endocrinol.,27,1436-1440

HENKIN,R.I.(1968),Impairment of olfaction and of the tastes of sour and biter in pseudohypoparathyroidism,J.Clin. Endocrinol.,28,624-628

HENKIN,R.I,R.C.HOYE,A.S.KETCHAM&W.J.GOULD(1968),Hyposmia following laryngectomy,Lancet,ii,479-481

HENKIN,R.I.,PJ.SCHECHTER,R.HOYE &C.ET.MATTERN(1971),Idiopathic hypogeusia with dysgeusia,hyposmia,and dysosmia.A new syndrome,J.Am.Med.Assoc.,217,434-440

HENKIN, R.I. & F.R. SMITH (1971), Hyposmia in acute viral hepatitis, Lancet, 1, 823-826

HENKIN,R.I.&A.L.LARSON(1972),On the mechanism of hyposmia following laryngectomie in man,Laryngoscope,82, 836-843

HENKIN,R.I.,N.TALAL,A.L.LARSON &C.E.T.MATTERN(1972),Abnormalities of taste and smell in Sjogren's syndrome, Ann.Intern.Med.,76,375-383

HENKIN,R.L.(1976),Olfaction and its relationship to the sexual function in men and women,Perf.Flavor.,1,no.3,19-25

HENKIN,R.I.,PJ.SCHECTER,W.T.FRIEDEWALD,D.L.DEMETS &M.RAFF(1976),A double blind study of the effects of zinc sulfate on taste and smell dysfunction, Am. J. Med. Sci., 272, 285-299

HERBENER,E.S.,J.KAGAN &M.COHEN(1989),Shyness and olfactory threshold,Person.Individ.Diff,10,1159-1163

HERRMANN,J.&W.POESCHEL(1973),Neue Methoden der Be-und Auswertung sensorischer Eigenschaften von Lebensmitteln und der Berechnung ihrer Veränderungen.7.Mitt.Die Berechnung der Geruchsintensität von Aromastoffen über Lösungen in Abhängigkeit von Konzentration und Temperatur der Lösungen,Nahrung,17,811-824

HERRMANN,J.&I.ABDEL SALAM(1980a),Die sensorische Bestimmung der Verteilungskoeffizienten und Dampfdrucke von Aromastoffen mit starken positiven bzw. negativen Abweichungen vom Raoultschen Gesetz in Wasser-Öl-Gemengen, Lebensm. Wiss.Technol.,13,123-127

HERRMANN,J.&I.ABD EL SALAM(1980b),Neue Methoden der Be-und Auswertung sensorischer Eigenschaften von Lebensmitteln und der Berechnung ihrer Veränderungen. 12. Mitt. Die quantitative Analyse von Diacetyl und Vanillin und die Bestimmung ihrer Verteilungskoeffizienten mit Hilfe der "Subjektiven Olfaktometrie" in Wasser-Öl-Gemengen, Nahrung, 24, 273-283

HERRMANN,J.&I.ABD EL SALAM(1981),Neue Methoden der Be-und Auswertung sensorischer Eigenschaften von Lebensmitteln und der Berechnung ihrer Veränderungen. 14. Mitt. Zur Theorie und Bestimmung der Temperaturabhängigkeit des Dampfdruckes un der Geruchsintensität von Aromastoffen (Vanillin in wäßrigen Lösungen) mit Hilfe der "Subjektiven Olfaktometrie",Nahrung,25,11-24

HERTZ,J.W.S.CAIN,L.M.BARTOSHUK &T.E.DOLAN(1975),Olfactory and taste sensitivity in children with cystic fibrosis, Physiol.Behav.,14,89-94

HIRVI,T&E.HONKANEN(1982),The volatiles of two new strawberry cultivars,"Annelie"and"Alaska pioneer",obtained by backcrossing of cultivated strawberries with wild strawberries,Fragaria vesca,Rügen and Fragaria virginiana,Z.Lebensm. Unters.Forsch.,175,113-116

HIRVI,T.&E.HONKANEN(1983),The aroma of blueberries,J.Sci.Food Agric.,34,992-996

HIRVI,T.&E.HONKANEN(1984),The aroma of the fruit of Sea Buckthorn,Hippophae rhamnoides,L.,Z.Lebensm.Unters. Forsch.,179,387-388

HOAK,R.D.(1956),The causes of tastes and odors in drinking water,11th Ind.Waste Conf.Purdue Univ.Engng.Bull.Ser.,91, 229-241(data taken from:T.G Kovacs,R.H.Voss &A.Wong,Chlorinated phenolics of bleached kraft mill rigin.An olfactory evaluation,Water Res.,18(1984),911-916)

HOBSON-FROHOCK,A.,D.G LAND,N.M.GRIFFITHS &R.F.CURTIS(1973),Egg taints:association with trimethylamine, Nature(London),243,304-305

HOFMANN,T.&P.SCHIEBERLE(1995),Unpublished results(cited by:T.Hofmann &P.Schieberle,Evaluation of the key odorants in a thermally treated solution of ribose and cysteine by aroma extract dilution techniques,J.Agric.Food.Chem.,43, 1995,2187-2194)

HOLLUTA,J.(1960),Geruchs-und Geschmacksbeeintrachtigung des Trinkwassers-Ursachen und Bekämpfung,Gas Wasserfach, 101,1018-1023

HOLSCHER,W.,O.G VITZTHUM&H.STEINHART(1992),Prenyl alcohol-source for odorants in roasted coffee,J.Agric. Food Chem.,40,655-658

HÖLSCHER,B.,N.A.BRAUN,B.WEBER,C.-H.KAPPEY,M.MEIER&W.PICKENHAGEN(2004),Enantioselectivity in odor perception. Synthesis and olfactory properties of the new tricyclic sandalwood odorant Fleursandol® Helv.Chim.Acta, 87,1666-1680

HONKANEN,E.,T.PYYSALO&T.HIRVI(1980),The aroma of Finnish wild raspberries,Rubus idaeus L.,Z.Lebensm.Unters. Forsch.,171,180-182

HOYE,R.C.,A.S.KETCHAM&R.I.HENKIN(1970),Hyposmia after paranasal sinus extenteration or laryngectomy,Am.J. Surg.,120,485-491

HUMMEL,T.,R.GOLLISCH,G WILDT &G.KOBAL(1991),Changes in olfactory perception during the menstrual cycle, Experienta,47,712-715

HUMMEL,T.,C.HUMMEL,E.PAULI &G KOBAL(1992),Olfactory discrimination of nicotine-enantiomers by smokers and non-smokers,Chem.Senses,17,13-21

HUOPALAHTI,R.(1986),Gas chromatographic and sensory analyses in the evaluation of the aroma of dill herb,Anethum graveolens L.,Lebensm.Wiss.Technol.,19,27-30

I

ITO,T.,T.OKUMURA&M.YAMAMOTO(1988),The relationship between concentrations and sensory properties of 2-methylisoborneol and geosmin in drinking water,Water Sci.Technol.,20,no.8/9,11-17

ITO,Y.&K.KUBOTA(2005),Sensory evaluation of the synergism among odorants present in concentrations below their odor threshold in a Chinese jasmine green tea fusion,Mol.Nutr.Food Res.,49,61-68

IWABUCHI,H.,M.YOSHIKURA,S.OBATA&W.KAMISAKO(1984),Studies on the aroma constituents of crude drugs.I.On the aroma constituents of Ginseng Radix,Yakugaku Zasshi [Journal of the Pharmaceutical Society of Japan],104,951-958

J

JACQUOT,L.,J.MONNIN &G BRAND(2004),Influence of nasal trigeminal stimuli on olfactory sensitivity,C.R.Biologies, 327,305-311

JAEGER,S.R.,J.F.MCRAE,Y.SALZMAN,L.WILLIAMS &R.D.NEWCOMB(2010),A preliminary investigation into a genetic basis for cis-3-hexen-1-ol odour perception:a genome-wide association approach,Food Qual.Pref.,21,121-131

JAKOB, M.A., R. HIPPLER & H.R. LUHTI (1969), Ueber das Vorkommen von Hexyl-2-methylbutyrat im Apfelaroma, Mitt. Geb. Lebensmittelunters.Hyg.,60,223-229

JENSEN,K.,M.A.PETERSEN,L.POLL&P.B.BROCKHOFF(1999),Influence of variety and growing location on the development of off-flavor in precooked vacuum-packed potatoes,J.Agric.Food Chem.,47,1145-1149

JEZUSSEK,M.(2002),Aroma generation during cooking of brown rice(Oryza sativa L.)and Pandanus amaryllifolis Roxb. leaves(in German),PhD Thesis TU Munich(cited by Czerny,M.,M.Christlbauer,M.Christlbauer,A.Fischer,M.Granvogl, M.Hammer,C.Hartl,N.M.Hernandez &P.Schieberle,Re-investigation on odour thresholds of key aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions,Eur.Food Res.Technol., 228(2008),265-273)

JOHANSSON,B.,B.DRAKE,B.BERGGREN&K.VALLENTIN(1973),Detection thresholds:effect of stimulus presentation order and addition of blanks I.Odor of pentanal and hexanol,Lebensm.Wiss.Technol.,6,115-122

JONES-GOTMAN,M.&R.J.ZATORRE(1988),Olfactory identification deficits in patients with focal cerebral excision, Neuropsychol.,26,387-400

JUTTNER,F.,D.BACKHAUS,U.MATTHIAS,U.ESSERS,R.GREINER&B.MAHR(1995),Emissions of two-and four-stroke outboard engines-II.Impact on water quality,Wat.Res.,29,1983-1987

K

KAMINSKI,E.,L.M.LIBBEY,S.STAWICKI &E.WASOWICZ(1972),Identification of the predominant volatile compounds *produced by Aspergillus flavus,Appl.Microbiol.,24,721-726*

KAPPEY, C.-H., B. HÖLSCHER & W. PICKENHAGEN (2000), 2,4,6-Trimethyl-4-phenyl-1,3-dioxane, United States Patent 6114301

KAPPEY,C.-H.,B.HOLSCHER,M.MEIER,N.A.BRAUN,B.WEBER&W.PICKENHAGEN(2003),Organolipic substance, United States Patent Application 2003/0083225

KARAGUL-Y ÜCEER, Y., K.N. VLAHOVICH, M.A. DRAKE & K.R. CADWALLADER (2003), Characteristic aroma components of rennet casein,J.Agric.Food Chem.,51,6797-6801

KARAGUL-Y UCEER,Y.,M.A.DRAKE &K.R.CADWALLADER(2004),Evaluation of the character impact odorants in skim milk powder by sensory studies on model mixtures,J.Sens.Stud.,19,1-13

KAUFFMANN,M.(1907),Uber eigentümliche Geruchsanomalien einiger chemischer Körper,Z.Sinnesphysiol.,42,271-280

KENDALL,D.A.(1980),Personal communication(cited by:K.B.Cosser,J.P.Murray &C.W.Holzapfel,Investigation of a Ribes off-flavour in beer,Techn.Quart.Master Brew.Am.Assoc.,17,1980,53-59)

KERLER,J.&W.GROSCH(1996),Odorants contributing to warmed-over flavor(WOF)of refrigerated cooked beef,J.Food Sci.,61(1996)1271-1274,1284

KERLER,J.&W.GROSCH(1997),Character impact odorants of boiled chicken:changes during refrigerated storage and reheating,Z.Lebensm.Unters.Forsch.A,205,232-238

KERSCHER,R.&W.GROSCH(2000),Comparison of the aroma of cooked beef,pork and chicken,In:P.Schieberle &K.H. Engel(Eds),Frontiers of flavour science,Deutsche Forschungsanstalt für Lebensmittelchemie,Garching,17-20

KERSCHER,R.(2000),Animal species related aroma differences of heated meat (in German),PhD Thesis TU Munich(cited by Czerny,M.,M. Christlbauer,M. Christlbauer,A. Fischer,M. Granvogl,M. Hammer,C. Hartl,N.M. Hernandez & P. Schieberle, Re-investigation on odour thresholds of key aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions,Eur.Food Res.Technol.,228(2008),265-273)

KERSCHER,R.(2001),Personal communication(Cited by:E.Kirchhoff &P.Schieberle,Determination of key aroma compounds in the crumb of a three-stage sourdough rye bread by stable isotope dilution assays and sensory studies,J.Agric. Food Chem.,49(2001)4304-4311)

KHAMUEV,GD.(1965),Chlorinated anilines and their sanitary-toxicological characteristics,Khim.Faktory Vneshn.Sredy i ikh Gigien.Znachenie,Sb.Moscow,108-110(from:Chem.Abstr.,66(1967),1236r)

KHAMUEV,GD.(1967),Data to substantiate the maximal permissible concentrations of para-chloraniline and meta-chloraniline in water bodies(in Russ.),Gig.Sanit.,32,no.7,13-19

KHIARI,D.,LH.SUFFET&S.E.BARRETT(1995),Extraction and identification of chemicals causing grassy odors in flavor profile analyis(FPA)reference standards,Wat.Sci.Technol.,31,93-98

KHIARI, D., S. BARRETT, R. CHINN, A. BRUCHET, P. PIRIOU, L. MATIA, F. VENTURA, I. SUFFLET, T. GITELMAN & P. LEUTWEILER(2002),Distribution generated taste-and-odor phenomena,AWWA Research Foundation,Denver,CO(cited by: S.McDonald,A.Lethorn,C.Loi,C.Joll,H.Driessen &A.Heitz,Determination of odour thresholds concentration ranges for some disinfectants and disinfection by-products for an Australian panel,Water Sci.Technol.,60(2009),2493-2506)

KIKUCHI,T.,S.WADA&H.SUZUKI(1976),Significance of volatile bases and volatile acids in the development of off-flavor of fish meat,Eiyo to Shokuryo,29,147(Cited by:T.Kawai,Fish flavor,Crit.Rev.Food Sci.Nutr,36(1996),257-298)

KING,B.M.(1985),Sensory evaluation of binary mixtures made from E and Z isomers of 3-hexen-1-0l or E and Z isomers of 3-hexenyl-1-acetate,In:J.Adda(Ed.),Progress in flavour research 1984,Elsevier Science Publishers B.V.,Amsterdam,67-80

KITAURA,T,H.ENDO,H.NAKAMOTO,M.ISHIHARI,T.KAWAI&J.NOKAMI(2004),Isolation and synthesis of a new natural lactone in apple juice(Malus x domestica var.Orin),Flavour Frag.J.,19,221-224

KLUT(1913),Chemisch-physikalische Untersuchungen zur Frage der Behandlung von Trinkwasser mit Chlorkalk,Miteilungen aus der Königlichen Landesanstalt für Wasserhygiene zu Berlin-Dahlem,no.17,94-116

KOBAYASHI,A.,K.NOHARA,E.OHSUMI&T.YAMANISHI(1990),Identification of di(1-0xyalkyl)peroxides in the essential oil of Citrus iyo,Agric.Biol.Chem.,54,561-562

KOEHLER,P.E.,M.E.MASON &GV.ODELL(1971),Odor threshold levels of pyrazine compounds and assessment of their role in the flavor of roasted foods,J.Food Sci.,36,816-818

KÖLLE, W., K.-H. SCHWEER, H. GÜSTEN & L. STIEGLITZ (1972), Identifizierung schwer abbaubarer Schadstoffe im Rhein und Rheinuferfiltrat,Vom Wasser,39,109-119

KONOPKA,U.C.,H.GUTH &W.GROSCH(1995),Potent odorants formed by lipid peroxidation as indicators of the warmed-over flavour(WOF)of cooked meat,Z.Lebensm.Unters.Forsch.,201,339-343

KOPALA,L.,C.CLARK&T.A.HURWITZ(1989),Sex differences in olfactory function in schizophrenia,Am.J.Psychiat.,146, 1320-1322

KOPPE,P.(1965),Indentifizierung der Hauptgeruchsstoffe im Uferfiltrat des Mittel-und Niederrheins,Vom Wasser,32,33-68

KOPTYAEV,V.G(1967),Experimental data to substantiate the maximum permissible concentration of dimethylsulfide in water bodies,Gig.Sanit.,32,no.3,3-7

KOROLEV, A.A., T.G SHLEPNINA, N.Ya. MIKHAILOVSKY, T.A. ZAKHAROVA & V.P. LASKINA (1980), A proposed maximum allowable concentration of diphenylnitrosoamine and nitroguanidine in bodies of water(in Russ.),Gig.Sanit.,no. 1,18-20

KOSSA,T.,D.BAHRI &R.TRESSL(1979),Aromastoffe des Malzes und deren Beitrag zum Bieraroma,Monatschr.Brau.,32, 249-254

KÖSTER, E.P., B.C.J. ZOETEMAN, G.J. PIET, E. DE GREEF, H. VAN OERS, B.G. VAN DER HEIJDEN & A.J. VAN DER VEER(1981),Sensory evaluation of drinking water by consumer panels,Sci.Total Environ.,18,155-166

KOSZINOWSKI, J., H. MÜLLER & O. PIRINGER (1980), Identifizierung und quantitative Analyse von Geruchsstoffen in Latex-gestrichenen Papieren,Coating,12,310-314

KOVACS,T.G,R.H.VOSS &A.WONG(1984),Chlorinated phenolics of bleached kraft mill origin.An olfactory evaluation, Water Res.,18,911-916

KRAJNER,S.W.&S.E.BARRETT(1984),Aroma and flavor characteristics of free chlorine and chloramines,Proceedings of the AWWA water quality technology conference,Denver,CO (cited by:LH.Suffet,J.Ho &J.Mallevialle,Off-flavors in raw and potable water,in:M.J.Saxby(Ed.),Food taints and off-flavours,Blackie Academic &Professional,London,1993,89-121)

KUBOTA,K.(1981),Thesis,Ochanomizu University(cited by:K.Kubota,A.Kobayashi &T.Yamanishi,Basic and neutral compounds in the cooked odor from Antarctic krill,Agric.Biol.Chem.,46(1982),2835-2839)

KUBOTA,K.,A.NAKAMOTO,M.MORIGUCHI,A.KOBAYASHI&H.ISHII(1991),Formation of pyrrolidino[1,2-e]-4H-2,4-dimethyl-1,3,5-dithiazine in the volatiles of boiled short-necked clam,clam,and corbicula,J.Agric.Food Chem.,39, 1127-1130

KUBOTA,K.,S.OHHIRA&A.KOBAYASHI(1994),Identification and antimicrobial activity of the volatile flavor constituents from Scorodocarpus borneensis Becc.,Biosci.Biotechnol.Biochem.,58,644-646

L

LABBE,D.,A.RYTZ,C.MORGENEGG S.ALI &N.MARTIN(2007),Subthreshold olfactory stimulation can enhance sweetness,Chem.Senses,32,205-214

LAND,D.G(1968),Personal communication (cited by:W.H.Stahl,Compilation of odor and taste threshold values data,ASTM Data Series DS48,American Society for Testing and Materials,Philadelphia,1973)

LANE,N.A.(1981),Isolation of volatile compounds and evaluation of potential roles of selected compounds in the flavor-tainting of upper Wisconsin river fish,M.S.thesis,Univ.of Wisconsin-Madison(cited by:J.K.Ha&R.C.Lindsay,Volatile alkylphenols and thiophenol in species-related characterizing flavors of red meats,J.Food Sci.,56(1991),1197-1202)

LARSEN,M.&L.POLL(1990),Odour thresholds of some important aroma compounds in raspberries,Z.Lebensm.Unters. Forsch.,191,129-131

LARSEN,M.&L.POLL(1992),Odour thresholds of some important aroma compounds in strawberries,Z.Lebensm.Unters. Forsch.,195,120-123

LASKA,M.(2010),Olfactory perception of 6 amino acids by human subjects,Chem.Senses,35,279-287

LAWAS,LL.,V.L.SANTOS,B.C.CRUZ,GT.ABES,J.R.R.DE LACRUZ&H.A.ANDRADA(1979),Blood zinc levels,taste and smell threshold measurements on normal subjects,Acta Med.Philipp.,15,no.1,43-51

LAWLESS,HT.,MJ.ANTINONE,R.E.LEDFORD&M.JOHNSTON(1994),Olfactory responsiveness to diacetyl,J.Sensory Studies,9,47-56

LEHRNER,J.P,I.KRYSPIN-EXNER&N.VETTER(1995),Higher olfactory threshold and decreased odor identification ability in HIV-infected persons,Chem.Senses,20,325-328

LEHRNER,J.P,J.GLUCK &M.LASKA(1999),Odor identification,consistency of label use,olfactory threshold and their relationship tot odor memory over the human lifespan,Chem.Senses,24,337-346

LEITEREG,T.J.,D.G GUADAGNI,J.HARRIS,T.R.MON &R.TERANISHI(1971a),Evidence for the difference between the odours of the optical isomers(+)-and(-)-carvone,Nature(London),230,455-456

LEITEREG,T.J.,D.G.GUADAGNI,J.HARRIS,T.R.MON&R.TERANISHI(1971b),Chemical and sensory data supporting the difference between the odors of the enantiomeric carvones,J.Agric.Food Chem.,19,785-787

LEKSRISOMPONG,P.(2008),The roles of fat and pH on the detection thresholds and partitition coeficients of three compounds: diacetyl,delta-decalactone,and furaneol in water,oil,and emulsions,Thesis,North Carolina State University,Raleigh

LEKSRI SOMPONG,P.,D.M.BARBANO,A.F.FOEGEDING,P.GERARD&M.DRAKE(2010),The roles of fat and pH on the detection thresholds and partition coefficients of three compounds:diacetyl,δ-decalactone and furaneol,J.Sens.Stud,25, 347-370

LE MAGNEN, J. (1950), Nouvelles données sur le phénomène de l’exaltolide, Compt. Rend., 230, 1103-1105

LE MAGNEN, J. (1952), Les phénomènes olfacto-sexuels chez l'homme, Arch. Sci. Physiol., 6, 125-160

LIER,F.P.VAN,L.M.VAN DER LINDE&A.J.A.VAN DER WEERDT(1986),Isolation and synthesis of(Z,Z)-4,7-decadienal, the character impact compound in the oil of Acorus calamus L.,In:E.-J.Brunke(Ed.),Progress in essential oil research,Walter de Gruyter,Berlin/New York,215-225

LILLARD,D.A.&J.J.POWERS(1975),Aqueous odor thresholds of organic pollutants in industrial effluents,National environmental research,Office of research and development,U.S.Environmental protection agency,Corvallis,Environmental monitoring series EPA-660/4-75-002

LIMPAWATANNA,M.(2007),An integrated approach to sensory analysis of rice flavor,Ph.D.Thesis,University of Georgia

LINSCHOTEN,M.,LO.HARVEY Jr.,P.M.ELLER&B.W.JAFEK(2001),Fast and accurate measurement of taste and smell thresholds using a maximum-likelihood adaptive staircase procedure,Percept.Psychophys.,63,1330-1347

LISOVSKAYA, E.V., Z.I. ZHOLDAKOVA & L.V. GRIGOR'EVA (1967), Experimental basis for the permissible concentration of 2,3-dichloro-1,4-naphthoquinone in reservoir waters,Prom.Zagryazneniya Vodoemov,no.8,61-71(from:Chem.Abstr,69 (1968),18214g)

M

MACKEY,E.D.,H.BARIBAEU,A.FONSECA,J.E.DAVIS,J.E.BROWN,L.BOULOS,GF.CROZES,J.M.RODRIGUES,M.FOURET,A.BRUCHET &D.J.HILTEBRAND(2004),Public perception of tap water chlorinous flavor,AWWA Research Foundation,Denver,CO(cited by:S.McDonald,A.Lethorn,C.Loi,C.Joll,H.Driessen&A.Heitz,Determination of odour thresholds concentration ranges for some disinfectants and disinfection by-products for an Australian panel,Water Sci.Technol., 60(2009),2493-2506)

MÄNDLI,H.(1990),Interessante Spezialfalle aus der Massenspektrometrie-Praxis.3.Mitteilung,Brauerei-Rundschau,101, 123-124

MANNING,D.J.&H.M.ROBINSON(1973),The analysis of volatile substances associated with Cheddar-cheese aroma,J.Dairy Res.,40,63-75

MARCHAND,S.,G DE REVEL&A.BERTRAND(2000),Approaches to wine aroma:release of aroma compounds from reactions between cysteine and carbonyl compounds in wine,J.Agric.Food Chem.,48,4890-4895

MARSHALL,J.R.&R.I.HENKIN(1971),Olfactory acuity,menstrual abnormalities,and oocyte status,Ann.Inter.Med.,75, 207-211

MARTINEZ,B.A.,W.S.CAIN,R.A.DE WIJK,D.D.SPENCER,R.A.NOVELLY &KJ.SASS(1993),Olfactory functioning before and after temporal lobe resection for intractable seizures,Neuropsychol.,7,351-363

MARTIN-ALONSO,J.,R.DEVESA,A.BERNAL&L.MATIA(2007),Managing an odour episode in Barcelona's water supply: strategies adopted,the causative agent (diacetyl)and determination of its organoleptic properties,Wat.Sci.Tech.,55,(5) 209-216

MASANETZ,C.&W.GROSCH(1998a),Key odorants of parsley leaves(Petroselinum crispum [Mill.]Nym.Ssp.Crispum)by odour-activity values,Flavour Frag.J.,13,115-124

MASANETZ,C.&W.GROSCH(1998b),Hay-like off-flavour of dry parsley,Z.Lebensm.Unters.Forsch.A,206,114-120

MASUDA,H.&S.MIHARA(1986),Synthesis of alkoxy-,(alkylthio)-,phenoxy,and (phenylthio)pyrazines and their olfactive properties,J.Agric.Food Chem.,34,377-381

MASUDA,H.&S.MIHARA(1988),Olfactive properties of alkylpyrazines and 3-substituted 2-alkylpyrazines,J.Agric.Food Chem.,36,584-587

MASUDA,H.&S.MIHARA(1989),Preparation and odor evaluation of both enantiomers of alkoxypyrazines,Agric.Biol.Chem., 53,3367-3368

MASUDA,H.,Y.HARADA,K.TANAKA,M.NAKAJIMA &H.TABETA(1996),Characteristic odorants of wasiba(Wasabia *japonica matum),Japanese horseradish,in comparison with those of horseradish(Armoracia rusticana),In:GR.Takeoka,R.* Teranishi,PJ.Williams &A.Kobayashi(Eds),Biotechnology for improved foods and flavours,American Chemical Society, Washington D.C.,67-78

MATTES,R.D.&D.DIMEGLIO(2001),Ethanol perception and ingestion,Physiol.Behav.,72,217-229

MCDONALD,S.,A.LETHORN,C.LOI,C.JOLL,H.DRIESSEN&A.HEITZ(2009),Determination of odour thresholds concentration ranges for some disinfectants and disinfection by-products for an Australian panel,Water Sci.Technol,60, 2493-2506

MCGILL,A.S.,R.HARDY,J.R.BURT&E.D.GUNSTONE(1974),Hept-cis-4-enal and its contribution to the off-flavour in cold stored cod,J.Sci.Food Agric.,25,1477-1489

MEDSKER,LL,D.JENKINS &J.E.THOMAS(1968),Odorous compounds in natural waters.An earthy-smelling compound associated with blue-green algae and actinomycetes,Environ.Sci.Technol.,2,461-464

MEDSKER,LL.,D.JENKINS &J.E.THOMAS(1969),Odorous compounds in natural waters.Exo-hydroxy-2-methylbornane, the major odorous compound produced by several actinomycetes,Environ.Sci.Technol.,3,476-477

MEILGAARD,M.C.(1978),Personal communication(cited by:G. Ohloff,Recent developments in the field of naturally-occurring aroma components,in:W.Herz,H.Grisebach &G.W.Kirby(Eds),Progress in the chemistry of organic natural products,Springer Verlag,Wien,1978,431-527)

MIDDLETON,E.M.(1956),Personal communication(cited by:W.H.Stahl,Compilation of odor and taste threshold values data, ASTM Data Series DS48,American Society for Testing and Materials,Philadelphia)

MIHARA,S.&H.MASUDA(1988),Structure-odor relationships for disubstituted pyrazines,J.Agric.Food Chem.,36, 1242-1247

MIHARA,S.,H.MASUDA,O.NISHIMURA&H.TATEBA(1990),Determination of the enantiomeric composition of 2-methoxy-3-(1'-methylpropyl)pyrazine from galbanum oil using archiral and chiral lanthanide shift reagents,J.Agric.Food Chem.,38,465-467

MIHARA, S., H. MASUDA, H. TATEBA & T. TUDA (1991), Olfactive properties of 3-substituted 5-alkyl-2-methylpyrazines, J. Agric.Food Chem.,39,1262-1264

MIKHAILOV,N.E.(1967),Experimental basis for the permissible concentration of monuron and diuron in reservoir waters,Prom. Zagryazneniya Vodoemov,no.8,72-84(from:Chem.Abstr.,69(1968),18215h)

MILO,C.(1995a),[Key odorants of cooked rainbow trout and cooked salmon],Thesis,Technical University,Munich(Cited by: C.Masanetz,H.Guth &W.Grosch,Fishy and hay-like off-flavours in dry spinach,Z.Lebensm.Unters.Forsch.A,206(1998), 108-113)

MILO,C.(1995b),[Key odorants of cooked rainbow trout and cooked salmon],Thesis,Technical University,Munich(Cited by: C.Masanetz &W.Grosch,Hay-like off-flavour of dry parsley,Z.Lebensm.Unters.Forsch.A,206(1998),114-120)

MILO,C.&W.GROSCH(1996a),Unpublished(cited by:P.Semmelroch&W.Grosch,Studies on character impact odorants of coffee brews,J.Agric.Food Chem.,44,1996,537-543)

MILO&GROSCH(1996b),Unpublished results(Cited by:J.Kerler &W.Grosch,Odorants contributing to warmed-over flavor (WOF)of refrigerated cooked beef,J.Food Sci.,61(1996)1271-1274,1284)

MILO,C.&W.GROSCH(1997),Potent odorants in boiled cod as affected by storage of raw material,In:F.Shahidi&K.R. Cadwallader(Eds),Flavor and lipid chemistry of seafoods,American Chemical Society,110-119

MILO&REINECCIUS(1997),Unpublished data(Cited by:C.Milo &GA.Reineccius,Identification and quantification of potent odorants in regular-fat and low-fat mild cheddar cheese,J.Agric.Food Chem.,45,3590-3594)

MIRLOHI,S.(1997),Chemical identification and flavor profile analysis of iodinated phenols produced from disinfection of spacecraft drinking water,Thesis Virginia Polytechnic Institute,Blacksburg,Virginia,pp.94

MITCHELL,M.J.&R.M.GREGSON(1968),Interrelations of perceptual reports of smell,taste and irritance over the near-threshold range,for members of the N-aliphatic monohydric alcohol series,Percept.Psychophys.,4,13-18

MIYAZAWA,N.,A.NAKANISHI,N.TOMITA,Y.OHKUBO,S.ISHIZAKI &T.MAEDA(2010),Novel key aroma components of galbanum oil,In:I.Blank,H.Wüst &C.Yeretzian(Eds),Expression of multidisciplinary flavour scienc,ZHAW Zürcher Hochschule für Angewandte Wissenschaften,423-426

MONCRIEFF,R.W.(1957),Olfactory adaptation and odor-intensity,Am.J.Psychol.,70,1-20

MOOKDASANIT,J.,H.TAMURA,T.YOSHIZAWA.T.TOKUNAGA&K.NAKANISHI(2003),Trace volatile components in essential oil of Citrus sudachi by means of modified solvent extraction method,Food Sci.Technol.Res.,9,54-61

MOZELL,M.M.,D.N.SCHWARTZ,S.L.YOUNGENTOB,D.A.LEOPOLD,D.E.HORNUNG&PR.SHEEHE(1986), Reversal of hyposmia in laryngectomized patients,Chem.Senses,11,397-410

MULDERS,EJ.(1972),Het aroma van witbrood.Kwantitatieve samenstelling van verbindingen in de damp en berekening van aromawaarden,Voedingsmiddelentechnologie,3,no.4,6-11

MULDERS,EJ.(1973),The odour of white bread IV.Quantitative determination of consituents in the vapour and their odour values, Z. Lebensm. Unters. Forsch., 151, 310-317

MULDERS,EJ,R.J.C.KLEIPOOL&M.C.TEN NOEVER DE BRAUW(1976),2-[(methyldithio)methyl]furan:a characteristic aroma compound of white bread,Chem.Ind.(London),613-614

MULLER,G&F.O.HELLER(1977),Versuchsapparatur zum Nachweis von Geruchsstoffen bakterieller Genese im Trinkwasser I.Mitteilung:der Vergleich eines bakteriell bedingten Geruchsstoffes mit einer chemischen Bezugssubstanz und eine einfache Apparatur zur Gewinnung und Konzentrierung von biogenen Geruchsstoffen, Zbl. Bakt. Hyg., I. Abt. Orig. B, 165, 480-486

MUNCH,P.&P.SCHIEBERLE(1998),Quantitative studies on the formation of key odorants in thermally treated yeast extracts using stable isotope dilution assays,J.Agric.Food Chem.,46,4695-4701

MURPHY,C.,M.M.GILMORE,C.S.SEERY,D.P.SALMON&B.R.LASKER(1990),Olfactory thresholds are associated with degree of dementia in Alzheimer's disease,Neurobiol.Aging,11,465-469

MURPHY,C.&S.JINICH(1996),Olfactory dysfunction in Down's syndrome,Neurobiol.Aging,17,631-637

MURRAY,K.E.&E.B.WHITFIELD(1975),The occurence of 3-alkyl-2-methoxypyrazines in raw vegetables,J.Sci.Food Agric, 26,973-986

N

NESMEYANOVA,M.S.(1953),Maximally allowed concentrations of phenol in water reservoirs(in Russ.),Gig.Sanit.,no.7, 11-13

NETA,E.R.D.,R.E.MIRACLE,TH.SANDERS &M.A.DRAKE(2008),Characterization of alkylmethoxypyrazines contributing to earthy/bell pepper flavor in Farmstead Chedder cheese,J.Food Sci.,73,C632-C638

NEUMANN,R.,K.LESSING P.MOLNAR&A.KOCHAN(1971),Aus-und Weiterbildung in sensorischer Analytik(I),Die Lebensmittelindustrie,18,nr.3,91-94

NICHIPORENKO,V.I,V.V.STANKEVICH,V.M.ORLOVSKI,A.A.KRUCHININA,E.D.MAKTAZ,LI.GORSHKOVA,L.E. BOTVINOVA,L.P.YAKIMUK,N.V.MIRONETS,N.V.MARTYSHCHENKO,LI.LEONSKAYA&M.A.NAVAKTIKYAN (1987),Experimental foundation for the provisional maximum permitted concentration of glutaraldehyde in the water of reservoirs(in Russ.),Gig.Sanit.,no.3,77-79

NIEWIND,A.,M.KRONDL&M.SHROTT(1988),Genetic influence on the selection of Brassica vegetables by elderly individuals,Nutr.Res.,8,13-20

NIEWOEHNER,C.B.,JI.ALLEN,M.BOOSALIS,A.S.LEVINE &J.E.MORLEY(1986),Role of zinc supplementation in type I diabetus mellitus,Am.J.Med.,81,July,63-68

NIJSSEN,L.M.(1988),Unpublished results(cited by:H.Maarse,L.M.Nijsen &S.A.GF.Angelino,Halogenated phenols and chloroanisoles:occurrence,formation and prevention,In:M.Rothe(Ed.),Characterization,production and application of food flavours,Akademie-Verlag,Berlin,1988,43-60)

NISHIMURA,O.&S.MIHARA(1990),Investigation of 2-hydroxy-2-cyclopenten-1-ones in roasted coffee,J.Agric.Food Chem.,38,1038-1041

0

ODEIGAH,P.GC.(1994),Smell acuity for acetone and its relationship to taste ability to phenylthiocarbamide in a Nigerian population,E.Afr.Med.J.,71,462-466

OHBA,T,M.SATO,K.TAKAHASHI&M.TADENUMA(1983),Analysis of the flavors of aged sake,In:G Charalambous &G Inglett(Eds),Instrumental analysis of foods.Recent progress.Volume 2,Academic Press,Inc.,Orlando,375-395

OHLOFF,G(1977),The importance of minor components in flavors and fragrances,Int.Congr.Essent.Oils,7,69-74

OHLOFF,G.(1978),Importance of minor components in flavors and fragrances,Perfum.Flavor.,3,February/March,11-22

OHLOFF,G,W.GIERSCH,W.PICKENHAGEN,A.FURRER&B.FREI(1985),Significance of the germinal dimethyl group in the odor principle of ambrox,Helv.Chim.Acta,68,2022-2029

ÖMUR-OZBEK,P.&A.M.DIETRICH(2008),Developing hexanal as an odor reference standard for sensory analysis od drinking water,Water Res.,42,2598-2604

ONG P.K.C.,T.E.ACREE &EH.LAVIN(1998),Characterization of volatiles in Rambutan fruit(Nephelium lappaceum L),J. Agric.Food Chem.,46,611-615

ONG,P.K.C.&T.E.ACREE(1999),Similarities in the aroma chemistry of Gewurztraminer variety wines and lychee(Litchi chinensis Sonn.)fruit,J.Agric.Food Chem.,47,665-670

OTT,A.,L.B.FAY &A.CHAINTREAU(1997),Determination and origin of the aroma impact compounds of yogurt flavor,J. Agric.Food Chem.,45,850-858

OTTINGER,H.,A.BARETH &T.HOFMANN(2001),Characterization of natural “cooling”compounds formed from glucose and L-proline in dark malt by application of taste dilution analysis,J.Agric.Food Chem.,49,1336-1344

P

PADRAYUTTAWAT,A.,T.YOSHIZAWA,H.TAMURA&T.TOKUNAGA(1997),Optical isomers and odor thresholds of volatile constituents in Citrus sudachi,Food Sci.Technol.Int.Tokyo,3,402-408

PANGBORN,R.M.,I.M.TRABUE &R.E.BALDWIN(1970),Sensory examination of mineralized,chlorinated waters,J.Am. Water Works Assoc.,62,572-576

PATTERSON,R.L.S.(1972),Disinfectant taint in poultry,Chem.Ind.(London),609-610

PELOSI,P.&R.VITI(1978),Specific anosmia to L-carvone:the minty primary odour,Chem.Senses Flavour,3,331-337

PELOSI,P.&A.M.PISANELLI(1981),Specific anosmia to 1,8-cineole:the camphor primary odour,Chem.Senses Flavour,6, 87-93

PELOSI,P.,&P.PASQUALETTO&R.LORENZI(1983),Synthesis and olfactory properties of some thiazoles with bell pepper like odor,J.Agric.Food Chem.,31,482-484

PERRY,J.D.,S.FRISCH,B.JAFEK &M.JAFEK(1980),Olfactory detection thresholds using pyridine,thiophene,and phenethyl alcohol,Otolaryngol.Head Neck Surg.,88,778-782

PERSSON,P-E.&R.K.YORK(1978),Notes on muddy odour.I.Sensory properties and analysis of 2-methylisoborneol in water and fish,Aqua Fennica,8,83-86

PERSSON,P-E.(1979a),Notes on muddy odour.III.Variability of sensory response to 2-methylisoborneol,Aqua Fennica,9, 48-52

PERSSON,P-E.(1979b),Notes on muddy odour.IV.Sensory properties of geosmin in water,Aqua Fennica,9,53-56

PERSSON,P-E(1983),Off-flavours in aquatic ecosystems-An introduction,Water Sci.Technol.,15,1-11

PERSSON,P-E.&F.JUTTNER(1983),Threshold odour concentrations of odorous algal metabolites occurring in lake water, Aqua Fennica,13,3-7

PERSSON,P.-E.,S.SKOG&B.HASENSON(1987),Community odours in the vicinity of a petrochemical industrial complex,J. Air Pollut.Contr.,37,1418-1420

PETRI,G,T.S.GITTELMAN,P.B.STAUDTE &P.LUITWEILER(1993),Letting the nose lead the way:malodorous components in drinking water,Anal.Chem.,65,699A-702A

PETRO-TURZA,M.(1978),Analysis of the aroma substances in tomato PartII,Research report Central Food Research Institute, pp.1-60(cited by:M.Petro-Turza,Flavor of tomato and tomato products,Food Rev.Intern.,2(1986-1987),309-351)

PICKENHAGEN,W.&H.BRÖNNER-SCHINDLER(1984),Enantioselective synthesis of (+)-and(-)-cis-2-methyl-4-propyl-1,3-oxathiane and their olfactive properties,Helv.Chim.Acta,67,947-952

PICKENHAGEN,W.&A.FURRER(1987),Unpublished results(cited by:G Ohloff &E.Demole,Importance of the odoriferous principle of Bulgarian rose oil in flavour and fragrance chemistry,J.Chromat.,406(1987),181-183)

PICKENHAGEN,W.(1989),Enantioselectivity in odor perception,In:R.Teranishi,R.G Buttery,F.Shahidi(Eds),Flavor chemistry:trends and developments,ACS Symposium Series 388,American Chemical Society,Washington,D.C.,151-157

PICKENHAGEN,W.&A.FURRER(1990),Private communication(cited by:G.Ohloff,Quantitative Geruchswahrnehmung,in: Riechstoffe und Geruchssinn,Springer-Verlag,Berlin,57-69)

PICKENHAGEN,W.&D.SCHATKOWSKI(2001),2-Methyl-4-phenyl-1,3-dioxolan,Europäische Patentanmeldung 1108719

PICKENHAGEN,W.(2001),Synthetic approaches to chiral flavor components,In:GR.Takeoka,M.Güntert &K.-H.Engel (Eds),Aroma active compounds in foods:chemistry and sensory properties,ACS Symp.Ser.794,151-166

PICKENHAGEN,W.&D.SCHATKOWSKI(2007),2-Methyl-4-phenyl-1,3-dioxolane,United States Patent 7176176

PIETRZAK,E.&N.BARYLKO-PIKIELNA(1976),Determination of odour absolute threshold of some sulphur compounds, Acta Aliment.Pol.,2,207-212

PIGGOTT,J.R.&A.J.E.FINDLAY(1984),Detection thresholds of ester mixtures,In:L.Nykanen &P.Lehtonen(Eds),Flavour research of alcoholic beverages,Foundation for Biotechnical and Industrial Fermentation Research,Helsinki,189-197

PINO,J,R.TORRICELLA&F.ÖRSI(1986),Corelation between sensory and gas-chromatographic measurements on grapefruit juice volatiles,Nahrung,30,783-790(also published in:Acta Aliment.,15(1986),237-246)

PINO,J.A.&J.MESA(2006),Contribution of volatile compounds to mango(Mangifera indica L.)aroma,Flvour Fragr.J.,21, 207-213

PIPPEN,E.L.&E.P.MECCHI(1969),Hydrogen sulfide,a direct and potentially indirect contributor to cooked chicken aroma,J. Food Sci.,34,443-446

PIRINGER,O.&R.GRANZER(1984),Geruchsschwellenkonzentrationen einiger Ester der Acryl-und Methacrylsure in Luft und Prüflebensmitteln, Tätigkeitsbericht 1984, Fraunhofer-Institut für Lebensmitteltechnologie und Verpackung, 49-55

PIRIOU,P.&J.PERRELLE(1999),Gouts et odoeurs en reseau d'eau potable:Programme 97,CIRSEE AESN,EP-RSO 9811 (cited by:S.McDonald,A.Lethorn,C.Loi,C.Joll,H.Driessen &A.Heitz,Determination of odour thresholds concentration ranges for some disinfectants and disinfection by-products for an Australian panel,Water Sci.Technol.,60(2009),2493-2506)

PIRIOU,P.,C.SOULET,J.L.ACERO,A.BUCHET,U.VON GUNTEN &I.H.SUFFET(2007),Understanding medicinal taste and odour formation in drinking waters,Wat.Sci.Tech.,55(5),85-94

PIRIOU,P,R.DEVESA,M.DE LALANDE &K.GLUCINA(2009),European reassessment of MIB and geosmin perception in drinking water,J.Water Suppl.:Res.Technol.-AQUA,58,no.8,532-538

PISKO, G.T., G.V. TOLSTOPYATOVA, T.V. BELYANINA, E.V. BORISOVA, O.V. GUDZ, A.M. ZABARA, S.M. ZELMAN, S.YU. KOZACHUK, A.S. PANCHUK, V.P. PETRYUCHENKO, L.D. SPITKJOVSKAYA, V.I. SAGLO, L.S. FEDORCHENKO & P.I. YANCHUK(1981),Basis for the maximum permissible concentrations of o-and p-chlorotoluenes in reservoirs(in Russ.),Gig. Sanit.,no.2,67-68

PITTET,A.O.,P.RITTERSBACHER&R.MURALIDHARA(1970),Flavor properties of compounds related to maltol and isomaltol,J.Agric.Food Chem.,18,929-933

PLOTTO,A.,K.W.BARNES &K.L.GOODNER(2006),Specific anosmia observed for β-ionone,but not for a-ionone: significance for flavor research,J.Food Sci.,71(5),S401-S406

POLAK,E.H.,A.M.FOMBON,C.TILQUIN &PH.PUNTER(1989),Sensory evidence for olfactory receptors with opposite chiral selectivity,Behav.Brain Res.,31,199-206

POMEROY,R.D.&H.CRUSE(1969),Hydrogen sulfide odor threshold,J.Am.Water Works Assoc.,61,677

PONS,M.,B.DAUPHIN,S.LA GUERCHE,A.PONS,V.LAVIGNE-CRUEGE,S.SHINKURAK,D.BUNNER,T.RICHARD, J.-P.MONTI&P.DARRIET(2011),Identification of impact odorants contributing to the fresh mushroom off-flavor in wines: incidence of their reactivity with nitrogen compounds on the decrease of the olfactory defect,J.Agric.Food Chem.,59: 3264-3272

POPOV,T.A.&K.K.VROCHINSKII(1976),Evidence for setting a threshold level for DNOK in reservoirs(in Russ.),Gig. Sanit.,no.6,12-15

PREININGER, M., L. GIMELFARB, H.-C. LI, B.E. DIAS, F. FAHMY & J. WHITE (2009), Identification of dihydromaltol (2,3-dihydro-5-hydroxy-6-methyl-4H-pyran-4-one)in Ryazhenka kefir and comparative sensory impact assessment of related cycloenolones,J.Agric.Food Chem.,57,9902-9908

PREININGER,M.,L.GIMELFARB,H.-C.LI,B.E.DIAS,E.FAHMY&J.WHITE(2010),Dihydromaltol(2,3-dihydro-5-hydroxy-6-methyl-4H-pyran-4-one):identification as a potent aroma compound in Ryazhenka kefir and sensory evaluation,In: Blank,H.Wüst &C.Yeretzian(Eds),Expression of multidisciplinary flavour scienc,ZHAW Zürcher Hochschule für Angewandte Wissenschaften,406-410

PYYSALO,T.&E.HONKANEN(1976),The aroma of some berries in genus Rubus,In:Proc.4th Nordic Symp.Sensory Properties of Foods,Skovde,Sweden,pp.163-166

PYYSALO,H.&M.SUIHKO(1976a),Odour characterization and threshold values of some volatile compounds in fresh mushrooms,Lebensm.Wiss.Technol.,9,371-373

PYYSALO,T.&M.SUIHKO(1976b),Unpublished results (cited by:T.Pyysalo,Identification of volatile compounds in hybrids between raspberry(Rubus idaeus L.)and arctic bramble(Rubus arcticus L.),Z.Lebensm.Unters.Forsch.,162(1976), 263-272)

PYYSALO,T.,M.SUIHKO&E.HONKANEN(1977),Odour thresholds of the major volatiles identified in cloudberry(Rubus chamaemorus L.)and arctic bramble(Rubus arcticus L.),Lebensm.Wiss.Technol.,10,36-39

PYYSALO,T,E.HONKANEN &T.HIRVI(1979),Volatiles of wild strawberries,Fragaria vesca L.,compared to those of *cultivated berries,Fragaria x ananassa cv.Senga Sengana,J.Agric.Food Chem.,27,19-22*

R

RABIN,M.D.&W.S.CAIN(1986),Determinants of measured olfactory sensitivity,Percept.Psychophys.,39,281-286

RASHASH,D.M.C.,A.M.DIETRICH &R.C.HOEHN(1997),FPA of selected odorous compounds,J.Am.Water Works Assoc., 89,131-141

RAUSCH,R.&E.A.SERAFETINIDES(1975a),Human temporal lobe and olfaction,In:D.A.Denton &J.P.Coghlan(Eds), Olfaction and taste V,Academic Press,Inc.,New York,321-324

RAUSCH,R.&EA.SERAFETINIDES(1975b),Specific alterations of olfactory function in humans with temporal lobe lesion, Nature(London),255,557-558

RIGAUD,J.,P.ETIÉVANT,R.HENRY&A.LATRASSE(1986),Le méthoxy-4 méthyl-2 butanethiol-2,un constituant majeur de Iarome du bourgeon de cassis(Ribes nigrum L.),Sci.Aliments,6,213-220

ROBERT,F.,J.HERITIER,J.QUIQUEREZ,H.SIMIAN &I.BLANK(2004),Synthesis and sensorial properties of 2-alkylalk-2-enals and 3-(acetylthio)-2-alkyl alkanals,J.Agric.Food Chem.,52,3525-3529

ROBERT,E,H.SIMIAN,J.HERITIER,J.QUIQUEREZ&I.BLANK(2005),Synthesis and sensorial description of new sulfur-containing odorants,In:D.K.Weerasinghe &M.K.Sucan(Eds),Process and reaction flavours:recent developments,ACS Symposium Series 905,American Chemical Society,Washington DC,170-180

RÖDEL,W.&U.HEMPEL(1974),Darstellung und sensorische Eigenschaften von alkylsubstituierten 2-hydroxy-buten(2)-oliden(1,4)und strukturverwandten Verbindungen,Nahrung,18,133-141

RÖDEL, W. & H.-P. KRUSE (1982), Sensorische Eigenschaften der cis/trans-Isomeren von 3,5-Di-n-alkyl-1,2,4-trithiolanen, Nahrung,26,377-383

ROLING I.,H.-G SCHMARR,W.EISENREICH &K.-H.ENGEL(1998),Analytical and sensory characterization of y-and δ-thiolactones,J.Agric.Food Chem.,46,668-672

ROSEN,A.A.,J.B.PETER&F.M.MIDDLETON(1962),Odor thresholds of mixed organic chemicals,J.Water Pollut.Control Fed.,34,7-14

ROSEN,A.A.,R.T.STEEL&M.B.ETTINGER(1963),Relationship of river water odor to specific organic contaminants,J. Water Pollut.Control Fed.,35,777-782

ROSEN,A.A.,C.I.MASHNI&R.S.SAFFERMAN(1970),Recent developments in the chemistry of odour in water:the cause of earthy/musty odour,Water Treat.Exam.,19,106-114

ROSEN,S.W.,P.GANN &A.D.ROGOL(1979),Congenital anosmia:detection thresholds for seven odorant classes in hypogonadal and eugonadal patients,Ann.Otol.Rhinol.Laryngol.,88,288-292

ROSENBLATT,M.R.,R.E.OLMSTEAD,P.N.IWAMOTO-SCHAAP &M.E.JARVIK(1998),Olfactory thresholds for nicotine and menthol in smokers(abstinent and nonabstinent)and nonsmokers,Physiol.Behav.,65,575-579

RÖSSNER, J., R. KUBEC, J. VELIŠEK & J. DAVIDEK (2002), Formation of aldehydes from S-alk(en) ylcysteines and their sulfoxides,Eur.Food Res.Technol.,215,124-130

ROTHE,M.&R.SCHRÖDTER(1996),Flavour contribution of ethanol,a neglected aroma compound,In:A.J.Taylor &D.S. Mottram(Eds),Flavour science,recent developments,The Royal Society of Chemistry,Cambridge,348-349

RUDEIKO,V.A.,S.A.ZYABBAROVA,M.N.KUKLINA &A.G LICHKINA(1982),Hygienic regulation of lauryl propylenediamine in reservoir waters(in Russ.),Gig.Sanit.,no.2,11-13

RYCHLIK,M.&W.GROSCH(1996),Identification of quantification of potent odorants formed by toasting of wheat bread, Lebensm.Wiss.Technol.,29,515-525

RYCHLIK,M.(1998),Own results (cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

S

SABATER-LUNTZEL,C.S.,s.WIDDER,T.VOSSING &W.PICKENHAGEN(2000),Enantioselective syntheses and sensory properties of the 3-mercapto-2-methylpentanols,J.Agric.Food Chem.,48,424-427

SABATER-LUNTZEL,C.S.,s.WIDDER,W.PICKENHAGEN&T.VOSSING(2001),Fragrance and flavor material,United States Patent 6306451

SAFFERMAN,R.S.,A.A.ROSEN,C.I.MASHNI&M.E.MORRIS(1967),Earthy-smelling substance from a blue-green alga, Environ.Sci.Technol.,1,429-430

SANO,H.(1988),The detection of taste and odor in Osaka's drinking water,Water Sci.Technol.,20,no.8/9,37-42

SARZYNSKI,W.(1982),A possibility of anticipating the contamination of packaged foodstuffs by odours from packaging materials,Proc.IAPRI Symposium,Paris

SATO, S., M. TADENUMA, K. TAKAHASHI & K. KOIKE (1975), J. Brew. Soc. Jpn., 70, 588-591 (cited by: T. Ohba, M. Sato, K.Takahashi &M.Tadenuma,Analysis of the flavors of aged sake,in:G.Charalambous &G.Inglett(Eds),Instrumental analysis of foods.Recent progress.Volume 2,Academic Press,Inc.,Orlando,1983,375-395,and by:T.Ohba&M.Sato,Sake, in:G Charalambous(Ed.),Handbook of food and beverage stability.Chemical,biochemical,microbiological,and nutritional aspects,Academic Press,Inc.,Orlando,1986,773-799)

SAXBY,M.J.(1985),Unpublished data(cited by:MJ.Saxby,A survey of chemicals causing taints and off-flavours in foods,in: M.J.Saxby(Ed.),Food taints and off-flavours,Blackie Academic&Professional,London,1993,35-62)

SCHECHTER,PJ.&R.I.HENKIN(1974),Abnormalities of taste and smell fter head trauma,J.Neurol.Neurosurg.Psychiat., 37,802-810

SCHEIDIG C.,M.CZERNY&P.SCHIEBERLE(2007),Changes in key odorants of raw coffee beans during storage under defined conditions,J.Agric.Food Chem.,55,5768-5775

SCHIEBERLE,P.&W.GROSCH(1987),Quantitative analysis of aroma compounds in wheat and rye bread crusts using a stable isotope dilution assay,J.Agric.Food Chem.,35,252-257

SCHIEBERLE,P.(1991),Primary odorants of pale lager beer.Differences to other beers and changes during storage,Z.Lebensm. Unters.Forsch.,193,558-565

SCHIEBERLE,P.(1992),Important odorants of fresh and stored beer,In:M.Rothe &H.-P.Kruse(Eds),Proceedings 3rd Wartburg Aroma Symposium,Aroma production and application,Deutsches Institut fur Ernahrungsforschung, Potsdam-Rehbrucke,137-145

SCHIEBERLE,P.&T.HOFMANN(1996a),Identification of the key odorants in processed ribose-cysteine Maillard mixtures by instrumental analysis and sensory studies,In:A.J.Taylor &D.S.Mottram(Eds),Flavour science.Recent developments,The Royal Society of Chemistry,Cambridge,175-181

SCHIEBERLE,P.&T.HOFMANN(1996b),Untersuchungen zum Einfluss von herstellungsparametern auf den Aromabeitrag intensiver Aromastoffe in Cystein/Kohlenhydrat-Reaktionsmischungen,Lebensmittelchemie,50,105-108

SCHIEBERLE,P.(1998),own results(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt für Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

SCHIRACK,A.V.,M.A.DRAKE,TH.SANDERS &K.B.SANDEEP(2006),Characterization of aroma-active compounds in microwave blanched peanuts,J.Food Sci.,71,C513-C520

SCHMIDLIN-MÉSZAROS,J.(1971),Probleme im Gebiet der Lebensmittelzusatzstoffe:Ermittlung des p-Hydroxyphenylb-utanon-(3)s,des Himbeerketons,Alimenta,10,39-48

SCHNABEL, K.-O., H.-D. BELITZ & C. VON RANSON (1988), Untersuchungen zur Struktur-Aktivitäts-Beziehung 1. Mitteilung: Wahrnehnungsschwellenwerte und Geruchsqualitäten von gesättigten aliphatischen und alicyclischen Verbindungen mit Sauerstoff-Funktion,Z.Lebensm.Unters.Forsc.,187,215-223

SCHUH,C.&P.SCHIEBERLE(2006),Characterization of the key aroma compounds in the beverage prepared from Darjeeling black tea:qunatitative differences between tea leaves and infusion,J.Agric.Food Chem.,54,916-924

SCHULTE-ELTE,K.H.,G OHLOFF,B.L.MULLER,W.K.GIERSCH(1987),Composition essentially consisting of trans-1-(2,6,6-trimethylcyclohexyl)-hexan-3-ol,United States Patent,4711875

SCHWARTZ,D.N.,M.M.MOZELL,S.L.YOUNGENTOB,D.L.LEOPOLD&PR.SHEEHE(1987),Improvement of olfaction in laryngectomized patients with the larynx bypass,Laryngoscope,97,1280-1286

SCHWEITZER,L.J.NOBLET,E.RUTH &IH.SUFFET(1999a),The formation,stability,and odor characterization of 2-ethyl-4-methyl-1,3-dioxolane(2-EMD),Wat.Sci.Tech.,40,no.6,293-298

SCHWEITZER,L.,J.NOBLET,Q.YE,E.RUTH &I.H.SUFFET(1999b),The environmental fate and mechanism of formation of 2-ethyl-5,5'-dimethyl-1,3-dioxane(2EDD)-a malodorous contaminant in drinking water,Wat.Sci.Tech.,40,no.6,217-224

SEGA,G.M.,M.J.LEWIS&M.H.WOSKOW(1967),Evaluation of beer flavor compounds,Proc.Am.Soc.Brew.Chem.,156-164

SEIDENECK,R.&P.SCHIEBERLE(2011),Comparison of the key aroma compounds in hand-squeezed and unpasteurized, commercial NFC juices prepared from Brazilian Pera Rio oranges,Eur.Food Res.Technol.,232,995-1005

SEIFERT, R.M., R.G BUTTERY, D.G GUDAGNI, D.R.BLACK & J.G HARRIS (1970), Synthesis of some 2-methoxy-3-alkylpyrazines with strong bell pepper-like odors,Agric.Food Chem.,18,246-249

SEIFERT,R.M.,R.G BUTTERY,D.G GUDAGNI,D.R.BLACK &J.G HARRIS(1972),Synthesis and odor properties of some additional compounds related to isobutyl-3-methoxypyrazine,J.Agric.Food Chem.,20,135-137

SEIFERT,R.M.,R.G BUTTERY &D.G GUADAGNI(1975),Volatile components of jute sacks,J.Sci.Food Agric.,26, 1839-1845

SEIFERT,R.M.&R.G BUTTERY(1980),A convenient synthesis of (E,E,Z)-2,4,7-decatrienal,J.Agric.Food Chem.,28,68-70

SEIFERT,R.M.(1981),Synthesis,spectra,odor properties,and structural relationship of (Z)-6-nonenal and(Z)-5-octen-1-ol to fruit fly attractants,J.Agric.Food Chem.,29,647-649

SEMMELROCH,P.,G LASKAWY,I.BLANK &W.GROSCH(1995),Determination of potent odourants in roasted coffee by stable isotope dilution assays,Flav.Fragr.J.,10,1-7

SEMMELROCH,P.&W.GROSCH(1996),Studies on character impact odorants of coffee brews,J.Agric.Food Chem.,44, 537-543

SHELDON,R.M.,R.C.LINDSAY,L.M.LIBBEY&M.E.MORGAN(1971),Chemical nature of malty flavor and aroma produced by Streptococcus lactis var.maltigenes,Appl.Microbiol.,22,263-266

SHEN,Y.E.et al.(1998),Threshold odor concentration of MTBE and other fuel oxygenates,Res.Rept.Orange County Water District,Fountain Valley,Calif.(Cited by:A.J.Stocking,IH.Suffet,M.J.McGuire &M.C.Kavanaugh,Implications of an MBTE odor study for setting drinking water standards,J.Am.Wat Works Assoc.,93(2001),95-105)

SHERMAN,A.H.,J.E.AMOORE&V.WEIGEL(1979),The pyridine scale for clinical measurement of olfactory threshold:a quantitative reevaluation,Otolaryngol.Head Neck Surg.,87,717-733

SHIBAMOTO,T.(1986),Odor threshold of some pyrazines,J.Food Sci.,51,1098-1099

SHTABSKII, B.M., V.I. FEDERENKO, I.I. SYARCHINSKII, M.S. AVGUSTINOVICH, O.A. KHOMA & V.M. TOMKIV (1991), Experimental basis for the maximum permissible concentration of 3-phenoxybenzyl chloride in reservoir water (in Russ.),Gig. Sanit.,no.2,16-19

SIGWORTH,E.A.(1965),Identification and removal of herbicides and pesticides,J.Am.Water Works Assoc.,57,1016-1022

SILWAR,R.(1982),Gaschromatographisch-massenspektrometrische Untersuchungen schwefelhaltiger Verbindungen in Rostkaffe und Cystein/Methionin-Modellsystemen,Dissertation,Technische Universitat Berlin

SIMIAN,H.,F.ROBERT &I.BLANK(2004),Identification and synthesis of 2-heptanethiol,a new flavor coumpound in bell peppers,J.Agric.Food Chem.,52,306-310

SINUCO,D.C.,M.STEINHAUS,P.SCHIEBERLE &C.OSORIO(2010),Changes in odour-active compounds of two varieties of Colombian guava(Psidium guajava L.)during ripening,Eur.Food Res.Technol.,230,859-864

SIZER,C.E.,J.A.MAGA &K.LORENZ(1975),The occurrence of pyrazines in white bread crust and crumb,Lebensm.Wiss. Technol.,8,267-269

SKVORTSOV, A.F., E.P. SERGEEV, N.P. ELAKHOVSKAYA, T.I. BONASHEVSKAYA, N.I. MAMULASHVILLI, V.S. ZHURKOV,N.A.GORYACHEVA &N.Yu.KUCHMA(1983),Hygienic evalution of chloroform contents in drinking water (in Russ.),Gig.Sanit.,no.3,10-13

SPADONE,J-C.,W.MATTHEY-DORET &I.BLANK(2006),Formation of methyl (methylthio)methyl disulfide in broccoli *(Brassica oleracea(L.)var.italic),In:W.LP.Bredie &M.A.Petersen(Eds),Flavour science:recent advances and trends,* Elsevier B.V.,309-314

SPEDDING,D.J.&P.RAUT(1982),The influence of dimethyl sulphide and carbon disulphide in the bouquet of wines,Vitis,21, 240-246

SPERRY,W.A.&L.C.BILLINGS(1921),Tastes and odors from chlorination,J.Am.Water Works Assoc.,8,603-615

STEINHAUS,M.&P.SCHIEBERLE(2005),Unpublished report(cited by:Y.Tokitomo,M.Steinhaus,A.Büttner&P. Schieberle,Odor-active constituents in fresh pineapple(Ananas comosus [L.]Mer.)by quantitative and sensory evaluation, Biosci.Biotechnol.Biochem.,69,1323-1330)

STEINHAUS,M.,D.SINUCO,J.POLSTER,C.OSORIO &P.SCHIEBERLE(2009),Characterization of the key aroma compounds in pink guava(Psidium guajava L.)by means of aroma re-engineering experiments and omission tests,J.Agric. Food Chem.,57,2882-2888

STEVENS,K.L,D.G GUADAGNI &D.J.STERN(1970),Odour character and threshold values of nootkatone and related compounds,J.Sci.Food Agric.,21,590-593

STOCKING A.J.,IH.SUFFET,M.J.MCGUIRE &M.C.KAVANAUGH(2001),Implications of an MBTE odor study for setting drinking water standards,J.Am.Wat.Works Assoc.,93,95-105

SUFFET,IH.(1992),Private communication(cited by:IH.Suffet,J.Ho &J.Mallevialle,Off-flavors in raw and potable water, in:MJ.Saxby(Ed.),Food taints and off-flavours,Blackie Academic &Professional,London,1993,89-120)

SUGIURA,N.,O.YAGI &R.SUDO(1983),Effects of various environmental factors on musty odor production by actinomyces (Streptomyces), Suishitsu Odaku Kenkyu, 6, no. 2, 77-86 (from Chem. Abstr., 99 (1983) 172570w)

SUGISAWA,H.,M.TAKEDA,R.H.YANG&N.TAKAGI(1991),The comparison of odor quality of volatiles in peel oils of five kinds of navel oranges,Nippon Shokuhin Kogyo Gakkaishi,38,668-674

SULLIVAN,J.E.&R.E.BURCH(1976),Potential role of zinc in liver disease,In:A.S.Prasad &D.Oberleas(Eds),Trace elements in human health and disease,Vol.1,Zinc and copper,Academic Press,New York,67-85

SWOBODA,P.A.T.&K.E.PEERS(1977),Metallic odour caused by vinyl ketones formed in the oxidation of butterfat.The identification of octa-1,cis-5-dien-3-one,J.Sci.Food Agric.,28,1019-1024

T

TAKAHASHI,K.,M.TADENUMA &S.SATO(1976),Hydroxy-4,5-dimethyl-2(5H)-furanone,a burnt flavoring compound from aged sake,Agric.Biol.Chem.,40,325-330

TAKAHASHI,K.(1990),J.Brew.Soc.Jpn,85,286-292(cited by:K.Takahashi &H.Akiyama,The shelf life of sake,in:G Charalambous(Ed.),Shelf life studies of foods and beverages:chemical,biological,physical and nutritional aspects,Elsevier, Amsterdam,1993,1003-1031)

TAKAHASH,K.&H.AKIYAMA(1993),The shelf life of sake,In:G Charalambous(Ed.),Shelf life studies of foods and beverages:chemical,biological,physical and nutritional aspects,Elsevier,Amsterdam,1003-1031

TAKAHASHI,H.,H.SUMITANI,Y.INADA&D.MORI(2002),Identification of volatile compounds of kombu(Laminaria spp.) and their odor description,Nippon Shokuhin Kagaku Kogaku Kaishi,49,no.4,228-237

TAKEOKA,G,R.G.BUTTERY,R.A.FLATH,R.TERANISHI,E.L.WHEELER,R.L.WIECZOREK&M.GUENTERT(1989), *Volatile constituents of pineapple (Ananas comosus [L.] Merr.), In: R.Teranishi, R.G.Buttery & F.Shahidi (Eds), Flavor* chemistry:trends and developments,ACS Symposium Series 388,American Chemical Society,Washington,223-237

TAKEOKA,GR.,R.A.FLATH,T.R.MON,R.TERANISHI,&M.GUENTERT(1990a),Volatile constituents of apricot (Prunus armeniaca),J.Agric.Food Chem.,38,471-477

TAKEOKA, G., R.A. FLATH, T.R. MON, R.G. BUTTERY, R. TERANISHI, M. GUENTERT, R. LAUTAMO & J. SZEJTLI (1990b),Further applications of permethylated β-cyclodextrin capillary gas chromatographic columns,J.High Resolution Chrom.,13,202-206

TAKEOKA,G.R.,R.G BUTTERY,R.TERANISHI,R.A.FLATH &M.GUNTERT(1991a),Identification of additional pineapple volatiles,J.Agric.Food Chem.,39,1848-1851

TAKEOKA,G.R.,R.G BUTTERY,J.G TURNBAUGH &R.TERANISHI(1991b),Cyclic esters:compounds possessing remarkably low odor thresholds,Lebensm.Wiss.Technol.,24,569-570

TAKEOKA,GR.,R.G BUTTERY&R.A.FLATH(1992),Volatile constituents of Asian pear(Pyrus serotina),J.Agric.Food Chem.,40,1925-1929

TAKEOKA,GR.,R.G BUTTERY&C.T.PERRINO(1995a),Synthesis and occurrence of oxoaldehydes in used frying oils,J. Agric.Food Chem.,43,22-26

TAKEOKA,GR.,R.G BUTTERY,J.G TURNBAUGH &M.BENSON(1995b),Odor thresholds of various branched esters, Lebensm.Wiss.Technol.,28,153-156

TAKEOKA,G R.G BUTTERY&L.LING(1996),Odour thresholds of various branched and straight chain acetates,Lebensm. Wiss.Technol.,29,677-680

TAKEOKA,GR.,R.G BUTTERY,L.C.LING,R.Y.WONG,LT.DAO,R.H.EDWARDS&J.DE J.BERRIOS(1998),Odor thresholds of various unsaturated branched esters,Lebensm.Wiss.Technol.,31,443-448

TAKEOKA,G(2001),Volatile constituents of Asafoetida.In:GR.Takeoka,M.Güntert &K.H.Engel(Eds),Aroma active compounds:chemistry and sensory properties,ACS Symp.Ser.794,33-44

TAKEOKA,GR.,L.DAO,D.M.RODRIGUEZ &R.PATTERSON(2008),Headspace volatiles of Scutellaria californica A. Gray flowers, J.Essett.Oil.Rec.,20,169-171

TAKKEN,H.J.,L.M.VAN DER LINDEN,M.BOELENS & J.M.VAN DORT(1975),Olfactive properties of a number of polysubstituted pyrazines,J.Agric.Food Chem.,23,638-642

TAMURA,H.,R.-H.YANG&H.SUGISAWA(1993),Aroma profiles of peel oils of acid citrus.In:R.Teranishi&H.Sugisawa (Eds),Bioactive volatile compounds from plants,American Chemical Society,ACS Symp.Ser.525,121-136

TAMURA,H.,H.NAKAMOTO,R.-H.YANG&H.SUGISAWA(1995),Characteristic aroma compounds in green algae(Ulva pertusa)volatiles,Nippon Shokuhin Kagaku Kogaku Kaishi,42,887-891

TAMURA,H.,Y.FUKUDA&A.PADRAYUTTAWAT(1996),Characterization of citrus aroma quality by odor threshold values. In:Biotechnology for improved foods and flavours,ACS Symp.Ser.637,282-294

TAMURA,H.,A.PADRAYUTTAWAT &T.TOKUNAGA(1999),Seasonal change of volatile compounds of Citrus sudachi during maturation,Food Sci.Technol.Res.,5,156-160

TAMURA,H.,S.BOONBUMRUNG T.YOSHIZAWA&W.VARANYANOND(2001),The volatile constituents in the peel and pulp of green Thai mango,Khieo Sawoei cultivar(Mangifera indica L.),Food Sci.Technol.Res.,7,72-77

TANDON,K.S.,E.A.BALDWIN &R.L.SHEWFELT(2000),Aroma perception of individual volatile compounds in fresh tomatoes(Lycopersicon esculentum Mill.)as affected by the medium of evaluation,Postharvest Biol.Technol.,20,261-268

TATCHELL,R.H.,J.W.LERMAN &J.WATT(1985),Olfactory ability as a function of nasal air flow volume in laryngectomees, Am.J.Otolaryngol.,6,426-432

TATEBA,H.&S.MIHARA(1990),Structure-odor relationships in monoterpenelactons,Agric.Biol.Chem.,54,2271-2276

TEKIN,A.R.&H.KARAMAN(1992),Odor thresholds of some derivatives of strawberry aldehyde,Chem.Senses,17,795-799

TELEKY-VAMOSSY,Gy.&M.PETRO-TURZA(1986),Evaluation of odour intensity versus concentration of natural garlic oil and some of its individual aroma compounds,Nahrung,30,775-782

TERANISHI,R.,R.A.FLATH,D.G.GUADAGNI,R.E.LUNDIN,T.R.MON&K.L.STEVENS(1966),Gas chromatographic, infrared,proton magnetic resonance,mass spectral,and threshold analyses of all pentyl acetates,J.Agric.Food Chem.,14, 253-262

TERANISHI,R.(1971),Odor and molecular structure,In:G Ohloff &A.E.Thomas(Eds),Gustation and olfaction,Academic Press,London/New York,165-177

TERANISHI,R.,R.G BUTTERY&D.G GUADAGNI(1974),Odor quality and chemical structure in fruit and vegetable flavors, Ann.N.Y.Acad.Sci.,237,209-216

TERANISHI, R., R.G BUTTERY & D.G GUADAGNI (1975), Odor, thresholds, and molecular structure, In: F. Drawert (Ed.), Geruch-und Geschmackstoffe,Verlag Hans Carl,Nurnberg,177-186

TERANISHI,R.,&R.G BUTTERY &D.G GUADAGNI(1981),Some properties of odoriferous molecules,In:P.Schreier(Ed.), Flavour'81,Walter de Gruyter,Berlin,133-143

TERANISHI,R.&R.G BUTTERY(1985),Chemical changes in flavor components during processing,In:T.Richardson &J.W. Finley(Eds),Chemical changes in food during processing,Avi Publishing Company,Inc.,Westport,327-346

TERANISHI,R.,R.G BUTTERY &N.SCHAMP(1987),The significance of low threshold odor compounds in aroma research, In:M.Martens,GA.Dalen &H.Russwurm Jr.(Eds),Flavour science and technology,John Wiley &Sons,515-527

TILGNER,D.J.&H.ZIMINSKA(1982),The influence of storage time on sensory intensity of aroma and flavour substances, Nahrung,26,633-637

TOMITA,M.,N.ICHIKAWA&T.GODA(1988),Correlation between threshold odor numbers and the concentration of odorous substances in water,Water.Sci.Technol.,20,27-30

TÓTH-MARKUS,M.,E.BOROSS,M.BLASZÓ&M.KEREK(1989),Volatile flavour substances of different apricot cultivars, Nahrung,33,433-442

TRESSL,R.,L.FRIESE &R.ARRIETA(1977a),GdCH-Tagung 12.bis 16.Sept.,Munchen(cited by:R.Tressl &L.Friese, Gaschromatographisch-massenspektrometrische Untersuchung der Aromastoffe von Spalter Hopfen,Z.Lebensm.Unters. Forsch.,166(1978),350-354)

TRESSL,R.,R.RENNER,T.KOSSA&H.KÖPPLER(1977b),In:16th Congress Proc.European Brewery Convention,693-707 (cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut fur Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

TRESSL,R.,F.FENDESACK &H.KOPPLER(1979a),paper presented at ASBC 45th Annual Meeting,Portland,OR(cited by: V.E.Peacock &M.L.Deinzer,Chemistry of hop aroma in beer,J.Am.Soc.Brew.Chem.,39,1981,136-141)

TRESSL,R.,D.BAHRI &R.SILWAR(1979b),Bildung von Aldehyden durch Lipidoxidation und deren Bedeutung als“Off-flavor”-Komponenten in Bier,Proc.17th European Brewery Convention,Berlin(West),27-41

TRESSL, R., K.G. GRÜNEWALD, H. KAMPERSCHRÖER & R. SILWAR (1979c), Verhalten einiger schwererflüchtiger Aromastoffe während der Alterung von Röstkaffee, Chem. Mikrobiol. Technol. Lebensm., 6, 52-57

TRESSL,R.,D.BAHRI & M.KOSSA(1980),Formation of off-flavour components in beer,In:G.Charalambous(Ed.),The analysis and control of less desirable flavors in foods and beverages,Academic Press,New York,293-318

TRESSL,R.&R.SILWAR(1981),Investigation of sulfur-containing components in roasted coffee,J.Agric.Food Chem.,29, 1078-1082

TRESSL,R.,K.G.GRUNEWALD &R.SILWAR(1981),Gaschromatographisch-massenspektrometrische Untersuchung von N-Alkyl-und N-Furfurylpyrrolen in Röstkaffee,Chem.Mikrobiol.Technol.Lebensm.,7,28-32

TRESSL,R.,K.G.GRUNEWALD,E.KERSTEN &D.REWICKI (1985),Formation of pyrroles and tetrahydroindolizin-6-ones as hydroxyproline-specific Maillard products from glucose and rhamnose,J.Agric.Food Chem.,33,1137-1142

TRESSL,R.(1989),Formation of flavor components in roasted coffee,In:T.H.Parliment,R.J.McGorrin & C.-T.Ho(Eds), Thermal generation of aromas,ACS Symposium Series 409,American Chemical Society,Washington,DC,285-301

TRESSL,R.(1990),Processed flavors-scope and limitations,In:Y.Bessiere &A.F.Thomas(Eds),Flavour science and technology,John Wiley &Sons,Chichester,87-104

TROFIMOVICH,E.M.,S.M.RYKOVA,M.A.MOLCHANOVA&LB.ALEKSANDROVSKAYA(1976),Data for the hygienic standardization of potassium C2-C5xanthates in reservoirs(in Russ.),Gig.Sanit.,no.6,95-97

TRUBKO,E.I.&E.V.TEPLYAKOVA(1981a),Hygienic regulation of trimethylamine in reservoir waters(in Russ.),Gig.Sanit., no.8,79-80

TRUBKO,E.I.&E.V.TEPLYAKOVA(1981b),Hygienic standard for 2-methylfuran(Sylvan)in reservoirs(in Russ.),Gig. Sanit.,no.2,68-69

TUORILA,H.,T.PYYSALO,T.HIRVI&A.K.VEHVILAINEN(1980),Characterization of odours in raw and tap water and their removal by ozonization,Vatten,36,191-199

TUORILA,H.,R.KURKELA,M.SUIHKO&U.SUHONEN(1982),The influence of tests and panelists on odour detection thresholds,Lebensm.Wiss.Technol.,15,97-101

TYLER,L.D.,TE.ACREE &N.L.SMITH(1979),Sensory evaluation of geosmin in juice made from cooked beets,J.Food Sci, 44,79-81

U

UKWIR(1996),Formation and occurrence of bromophenols,iodophenols,bromoanisoles and iodoanisoles in drinking water:an investigation of taste and odour potential,UKWIR Report DW-05/13,U.K.Water Industry Research Limited,London,UK (cited by:E.Corbi,D.Benanou,J.Cantet &J.C.Tabet,Identification of new odorous compounds in Swedish water:mixed haloanisoles and phenolic precursors,Wat.Sci.Tech.,55(2007),no.5,185-193)

V

VANBENEDEN, N., F. GILS, F. DELVAUX & F.R. DELVAUX (2008), Formation of 4-vinyl and 4-ethyl derivatives from hydrocinnamic acids:occurrence of volatile phenolic flavor compounds in beer and distribution of Pad1-activity among brewing yeasts,Food Chem.,107,221-230

VENTURA,F,J.ROMERO&J.PARES(1997),Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies,Environ.Sci.Technol.,31,2368-2374

VETRANO,K.M.(1993a),Final report to ARCO Chemical Company on the odor and taste threshold studies performed with methyl tertiary-butyl ether(MTBE)and ethyl tertiary-butyl ether(ETBE),Windsor,Conn.,TRC Environmental Corporation, TRC Project no.13442-M31(cited by:Committee on Environment and Natural Resources,Interagency assessment of oxygenated fuels,National Science and Technology Council,1997)

VETRANO,K.M.(1993b),Odor and taste threshold studies performed with tertiary-amyl methyl ether(TAME),Washington, D.C.,American Petroleum Institute,Publication no.4591(cited by:Committee on Environment and Natural Resources, Interagency assessment of oxygenated fuels,National Science and Technology Council,1997)

VICKERS,Z.M.,B.L.RICE,M.S.ROSE &H.W.LANE(2001),Simulated microgravity (bed rest)has itle influence on taste, odor or trigeminal sensitivity,J.Sens.Stud.,16,23-32

VIERLING J.S.&J.ROCK(1967),Variations in olfactory sensitivity to Exaltolide during the menstruel cycle,J.Appl.Physiol., 22,311-315

VITZTHUM,O.G,R.BECKER,W.HOLSCHER&C.WEISEMANN(1994),Aroma impact compounds in coffee,In:M.Rothe & H.-P. Kruse (Eds), Aroma-perception, formation, evaluation, Deutsches Institut für Ernährungsforschung, Bergholz-

Rehbrücke,pp.211-223(cited by:M.Rychlik,P.Schieberle &W.Grosch,Compilation of odor thresholds,odor qualities and retention indices of key food odorants,Deutsche Forschungsanstalt fur Lebensmittelchemie and Institut für Lebensmittelchemie der Technischen Universitat München,1998,pp.63)

VOIROL,E.&N.DAGET(1986),Comparative study of nasal and retronasal olfactory perception,Lebensm.Wiss.Technol.,19, 316-319

VON RANSON,C.&H.-D.BELITZ(1992),Untersuchungen zur Struktur-Aktivitätsbeziehung bei Geruchsstoffen.2.Mitteilung: Wahrnehmungs-und Erkennungsschwellenwerte sowie Geruchsqualitäten gesättigter und ungesättigter Aldehyde,Z.Lebensm. Unters.Forsch.,195,515-522

VREMAN,HJ,C.VENTER,J.LEEGWATER,C.OLIVER&M.W.WEINER(1980),Taste,smell and zinc metabolism in patients with chronic renal failure,Nephron,26,163-170

W

WADA,S.,H.NAKATANI&K.MORITA(1967),A new aroma-bearing substance from shiitake,an edible mushroom,J.Food Sci.,32,559-561

WAJON,J.E.,B.V.KAVANAGH,R.I.KAGI,R.S.ROSICH,R.ALEXANDER&B.J.FLEAY(1986),Swampy odour in the drinking water of Perth,Western Australia,Water,September,28-32

WANG L.C.,B.W.THOMAS,K.WARNER,W.J.WOLF&W.E.KWOLEK(1975),Apparent odor thresholds of polyamines in water and 2%soybean flour dispersions,J.Food Sci.,40,274-276

WASSERMAN,A.E.(1966),Organoleptic evaluation of three phenols present in wood smoke,J.Food Sci.,31,1005-1010

WASSERMAN,A.E.(1968),Letter of July 9(cited by:J.E.Amoore,A plan to identify most of the primary odors,in:C. Pfaffmann(Ed.),Olfaction and taste,Proceedings of the third international symposium,Rockefeller University Press,New York,1969,158-171)

WEZEL,A.VAN,L.PUIJKER,C.VINK,A.VERSTEEGH &P.DE VOOGT(2009),Odour and flavour thresholds of gasoline additives(MTBE.ETBE and TAME)and their occurrence in Dutch drinking water collection areas,Chemosphere,76,672-676

WHISSELL-BUECHY,D.&J.E.AMOORE(1973),Odour-blindness to musk:simple recessive inheritance,Nature(London), 242,271-273

WHITFIELD,F.B.,G.SUGOWDZ&D.J.CASIMIR(1977),(6E,2E)and(6Z,2E)-6-(but-2-enylidene)-1,5,5- trimethylc-yclohex-1-ene:important volatile constituents of the juice of purple passion fruit(Passiflora edulis Sims),Chem.Ind.(London),502-503

WHITFIELD,E.B.,D.J.FREEMAN,JH.LAST,P.A.BANNISTER &B.H.KENNETT(1982),Oct-1-en-3-0l and(5Z)-octa-1,5-dien-3-ol,compounds important in the flavour of prawns and sand-lobsters,Aus.J.Chem.,35,373-383

WHITFIELD,E.B.,D.J.FREEMAN&KJ.SHAW(1983),Trimethylarsine:an important off-flavour component in some praawn species,Chem.Ind.(London),786-787

WHITFIELD,F.B.,J.L.HILL&K.J.SHAW(1997),2,4,6-Tribromoanisole:a potential cause of mustiness in packaged food,J. Agric.Food Chem.,45,889-893

WIDDER, S., C. SABATER-LÜNTZEL, T. DITTNER & W. PICKENHAGEN (2000), 3-Mercapto-2-methylpentan-1-ol, a new powerful aroma compound,J.Agric.Food Chem.,48,418-423

WIDDER,S.,C.SABATER-LUNTZEL,J.VOLLHARDT,T.DITTNER&W.PICKENHAGEN(2001),Organoleptic substances, United States Patent 6231912

WIDDER, S., T. DITTNER, C. SABATER-LÜNTZEL, W. PICKENHAGEN & J. VOLLHARDT (2002), 3-Mercapto-2-alkyl-alkan-1-ole und ihre Anwendugn als Duft-und Aromastoffe,Europäische Patentschrift 924198

WIDDER,S.,B.WEBER,M.EGGERS,J.LOOFT,T.VOESSING &W.PICKENHAGEN(2008),8-Tetradecanal as fragrance and flavoring substance,United States Patent 7332468 B2

WIDEMANN,O.(1957),4 Jahre praktische Erfahrung mit Chlordioxyd,Jb "Vom Wasser",24,50-70(cited by:K.E.Oehler, Technologie des Trink-und Betriebswassers, in: J. Schormüller (Ed.), Handbuch der Lebensmittelchemie, Band VIII/Teil 1, Springer Verlag,1969,p.284)

WILLIAMS,A.A.(1972),Flavour effects of ethanol in alcoholic beverages,Flavour Ind.,3,604-607

WILLIAMS,A.A.,A.GH.LEA&C.E.TIMBERLAKE(1977),Measurement of flavor quality in apples,apple juices and fermented ciders,In:R.A.Scanlan(Ed.),Flavor quality:objective measurement,ACS Symposium Series no.51,American Chemical Society,Washington D.C.,71-88

WILLIAMS,A.H.(1953),Report of Long Ashton Research Station for 1952,219(cited by:A.A.Williams,Flavour research and the cider industry,J.Inst.Brew.,80(1974),455-470)

WILSON,C.W.,P.E.SHAW&R.H.KNIGHT(1990),Importance of some lactones and 2,5-dimethyl-4-hydroxy-3(2H)-furanone to mango(Mangifera indica L.)aroma,J.Agric.Food Chem.,38,1556-1559

wOOD,C.,TE.SIEBERT,M.PARKER,D.L.CAPONE,GM.ELSEY,A.P.POLLNITZ,M.EGGERS,M.MEIER,T.VOSSING S.WIDDER,G KRAMMER,M.E.SEFTON &M.J.HERDERICH(2008),From wine to pepper:rotundone,an obscure sesquiterpene,is a potent spicy aroma compound,J.Agric.Food Chem.,56,3738-3744

WOOD,C.,T.E.SIEBERT,M.PARKER,D.L.CAPONE,G.M.ELSEY,A.P.POLINITZ,M.EGGERS,M.MEIER,T.VÖSSING, S.WIDDER,G KRAMMER,M.E.SEFTON &M.J.HERDERICH(2010),Spice up your life -the rotundone story,In:I. Blank,H.Wüst &C.Yeretzian(Eds),Expression of multidisciplinary flavour scienc,ZHAW Zürcher Hochschule für Angewandte Wissenschaften,483-485

WRIGHT,J.M.,M.E.CARUNCHIA WHETSTINE,R.E.MIRACLE&M.DRAKE(2006),Characterization of a cabbage off-flavor in whey protein isolate,J.Food Sci.,71:C86-C90

WYLLIE,S.G&D.N.LEACH(1992),Sulfur-containing compounds in the aroma volatiles of melons(Cucumis melo),J.Agric. Food Chem.,40,253-256

Y

YAMAMOTO,K.,H.MATSUDA&Y.TETSUO(2001),Optical active 2-acetyl-p-menth-6-ene and perfume comprising the same as active ingredient, Japanese Patent 2001031620(data taken from: http://www.leffingwell.com/chirality/2-acetyl-p-menth-6-ene.htm)

YAMAMOTO,T.,M.OGURA,A.AMANO,K.ADACHI,T.HAGIWARA&T.KAISAWA(2002),Synthesis and odor of optically active 2-n-hexyl-and 2-n-heptylcyclopentanone and the corresponding δ-lactones,Tetrahedron Leters,43,9081-9084

YANG R.,H.SUGISAWA,H.NAKATANI,H.TAMURA&N.TAKAGI(1992),Comparison of odor quality in peel oils of acid citrus,Nippon Shokuhin Kogyo Gakkaishi,39,16-24

YOUNG,W.E.,H.HORTH,R.CRANE,T.OGDEN &M.AMOTT(1996),Taste and odour threshold concentrations of potential water contiminants,Wat.Res.,30,331-340

Z

ZATORRE,R.J.&M.JONES-GOTMAN(1990),Right-nostril advantage for discrimination of odors,Percept.Psychophys.,47, 526-531

ZATORRE,R.J.&M.JONES-GOTMAN(1991),Human olfactory discrimination after unilateral frontal or temporal lobectomy, Brain,114,71-84

ZELLER,A.&M.RYCHLIK(2006),Character impact odorants of fennel fruits and fennel tea,J.Agric.Food Chem.,54, 3686-3692

ZELLER,A.&M.RYCHLIK(2007),Impact of estragole and other odorants on the flavour of anise and tarragon,Flavour Fragr. J.,22,105-113

ZOETEMAN,B.C.J.,A.J.A.KRAAYEVELD&GJ.PIET(1971),Oil pollution and drinking water odour,H20,4,367-371

ZOETEMAN,B.C.J.&GJ.PIET(1973),Drinkwater is nog geen water drinken,H_2O,6,174-177

ZOETEMAN,B.C.J.(1978),Sensory assessment and chemical composition of drinking water,Thesis,Utrecht

ZOETEMAN,B.C.J.,F.E.DE GRUNT,E.P.KOSTER,K.GJ.SMIT&P.H.PUNTER(1978),Taste assessment of individual salts in water.Methodology and preliminary findings by a selected national panel,Chem.Senses Flavour,3,127-139

ZYABBAROVA,S.A.&M.N.KUKLINA(1979),Establishment of provisionally permissible concentration of 1,12-dodecamethylene diamine in reservoirs(in Russ.),Gig.Sanit.,no.5,18-22