Every Answer begins with a Question: Ask me Another!

W266 Section 3 Anup Jha, Chitra Agastya

Dynamic Memory Network for SQuAD 2.0 QA

DMN Worked well with bAbi tasks.

Is it effective on SQuAD 2.0?

Episodic Memory

a score z(c, q, m) given by:

$$[c, m, q, c * q, c * m, |c - q|, |c - m|, c^T W q, c^T W m]$$
 (1)

where * is the hadamard product between the vectors. Gate is calculated using feed forward network


$$g_t^i = tanh(W^{(1)}z(c, q, m) + b^{(1)})$$
 (2)

The episodic memory is calculated as


$$e^{i} = \sum_{t=1}^{T} softmax(g_{t}^{i})c_{t}$$
 (3)

Where the $softmax(g_t^i)$ is calculated as


$$softmax(g_t^i) = \frac{exp(g_t^i)}{\sum_{j=1}^{T} exp(g_j^i)}$$
 (4)



Attention based Model




Span Based Model



$$egin{align} f_{align}(c_i) &= \ \sum_j a_{i,j} E(q_j) \ &= \ \sum_j exp(lpha(E(p_i)).lpha(E(q_j)))} \ &= rac{exp(lpha(E(p_i)).lpha(E(q_i)))}{\sum_k exp(lpha(E(p_i)).lpha(E(q_k)))} \ &= \ C_{start(i)} \propto exp(c_i W_s q) \ C_{end(i)} \propto exp(c_i W_e q) \ &= \ C_{end$$

Experiments







Figure 3: Loss and Accuracy: Model-1



question: why didn t soviets create fake elections

in poland

Predicted Answer: </s>
Actual answer: <s> </s>

question: what does kitab al shifa mean

Predicted Answer: </s>

Actual answer: <s> book of healing </s>

Sample Predictions: Model-1




Figure 4: Model-2 accuracy

question: how much did beyoncé get for a deal with a soft drink

company in 2012

Predicted Answer: <s> 50 million </s> Actual answer: <s> 50 million </s>

question: what was the name of the tour featuring both beyoncé

and jay z

Predicted Answer: <s> the the run tour </s>
Actual answer: <s> on the run tour </s>

(a) Training dataset

question: who collaborated with beyoncé on the single

deja vu


Predicted Answer: <s> josephine baker </s>

Actual answer: <s> jay z </s>


(b) Validation dataset

Figure 9: Sample Predictions: Model-2

Experiments



Results



| Scores | Model_3 Evaluation | | Model_4 Evaluation | |
|----------|--------------------|-----------------|--------------------|---------|
| | Full | w/o <unk></unk> | Full | w/o unk |
| EM | 15.11 | 17.38 | 13.18 | 16.12 |
| F1 | 20.97 | 23.46 | 20.05 | 23.2 |
| Ans EM | 22.05 | 22.16 | 26.29 | 26.47 |
| Ans F1 | 33.78 | 34.29 | 40.03 | 40.64 |
| UnAns EM | 8.19 | 12.67 | 0.14 | 5.8 |
| UnAns F1 | 8.19 | 12.67 | 0.14 | 5.8 |

Evaluation scores for Test Data

LSTM vs GRU Predictions

| Model-4 (LSTM) | Model-3 (GRU) | |
|---|---|--|
| who did the jewish inhabitants fight side by | who did the jewish inhabitants fight side | |
| side with ? | by side with ? | |
| Actual Answer: fatimid garrison | Actual Answer: fatimid garrison | |
| Predicted Answer: fatimid garrison | Predicted Answer: the crusaders | |
| what age can an infabt recall steps in an order ? Actual Answer: 9 months of age Predicted Answer: 9 months of age | what age can an infabt recall steps in an order? Actual Answer: 9 months of age Predicted Answer: 9 | |
| where did the newly married elizabeth and | where did the newly married elizabeth and | |
| philip stay until 1949 ? | philip stay until 1949 ? | |
| Actual Answer: windlesham moor | Actual Answer: windlesham moor | |
| Predicted Answer: windlesham moor | Predicted Answer: clarence house in london | |

Sample - non Wiki passage

Chitra and Anup are studying natural language processing with deep learning at University of Berkeley in Data Science course. The course is being taught by Mark Butler. They are working on a project using dynamic memory network for question and answering. They find that even though dynamic memory network is good for some old data sets it does not perform that well with open domain questions. They had fun time in creating the neural models from scratch as they did not use transfer learning. Even though they did not get state of the art results on their original dataset they learnt a lot.

question: Which class are Chitra and Anup taking?

Probability of Question Infeasible to answer: [[0.43237454]]
Predicted Answer: natural language processing with deep

learning

question: What does the project use?

Probability of Question Infeasible to answer: [[0.38325807]]

Predicted Answer: dynamic memory network

question: Who is teaching the course?

Probability of Question Infeasible to answer: [[0.48500866]]

Predicted Answer: mark butler

question: What did they not use?

Probability of Question Infeasible to answer: [[0.46859774]]
Predicted Answer: neural models from scratch as they did

not use transfer learning

question: Which university are they studying in?

Probability of Question Infeasible to answer: [[0.35890532]]

Predicted Answer: berkeley in data science

question: When was Isaac Newton Born?

Probability of Question Infeasible to answer: [[0.45085883]]

Predicted Answer: <unk>

Conclusion

- DMN by itself performed poorly on SQuAD 2.0 dataset
 - SQuAD 2.0 has longer spans of answer
 - SQuAD 2.0 has a semi open nature where not all questions are answerable by the context
- Use of attentions and spans helped improved the model's prediction of answers
- LSTM gave better answer prediction than GRU
- Deeper RNN gave better performance than wider RNN

Backup

Modifications to original DMN

| Original DMN | Our Version of DMN |
|--|---|
| Input module emits vectors for every sentence in context | Input module emits vectors for every word in context |
| RNN in forward direction | Bidirectional RNN |
| 4 modules: question, input, episodic memory and answer | 5 modules: question, input, episodic memory, feasibility and answer |
| No use of explicit attentions. | Some of our models have attentions in answer modules |