## Fusion Data Framework Documentation Release 0.0.0

John Schmitt, David R. Smith, Kevin Tritz, Howard Yuh

#### CONTENTS

1	About FDF	1
2	Getting Started Guide 2.1 User Guide	
3	Usage Examples	3
4	Package Reference 4.1 Module factory.py 4.2 Class Machine 4.3 Class Shot 4.4 Class Logbook 4.5 Module fdf_signal.py 4.6 Class Signal 4.7 Module fdf_globals.py	4 5 5 5 5
5	License	6
6	Indices and tables	7
Ру	hon Module Index	8
In	lex	9

#### **ONE**

#### **ABOUT FDF**

Fusion Data Framework (FDF) is a data access, management, and visualization framework for magnetic fusion experiments.

Repository: https://github.com/Fusion-Data-Framework/fdf

Documentation: HTML or PDF

Submit bugs or feature requests: https://github.com/Fusion-Data-Framework/fdf/issues

#### Created by:

- John Schmitt, Princeton Plasma Physics Lab
- David R. Smith, U. Wisconsin-Madison
- Kevin Tritz, The Johns Hopkins U.
- Howard Yuh, Nova Photonics

To contribute to the FDF project, please contact John, David, Kevin, or Howard.

#### **TWO**

#### **GETTING STARTED GUIDE**

- 2.1 User Guide
- 2.2 Developer Guide

СНАРТ	ER
THRI	EΕ

#### **USAGE EXAMPLES**

**FOUR** 

#### PACKAGE REFERENCE

#### 4.1 Module factory.py

Root module for the FDF package.

#### Classes

- Machine root class for the FDF package
- · Shot shot container class
- Logbook logbook connection class
- Container diagnostic container class
- Node mdsplus signal node class
- FdfError error class for FDF package

#### Usage:

```
>>> import fdf
>>> nstx = fdf.Machine('nstx')
>>> nstx.s140000.logbook()
>>> nstx.addshots(xp=1048)
>>> nstx.s140000.mpts.plot()
```

#### 4.2 Class Machine

```
class factory.Machine (name='nstx', shotlist=[], xp=[], date=[])
Factory root class that contains shot objects and MDS access methods.

Basic class initialization is performed as follows: >>>nstx = Machine(name='nstx')
the Machine class contains a model shot object: nstx.s0
shot data can be accessed directly through the Machine class: >>> nstx.s141398 >>> nstx.s141399
alternatively, a list of shot #'s may be provided during initialization: >>>nstx = Machine(name='nstx', shotlist=[141398, 141399])
or added later using the addshot method: >>>nstx.addshot([141398, 141399])
```

#### 4.3 Class Shot

class factory.Shot (shot, root=None, parent=None)

#### 4.4 Class Logbook

class factory.Logbook (name='nstx', root=None)

#### 4.5 Module fdf\_signal.py

fdf-signals.py - module containing Signal class

#### Classes

• Signal - signal class for data objects

Created on Tue Jun 23 2015

@author: hyuh

#### 4.6 Class Signal

#### 4.7 Module fdf\_globals.py

fdf\_globals.py contains package-level constants

Created on Thu Jun 18 11:18:16 2015

@author: ktritz

4.3. Class Shot 5

#### **FIVE**

#### **LICENSE**

The MIT License (MIT)

Copyright (c) 2015 David R. Smith, Kevin Tritz, Howard Yuh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

#### SIX

#### **INDICES AND TABLES**

- genindex
- modindex
- search

#### PYTHON MODULE INDEX

### f factory, 4

# F factory (module), 4 fdf\_globals (module), 5 fdf\_signal (module), 5 L Logbook (class in factory), 5 M Machine (class in factory), 4 S Shot (class in factory), 5 Signal (class in fdf\_signal), 5