

KRC Pune Offline Windows Application: Data and Information Flow Diagram

Product: KRC Pune, VR / Amenities Sales Experience Application (offline Windows desktop app) **Vendor:** Fute Services **Document date:** 16 July 2026 **Assessed at commit:** 5876920 , branch main

1. Summary


KRC Pune is a read-only content presentation application. Data moves in exactly one direction: from a bundled static asset on the local disk to the screen.


The application collects no data, because it has no forms, no text inputs and no submit handlers. It stores no data, because it uses no local storage, session storage, IndexedDB or cookies. It transmits no data, because it makes no API calls and carries no telemetry, analytics or crash reporting. And it processes no personal data, because there are no user accounts and no authentication.

The practical consequence is worth stating plainly. There is no personal data in this system. There is therefore no data classification exercise, no retention schedule, no cross-border transfer question, no encryption-in-transit requirement, and no data-subject-rights exposure to assess.

2. Data flow diagram for the offline Windows app







3. Data inventory

Data set	Classification	Contains PII	At rest	In transit	Retention
Floor and unit inventory (<code>floors.json</code>)	Business, internal	No	Local disk, inside <code>app.asar</code>	Never transmitted	Life of installation
Amenities, gallery, mobility, transport (JSON)	Business, public marketing	No	Local disk, inside <code>app.asar</code>	Never transmitted	Life of installation
360-degree panoramas, videos, brochure PDF	Business, public marketing	No	Local disk, <code>app.asar.unpacked/dist/media/</code>	Never transmitted	Life of installation
User or prospect data	Not applicable	None captured	Not applicable	Not applicable	Not applicable
Credentials and tokens	Not applicable	None at runtime	Not applicable	Not applicable	Not applicable
Logs and telemetry	Not applicable	None generated	Not applicable	Not applicable	Not applicable

3.1 Trust boundaries

There is a single trust boundary: the installer handover. Once it is crossed, the application is self-contained and inert as far as data movement is concerned.

Boundary	Crossed by	Direction	Control
Fute Services build to KRC machine	<code>KRC.Pune.Setup.exe</code>	Vendor to KRC, one-time	Manual or HTTPS download. Currently unsigned, see the network architecture document, section 4
KRC machine to internet	Nothing	Not applicable	No outbound path exists

4. A note on data at rest

Because the application is offline and read-only, the realistic concern is not leakage in transit. It is local and physical access to the installed content.

The bundled content, including floor plans, unit inventory and unreleased renders, sits unencrypted on the local disk inside `app.asar`. It is worth being clear that `.asar` is an archive format, not encryption. Anyone with file access to the machine can extract its contents. The same content is also downloadable by anyone holding the public GitHub Release link.

If any of the bundled content is commercially sensitive, with unreleased inventory or pricing being the obvious candidates, the protection needs to come from machine-level controls: disk encryption such as BitLocker,

restricted local accounts, and kiosk lockdown on the sales-lounge PC, together with a private distribution channel. Trying to protect it from inside the application would look like security but provide none, since the content has to be readable by the application in order to be displayed at all.

5. Attestation

Verified by direct code inspection at commit `5876920`. There are no storage APIs, no input or form elements, no analytics or telemetry SDKs, and no outbound hosts in the compiled bundle. This is a Fute Services self-declaration, not an independent third-party audit.

Prepared by Fute Services, 16 July 2026