


Crater report 1804 of RG2

General information



ID : 1804

Study area : RG2

Swirl : on-swirl

Morphology : Bowl-shaped

Estimate state of degradation : B - BC

Mean Diameter : 200m \pm 7.0m

Mean depth : 19.8m \pm 0.3m

d/D ratio : 0.099 \pm 0.004

Circularity index : 0.95

Slope : Between 16.34° et 20.34°

Mean value of TRI on the rim crest : 0.55

Geometric center coordinates : (3658237.5423215963, 221238.7006350655)

Coordinates of the crater's lowest point : (3658241.000001101, 221231.00000006525)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	19.8	0.55
10°	18.85	0.53
20°	18.27	0.5
30°	18.1	0.48
40°	18.27	0.42
50°	16.71	0.43
60°	16.6	0.48
70°	16.34	0.5
80°	17.08	0.53
90°	18.56	0.56
100°	17.92	0.53
110°	16.97	0.5

120°	17.22	0.47
130°	17.65	0.42
140°	18.16	0.43
150°	17.24	0.47
160°	17.51	0.5
170°	18.6	0.53
180°	20.34	0.55
190°	18.94	0.53
200°	18.8	0.5
210°	19.0	0.47
220°	18.63	0.43
230°	19.17	0.42
240°	19.29	0.47
250°	18.21	0.5
260°	18.01	0.53
270°	17.81	0.56
280°	17.07	0.54
290°	17.6	0.5
300°	17.81	0.47
310°	18.35	0.42
320°	18.33	0.42
330°	17.42	0.47
340°	18.01	0.51
350°	19.26	0.53

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

