



COVID-19 Prevention Procedures (CPP)

In California, all employers are required to establish, implement, and maintain an effective, written Injury and Illness Prevention (IIPP) program that meets the requirements of California Code of Regulations (CCR), Title 8, section 3203. COVID-19 is considered a workplace hazard and most employers must address COVID-19 prevention under their workplace IIPP. COVID-19 prevention procedures must be addressed either in the written IIPP or maintained in a separate document.

Cal/OSHA has developed this model COVID-19 CPP to assist employers that choose to address their written COVID-19 hazard control procedures in a document separate from their IIPP. Employers are not required to use this CPP. Instead, they may create their own or use another CPP template. Cal/OSHA encourages employers to engage with employees in the design, implementation, and evolution of their CPP.

Using this model alone does not ensure compliance with the Cal/OSHA COVID-19 Prevention standard. To use this model CPP effectively, and ensure it meets the COVID-19 standard requirements, the person(s) responsible for implementing the CPP should carefully review:

- Elements that may be required in the following CCR, Title 8 sections:
 - **3205, COVID-19 Prevention**
 - **3205.1, COVID-19 Outbreaks**
 - **3205.2, COVID-19 Prevention in Employer-Provided Housing**
 - **3205.3, COVID-19 Prevention in Employer-Provided Transportation**
 - The three **Additional Considerations** provided at the end of this CPP to see if they are applicable to their workplace.
- Additional guidance and resources are available at www.dir.ca.gov/dosh/coronavirus/

CCR, Title 8 sections 3205 through 3205.3 apply until two years after February 3, 2023, except for the recordkeeping subsections 3205(j)(2) through (3), which apply until three years after February 3, 2023.



February 2023

This CPP is designed to control employees' exposures to the SARS-CoV-2 virus (severe acute respiratory syndrome coronavirus 2) that causes COVID-19 (Coronavirus Disease 2019) that may occur in our workplace.

Last update: May 06, 2022



COVID-19 Prevention Procedures (CPP)

Authority and Responsibility

Ligia Segarra, Senior Human Resources of Human Capital has overall authority and responsibility for implementing the provisions of this CPP in our workplace. In addition, all managers and supervisors are responsible for implementing and maintaining the CPP in their assigned work areas and for ensuring employees receive answers to questions about the program in a language they understand.

All employees are responsible for using safe work practices, following all directives, policies and procedures, and assisting in maintaining a safe work environment.

Application of 20/20 Plumbing & Heating, Inc Injury & Illness Prevention Program (IIPP)

COVID-19 is a recognized hazard in our workplace that is addressed through our IIPP, which will be effectively implemented and maintained to ensure the following:

1. When determining measures to prevent COVID-19 transmission and identifying and correcting COVID-19 hazards in our workplace:
 - a. All persons in our workplace are treated as potentially infectious, regardless of symptoms, vaccination status, or negative COVID-19 test results.
 - b. COVID-19 is treated as an airborne infectious disease. Applicable State of California and **Riverside County, San Diego County, and LA County Public Health** orders and guidance will be reviewed when determining measures to prevent transmission and identifying and correcting COVID-19 hazards. COVID-19 prevention controls include:
 - i. Remote work.
 - ii. Physical distancing.
 - iii. Reducing population density indoors.
 - iv. Moving indoor tasks outside.
 - v. Implementing separate shifts and/or break times.
 - vi. Restricting access to work areas.
2. Training and instruction on COVID-19 prevention is provided:
 - a. When this CPP was first established.
 - b. To new employees.
 - c. To employees given a new job assignment involving COVID-19 hazards and they have not been previously trained.
 - d. Whenever new COVID-19 hazards are introduced.
 - e. When we are made aware of new or previously unrecognized COVID-19 hazards.
 - f. For supervisors to familiarize themselves with the COVID-19 hazards to which employees under their immediate direction and control may be exposed.

Appendix A COVID-19 **Training Roster** will be used to document this training.



COVID-19 Prevention Procedures (CPP)

3. Procedures to investigate COVID-19 illnesses at the workplace include:
 - a. Employees are required to contact the Human Resources Department and report COVID-19 positive test results.
 - b. The Human Resources Department will document the day and time a COVID-19 case was last present; the date of the positive COVID-19 tests or diagnosis; and the date the COVID-19 case first had one or more COVID-19 symptoms. Appendix B Investigating COVID-19 Cases will be used to document this information.
 - c. Effectively identifying and responding to persons with COVID-19 symptoms at the workplace. The Human Resources Department will track all COVID-19 cases. Including close contact that have been identified through investigation process.
 - d. Encouraging employees to report COVID-19 symptoms and to stay home when ill. Employees are encouraged to stay home when experiencing COVID like symptoms and report absences to the Human Resource Department. In addition, Managers and supervisors are required to report employees' absences to the Human Resource Department when absences are reported as "being out sick".
4. Effective procedures for responding to COVID-19 cases at the workplace include:
 - a. Immediately excluding COVID-19 cases (including employees excluded under CCR, Title 8, section 3205.1) according to the following requirements:
 - i. COVID-19 cases who do not develop COVID-19 symptoms will not return to work during the infectious period.
 - ii. COVID-19 cases who develop COVID-19 symptoms will not return to work during the shorter of either of the following:
 - a. The infectious period.
 - b. 10 days after the onset of symptoms and at least 24 hours have passed since a fever of 100.4 degrees Fahrenheit or higher has resolved without the use of fever-reducing medication.
 - iii. Regardless of vaccination status, previous infection, or lack of COVID-19 symptoms, a COVID-19 case must wear a face covering in the workplace until 10 days have passed since the date that COVID-19 symptoms began or, if the person did not have COVID-19 symptoms, from the date of their first positive COVID-19 test.
 - iv. Elements i. and ii. apply regardless of whether an employee has been previously excluded or other precautions were taken in response to an employee's close contact or membership in an exposed group.
 - b. Review current **California Department of Public Health (CDPH)** and local public health guidance for persons who had close contacts, including any guidance regarding quarantine or other measures to reduce transmission.
 - c. The following effective policies have been developed, implemented, and maintained to prevent transmission of COVID-19 by persons who had close contacts.
 - Notify close contact of exposure
 - Follow local public health guidance on quarantine or other measures to reduce transmission.



COVID-19 Prevention Procedures (CPP)

- COVID-19 tests are available to close contacts at no cost to the employee.
- d. If an order to isolate, quarantine, or exclude an employee is issued by a local or state health official, the employee will not return to work until the period of isolation or quarantine is completed or the order is lifted.
- e. Upon excluding an employee from the workplace based on COVID-19 or a close contact, **20/20 Plumbing & Heating, Inc** will provide excluded employees information regarding COVID-19-related benefits to which the employee may be entitled under applicable federal, state, or local laws. This includes any benefits available under legally mandated sick leave, workers' compensation law, local governmental requirements, and **20/20 Plumbing & Heating, Inc** leave policies. Employees are required to submit sick and/or vacation hours that he/she would like to apply during quarantine/isolation period. In addition, employees may notify the Human Resources Department of the hours to be applied during the mentioned period.

Testing of Close Contacts

COVID-19 tests are available at no cost, during paid time, to all of our employees who had a close contact in the workplace. These employees will be provided with the information outlined in paragraph (4)(f), above.

Exceptions are returned cases as defined in CCR, Title 8, section 3205(b)(11).

Notice of COVID-19 cases

Employees and independent contractors who had a close contact, as well as any employer with an employee who had a close contact, will be notified as soon as possible, and in no case longer than the time required to ensure that the exclusion requirements of paragraph (4)(a) above, are met.

When Labor Code section 6409.6 or any successor law is in effect, **20/20 Plumbing & Heating, Inc** will:

- Provide notice of a COVID-19 case, in a form readily understandable to employees. The notice will be given to all employees, employers, and independent contractors at the worksite.
- Provide the notice to the authorized representative, if any of:
 - The COVID-19 case and of any employee who had a close contact.
 - All employees on the premises at the same worksite as the COVID-19 case within the infectious period.
 - Written notice within one business day of the company's knowledge of a COVID-19 case that people at the worksite may have been exposed to COVID-19. This notice will be provided to all employees (and their authorized representative), independent contractors and other employers on the premises at the same worksite as the COVID-19 case during the infectious period. These notifications will meet the requirements of T8CCR section 3205(c)(3)(B) and Labor Code section 6409.6(a)(4); (a)(2); and (c).
 - We consider a "close contact" that meets the definition in section 3205(b)(1), unless it is otherwise defined by CDPH; "infectious period" meets the definition in 3205(b)(9), unless it is otherwise defined by CDPH; and "worksit" meets the section 3205(b)(12) definition.

Face Coverings

Employees will be provided face coverings and required to wear them when required by a CDPH regulation or order. This includes spaces within vehicles when a CDPH regulation or order requires face coverings indoors. Face coverings will be clean, undamaged, and worn over the nose and mouth.



COVID-19 Prevention Procedures (CPP)

The following exceptions apply:

1. When an employee is alone in a room or vehicle.
2. While eating or drinking at the workplace, provided employees are at least six feet apart and, if indoors, the supply of outside or filtered air has been maximized to the extent feasible.
3. While employees are wearing respirators required by the employer and used in compliance with CCR, Title 8 section 5144.
4. Employees who cannot wear face coverings due to a medical or mental health condition or disability, or who are hearing-impaired or communicating with a hearing-impaired person. Such employees shall wear an effective non-restrictive alternative, such as a face shield with a drape on the bottom, if the condition or disability permits it.
5. During specific tasks which cannot feasibly be performed with a face covering. This exception is limited to the time period in which such tasks are actually being performed.

If an employee is not wearing a face covering due to exceptions (4) and (5), above, the COVID-19 hazards will be assessed, and action taken as necessary.

Employees will not be prevented from wearing a face covering, including a respirator, when not required by this section, unless it creates a safety hazard.

Respirators

Respirators will be provided for voluntary use to employees who request them and who are working indoors or in vehicles with more than one person. Employees who request respirators for voluntary use will be:

- Encouraged to use them.
- Provided with a respirator of the correct size.
- Trained on:
 - How to properly wear the respirator provided.
 - How to perform a user seal check according to the manufacturer's instructions each time a respirator is worn.
 - The fact that facial hair interferes with a seal.

The requirements of CCR, Title 8 section 5144(c)(2) will be complied with according to the type of respirator (disposable filtering face piece or elastomeric re-usable) provided to employees.

Ventilation

For our indoor workplaces we will:

- Review CDPH and Cal/OSHA guidance regarding ventilation, including the CDPH **Interim Guidance for Ventilation, Filtration, and Air Quality in Indoor Environments**. 20/20 Plumbing & Heating, Inc will develop, implement, and maintain effective methods to prevent transmission of COVID-19, including one or more of the following actions to improve ventilation:



COVID-19 Prevention Procedures (CPP)

- Maximize the supply of outside air to the extent feasible, except when the United States Environmental Protection Agency (EPA) Air Quality Index is greater than 100 for any pollutant or if opening windows or maximizing outdoor air by other means would cause a hazard to employees, for instance from excessive heat or cold.
- In buildings and structures with mechanical ventilation, filter circulated air through filters at least as protective as Minimum Efficiency Reporting Value (MERV)-13, or the highest level of filtration efficiency compatible with the existing mechanical ventilation system.
- Use High Efficiency Particulate Air (HEPA) filtration units in accordance with manufacturers' recommendations in indoor areas occupied by employees for extended periods, where ventilation is inadequate to reduce the risk of COVID-19 transmission.

Engineering controls

For indoor locations, using Appendix B, we identify and evaluate how to maximize, to the extent feasible, ventilation with outdoor air using the highest filtration efficiency compatible with our existing ventilation system, and whether the use of portable or mounted High Efficiency Particulate Air (HEPA) filtration units, or other air cleaning systems, would reduce the risk of transmission by:

- Determine if our workplace is subject to CCR, Title 8 section 5142 Mechanically Driven Heating, Ventilating and Air Conditioning (HVAC) Systems to Provide Minimum Building Ventilation, or section 5143 General Requirements of Mechanical Ventilation Systems, and comply as required.

In vehicles, we will maximize the supply of outside air to the extent feasible, except when doing so would cause a hazard to employees or expose them to inclement weather.

Hand sanitizing

In order to implement effective hand sanitizing procedures, 2020 Plumbing & Heating will:

- ◆ Evaluate handwashing facilities.
- ◆ Partner with Jobsite Builder to determine the need for additional hand washing facilities.
- ◆ Encourage and allow time for employee(s) handwashing. Encourage employees to wash their hands for atleast 20 seconds each time
- ◆ Jobsite- Confirm that Builder provides employee(s) with multiple hand washing stations and soap for employees to access.
- ◆ Encourage Employees to communicate with immediate supervisor or Human Resources should hand washing facilities are not available on the job.
- ◆ Provide hand sanitizer to Customer Service, Driver(s), and Driver Helper(s) for times when access to soap and water may be limited. (Prohibit hand sanitizers that contain methanol i.e. methyl alcohol).

Personal protective equipment (PPE) used to control employees' exposure to COVID-19

We evaluate the need for PPE (such as gloves, goggles, and face shields) as required by section 3380, and provide and ensure use of such PPE as needed.

Upon request, we provide respirators for voluntary use to all employees who are working indoors or in vehicles with more than one person.



COVID-19 Prevention Procedures (CPP)

- Respirators will be provided to employees, working indoors or in vehicles with more than one person, upon request regardless of vaccination status.
- Request must be made in writing and provided to the Safety Department

We provide and ensure use of respirators in compliance with section 5144 when deemed necessary by Cal/OSHA.

- Employees that had a close contact are offered COVID-19 testing at no cost during their working hours, except for returned cases as defined in 3205(b)(11).
 - The information on benefits described in Training and Instruction, and Exclusion of COVID-19 Cases, below, will be provided to these employees.
- Written notice within one business day of our knowledge of a COVID-19 case that people at the worksite may have been exposed to COVID-19. This notice will be provided to all employees (and their authorized representative), independent contractors and other employers on the premises at the same worksite as the COVID-19 case during the infectious period. These notifications will meet the requirements of T8CCR section 3205(c)(3)(B) and Labor Code section 6409.6(a)(4); (a)(2); and (c).
- We consider a “close contact” that meets the definition in section 3205(b)(1), unless it is otherwise defined by CDPH; “infectious period” meets the definition in 3205(b)(9), unless it is otherwise defined by CDPH; and “worksit” meets the section 3205(b)(12) definition.

Reporting, Recordkeeping, and Access

Appendix B **Investigating COVID-19 Cases** will be used to keep a record of and track all COVID-19 cases. These records will be kept by **20/20 Plumbing & Heating, Inc. Human Resources Department** and retained for two years beyond the period in which it is necessary to meet the requirements of CCR, Title 8, sections 3205, 3205.1, 3205.2, and 3205.3.

The notices required by subsection 3205(e) will be kept in accordance with Labor Code section 6409.6 or any successor law.



COVID-19 Prevention Procedures (CPP)

Appendix A: COVID-19 Training Roster

Date training completed:

Person that conducted the training:

Employee Name	Signature



COVID-19 Prevention Procedures (CPP)

Appendix B: Investigating COVID-19 Cases

All personal identifying information of COVID-19 cases or persons with COVID-19 symptoms, and any employee required medical records will be kept confidential unless disclosure is required or permitted by law. Unredacted information on COVID-19 cases will be provided to the local health department, CDPH, Cal/OSHA, the National Institute for Occupational Safety and Health (NIOSH) immediately upon request, and when required by law.

20/20
PLUMBING &
HEATING, INC.

COVID-19 Positive Test Contact Tracing

Date: [REDACTED]

Employee Name: [REDACTED] EE ID# [REDACTED]

Superintendent: [REDACTED]

Last day worked: [REDACTED]

Last Job worked: [REDACTED]

First onset of symptoms: [REDACTED]

Test Date: [REDACTED]

Results Date: [REDACTED]

Vaccination: Yes or No If yes, when was last vaccine? Click or tap here to enter text.

Employee wearing mask? Yes or No

Notes: [REDACTED]

Summary of employees, independent contractors, and employees of other employers that came in close contact

Name	Contact Info	Date notified	Date offered COVID-19 testing (employees only)
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]



COVID-19 Prevention Procedures (CPP)

Continued - Appendix B: Investigating COVID-19 Cases

Summary notice of a COVID-19 case (employees, employers, independent contractors) – during the infectious period and regardless of a close contact occurring.

Name	Date notified

Summary notice of a COVID-19 case (authorized representative of the COVID-19 case and employee who had close contact).

Name	Date notified

What were the workplace conditions that could have contributed to the risk of COVID-19 exposure?

What could be done to reduce exposure to COVID-19?

Was local health department notified? Date?



COVID-19 Prevention Procedures (CPP)

Additional Consideration #1

COVID-19 Outbreaks

This addendum will stay in effect until there are one or fewer new COVID-19 cases detected in the exposed group for a 14-day period.

COVID-19 testing

We immediately provide COVID-19 testing available at no cost to our employees within the exposed group, regardless of vaccination status, during employees' paid time, except for returned cases and employees who were not present at the workplace during the relevant 14-day period(s).

Additional testing is made available on a weekly basis to all employees in the exposed group who remain at the workplace.

Employees who had close contacts will have a negative COVID-19 test taken within three to five days after the close contact or will be excluded and follow our return-to-work requirements starting from the date of the last known close contact.

Face Coverings

Employees in the exposed group, regardless of vaccination status, will wear face coverings when indoors, or when outdoors and less than six feet from another person, unless one of the exceptions in our CPP applies.

Respirators

Employees will be notified of their right to request and receive a respirator for voluntary use, as stipulated in our CPP.

COVID-19 investigation, review, and hazard correction

20/20 Plumbing & Heating Inc. will perform a review of potentially relevant COVID-19 policies, procedures and controls, and implement changes as needed to prevent further spread of COVID-19 when this addendum initially applies and periodically thereafter. The investigation, review, and changes will be documented and include:

- Investigation of new or unabated COVID-19 hazards including:
 - Our leave policies and practices and whether employees are discouraged from remaining home when sick.
 - Our COVID-19 testing policies.
 - Insufficient supply of outdoor air to indoor workplaces.
 - Insufficient air filtration.
 - Insufficient physical distancing.
- Review updated every 30 days that CCR, Title 8 section 3205.1 continues to apply:
 - In response to new information or to new or previously unrecognized COVID-19 hazards.
 - When otherwise necessary.



COVID-19 Prevention Procedures (CPP)

- Any changes implemented to reduce the transmission of COVID-19 based on the investigation and review, which may include:
 - Moving indoor tasks outdoors or having them performed remotely.
 - Increasing the outdoor air supply when work is done indoors.
 - Improving air filtration.
 - Increasing physical distancing to the extent feasible.
 - Requiring respiratory protection in compliance with CCR, Title 8 section 5144.
 - Other applicable controls.

Ventilation

Buildings or structures with mechanical ventilation will have recirculated air filtered with Minimum Efficiency Reporting Value (MERV)-13 or higher efficiency filters, if compatible with the ventilation system. If MERV-13 or higher filters are not compatible with the ventilation system, filters with the highest compatible filtering efficiency will be used. High Efficiency Particulate Air (HEPA) air filtration units will be used in accordance with manufacturers' recommendations in indoor areas occupied by employees for extended periods, where ventilation is inadequate to reduce the risk of COVID-19 transmission.

These ventilation requirements will continue to be implemented after the outbreak has passed and CCR, Title 8 section 3205.1 is no longer applicable.

Major Outbreaks

The following will be done while CCR, Title 8 section 3205.1 **applies if 20 or more employee** COVID-19 cases in an exposed group visited the worksite during their infectious period within a 30-day period:

- The COVID-19 testing will be required of all employees in the exposed group, regardless of vaccination status, twice a week or more frequently if recommended by **Local Public Health Agency**.
- Employees in the exposed group will be tested or excluded and follow our CPP return to work requirements. The twice a week testing requirement ends when there are fewer than three new COVID-19 cases in the exposed group for a 14-day period. We will then follow weekly testing requirement until there are one or fewer new COVID-19 cases in the exposed group for a 14-day period.
- Report the outbreak to Cal/OSHA.
- Provide respirators for voluntary use to employees in the exposed group, encourage their use, and train employees according to CCR, Title 8 section 5144(c)(2) requirements.
- Any employees in the exposed group who are not wearing respirators as required will be separated from other persons by at least six feet, except where it can be demonstrated that at least six feet of separation is not feasible, and except for momentary exposure while persons are in movement. Methods of physical distancing include:
 - Telework or other remote work arrangements.
 - Reducing the number of persons in an area at one time, including visitors.
 - Visual cues such as signs and floor markings to indicate where employees and others should be located or their direction and path of travel
 - Staggered arrival, departure, work, and break times.
 - Adjusted work processes or procedures, such as reducing production speed, to allow greater distance between employees.

When it is not feasible to maintain a distance of at least six feet, individuals will be as far apart as feasible.



COVID-19 Prevention Procedures (CPP)

ACKNOWLEDGEMENT OF RECEIPT AND REVIEW

COVID-19 PREVENTION PROCEDURES

REQUIRED PER

California Code Regulations, Title Section 8 3205 through 3205.3 apply until two years after February 03, 2023, except for the recordkeeping subsections 3205(j) through (3), which apply until after three years after 02/03/2023.

To all employees:

ENCLOSED IS A COPY OF THE COVID-19 PREVENTION PROCEDURES. THESE GUIDELINES ARE PROVIDED FOR YOUR SAFETY.

IT IS THE RESPONSABILITY OF THE SAFETY TEAM TO PROVIDE AND REVIEW THIS PROGRAM WITH EACH EMPLOYEE.

IT IS THE EMPLOYEE'S RESPONSIBILITY TO READ AND COMPLY WITH PREVENTATIVE PROCEDURES.

THE ATTACHED COPY OF COVID-19 PREVENTIVE PROCEDURES IS YOURS TO KEEP.

PLEASE SIGN AND DATE BELOW AND RETURN **ONLY THIS PAGE** TO THE SAFETY COORDINATOR OR HUMAN RESOURCES.

I HAVE READ AND UNDERSTAND THE COVID-19 PREVENTION PROCEDURES

EMPLOYEE NAME _____

EMPLOYEE SIGNATURE _____ DATE _____

SAFETY REPRESENTATIVE _____ DATE _____