DOI: 10.3785/j.issn.1008-9497.2014.02.001

# 赋权有限集上的容斥原理及应用

#### 唐 善 刚

(西华师范大学 数学与信息学院,四川 南充 637009)

摘 要:给出了赋权有限集上具带权表达式的新的容斥原理,并用于推广"夫妻对围坐计数问题",得到了相应的计数公式.

关键词:赋权有限集;权和式;容斥原理;广义夫妻对围坐计数问题

中图分类号:0157.1

文献标志码:A

文章编号:1008-9497(2014)02-123-04

TANG Shangang (College of Mathematics and Information, China West Normal University, Nanchong 637009, Sichuan Province, China)

A principle of inclusion-exclusion on a weighted finite set and its applications. Journal of Zhejiang University(Science Edition), 2014,41(2):123-126

**Abstract:** A principle of inclusion-exclusion with weighted formula is given on a weighted finite set. By using the principle of inclusion-exclusion, ménage enumerating problem is extended and some enumerating theorems are given.

**Key Words:** weighted finite set; weighted formula; principle of inclusion-exclusion; generalized ménage enumerating problem

容斥原理在计数组合问题中有着广泛的应用. 文献 [1-4] 研究赋权有限集上的容斥原理,得到了 $W(r_1, r_2, \cdots, r_m)^{[1]}$ , $W(A_{r_1}, \cdots, r_k, (l_{k+1}, \cdots, l_m)})^{[2]}$ , $W(A_{r_1}, \cdots, r_k, (l_{k+1}, \cdots, l_m)})^{[3]}$  以及 $W(A_{(r_1}, \cdots, r_k, l_{k+1}, \cdots, l_m)})^{[4]}$  的权和公式;文献 [5] 给出了赋权有限集上的权被重复计算下的 $W_{r_{k+1}}, \cdots, r_m, (r_1, \cdots, r_k)}$ ,但 $W_{r_{k+1}}, \cdots, r_m, (r_1, \cdots, r_k)}$ ,的缺陷是不能应用于有限集合有关的计数,文献 [6-13] 对容斥原理及其应用有较为详细的阐述. 本文在文献 [1-6] 的基础上得出了一个新的容斥原理 $W(A_{\leq r_1}, \cdots, r_k, (l_{k+1}, \cdots, l_m)})$  的权和公式,并用于推广计数组合学中的"夫妻对围坐计数问题",得到了多维"广义夫妻对围坐计数问题"的计数公式.

## 1 准备知识

有限集 A 称之为赋权有限集,若对  $\forall a \in A$ ,定义 a 的权 w(a)属于某个加群. 设  $U \subseteq A$ ,称 W(U) =

 $\sum_{b \in U} w(b)$  为集合U的权,特别地当U是空集时,约定W(U) = 0. 设 m 为正整数, $n_j$  是正整数( $j = 1, 2, \cdots, m$ ),且  $\sum_{j=1}^m n_j = n$ . 令  $N_j = \{1, 2, \cdots, n_j\}$ (1 $\leqslant j \leqslant m$ ),设  $p_{11}$ , $p_{12}$ , $\cdots$ , $p_{1n_1}$  , $\cdots$ , $p_{m1}$  , $p_{m2}$  , $\cdots$  , $p_{mm_m}$  表示 n 个性质,令  $P = \{p_{11}, p_{12}, \cdots, p_{1n_1}, \cdots, p_{m1}, p_{m2}, \cdots, p_{m1}, p_{m2}, \cdots, p_{mm_m}\}$ 表示性质集. 现对 P 作一个m 部划分,即令  $P_j = \{p_{ji} \mid i \in N_j\}$ (1 $\leqslant j \leqslant m$ ),再设  $I_j \subseteq N_j$ (1 $\leqslant j \leqslant m$ ),k 是非负整数且  $k \leqslant m$ ,以及  $p_1, \dots, p_m$ , $p_2, \dots, p_m$ , $p_3, \dots, p_m$  中的性质 $p_{ji}$ , $p_3, \dots, p_m$  中的性质 $p_{ji}$  , $p_3, \dots, p_m$  , $p_3, \dots, p_m$  中的性质 $p_{ji}$  , $p_3, \dots, p_m$  ,p

收稿日期:2013-04-17.

基金项目:西华师范大学校基金项目(11A032).

作者简介:唐善刚(1978一),男,硕士,副教授,主要从事计数组合与群论研究.

$$\begin{split} Q(A_{I_{t_1}, \dots, I_{t_m}}) &= \\ &\frac{\Big(\sum\limits_{i=1}^m t_i\Big) \, \, \mathbb{I}((\lambda+2) \, \, \mathbb{D}^{\sum\limits_{i=1}^m t_i} \times \Big[ \, (\lambda+2) \Big(n - \sum\limits_{i=1}^m t_i\Big) \, \Big] \, \mathbb{I}}{(2\lambda+4)n - (2\lambda+2) \sum\limits_{i=1}^m t_i} &\times \end{split}$$

$$\left( (\lambda + 2)n - (\lambda + 1) \sum_{i=1}^{m} t_i \\ \sum_{i=1}^{m} t_i \right).$$

### 进一步化简上式,即得

$$Q(A_{I_{t_1},\dots,I_{t_m}}) = \frac{1}{2}((\lambda+2)!)^{\sum_{i=1}^{m}t_i}((\lambda+2)n-1-(\lambda+1)\sum_{i=1}^{m}t_i)!,$$

### 进而得到

$$Q_{t_{1},\dots,t_{k},I_{t_{k+1}},\dots,I_{t_{m}}} = \frac{1}{2} ((\lambda + 2) \, \mathop{\mathbb{N}}_{i=1}^{\sum_{i=1}^{m} t_{i}} \Big[ (\lambda + 2)n - 1 - (\lambda + 1) \sum_{i=1}^{m} t_{i} \Big] \, \mathop{\mathbb{I}}_{i=1}^{k} \binom{n_{i}}{t_{i}}.$$

# 于是应用式(3)与(9),有 定理 2

$$Q(A_{\leq r_{1}}, \dots, r_{k}(I_{r_{k+1}}, \dots, I_{r_{m}})) = \frac{1}{2} \sum_{\substack{0 \leq t_{i} \leq n_{i} \\ 1 \leq i \leq m}} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=1}^{m} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2) + 2) \sum_{i=$$

$$Q(A_{(I_{r_{1}},\dots,I_{r_{m}})}) = \frac{1}{2} \sum_{\substack{0 \le t_{i} \le n_{i} \\ 1 \le i \le m}} (-1)^{\sum_{i=1}^{m} (t_{i} - r_{i})} ((\lambda + 2))^{\sum_{i=1}^{m} t_{i}} \left[ (\lambda + 2)n - 1 - (\lambda + 1) \times \sum_{i=1}^{m} t_{i} \right] ! \prod_{i=1}^{m} {n_{i} - r_{i} \choose t_{i} - r_{i}}.$$

$$(12)$$

### 推论 2 m=1 时,有

$$Q(A_{\leqslant r}) = \frac{1}{2} \sum_{t=0}^{n} (-1)^{t-r} {n \choose t} {t-1 \choose r} ((\lambda+2) \mathfrak{D}' \times [(\lambda+2)n-1-(\lambda+1)t] \mathfrak{L}$$
(13)

$$\begin{split} Q(A_{(I_r)}) &= \frac{1}{2} \sum_{t=r}^n (-1)^{t-r} \binom{n-r}{t-r} ((\lambda+2) \, !)^t \times \\ & \left[ (\lambda+2)n - 1 - (\lambda+1)t \right] \, ! \qquad (14) \end{split}$$
 注 在式 $(10) \sim (12)$ 中约定,若 $a \geqslant 0 > b$ , $\binom{a}{b} = 0$ .

### 参考文献 (References):

- [1] 魏万迪.广容斥原理及其应用[J].科学通报,1980,25 (7):296-299.
  - WEI Wandi. A generalized principle of inclusion-exclusion and its applications [J]. Chinese Science Bulletin, 1980, 25(7): 296-299.
- [2] 唐善刚.关于"容斥原理的拓广及其应用"的注记[J]. 山东大学学报:理学版,2012,47(10):64-69. TANG Shangang. A note on "generalized principle of inclusion-exclusion and its application"[J]. Journal of Shandong University: Natural Science, 2012,47(10):64-69.
- [3] 唐善刚. 容斥原理的拓展及其应用(Ⅱ)[J]. 山东大学学报:理学版,2011,46(12):70-75.

  TANG Shangang. A generalization of principle of inclusion-exclusion and its application(Ⅱ)[J]. Journal of Shandong University: Natural Science,2011,46(12):70-75.
- [4] 唐善刚. 容斥原理的拓展及其应用[J]. 山东大学学报: 理学版,2010,45(12):12-15.

  TANG Shangang. A generalization of principle of inclusion-exclusion and its application[J]. Journal of Shandong University: Natural Science,2010,45(12):12-15.
- [5] 万宏辉. 容斥原理的拓广及其应用[J]. 科学通报, 1984,29(16):972-975.

  WAN Honghui. A generalized principle of inclusion-exclusion and its applications[J]. Chinese Science Bulletin,1984,29(16):972-975.
- [6] 唐善刚.广义容斥原理及其应用[J]. 山东大学学报:理学版,2009,44(1):83-90.
  TANG Shangang. Generalized principle of inclusionexclusion and its application[J]. Journal of Shandong University: Natural Science,2009,44(1):83-90.
- [7] 唐善刚. 广义容斥原理的应用[J]. 佳木斯大学学报:自然科学版,2010,28(4):573-575.

  TANG Shangang. Application of generalized principle of inclusion-exclusion[J]. Journal of Jiamusi University: Natural Science,2010,28(4):573-575.
- [8] BENDER E A, GOLDMAN J R. Mobius inversion in combinatorial analysis[J]. Amer Math Monthly, 1975 (82):789-802.

(下转第137页)

**Acknowladgement** The author thanks the referees for valuable comments.

#### References:

- [1] DONG Y. Index theory, nontrivial solutions and asymptotically linear second order Hamiltonian systems[J]. J Differ Equations, 2005, 214; 233-255.
- [2] EKELAND I. Convexity Methods in Hamiltonian Mechanics[M]. Berlin: Springer-Verlag, 1990.
- [3] CLARKE F H, EKELAND I. Nonlinear oscillations and boundary value problems for Hamiltonian systems [J]. Arch Rational Mech Anal, 1982, 78; 315-333.
- [4] DONG Y. On equivalent conditions for the solvability of equation (p(t)x')' + f(t,x) = h(t) satisfying linear boundary conditions with f restricted by linear growth conditions[J]. J Math Anal Appl, 2000, 245:204-220.
- [5] DONG Y. On the solvability of asymptotically positively homogeneous equations with S-L boundary value conditions [J]. Nonlinear Analysis, 2000, 42:

- 1351-1363
- [6] MAWHIN J, WILLEM M. Critical Point Theory and Hamiltonian Systems[M]. Berlin: Springer,1989.
- [7] EKELAND I, GHOUSSOUB N, TEHRANI H. Multiple solutions for a classical problem in the calculus of variations [J]. J Differential Equations, 1996,131:229-243.
- [8] LONG Y. The minimal period problem for classical Hamiltonian systems with even potentials[J]. Ann Inst H Poincare Anal non lineaire, 1993, 10:605-626.
- [9] LONG Y. The minimal period problem of periodic solutions for autonomous superquadratic second order Hamiltonian systems [J]. **J Differential Equations**, 1994,111,147-174.
- [10] LONG Y. Index theory for symplectic paths with applications [C]//Progress in Math. Basel: Birkhäuser, 2002.
- [11] CHANG K C. Critical Point Theory and Its Application[M]. Shanghai: Shanghai Sci Tech Press, 1986.

#### (上接第 126 页)

- [9] 柯召,魏万迪.组合论:上册[M].北京:科学出版社,
  - KE Zhao, WEI Wandi. **Combinatorial Theory** [M]. Beijing: Science Press, 1981.
- [10] 林翠琴. 组合学与图论[M]. 北京:清华大学出版社, 2009.
  - LIN Cuiqin. Combinatorial Mathematics and Graph Theory [M]. Beijing: Tsinghua University Press, 2009.
- [11] 李乔. 组合数学基础[M]. 北京:高等教育出版社, 1993.
  - LI Qiao. Combinatorial Mathematics Basic[M]. Beijing: Higher Education Press, 1993.
- [12] 曹汝成. 组合数学[M]. 广州:华南理工大学出版社,

- 2000.
- CAO Rucheng. **Combinatorial Mathematics** [M]. Guangzhou: South China University of Technology Press, 2000.
- [13] 陈景润. 组合数学简介[M]. 天津:天津科学技术出版 社,1998.
  - CHEN Jingrun. Combinatorial Mathematics Synopsis [M]. Tianjin: Tianjin Science and Technology Press, 1998.
- [14] 李磊. 关于几个组合计数公式的推广[J]. 工程数学学报,1996,13(4):95-98.
  - LI Lei. Generalization of some combinatorial formulas [J]. **Journal of Engineering Mathematics**, 1996, 13(4): 95-98.