Flexbox : boîtes flexibles

Le flexbox est modèle de disposition : alignement, direction, ordre et taille des éléments (boites)

Permet de définir des conteneurs flexibles



Flex Container : display

html

```html
<div class="container">
    <div class="item">ITEM 1</div>
    <div class="item">ITEM 2</div>
    <div class="item">ITEM 3</div>
</div>
```



CSS

```css
.container {
    display: flex;
}
```



forEach Academy

Flex Container : flex-direction

CSS

```
.container {
    display: flex;
    flex-direction: row | row-reverse | column | column-reverse;
}
```

row



row-reverse



column



column-reverse



forEach Academy

Flex Container : flex-wrap

CSS

```
.container {
    display: flex;
    flex-wrap: nowrap | wrap | wrap-reverse;
}
```

nowrap

wrap



forEach Academy

Flex Container : justify-content

CSS

```
.container {
    display: flex;
    justify-content: flex-start | flex-end | center | space-between |
space-around | space-evenly;
}
```

flex-start

flex-end

center



space-between



space-around



space-evenly



forEach Academy

Flex Container : align-items

CSS

```
.container {
    display: flex;
    align-items: stretch | flex-start | flex-end | center;
}
```

flex-start



flex-end

center

stretch

forEach Academy

Flex Container : align-content

CSS

```
.container {
    display: flex;
    align-content: flex-start | flex-end | center | space-between |
space-around | space-evenly | stretch;
}
```

flex-start



flex-end



center

stretch



forEach Academy

Flex items : order

CSS

```
.item {
    order: <unEntier>;
}
```







forEach Academy

Flex items : flex-grow

CSS

```
.item {
    flex-grow: <unNombre>;
}
```



forEach Academy

Flex items : align-self

CSS

```
.item {
    align-self: auto | flex-start | flex-end | center | baseline | stretch;
}
```

container → align-items : flex-start



forEach Academy