



四川大學
SICHUAN UNIVERSITY

A brief example in English

For SCU Beamer Theme

Linrong Wu

Management Science
Business School, Sichuan University

linrong.wu.work@outlook.com

April 14, 2022

海納百川
有容乃大



Outline

① Introduction

The Project

② Blocks

③ Reference

④ Acknowledgement

Info.

↪ linrong.wu.work@outlook.com

🔗 https://github.com/FvNCCR228/SCU_Beamer_Slide-demo

Outline

① Introduction

② Blocks

Math Blocks

Source Code Block

③ Reference

④ Acknowledgement

Math Blocks I

Theorem 2.1: A Theorem

$$\frac{1}{n} \sum_{k=1}^n X_k - \frac{1}{n} \sum_{k=1}^n E(X_k) \xrightarrow{P} 0 \quad (1)$$

Proof.

A proof block.



Example 2.1: An Example

An example block.

Math Blocks II

Algorithm 2.1: An Algorithm

Require: \LaTeX

Ensure: Computer

- 1: ST
- 2: A
- 3: TE
- 4: **return** Beamer

Definition 2.1: A Defintion

A definition block.

Axiom 2.1: An Axiom

An axiom block. Reference to Definition 2.1

Math Blocks III

Property 2.1: A Property

A property block. Reference to Axiom 2.1

Proposition 2.1: A Proposition

A proposition block. Reference to property 2.1

$$\Delta x \Delta p \geq \frac{h}{4\pi} \quad (2)$$

其中 h 为普朗克常数.

Lemma 2.1: A lemma

A lemma block. Reference to proposition 2.1

Math Blocks IV

Corollary 2.1: A Corollary

A corollary block.

Remark

A remark block.

Condition 2.1: A Condition

A condition block.

Conclusion 2.1: A Conclusion

A conclusion block.

Math Blocks V

Assumption 2.1: An Assumption

An assumption block.

A Stared Block

Theorem: A Stared Theorem Block(after title: Theorem)

- One
- Two
- Three
- Four

Another Stared Theorem Block(after title: Theorem)

- Five
- Six
- Seven
- Eight

A Stared Block

Theorem: A Stared Theorem Block(after title: Theorem)

- One
- Two Two
- Three
- Four

Another Stared Theorem Block(after title: Theorem)

- Five
- Six
- Seven
- Eight

A Stared Block

Theorem: A Stared Theorem Block(after title: Theorem)

- One
- Two
- Three
- Four

Another Stared Theorem Block(after title: Theorem)

- Five
- Six Six
- Seven
- Eight

A Stared Block

Theorem: A Stared Theorem Block(after title: Theorem)

- One
- Two
- Three
- Four

Another Stared Theorem Block(after title: Theorem)

- Five
- Six
- Seven
- Eight

A Stared Block

Theorem: A Stared Theorem Block(after title: Theorem)

- One
- Two
- Three
- Four

Another Stared Theorem Block(after title: Theorem)

- Five
- Six
- Seven
- Eight

Outline

① Introduction

② Blocks

Math Blocks

Source Code Block

③ Reference

④ Acknowledgement

Source Code Block

With frame option “fragile”

Source Code 2.1: A Cpp Program.

</>

```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl;
5     std::cin.get();
6 }
```

Source Code 2.2: A Python Program.

</>

```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and ( i != j ) and ( j != k ):
5                 print (i,j,k)
```


Source Code Block

With frame option “fragile”

Source Code 2.1: A Cpp Program.

</>

```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl;
5     std::cin.get();
6 }
```

Source Code 2.2: A Python Program.

</>

```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and ( i != j ) and ( j != k ):
5                 print (i,j,k)
```

A Stared Source Code Block

Source Code: A Stared Block.



```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl;
5     std::cin.get();
6 }
```

Another Stared Theorem Block.



```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and (i != j) and (j != k):
5                 print (i,j,k)
```

Highlight Line

Source Code 2.4: Highlight Line.



```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl;
5     std::cin.get();
6 }
```

Source Code 2.5: Highlight Line.



```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and ( i != j ) and ( j != k ):
5                 print (i,j,k)
```

\LaTeX Comment

Escape inline

If you wanna add comments to the back of the line, it is recommended to use the corresponding language comment directly.

Source Code 2.6: Comment.

</>

```

1 #include <iostream>
2 int main()
3 { //  $\pi$ 
4     std::cout << "Hello World! " << std::endl; #  $\text{\LaTeX}$  out hEllo wOrld
5      $\sum_{\pi}^{\phi} \alpha + \Gamma$  std::cin.get();
6 }
```

Source Code 2.7: Comment

</>

```

1 for i in range(1,5):
2     for j in range(1,5):  $\sum_{\pi}^{\phi} \alpha + \Gamma$ 
3         for k in range(1,5): #  $\sum_{\pi}^{\phi} \alpha + \Gamma$ 
4             if ( i != k ) and ( i != j ) and ( j != k ):
5                 print (i,j,k)
```

Overlay & Label

Escape inline

Source Code 2.8: Comment.

</>

```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl; // Value 1
5     std::cin.get();
6 }
```

Source Code 2.9: Comment

</>

```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and (i != j) and (j != k):
5                 print (i,j,k)
```

Reference to Line 4, the if statement.

Overlay & Label

Escape inline

Source Code 2.8: Comment.



```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello World! " << std::endl; // Value 2
5     std::cin.get();
6 }
```

Source Code 2.9: Comment



```
1 for i in range(1,5):
2     for j in range(1,5):
3         for k in range(1,5):
4             if( i != k ) and (i != j) and (j != k):
5                 print (i,j,k)
```

Reference to Line 4, the if statement.

Source Code From File

Source Code 2.10: Source Code From File



以下是文件 A cpp.cpp 中包含的源码:

```
1 #include <iostream>
2
3 void Log(const char* message);
4
5 int main()
6 {
7     Log("Hello World!");
8     std::cin.get();
9 }
```

Outline

① Introduction

② Blocks

③ Reference
Reference

④ Acknowledgement

Reference I

- [1] 杨超, 李海英, 马春泉. 植物中天然橡胶合成及研究进展[J]. 黑龙江大学学报, 2021, 12(02): 84-89.
- [2] 陆新蕾, 虞雯. 虚拟偶像粉丝群体的消费文化研究——以虚拟歌姬洛天依为例[J]. 当代传播, 2020(06): 75-78+112.
- [3] 喻国明, 杨名宜. 虚拟偶像: 一种自带关系属性的新型传播媒介[J]. 新闻与写作, 2020(10): 68-73.
- [4] 李晶. 论人工智能虚拟偶像的法律性质[J]. 浙江社会科学, 2020(09): 57-63+158.
- [5] 喻国明, 耿晓梦. 试论人工智能时代虚拟偶像的技术赋能与拟象解构[J]. 上海交通大学学报 (哲学社会科学版), 2020, 28(01): 23-30.
- [6] 宋雷雨. 虚拟偶像粉丝参与式文化的特征与意义[J]. 现代传播 (中国传媒大学学报), 2019, 41(12): 26-29.
- [7] 战泓玮. 网络虚拟偶像及粉丝群体认同建构[J]. 青年记者, 2019(11): 7-8.
- [8] 李镓, 陈飞扬. 网络虚拟偶像及其粉丝群体的网络互动研究——以虚拟歌姬“洛天依”为个案[J]. 中国青年研究, 2018(06): 20-25.
- [9] 张自中. 虚拟偶像产业中 UGC 动机研究[J]. 新闻论坛, 2018(02): 15-18.

Reference II

- [10] **PIOTR S.** Dialogując z Romaną Miller. Recenzja książki Więcej niż teatr. Sztuka zaangażowana i angażująca wychowawczo –Romany Miller inspiracje dla współczesnej pedagogiki , pod redakcją Marii Szczepskiej-Pustkowskiej oraz Ewy Rodziewicz[J]. *Ars Educandi*, 2017(14).
- [11] **郭白滢, 周任远.** 我国碳交易市场价格周期及其波动性特征分析[J]. *统计与决策*, 2016(21): 154-157.
- [12] **GROUP D V M.** BLACKMAGIC HYPERDECK STUDIO SUPPORTS "VIRTUAL IDOL" CONCERT[J]. *Digital Video Magazine*, 2014, 22(5).
- [13] **洪涓, 陈静.** 我国碳交易市场价格影响因素分析[J]. *价格理论与实践*, 2009(12): 65-66.
- [14] **BLACK D.** Digital Bodies and Disembodied Voices: Virtual Idols and the Virtualised Body[J]. *Fibreculture Journal*, 2006(9).
- [15] **K P.** Dangers to which electric vehicle users may be exposed and ways to prevent them [Zagrożenia, na które narażeni mogą być użytkownicy pojazdów elektrycznych oraz sposoby zapobiegania im][J]. *Przegląd Elektrotechniczny*, 2018, 94(11).

Reference III

- [16] M G, M O, M D, et al. The possibilities of automation of the manual line for dismantling waste electrical and electronic equipment [Możliwości automatyzacji ręcznej linii do demontażu zużytego sprzętu elektronicznego][J]. *Przegląd Elektrotechniczny*, 2018, 94(6).
- [17] K P. Dangers to which electric vehicle users may be exposed and ways to prevent them [Zagrożenia, na które narażeni mogą być użytkownicy pojazdów elektrycznych oraz sposoby zapobiegania im][J]. *Przegląd Elektrotechniczny*, 2018, 94(11).

Outline

① Introduction

② Blocks

③ Reference

④ Acknowledgement Acknowledgement

Thanks!