

Using IFilters with Full-Text Search

www.therefore.net
© 2024 Therefore Corporation

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Microsoft and Visio are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Any other 3rd party products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While care has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document.

VERSION: 2024 - 01

Table of Contents

1. Introduction		4
2. Installation		5

1. Introduction

The purpose of this white paper is to provide you with information on how to use an IFilter with a full-text search.

Therefore™ uses DT Search (www.dtsearch.com) which supports a broad range of data to be full-text searchable. A full list of supported file types can be found here:

<http://support.dtsearch.com/webhelp/dtsearchcppapi/frames.html?frmname=topic&frmfile=contents.html>

However, in cases where the datatype is not supported by dtSearch, users can make many additional file types full-text searchable by using an IFilter plugin.

2. Installation

To use an IFilter with Full-text search you will need to do the following:

1. Install an IFilter for the specific file type

Various IFilters can be downloaded from the internet. For example for DWG files you can install an iFilter from here: <http://www.ifiltershop.com/dwg-ifilter.html>

2. Add a new file to the Therefore™ Server installation directory called filetype.xml with the following content:

```
<?xml version="1.0" encoding="utf-8" ?>
<dtSearchFileTypeRules>
  <DefaultEncoding>Auto-detect (Recommended)</DefaultEncoding>
  <Item>
    <Name>CAD</Name>
    <TypeId>265</TypeId>
    <Filters>*.dwg</Filters>
    <Flags>1</Flags>
  </Item>
</dtSearchFileTypeRules>
```

Or for more file types:

```
<?xml version="1.0" encoding="UTF-8" ?>
<dtSearchFileTypeRules>
  <DefaultEncoding>Auto-detect (Recommended)</DefaultEncoding>
  <Item>
    <Name>CAD</Name>
    <TypeId>265</TypeId>
    <Filters>*.dwg</Filters>
    <Flags>1</Flags>
  </Item>
  <Item>
    <Name>Microsoft Visio</Name>
    <TypeId>265</TypeId>
    <Filters>*.vsd; *.vsdx</Filters>
    <Flags>1</Flags>
  </Item>
</dtSearchFileTypeRules>
```

Field	Value
Name	any value
Type ID	265 (IFilter)
Filters	Filters to apply this rule to
Flags	0/1; Recommended is 1 (override all other detection mechanisms; always apply that rule for these files)

Note: The Therefore Installation directory is found by default at: C:\Program Files\Therefore

3. Restart the full-text services

4. The specified file type(s) will also be full-text indexed. Any files already indexed will need to be re-indexed to apply the new settings.