

Therefore™ Go: Mobile Device Management

www.therefore.net
© 2023 Therefore Corporation



All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Any 3rd Party products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While care has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document.

This document is for information purposes only and should not be considered as a comprehensive guideline for legal adherence to the GDPR regulations. Hence, neither the author of this document nor the organization he/she represents shall be responsible for the usage of this document in preparation towards adherence to the GDPR, or for damages resulting from non-adherence.

VERSION: 2022 - 01

Table of Contents

1. Introduction	4
2. Configuration Parameters	5
3. XML Configuration File	7
4. Client-side Sign-in Behavior	8

1. Introduction

Mobile Device Management (MDM) is an industry term for the administration of mobile devices, such as smartphones, tablet computers, laptops and desktop computers. MDM is usually implemented with the use of a third-party product that has management features for particular vendors of mobile devices.

Therefore™ Go supports MDM on iOS and Android devices. Configuration settings for the app can be pushed to all managed devices over the air in one go by the company's IT administrator.

2. Configuration Parameters

In the table below, you can find all the supported configuration parameters for iOS and Android configurations.

Title	Parameter Name	Parameter Type, Values	Description
Server name	server_name_preference	String	Name of the server or IP address
Port number	server_port_preference	String (numerical value)	Port number on which Therefore™ XML Web Service listens for connections
Tenant name	tenant_name_preference	String	Name of user's tenant
Automatic Login	isAutomaticLoginOn_preference	String (YES/NO)	Set it to YES to enable automatic login otherwise set it to NO. WARNING: Capitalization in the parameter name is mandatory.
Keep captured images	keep_captured_images	String (YES/NO)	Switch on to store each image captured from within Therefore™ Go into the 'Therefore' photo album on an iOS device.
Load All Workflows (Tablets Only)	load_all_wf_processes	String (YES/NO)	Set it to NO to avoid initial loading of workflow instances for all processes. Useful in case of huge amount of workflow instances, which takes too much time to load all of them and might cause timeout exception in Therefore™ Go (mobile application). Default is YES.
Resize captured images	photo_resolution_at_save	String, 0 – Original Size, 1 – Small (1 Megapixel), 3 – Medium (3 Megapixels), 8 – Large (8 Megapixels).	Resizes the images to the selected option. Please note that images will not be enlarged if a size larger than the original size is selected. In this case, the original photo will be kept. Only the following values are permitted: 0,1,3,8.
Latest accepted Terms of Service	tscsid_confirmed_flag	string, 0,1,2,3 ...	Set it to a dedicated version (1, 2, 3, ...) to confirm that this version of the Terms and Conditions are accepted by you. 0 means that the Terms and Conditions need to be accepted by every user manually.



Insecure HTTP endpoints are not supported in Therefore™ Go; please switch to Web API service endpoints to use secure HTTPS protocol in order to connect from the Therefore™ Go application.

Sample for IBM MaSS360

To configure parameters in IBM MaaS360 by using a Key/Value source (please see example on the figure below).

IBM MaaS360

With Watson

Search for Devices, Users or Apps

?

🔊

👤

🔌

HOME

DEVICES

USERS

SECURITY

APPS

REPORTS

SETUP

←

App S

App

Cate

Dist

App

App

Pro

Instal

Upd

Secur

App Config Source

Key/Value

▼

1. Use this to define any configuration attributes for the devices that this app supports. Contact app developer to get details.

2. Provide the attribute name in the first field followed by the required value in the latter. Value can be fixed string, username (%username%), domain (%domain%), email (%email%), deviceId (%csn%) or any of the user attributes maintained.

server_name_preference	server.com	+ -
server_port_preference	443	+ -
tenant_name_preference	mytenant	+ -
isAutomaticLoginOn_preference	YES	+ -
Enter Attribute Name	Enter Attribute Value	+ -

Cancel

Update

Define app policies and behavior. Subsequent edit of the policies will only be effective for devices installing the app post

edit

Figure 1: Sample Configuration Parameters for Therefore™ Go in the IBM MaaS360 management console.

6

3. XML Configuration File

If your mass deployment system supports an XML configuration file, you can use the file that we have provided. Please download it here:

<https://extranet.therefore.net/downloads/sales-technical-info/?t=65&f=3148>

Sample for IBM MaSS360

To configure parameters in IBM MaaS360 by using an XML Configuration File (please see example on the picture below).

The screenshot displays the IBM MaaS360 management console interface. The top navigation bar includes 'HOME', 'DEVICES', 'USERS', 'SECURITY', 'APPS', 'REPORTS', and 'SETUP'. The 'APPS' tab is selected. A search bar is present with the text 'Search for Devices, Users or Apps'. The main content area shows the 'Edit App Configuration Parameters' form for the application 'Therefore Go'. The form includes the following fields and options:


- App Config Source:** A dropdown menu set to 'Config XML File(Manual)'.
- Config XML File(Manual):** A text input field containing 'Appconfig specfile for Therefore Go.xml' and a blue 'Choose' button.
- Server name:** A text input field with the placeholder 'Enter Attribute Value' and a description 'Name of the server or IP address'.
- Port number:** A text input field containing '443' and a description 'Port number on which Therefore™ XML Web Service listens for connections'.
- Tenant name:** A text input field with the placeholder 'Enter Attribute Value' and a description 'Name of user's tenant'.
- Automatic Login (YES/NO):** A text input field containing 'NO' and a description 'Set it to YES to enable automatic login otherwise set it to NO.'.
- Keep captured images (YES/NO):** A text input field containing 'NO' and a description 'Set it to YES to store each image captured from within Therefore™ Go into the'.

At the bottom right of the form are 'Cancel' and 'Update' buttons. Below the form, there are checkboxes for 'Restrict Data Backup to iTunes' (unchecked), 'Remove on Stopping Distribution' (checked), and 'Remove on Selection Mismatch' (unchecked).

Figure 2: Sample Configuration Form for Therefore™ Go in the IBM MaaS360 management console.

4. Client-side Sign-in Behavior

Once configuration changes are pushed to enrolled devices, the new parameters will be used when the user starts the app. If the app is already in use, the user will be logged out and the sign-in screen will appear for the user to enter their credentials to establish a new connection with updated settings. Here is how the sign-in view appears on the device once new settings are pushed.



Figures 3 and 4: Sign-in view on both iOS and Android devices respectively.

If the sign-in view is the current view in the app, the user will have to wait until settings are pushed to the device, and they will be required to sign-in again.



Note: On managed/enrolled iPhones and iPads, you can still see and edit settings in iOS Settings, but these settings will not be applied to the app. Instead, the settings pushed to the device by the IT administrator will be applied.