




15101 , 15106



15101



15103



15105



15106



15101



15103






15106

All the installation images in this brochure are reference only.
The actual installation effect shall be subject to on-site installation.

HILL

Product Name	: Hill 15100
Construction	: Multi-level Loop
Material	: 100% Nylon 6
Color System	: 100% Solution Dyed
Machine Gauge	: 1 / 12 "
Pile Weight	: 530 g/m ²
Pile Height	: 3.0 - 5.5 mm
Tile Size	: 25 x 100 cm
Backing Structure	: PVC with fiberglass



Performance Specifications

Stability - Delaminating	Stain Resistance (Optional)
Pass ISO 2551	Pass AATCC 175-2003
Pass AS/NZS 2111.16	Pass ASTM D6540
Pass ASTM D3936	

Stability -Dimensional	Wear Resistant
Pass ISO 2551	Pass ASTM D5252
Pass ISO/PAS 17984	Pass ISO/TR 10361
Pass ASTM D7570	

Stability -Tuft Bind	Colour Fastness-Light
Pass ASTM D1335	Pass AS 2001
Pass ISO 4919	Pass ISO 105-B02
Pass AS/NZS 2111.15	Pass AATCC 16.3

Flammability (Optional)	Colour Fastness-Rubbing and Crocking
Radiant Panel	Pass ISO 105-X12
Pass ISO 9239-1	Pass AS/NZS 2111.19.1
Pass ASTM E648	Pass AATCC 165
Pass ASTM D2859-16	
Pass BS EN13238.2010	

Smoke Density	Colour Fastness-Water
Pass ISO 9239-1	Pass AS 2001.4.21
Pass ASTM E662	Pass ISO 105-E01
	Pass AATCC 107

Antistatic	Airborne Sound Insulation
Pass BS ISO 6356	Pass ISO140-3
Pass AATCC 134-2011	

Green Carpet (TVOC)
Pass ISO 16017-1
Pass ASTM D5116-90



Declare.

