


Environmental

Carpet surface villi can
capture,
adsorb floating dust particles
in the air,
effectively improve
indoor air quality.



LP23027-4




LP23027-1



LP23027-2



LP23027-4



LP23027-7



LP23027-1




LP23027-7



JP23027

Product Name	: JP23027
Construction	: Multi-level Loop
Material	: 100% Polypropylene
Color System	: 100% Solution Dyed
Machine Gauge	: 1 / 10 "
Pile Weight	: 530 g/m ²
Pile Height	: 2.8 - 5.0 mm
Tile Size	: 50 x 50 cm
Backing Structure	: PVC with fiberglass



Performance Specifications

Stain Resistance	10(AATCC-175 -2003)
Static Control	Less<4 KV(AATCC-134-1996)
Tuft Bind	Pass-8 lbs(ASTM-D-1335)
Dimensional stability	Pass -< 0.1% change (AACHEN)

Flammability	
Radiant Panel	Pass-ClassII(ASTM-E-648-10)
Pill Test	Pass-8(ASTM-D-2859-06)
Smoke Density	Pass-Max.450(ASTM-E-662-06)

Colourfastness	
to light	Excellent-5(AATCC-16E)
to wet & dry cleaning	Excellent-5(AATCC-165)
to ozone	Excellent-5(AATCC -129)



Ultraviolet resistance



Anti-Static



Reduced flammability



Wear resistance



Environmental



Long life-span



Dimensional stability



Anti-slip



Passed Various Tests

All the installation images in this brochure are reference only.
The actual installation effect shall be subject to on-site installation.