

# Data Types & Limits

MongoDB has a couple of hard limits - most importantly, a single document in a collection (including all embedded documents it might have) must be **<= 16mb**. Additionally, you may only have **100 levels of embedded documents**.

You can find all limits (in great detail) here:

<https://docs.mongodb.com/manual/reference/limits/>

For the data types, MongoDB supports, you find a **detailed overview** on this page: <https://docs.mongodb.com/manual/reference/bson-types/>

**Important data type limits are:**

- Normal integers (int32) can hold a maximum value of +-2,147,483,647
- Long integers (int64) can hold a maximum value of +-9,223,372,036,854,775,807
- Text can be as long as you want - the limit is the 16mb restriction for the overall document

It's also important to understand the difference between int32 (NumberInt), int64 (NumberLong) and a normal number as you can enter it in the shell. The same goes for a normal double and NumberDecimal.

**NumberInt** creates a **int32** value => `NumberInt(55)`

**NumberLong** creates a **int64** value => `NumberLong(7489729384792)`

If you just use a number (e.g. `insertOne({a: 1})`), this will get added as a **normal double** into the database. The reason for this is that the shell is based on JS which only knows float/ double values and doesn't differ between integers and floats.

**NumberDecimal** creates a high-precision double value =>

`NumberDecimal("12.99")` => This can be helpful for cases where you need (many) exact decimal places for calculations.

When not working with the shell but a MongoDB driver for your app programming language (e.g. PHP, .NET, Node.js, ...), you can use the driver to create these specific numbers.

Example for Node.js:

<http://mongodb.github.io/node-mongodb-native/3.1/api/Long.html>

This will allow you to build a NumberLong value like this:

```
const Long = require('mongodb').Long;

db.collection('wealth').insert( {
  value: Long.fromString("121949898291")
});
```

By browsing the API docs for the driver you're using, you'll be able to identify the methods for building int32s, int64s etc.