Regioselectivity

In <u>chemistry</u>, **regioselectivity** is the preference of <u>chemical bonding</u> or breaking in one direction over all other possible directions. [1][2] It can often apply to which of many possible positions a <u>reagent</u> will affect, such as which <u>proton</u> a strong <u>base</u> will <u>abstract</u> from an <u>organic molecule</u>, or where on a substituted benzene ring a further substituent will be added

A specific example is a halohydrin formation reaction with 2-propenylbenzene: [3]

Because of the preference for the formation of one <u>product</u> over another, the reaction is selective. This reaction is regioselective because it selectively generates one <u>constitutional isomer</u> rather than the other.

Various examples of regioselectivity have been formulated as rules for certain classes of <u>compounds</u> under certain conditions, many of which are named. Among the first introduced to chemistry students are <u>Markovnikov's rule</u> for the addition of protic <u>acids</u> to <u>alkenes</u>, and the <u>Fürst-Plattner rule</u> for the addition of nucleophiles to derivatives of cyclohexene, especially epoxide derivatives. [4][5]

Regioselectivity in <u>ring-closure reactions</u> is subject to <u>Baldwin's rules</u>. If there are two or more orientations that <u>can be generated</u> during a reaction, one of them is dominant (e.g., Markovnikov/anti-Markovnikov addition across a double bond)

Regioselectivity can also be applied to specific reactions such as addition to pi ligands.

Selectivity also occurs in <u>carbene</u> <u>insertions</u>, for example in the <u>Baeyer-Villiger</u> reaction. In this reaction, an oxygen is regioselectively inserted near an adjacent <u>carbonyl</u> group. In <u>ketones</u>, this insertion is directed toward the carbon which is more highly substituted (i.e. according to Markovnikov's rule). For example, in a study involving <u>acetophenones</u>, this oxygen was preferentially inserted between the carbonyl and the <u>aromatic</u> ring to give <u>acetyl</u> aromatic <u>esters</u> instead of <u>methyl</u> benzoates. [6]

See also

- Zaitsev's rule
- Cryptoregiochemistry
- Chemoselectivity
- Stereoselectivity
- Enantioselectivity
- Keto-enol tautomerism

References

- 1. March, Jerry (1985), Advanced Organic Chemistry: Reactions, Mechanisms, and Structure (3rd ed.), New York: Wiley, ISBN 0-471-85472-7
- 2. http://www.chem.ucalgary.ca/courses/351/Carey5th/Ch06/ch6-0-1.html Regioselectivity & Stereoselectivity
- 3. Regioselectivity in Organic Synthesis: Preparation of the Bromohydrin of alpha-Methylstyrene Brad Andersh, Kathryn N. Kilby, Meghan E. Turnis, and Drew L. Murphy 102 Journal of Chemical Education Vol. 85 No. 1 January 2008
- 4. W. Markownikoff (1870). "Ueber die Abhängigkeit der verschiedenen Vertretbarkeit des Radicalwasserstoffs in den isomeren Buttersäuren". Annalen der Pharmacie 153 (1): 228–259.
- 5. Fürst, A.; Plattner, P. A. Helv. Chim. Acta 1949, 32, 275
- Palmer, Billy W.; Fry, Arthur (1970). "Variation of carbon-14 isotope effect with substituent and the mechanism of the m-chloroperbenzoic acid oxidation of laeled para-substituted acetophenones". *Journal of the American Chemical Society.* 92 (8): 2580–2581. doi:10.1021/ja00711a079 (https://doi.org/10.1021%2Fja00711a079).

Retrieved from "https://en.wikipedia.org/w/index.php?title=Regioselectivity&oldid=997903090"

This page was last edited on 2 January 2021, at 20:19 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.