

TP7
Lejeune Hugo
TPA

1)

CREATE DATABASE metabase_lejeune with owner lejeune;

2)


Fichier → Nouvelle Base de Données

Fichier → Importer → Table depuis un fichier CSV

avant de cliquer sur ok lors de l'importation il faut cliquer sur «Nom des Col. en 1ère ligne» pour faire en sorte que se ne soit pas field1 ou field2 au lieux de pk_cat ou libelle par exemple.

Fichier → Exporter → Base de Données vers un fichier SQL


3)




4)

\i nom_du_fichier.sql

5)



6)



7)

The screenshot shows the Metabase 'Nouvelle question' (New question) interface. A modal dialog titled 'Sauvegarder la question' (Save question) is open, allowing the user to save the current query. The dialog contains the following fields:

- Nom** (Name): Question_7
- Description** (Description): C'est facultatif, mais ô combien utile
- Dans quelle collection cela devrait-il aller ?** (In which collection should this go?): Notre décisionnel

The background shows a bar chart visualization of 'count' by 'nom' (Client 1, Client 2). The SQL query is visible in the top right:

```
1. SELECT C.nom, COUNT(D.pk_devs) FROM devs AS D INNER JOIN client AS C ON D.Fk_client = C.pk_client GROUP BY C.nom
```



8)

Nouveau → Tableau de bord

Cliquer sur «Ajouter des questions»

The screenshot shows the Metabase 'Tableau de bord' (Dashboard) interface. The dashboard is titled 'TP7' and shows a bar chart visualization of 'Question_7' with two bars for 'Client 1' and 'Client 2'. The chart is titled 'Question_7' and has a y-axis labeled 'count'.

9)



10)

