**Proof by Exhaustion** 



**Proof:** 

**Proof:** Pick any two consecutive integers n and n+1.

**Proof:** Pick any two consecutive integers n and n+1.

**Proof:** Pick any two consecutive integers n and n+1.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

Case 1: n is even.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

Case 1: n is even.

**Case 2:** *n* is odd.

This is called a proof by cases (alternatively, a proof by exhaustion) and works by showing that the theorem is true regardless of what specific outcome arises.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

Case 1: n is even.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

**Case 1:** n is even. This means there exists an integer k such that n = 2k.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

*Case 2:* n is odd. Then there is an integer k where n = 2k+1.

- **Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:
  - *Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k+2)$$

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

*Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k + 2)$$
  
=  $2(n(k+1)).$ 

- **Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:
  - *Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k + 2)$$
  
=  $2(n(k+1)).$ 

This means there is an integer m (namely, n(k+1)) such that n(n+1) = 2m, so n(n+1) is even.

- **Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:
  - *Case 1:* n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k + 2)$$
  
=  $2(n(k+1)).$ 

This means there is an integer m (namely, n(k+1)) such that n(n+1) = 2m, so n(n+1) is even.

In either case, we find that n(n+1) is even, which is what we needed to show.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

**Case 1:** n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k + 2)$$
  
=  $2(n(k+1)).$ 

This means there is an integer m (namely, n(k+1)) such that n(n+1) = 2m, so n(n+1) is even.

In either case, we find that n(n+1) is even, which is what we needed to show.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

Case 1: n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

Case 2: n is odd. Then there This tells us n+1 = 2k+2

$$n(n+1) =$$

After splitting into cases, it's a good idea to summarize what you n(n+1) = 1 just did so that the reader knows what to take away from it.

This means there is an integer m (namely, n(k+1)) such that n(n+1) = 2m, so n(n+1) is even.

In either case, we find that n(n+1) is even, which is what we needed to show.

**Proof:** Pick any two consecutive integers n and n+1. We'll prove that their product n(n+1) is even. Let's consider two cases:

**Case 1:** n is even. This means there exists an integer k such that n = 2k. Therefore, we learn that

$$n(n+1) = 2k(n+1)$$
  
=  $2(k(n+1))$ .

Therefore, there is an integer m (namely, k(n+1)) such that n(n+1) = 2m, so n(n+1) is even.

**Case 2:** n is odd. Then there is an integer k where n = 2k+1. This tells us n+1 = 2k+2. We then see that

$$n(n+1) = n(2k + 2)$$
  
=  $2(n(k+1)).$ 

This means there is an integer m (namely, n(k+1)) such that n(n+1) = 2m, so n(n+1) is even.

In either case, we find that n(n+1) is even, which is what we needed to show.

## Some Little Exercises

- Here's a list of other theorems that are true about odd and even numbers:
  - *Theorem:* The sum and difference of any two even numbers is even.
  - *Theorem:* The sum and difference of an odd number and an even number is odd.
  - *Theorem:* The product of any integer and an even number is even.
  - *Theorem:* The product of any two odd numbers is odd.
- Feel free to use these results going forward.
- If you'd like to practice the techniques from today, try your hand at proving some of these results!