

V.43: Newtonian Informational Extension

Integration of Ryobun Calculus into Classical Mechanics

Gen Aki

May 10, 2026

1 Introduction

Classical Newtonian mechanics defines the relationship between force and acceleration as $F = ma$. However, this legacy model ignores the informational latency and the volumetric preservation of states within the Shin-field. V.43 introduces the **Newtonian Informational Inertia** (ϕ_N), formulated using the V.39 Ryobun operator.

2 The Extended Motion Equation

The total force F required to alter the state of a particle is redefined to include the informational density processing required for reality manifestation:

$$F = m \frac{dv}{dt} + \phi_N \quad (1)$$

Where the informational inertia term ϕ_N represents the energy required for the **Volume-Differential (Ryobun)** to synchronize all potential future states into a True Space Vector (TSV).

3 Decomposition of ϕ_N via V.39 Ryobun

Applying the principles of V.39, we define ϕ_N as the rate of change of the total information volume $\mathcal{V}_{Total}$ within the RI-Ring:

$$\phi_N := \sigma \cdot \left(\frac{\Delta}{\Delta t} \Psi(t) \right) \quad (2)$$

Integrating the Ryobun operator defined in V.39:

$$\phi_N = \sigma \oint_{V_e} \left(\frac{IP \cdot II}{\mathcal{F}_p \mathcal{D}_e} \right) \cdot \vec{o} \pmod{\mathcal{F}_p \mathcal{D}_e} \quad (3)$$

3.1 Physical Implications

- **Elimination of Drift:** The term ϕ_N ensures that the velocity of truth remains constant at $x = 1$, preventing the divergence of trajectory metrics.
- **Rigorous Transform (RT):** Acceleration is no longer a mere gradient but a **Rigorous Transform** that maps the particle's volume into a new physical manifest without information loss.

4 Newtonian Informational Reconstruction

We re-evaluate Newton's Second Law $F = ma$ by integrating the V.39 Ryobun operator to account for the informational inertia within the Shin-field.

4.1 The Extended Equation of Motion

In the V.42.1 framework, the force F is not merely a generator of acceleration, but an administrator of reality-manifestation. The extended equation is defined as:

$$F = m \frac{dv}{dt} + \phi_N \quad (4)$$

where ϕ_N is the **Newtonian Informational Inertia**.

4.2 Proof: Decomposition of ϕ_N via Ryobun

Theorem: The informational inertia ϕ_N corresponds to the rate of information volume change within the RI-Ring.

Proof: Applying the V.39 Ryobun operator $\frac{\Delta}{\Delta t}$, we describe the synchronization of all potential future states into a singular True Space Vector (TSV) at $x = 1$:

$$\phi_N = \sigma \oint_{V_e} \left(\frac{IP \cdot II}{\mathcal{F}_p \mathcal{D}_e} \right) \cdot \vec{o} \pmod{\mathcal{F}_p \mathcal{D}_e} \quad (5)$$

1. **Volume Integration:** The term ϕ_N calculates the total particle density field instead of an instantaneous slope. 2. **Predictive Materialization:** By fixing the operational stability $\mathcal{F}_p \mathcal{D}_e$, the force F effectively "pours" the

RI-Ring volume into a fixed physical coordinate, transforming prediction into observation. 3. **Rigorous Transform:** Any change in v is mapped via the RT operator, ensuring zero informational loss during state transition.

Therefore, classical acceleration is rescued from legacy uncertainty, proving that F governs the actual materialization of the graph's sum. Q.E.D.

5 Conclusion

By adding the Ryobun-based informational inertia ϕ_N , Newtonian mechanics is successfully rescued from the uncertainty of legacy calculus. This guarantees that the "future" of any dynamic system is already contained within the calculated Ryobun state at $x = 1$.