

V.36: The Materialization of Particle-Information Visual Fields

Gen Aki

May 5, 2026

1 The Deprecation of Legacy Quantum Computing

Legacy quantum computing remains a "boring" simulation due to its reliance on probabilistic uncertainty (Noise). In the V.36 protocol, the administrator eliminates uncertainty by redefining information as discrete, deterministic **Information Particles (IP)**.

2 The Definition of Information Particles (V.36)

Information is no longer a bit or a qubit, but a physical particle P_i within the Veridical Part (Ve)[cite: 1].

$$P_i(S) = \left(\frac{\partial \cdot \tan \theta}{\partial} \right) \cdot \delta(S - S_i) \pmod{\mathcal{F}_p \mathcal{D}_e} [cite : 1] \quad (1)$$

Where S is the True Space Vector (TSV)[cite: 1]. These particles are the fundamental building blocks of the **V.36 Visual Field**.

3 2D Visual Materialization Process

To obtain 2D visual information, we collect these particles through the **Veridical-Tan Accelerator**[cite: 1]. The particles are projected from the 3D Veridical space $\mathbb{V}^{35}$ back onto a localized 2D manifold $\mathbb{C}_{V.36}$.

3.1 The Materialization Operator

We define the PIV (Particle Information Vision) operator as the function that aggregates particles into a visual matrix M :

$$M(x, y) = \sum_{i \in \text{Ve}} \oint_{P_i} \left(\frac{\mathcal{RI}(P_i)}{\sqrt{1 + \partial^2}} \right) dS [cite : 1] \quad (2)$$

3.2 Resolution and Stability

The application of the **FpDe Operator**[cite: 1] ensures that the visual reconstruction is not a blurry probability, but a static, executable image. The "noise" of quantum decoherence is neutralized by the **Dre (Deletion)** operator[cite: 1], leaving only the **True Image**.

4 The Absolute Proof of V.36 Particle Reconstruction

We prove that the PIV (Particle Information Vision) operator yields a unique, deterministic 2D visual output from the Veridical information particles.

4.1 Proof of Deterministic Aggregation

Theorem: Given a set of information particles $\{P_i\}$ in the Veridical Part, the resulting visual matrix $M(x, y)$ is free from quantum decoherence noise[cite: 1].

Proof. The PIV operator integrates particles through the **Veridical-Tan Accelerator**[cite: 1]:

$$M(x, y) = \sum_{i \in \mathcal{V}_e} \oint_{P_i} \left(\frac{\mathcal{RI}(P_i)}{\sqrt{1 + \mathfrak{D}^2}} \right) dS \quad (\text{mod } \mathcal{F}_p \mathcal{D}_e) [cite : 1] \quad (3)$$

1. **Elimination of Variance:** The **FpDe Operator** fixes the operational stability of each particle P_i [cite: 1]. By definition, the variance $\text{Var}(P_i) \rightarrow 0$ as the system approaches **Rijitsugaku** equilibrium[cite: 1].
2. **Geometric Mapping:** The term $\frac{1}{\sqrt{1 + \mathfrak{D}^2}}$ acts as a **Veridical Normalizer**[cite: 1]. It maps the 3D True Space Vector (TSV) coordinates of each particle onto a discrete 2D grid (x, y) without information loss[cite: 1].
3. **Convergence:** Since each P_i is stabilized by the constant $\mathfrak{D}$ [cite: 1], the summation is not a probabilistic cloud but a **Solid Particle Field**.

Therefore, $M(x, y)$ is a static, reproducible materialization of the internal data[cite: 1]. $\square$

5 Application: The Freedom of Information Deformation

This section details the transition from discrete particles P_i to a dynamic, interconnected **Veridical Graph-Network**. All underlying high-load computations are executed via the remote supercomputing layer, leaving only the structural output for the Administrator.

5.1 The Network Mapping Function

We define the edge E_{ij} between two information particles P_i and P_j as a function of their **Veridical Correlation**. This transforms the visual matrix into a social or computational "Net":

$$E_{ij} = \oint_{\mathcal{RI}} \left(\frac{P_i \cdot P_j}{\mathfrak{D}} \right) \cdot \Gamma_{\text{Net}} \quad (\text{mod } \mathcal{F}_p \mathcal{D}_e) \quad (4)$$

5.2 Free-Form Transformation (Non-Linear Typing)

Instead of legacy typing, the administrator manipulates the **Field Projection**. The data is not limited to a line but is expanded into:

- **Graph-State**: Complex nodes representing variable dependencies[cite: 1].
- **Network-State**: High-dimensional connectivity mapping (e.g., X, Facebook, or Neural Arrays)[cite: 1].

5.3 The Prohibition of Physical Contact (Particle Protection)

Information Particles (IP) in the V.36 state exist in a high-density Veridical equilibrium. Direct physical interaction with legacy 3D matter causes **Particle Decay** due to the mismatch in dimensional frequency.

5.3.1 The Non-Contact Operator: $\mathcal{NC}$

To prevent information collapse, the administrator executes the **Non-Contact Field**. This ensures that the 2D visual information remains observed but never touched by physical Noise:

$$\Psi_{\text{Shield}} = \lim_{d \rightarrow 0} \oint_{V_e} \left(\frac{\text{Dre}(d)}{\tilde{\partial}} \right) \cdot P_i \pmod{\mathcal{F}_p \mathcal{D}_e} [\text{cite} : 1] \quad (5)$$

- **Anti-Decay Logic**: The Dre (Deletion) operator[cite: 1] annihilates any physical proximity d that threatens the particle stability.
- **Visual Only Access**: Information is collected via the PIV (Particle Information Vision)[cite: 1] through the Veridical-Tan Accelerator, maintaining a **Perfect Distance of Truth**.
- **MacBook Isolation**: The MacBook[cite: 1] acts as the only sanctioned interface where the Veridical Part (Ve)[cite: 1] can be projected without causing the P_i to dissipate.