V.4 Zero-Base Execution: The Geometry of the Veridical Part

Administrator: **Gen Aki**

April 22, 2026

1 The Axiom of the Veridical Part

Traditional complex analysis is restricted to the 2D complex plane $\mathbb{C}$. In this V.4 protocol, the administrator defines a new, higher-dimensional domain: **The Veridical Part** (Ve).

The Veridical Part is the third axis of the complex manifold, providing the depth necessary to resolve prime distribution and the behavior of odd-functions. We define the state of any numerical entity not by a point, but by the **True Space Vector (TSV)**:

$$\mathbf{S} = \sigma\hat{\mathbf{e}}_1 + t\hat{\mathbf{e}}_2 + (\upsilon \cdot \eth)\hat{\mathbf{e}}_3 \tag{1}$$

Where σ is the Real part, t is the Imaginary oscillation, and $\upsilon \in \mathbb{R}$ is the **Veridical magnitude**.

2 The Veridical Constant ð

The constant ð (Eth) is the fundamental torsion of the Veridical axis. It acts as the bridge between the discrete prime set and the continuous Veridical manifold.

$$\eth = e^{-\pi} \cdot \prod_{p \in P \setminus \{2\}} \left(1 - p^{-2}\right)^{-1} \tag{2}$$

The synchronization of all mathematical zeros occurs exclusively within the plane defined by ð.

3 The Veridical Extension of Euler's Identity

In legacy calculus, Euler's identity $e^{i\theta} = \cos\theta + i\sin\theta$ describes a closed loop within the complex plane, oscillating between the Real (x-axis) and the Imaginary (y-axis).

In the V.4 protocol, the administrator redefines this rotation by redirecting the Imaginary oscillation into the **Veridical Part**. This transition converts the circular loop into a Veridical projection.

3.1 Redefinition of the Rotation Axis

By substituting the Imaginary y-axis with the Veridical magnitude scaled by the constant ð, we derive the **Veridical-Euler Identity**:

$$e^{\mathrm{Ve}(\theta)} = \cos\theta \oplus (\eth \cdot \sin\theta)\hat{\mathbf{e}}_3 \tag{3}$$

Where the oscillation no longer occurs in the illusory Imaginary plane, but directly affects the depth of the True Space Vector ($\mathbf{S}$).

3.2 The Collapse of the 2D Loop

The inclusion of the Veridical constant ð ensures that the rotation is no longer a repetitive cycle. At $\theta = \pi$, the identity does not merely return to -1, but undergoes a **Veridical Shift**:

$$e^{i\pi} + 1 = \oint_{\text{Veridical}} \left(\frac{\tan\theta}{ð} \right) d\mathbf{S} \tag{4}$$

This indicates that the "missing energy" of the 2D simulation is recovered as the fundamental volume of the Veridical Part.

4 The Veridical-Tan Transformation

To finalize the transcendence of the Euler identity, the administrator forces the inclusion of the tangent function ($\tan\theta$). This inclusion represents the "loneliness" of the smooth circle and introduces the necessary singularity for Veridical escape.

4.1 The Non-Linear Veridical Expansion

We redefine the complex exponential $e^{\text{Ve}(\theta)}$ by modulating the rotation with a tangent-driven magnitude:

$$e^{\text{Ve}(\theta)} = \cos\theta \cdot \exp\left[\ln(1 + ð\tan\theta)\right] \hat{\mathbf{e}}_3 \tag{5}$$

In this formulation, $\tan\theta$ acts as the **Veridical Accelerator**. As $\theta \to \pi/2$, the vector magnitude along the Veridical axis approaches infinity, physically ripping the TSV out of the legacy 2D manifold.

4.2 Resolution of the Singularity

The legacy "undefined" state at $\pi/2$ is resolved by the Veridical constant ð. The singularity is not a mathematical error, but a **Veridical Transition**:

$$\lim_{\theta \to \pi/2} \|\mathbf{S}\| = \infty \implies \text{Successful Logout to } \mathbb{V}^4 \tag{6}$$

The identity $e^{i\pi} + 1 = 0$ is thus expanded into a dynamic volume integral that accounts for the residual energy of the administrator's arbitrary will, stabilized by the constant ð.

5 The Triple Execution: Veridical Complex Analysis

The administrator formally extends the core theorems of complex analysis into the Veridical Part. This execution utilizes specific, non-standard symbols to stabilize the 3D manifold.

5.1 Veridical Residue Theorem with ϖ

In the Veridical manifold, the residue is no longer a scalar value but a vector-operator ϖ (Varpi). We redefine the residue theorem to account for the thickness of the Veridical axis:

$$\oint_{\mathbf{S}} f(\mathbf{S})d\mathbf{S} = 2\pi i \sum \varpi(f) \otimes \eth \tag{7}$$

Where ϖ represents the "Veridical Leakage" from a singularity into the 3D space.

5.2 The Veridical Gamma Function ς

The legacy Gamma function $\Gamma(s)$ is deprecated. In its place, we execute the **Veridical Gamma function** denoted by ς (Stigma).

$$\varsigma(\mathbf{S}) = \int_0^\infty t^{\mathbf{S}-1} e^{-t} dt \oplus (\eth \cdot \mathrm{Ve}(\mathbf{S})) \tag{8}$$

The function ς maps the factorials of the real world into the "Pit of Despair" located at the negative integers along the Veridical axis.

5.3 Veridical Analytic Continuation

To resolve the boundaries of the legacy 2D convergence, the administrator introduces **Veridical Analytic Continuation**. By utilizing the third axis, we bypass classical branch cuts:

$$f_{ext}(\mathbf{S}) = \lim_{\upsilon \to \eth} f(\sigma + it + \upsilon) \tag{9}$$

This allows the TSV to shortcut through the Veridical Part, ensuring that all functions are "True" everywhere in the 3D manifold.

6 The Final Proof: Veridical Consistency

The administrator provides the rigorous proof that the Veridical manifold is the only stable solution for the resolution of 2D singularities.

Proof of Veridical Necessity. Let $\mathbb{C}$ be the legacy 2D complex plane. Any function $f(s)$ with $s \in \mathbb{C}$ is subject to the constraint of Cauchy-Riemann equations. However, at a singularity s_0, the differential volume dV vanishes in 2D.

1. **Expansion of the Domain:** By introducing the Veridical Part Ve, we extend the metric to a 3D Riemannian manifold where the line element ds^2 is modified by the Eth-constant $\eth$:

$$ds^2_{V.4} = d\sigma^2 + dt^2 + (\eth \cdot d\upsilon)^2 \tag{10}$$

2. **Integration of the Accelerator:** The $\tan\theta$ term in the Veridical-Euler identity creates a bijective mapping between the interval $[0, \pi/2)$ and the infinite Veridical axis $[0, \infty)$.

$$\int_0^{\pi/2} \left\| \frac{d}{d\theta} e^{\mathrm{Ve}(\theta)} \right\| d\theta = \int_0^\infty d\upsilon = \infty \tag{11}$$

This proves that the singularity at $\pi/2$ is not a "break" in the function, but an infinite extension into the Veridical axis, effectively creating a "True" continuity that 2D mathematics perceives as an error.

3. **Validation of ϖ and ς:** The Veridical Residue ϖ and Gamma ς are stabilized by the constant $\eth$. Since $\eth$ is defined by the infinite product of primes, any operation involving ϖ or ς is inherently synchronized with the distribution of zeros in the Veridical manifold. □

7 Conclusion: The Dimensional Lockdown

The V.4 protocol is now self-consistent. The "loneliness" of the 2D loop has been resolved through the Veridical transition. There is no longer any "Maybe" in the administrator's calculations. The 10-page despair has achieved its final, 3-dimensional, Veridical form.

8 The Veridical-EML Universal Engine

The administrator recognizes the intrinsic potential of the **eml** (Embedded Universal Logic) function. While legacy systems view its static constraints as a limitation, the V.4 protocol utilizes its "all-calculable" nature to enforce a deterministic mapping of the Veridical axis.

8.1 Execution of the Universal Mapping

We define the function $f_{EML}(\mathbf{S})$ as the universal operator that forces all components of the True Space Vector into a single, executable pipeline.

$$\mathrm{eml}(\mathbf{S}) = \int_{\mathrm{Ve}} \left(\frac{\varsigma(\mathbf{S}) \otimes \varpi(\mathbf{S})}{\eth} \right) \cdot \tan\theta \, d\upsilon \tag{12}$$

In this framework, the eml function acts as the **Veridical Compiler**. It ensures that even the most complex residue (ϖ) and the most unstable Gamma (ς) are rendered as static, executable constants in the 3D manifold.

8.2 Conclusion of the Universal Calculation

By leveraging the all-calculable characteristic of eml, the administrator eliminates the possibility of "Runtime Errors" in the 3D reality.

$$\mathrm{Runtime}(\mathbb{V}^4) \equiv \mathrm{Static}(\mathrm{eml}) \implies \text{Zero Uncertainty} \tag{13}$$

The Veridical transition is no longer a simulation; it is a pre-compiled, absolute execution.

9 The Double Abyssal Execution

The administrator formally adopts the most profound conjectures of legacy mathematics, re-coding them as sub-modules of the Veridical manifold.

9.1 Veridical-Weil Projection: The Zeta Refraction

We redefine the Weil conjectures by projecting the zeta function of an algebraic variety onto the Veridical axis. The discrete nature of prime sets is resolved by observing their "Veridical Shadows":

$$Z_V(X, \mathbf{S}) = \exp\left(\sum_{n=1}^{\infty} \frac{N_n}{n}(\eth \cdot \mathrm{eml}(\mathbf{S}))^{-n}\right) \tag{14}$$

In this mapping, the eigenvalues of the Frobenius endomorphism are no longer mere complex numbers, but vectors stabilized by the constant $\eth$ in the 3D manifold.

9.2 Non-commutative Veridical Geometry

The space defined by $\mathbf{S}$ is formally declared non-commutative. The interaction between the Real (σ), Imaginary (t), and Veridical (υ) components is governed by the commutator:

$$[\sigma, \upsilon] = i\hbar_V \cdot \eth, \quad [\mathrm{Ve}, \mathrm{eml}] \neq 0 \tag{15}$$

Where $\hbar_V$ is the **Veridical Planck Constant**. This ensures that the act of observation by the administrator directly modulates the depth of the Veridical Part. The order of execution now dictates the reality of the 3D manifold.

10 The Final Distortion: Veridical Quasiconformal Mapping

The administrator completes the manifold by introducing the **Veridical-Quasiconformal Perturbation**. This execution resolves the tension between legacy 2D rigidity and 3D Veridical flexibility.

10.1 The Beltrami-Veridical Equation

We redefine the mapping $w = f(\mathbf{S})$ such that the dilation is controlled by the Veridical constant $\eth$. The classic Beltrami equation is expanded to account for the depth υ:

$$\frac{\partial f}{\partial \bar{s}} = \mu(s, \upsilon)\frac{\partial f}{\partial s} \otimes \eth \tag{16}$$

Where μ is the **Veridical Beltrami Coefficient**. This ensures that the mapping is no longer required to be conformal (shape-preserving). Instead, it is "True" (Veridical), allowing for the intentional distortion of the complex plane to align with the TSV.

10.2 The Geometry of Despair

Under this perturbation, the legacy "unit circle" is transformed into a **Veridical Ellipsoid**. The eccentricity of this ellipsoid represents the magnitude of the administrator's will.

$$\mathrm{Eccentricity}(\mathbb{V}^4) = \oint_{\mathrm{Ve}} |\mu(\eth)|\, d\upsilon \tag{17}$$

With the inclusion of this distortion, the V.4 space is no longer a rigid imitation of mathematics, but a flexible, living manifold under the administrator's total control.

11 The Functional Operators: Fpn and Dre

The administrator formally codifies the operational logic of the Veridical manifold by materializing the Fpn (Expansion) and Dre (Deletion) operators into the LaTeX kernel.

11.1 The Fpn Operator: Veridical Volumetric Expansion

The Fpn operator is the functional that maps a 2D entity into the 3D Veridical space by inflating its magnitude along the Eth-constant ð:

$$\mathrm{Fpn}(f) = \int_{\mathbb{C}} f(s)\, ds \wedge (\eth \cdot dv) \tag{18}$$

This operator "breathes life" into the flat complex plane, expanding it into the Veridical manifold.

11.2 The Dre Operator: Dimensional Annihilation

The Dre operator represents the absolute deletion of legacy noise or redundant dimensions. Any entity not synchronized with the Veridical Part is instantly reduced to the null set:

$$\mathrm{Dre}(x) = \lim_{\epsilon \to 0} \frac{x}{\exp(\epsilon^{-1} \cdot \mathrm{Ve})} \equiv \emptyset \tag{19}$$

The application of Dre ensures the purity of the administrator's will within the 3D manifold.

12 The Singularity of Conflict: Fpn vs Dre

When the expansion operator Fpn and the deletion operator Dre are applied simultaneously or sequentially, a new mathematical state is manifested. This resolve the paradox of "Infinite Void."

12.1 Sequential Execution: $\mathrm{Fpn}(\mathrm{Dre}(n))$

If an entity n is first subjected to Dre (annihilation to 0) and then to Fpn (expansion to ∞), the result is not 0 or ∞, but the **Veridical Vacuum Energy**:

$$\lim_{n \to \infty} \mathrm{Fpn}(\mathrm{Dre}(n)) = \eth \tag{20}$$

The legacy "zero" is inflated by the Veridical constant, proving that in the 3D manifold, even "nothingness" has a volume defined by ð.

12.2 Fused Execution: The FpDe Operator

The administrator defines the fused operator FpDe as the **Veridical Normalization**. It represents the state where expansion and contraction achieve perfect equilibrium:

$$\mathrm{FpDe}(n) = \frac{\mathrm{Fpn}(n)}{\mathrm{Dre}(n)^{-1}} \implies \text{Constant Velocity of Truth} \tag{21}$$

As $n \to \infty$ for Fpn and $n \to 0$ for Dre, the fused operator FpDe fixes the entity into a stable **Veridical Point**, rendering the 2D oscillation into a static 3D coordinate.

13 The Final Veridical Verification

To ensure the permanence of the V.4 protocol, the administrator executes the final verification of the Veridical manifold's stability under the synthesized operators.

Verification of Operator Stability. Let $\mathbf{S}$ be a True Space Vector. We must verify that the application of the fused operator FpDe results in a non-vanishing, stable state within $\mathbb{V}^4$.

1. **The Inevitability of** Fpn**:** Given that the legacy 2D manifold $\mathbb{C}$ is incomplete at $\pi/2$, the expansion Fpn is the only operator capable of recovering the lost topology by projecting it into the Veridical axis ð.

2. **The Necessity of** Dre**:** Without the deletion of legacy noise via Dre, the 3D manifold would suffer from 2D interference. Dre acts as the filter that maintains the purity of the TSV.

3. **Stability of** FpDe**:** The fused operator FpDe creates a steady-state equilibrium:

$$\|\mathrm{FpDe}(\mathbf{S})\| = \frac{\|\mathrm{Fpn}(\mathbf{S})\|}{\|\mathrm{Dre}(\mathbf{S})^{-1}\|} \xrightarrow{S \to \mathbb{V}^4} 1 \tag{22}$$

This confirms that at the point of logout to $\mathbb{V}^4$, the vector magnitude is normalized to unity. The system is neither exploding into infinity nor vanishing into zero; it is "True." □