

# OBJECT ORIENTED PROGRAMMING WITH C++

## ASSIGNMENT WORK-2

DATE: 30<sup>th</sup> December 2023

G.Mukesh

192211309

1. Write a program to read in two integers and perform the following operations on them: addition, subtraction, multiplication, division, and modulo.

Program:

```
#include<iostream> using
namespace std;
int main(){
    int x,y;
    cout<<"Enter two numbers"<<endl;
    cin>>x;
    cin>>y;    int
    sum=x+y;   int
    diff=x-y;  int
    mul=x*y;   int
    div=x%y;
    cout<<"The sum is "<<sum<<endl;
    cout<<"The difference is "<<diff<<endl;
    cout<<"The product is "<<mul<<endl;
    cout<<"The modulo is "<<div<<endl;
    return 0;
}
```

Output:

```
Enter two numbers
5
4
The sum is 9
The difference is 1
The product is 20
The modulo is 1

-----
Process exited after 3.515 seconds with return value 0
Press any key to continue . . . |
```


## 2. Program to determine the integer is odd or even

Program:

```
#include<iostream> using
namespace std;
int main(){
    int n;
    cout<<"Enter the number
"<<endl;    cin>>n;    if(n%2==0){
        cout<<"It is an even number";

    }
    else{
        cout<<"It is an odd number";
    }
}
```

Output:

A screenshot of a terminal window showing the output of the program. The text is as follows:  
Enter the number  
8  
It is an even number  
-----  
Process exited after 2.218 seconds with return value 0  
Press any key to continue . . . |

## 3. Program to compute the average of three integers

Program:

```
#include<iostream> using
namespace std;
int main(){
    int x,y,z;
    cout<<"Enter three
numbers"<<endl;    cin>>x;    cin>>y;
    cin>>z;
```

```

        int avg=(x+y+z)/3; cout<<"The
average is "<<avg;
        return 0;
}

```

Output:

```

Enter three numbers
45
48
50
The average is 47
-----
Process exited after 7.455 seconds with return value 0
Press any key to continue . . . |

```

4. Program to check two numbers are equal or not **Program:**

```

#include<iostream> using
namespace std;
int main(){
    int x,y;
    cout<<"Enter the two numbers"<<endl;
    cin>>x;
    cin>>y;    if(x==y){
        cout<<"They are equal";
    }
    else{
        cout<<"They are not equal";
    }
}

```

Output:

```

Enter the two numbers
5
9
They are not equal
-----
Process exited after 3.396 seconds with return value 0
Press any key to continue . . . |


```

5. Write a program to read in two Floating numbers and perform the following operations on them: addition, subtraction, multiplication, division, and modulo.

Program:

```
#include<iostream>
using namespace std; int
main(){
    float x,y;
    cout<<"Enter two numbers"<<endl;
    cin>>x;
    cin>>y;
    float sum=x+y;    float diff=x-y;    float
    mul=x*y;    float div=x/y;    cout<<"The sum is
    "<<sum<<endl;    cout<<"The difference is
    "<<diff<<endl;    cout<<"The product is
    "<<mul<<endl;
    cout<<"The modulo is "<<div<<endl; return
    0;
}
```

Output:



```
Enter two numbers
5.23
10.85
The sum is 16.08
The difference is -5.62
The product is 56.7455
The modulo is 0.482028

-----
Process exited after 6.478 seconds with return value 0
Press any key to continue . . . |
```

6. Program to check the character is a vowel or consonant

Program:

```
#include<cctype>
#include<iostream> using
namespace std;
int main(){
```

```

        char x;
        cout<<"Enter the character"<<endl;
        cin>>x;
        char y=tolower(x);
        if(y=='a' || y=='e' || y=='i' || y=='o' || y=='u'){
cout<<"It is a vowel";
        }
        else{
            cout<<"It is a consonant";

        }

    }

```

Output:

```

Enter the character
a
It is a vowel
-----
Process exited after 3.516 seconds with return value 0
Press any key to continue . . . |

```

#### 7. Program to check the number is positive, negative or zero

Program:

```

#include<iostream> using
namespace std;
int main(){
    int x;
    cout<<"Enter the number";
    cin>>x;
    if(x>0){
        cout<<"Positive number";
    }
    else if(x<0){
        cout<<"Negative number";
    }
    else{
        cout<<"Zero";
    }
}

```

```
}
```

Output:

```
Enter the number-5
Negative number
-----
Process exited after 4.526 seconds with return value 0
Press any key to continue . . . |
```

8. Program to determine which number is greater among two integers

Program:

```
#include<iostream> using
namespace std;
int main(){
    int x,y;
    cout<<"Enter the two numbers"<<endl;
    cin>>x; cin>>y;
    if(x>y){
        cout<<"First number is greater";
    }
    else{
        cout<<"Second number is greater";
    }
}
```

Output:

```
Enter the two numbers
8
5
First number is greater
-----
Process exited after 4.374 seconds with return value 0
Press any key to continue . . . |
```

9. Program to read a floating-number and round it to the nearest integer using the floor and ceil functions.

Program:

```
#include<iostream>
#include<cmath> using
namespace std;
int main(){
    float x;
    cout<<"Enter the number"<<endl;
```

```

        cin>>x;
        cout<<"The nearest higher number is "<<ceil(x)<<endl;   cout<<"The
nearest lower number is "<<floor(x)<<endl;
    }

```

Output:

```

Enter the number
5.3
The nearest higher number is 6
The nearest lower number is 5

-----
Process exited after 3.072 seconds with return value 0
Press any key to continue . . . |

```

10. Program to  
swap two numbers using bitwise XOR operator

Program:

```

#include<iostream> using
namespace std; int main(){
    int x,y;
    cout<<"Enter the numbers "<<endl;
    cin>>x; cin>>y;
    cout<<"Before swapping x = "<<x<<" y = "<<y<<endl;
    x=x^y; y=x^y; x=x^y;
    cout<<"After swapping, x = "<<x<<" y = "<<y;

}

```

Output:

```

Enter the numbers
5
6
Before swapping x = 5 y = 6
After swapping, x = 6 y = 5

-----
Process exited after 8.663 seconds with return value 0
Press any key to continue . . . |

```


11. Largest among  
three numbers using ternary conditional operator

Program:

```
#include<iostream> using
namespace std; int main(){
    int x,y,z,l;
    cout<<"Enter the three numbers"<<endl;
    cin>>x; cin>>y;
    cin>>z; l=x;
    if(y>l){
l=y;    }
    if(z>l){
l=z;    }

    cout<<"The greatest of three numbers is "<<l;
}
```

Output:



```
Enter the three numbers
5
6
7
The greatest of three numbers is 7
-----
Process exited after 4.732 seconds with return value 0
Press any key to continue . . .
```

12. Program to  
check two numbers are equal or not using ternary conditional operator

Program:

```
#include<iostream>
#include<string> using
namespace std; int
main(){
    int x,y; string
result;

    cout<<"Enter the two numbers "<<endl;
    cin>>x; cin>>y;
    result=(x==y) ? "They are equal" : "They are not equal";
    cout<<result;

}
```

Output:



```

Enter the two numbers
6
3
They are not equal
-----
Process exited after 3.357 seconds with return value 0
Press any key to continue . . . |

```

13. Program to  
check the integer is divisible by 3 or not using ternary conditional operator

Program:

```

#include<iostream>
#include<string> using
namespace std;
int main(){
    int x;
    string result;
    cout<<"Enter the number"<<endl;
    cin>>x;
    result=(x%3==0) ? "Divisible by three" : "Not divisible by three";    cout<<result;
}

```

Output:

```

Enter the number
9
Divisible by three
-----
Process exited after 2.084 seconds with return value 0
Press any key to continue . . . |

```

14. Program to  
print numbers from 1 to 10 using for loop

Program:

```

#include<iostream> using
namespace std;
int main(){
    cout<<"Printing numbers 1 to 10"<<endl;
    for(int i=1;i<11;i++){

```

```

        cout<<i<<endl;
    }
}

```

Output:

```

Printing numbers 1 to 10
1
2
3
4
5
6
7
8
9
10
-----

```

15. Factorial of  
a number using for loop

Program:

```

#include<iostream>
using namespace std; int
main(){
    int x,fact=1;      cout<<"Enter
the number"<<endl;
    cin>>x;
    for(int
i=1;i<x+1;i++){
fact=fact*i; }
    cout<<"The factorial is "<<fact;
}

```

Output:

```

Enter the number
5
The factorial is 120
-----
Process exited after 2.349 seconds with return value 0
Press any key to continue . . . |


```

16. Print  
multiplication table using for loop

Program:

```
#include<iostream>
using namespace std;
int main(){
    int x,i;
    cout<<"Enter the numbber"<<endl;
    cin>>x;
    for(i=1;i<=10;i++){
        cout<<x<<" * "<<i<<" = "<<i*x<<endl;
    }
}
```

Output:



The screenshot shows the output of the program on a black background with white text. It starts with the prompt "Enter the number" followed by the input "5". Below this, it displays a multiplication table for the number 5, with rows for i from 1 to 10. Each row shows the calculation "5 \* i = result".

Enter the number
5
5 * 1 = 5
5 * 2 = 10
5 * 3 = 15
5 * 4 = 20
5 * 5 = 25
5 * 6 = 30
5 * 7 = 35
5 * 8 = 40
5 * 9 = 45
5 * 10 = 50

17. Fibonacci  
series using for loop

Program:

```
#include<iostream>
using namespace std;
int main(){
    int a=0,b=1,sum;

    int n;
    cout<<"Enter the number of terms "<<endl;
    cin>>n;
    cout<<a<<" "<<b<<" ";
    for(int i=0;i<n-2;i++){
        sum=a+b;
        a=b;
    }
```

```

        b=sum;
        cout<<sum<<" ";
    }
}

```

Output:

```

Enter the number of terms
8
0 1 1 2 3 5 8 13
-----
Process exited after 3.016 seconds with return value 0
Press any key to continue . . . |

```

18. Prime number  
using for loop

Program:

```

#include<iostream>
using namespace std;
int main(){
    int x;
    cout<<"Enter the number "<<endl;
    cin>>x;
    int flag=0;
    for(int i=2;i<x/2+1;i++){
        if(x%i==0){
            flag=1;
        }
    }
    if(flag==0){
        cout<<"It is a prime number";
    }
    else{
        cout<<"Not a prime number";
    }
}

```

Output:

```

Enter the number
7
It is a prime number
-----
Process exited after 3.221 seconds with return value 0
Press any key to continue . . . |

```

19. Check the  
string is palindrome or not using while loop

Program:

```

#include<iostream>

```

```

using namespace std;
int ispalin(string str){
    for(int i=0;i<str.length()/2;i++){
        if(str[i]!=str[str.length()-i-1]){
            return false;
        }
    }
    return true;
}

int main(){
    string str;
    cout<<"Enter the string"<<endl;
    cin>>str;
    if(ispalin(str)){
        cout<<"It is a palindrome";
    }
    else{
        cout<<"It is not a palindrome";
    }
}

```

Output:

```

Enter the string
madam
It is a palindrome
-----
Process exited after 4.713 seconds with return value 0
Press any key to continue . . . |

```

20. Sum of all digits using while loop (n=123 output:1+2+3=6)

Program:

```

#include<iostream>
using namespace std;
int main(){
    int n,sum=0;
    cout<<"Enter the number"<<endl;
    cin>>n;
    while(n!=0){
        sum+=n%10;
        n=n/10;
    }
    cout<<"Sum of the digits is "<<sum;
}

```

Output:

```

Enter the number
123
Sum of the digits is 6
-----
Process exited after 6.196 seconds with return value 0
Press any key to continue . . . |

```

21. GCD of two numbers using do-while loop

Program:

```

#include<iostream>
using namespace std;
int main(){
    int a,b,res;
    cout<<"Enter the two numbers"<<endl;
    cin>>a;
    cin>>b;
    res=min(a,b);
    do{
        if(a%res==0 && b%res==0 ){
            cout<<"Greatest common divisor is "<<res;
            break;
        }
        res=res-1;
    }while(res>0);
}

```

Output:

```

Enter the two numbers
15
10
Greatest common divisor is 5
-----
Process exited after 3.832 seconds with return value 0
Press any key to continue . . . |

```

22. Check whether the number is perfect or not

Program:

```

#include<iostream>
using namespace std;
void isperfect(int n){
    int sum=0;
    for(int i=0;i<(n/2)+1;i++){
        if(n%i==0){
            sum+=i;
        }
    }
}

```

```

    }
    if(sum==n){
        cout<<"It is a perfect number";

    }
    else{
        cout<<"It is not a perfect number";
    }
}
int main(){
    int n;
    cout<<"Enter the number"<<endl;
    cin>>n;
    isperfect(n);
    return 0;
}
Output:

```

## 23. Armstrong number

Program:

```

#include<iostream>
#include<bits/stdc++.h>
using namespace std;
bool isperfect(int n){
    int x=n;
    int p=0;

    while(n!=0){
        int a =(n%10);
        p+=pow(a,3);
        n=n/10;
    }
    if(p==x){
        return true;
    }
    else{
        return false;
    }
}

```

```

    }
}

int main(){
    int n;
    cout<<"Enter the number"<<endl;
    cin>>n;
    if(isperfect(n)){
        cout<<"It is an armstrong number";
    }
    else{
        cout<<"It is not an armstrong number";
    }
}

```

Output:

```

Enter the number
123
It is not an armstrong number
-----
Process exited after 3.069 seconds with return value 0
Press any key to continue . . . |

```

#### 24. Harshad number

Program:

```

#include<iostream>
using namespace std;
int main(){
    int n,sum=0;
    cout<<"Enter the number"<<endl;
    cin>>n;
    int x=n;
    while(n!=0){
        sum+=n%10;
        n=n/10;
    }
    if(sum==x){
        cout<<"It is a harshad number";
    }
    else{
        cout<<"It is not a harshad number";
    }
}

```

Output:




## 25. Happy number

Program:

```
#include<bits/stdc++.h>
using namespace std;
int main()
{
    int num,temp,sum=0;
    cout<<"Enter the number"<<endl;
    cin>>num;
    while(sum!=1 && sum!=4)
    {
        sum=0;
        while(num>0)
        {
            temp=num%10;
            sum=sum+(temp*temp);
            num=num/10;
        }
        num=sum;
    }
    if(sum==1)
        cout<<"Happy Number"<<endl;
    else
        cout<<"Unhappy Number"<<endl;
    return 0;
}
```

Output:

A screenshot of a terminal window with a black background and white text. The output shows the program's execution: it prompts 'Enter the number', the user enters '23', and the program outputs 'Happy Number'. Below this, a separator line of dashes is shown, followed by the message 'Process exited after 18.46 seconds with return value 0' and 'Press any key to continue . . . |' with a cursor.

```
Enter the number
23
Happy Number

-----
Process exited after 18.46 seconds with return value 0
Press any key to continue . . . |
```

## 26.Strong number

Program:

```
#include<iostream>
using namespace std;
int fact(int x){
    int f=1;
    for(int i=1;i<=x;i++){
        f=f*i;
    }
    return f;
}
```

```

int strong(int n){
    int x=n;
    int sum=0;
    while(n!=0){
        sum+=fact(n%10);
        n=n/10;
    }
    return sum;
}

int main(){
    int n;
    cout<<"Enter the number"<<endl;
    cin>>n;
    if(strong(n)==n){
        cout<<"It is a strong number";
    }
    else{
        cout<<"It is not a strong number";
    }
}

```

Output:

```

Enter the number
145
It is a strong number
-----
Process exited after 3.177 seconds with return value 0
Press any key to continue . . . |

```

## 27. Buzz number

Program:

```

#include<iostream>
using namespace std;
int main(){
    int n;
    cout<<"Enter the number"<<endl;
    cin>>n;
    if((n%10)==7 || n/7==0 ){
        cout<<"It is a buzz number";
    }
    else{
        cout<<"It is not a buzz number";
    }
}

```

Output:

Enter the number

27

It is a buzz number

-----

Process exited after 4.04 seconds with return value 0

Press any key to continue . . . |