

Image source: http://www.interprit.com/integration/internet-of-things-iot

## MANCHESTER auchester

#### **Course Instructors**

- Course leader: Dr Vasilis Pavlidis
  - pavlidis@cs.man.ac.uk
  - Office location IT 414
  - Office hours: Fridays 14:00-15:00
- Course instructor: Dr Mustafa Mustafa
  - mustafa.mustafa@manchester.ac.uk
  - Office location KB 2.93
  - Office hours: Thursdays 09:00am-10:00am

## MANCHESTER Jayons All Jayons All

#### **Course Structure**

- Face to face lectures
- Primarily synchronous lectures
  - There will be sporadic asynchronous lectures
- Assessment: 100% exam (online closed book exam)
  - Formative quizzes will be available periodically

MANCHESTER Authorities Authori

#### **Course Content**

- Emphasis on networking for IoT systems
- Part I (Vasilis)
  - IoT architecture and related design methodology
  - Physical mechanisms, models, and techniques for wireless communications
  - IoT application and PHY protocols
    - HTTP, CoAP, MQTT, etc.
    - WiFi, Bluetooth
- Part II (Mustafa)
  - · Security requirements and challenges in IoT
  - Understanding botnets and DDoS attacks in IoT
  - Countermeasures and techniques to secure IoT

## MANCHEST

#### What is the "Internet of Things (IoT)?"

#### The vision<sup>1</sup>


• Specialized elements of hardware and software, connected by wires, radio waves, and infrared, will be so ubiquitous that no one will notice their presence.


#### A definition<sup>2</sup>


 A global infrastructure for the information society, enabling advanced services by interconnecting (physical and virtual)
 things based on existing and evolving interoperable information and communication technologies.

<sup>1</sup>M. Weiser, "The computer for the 21<sup>st</sup> Century," *Scientific American*, Vol. 265, No. 3, pp. 94-104, September 1991. <sup>2</sup>International Telecommunication Union, *Overview of the Internet of Things*, June 2012.









#### Other IoT applications include:


- Industry
  - Machine diagnosis and prognosis
  - · Indoor air quality monitoring
  - Gas/fire sensors
  - · Monitoring of industrial processes
- · Health and lifestyle
  - · Health & fitness monitoring
  - · Wearable electronics


MANCHESTER Abstraction of the control of the contro

#### How was IoT Enabled?


- Technology push was the driver for rise of IoT
  - In the past 10 yrs (2008-2017), networking, computing, and storage advanced immensely
  - Bandwidth improved by more than 1000× while the cost has decreased  $40\times$
  - Cost of computing ICs has reduced 60×
  - The capacity of a single disk increased by more than 10,000× while the cost reduced by 17×


\*Edge Computing Reference Architecture 2.0, Edge Computing Consortium (ECC) and Alliance of Industrial Internet (All), November 2017





A physical thing may be represented in the information world via one or more virtual things (mapping), but a virtual thing can also exist without any associated physical thing.





# MANCH ESTER

#### **IoT Devices**

- A device is composed of one or more THINGS
- The minimum requirement of a device is the capability to communicate
  - It can also be augmented with sensing, data capturing, actuation and other capabilities
- Communication between devices
  - · Directly, i.e. device-to-device
  - Through the communication network via a gateway
  - Through the communication network without a gateway
  - Combinations of the above methods

13

Combinations include for example the case where devices can communicate with other devices using a network providing local connectivity between devices and between devices and a gateway, and then communication through the communication network via a local network gateway, effectively combining all cases mentioned above.

The IoT network infrastructure may be realized via existing networks, such as conventional TCP/IP-based networks, and/or evolving network protocols such as 6LoWPAN.

# IoT Services

- Another noteworthy feature of IoT systems is services related to things
- IoT services can be categorized under four classes
  - Identity-related Services
  - Information Aggregation Services
  - Collaborative-Aware Services
  - Ubiquitous Services

14

- Identity-related services are the most basic and important services that are used in other types of services. Every application that needs to bring real world objects to the virtual world has to identify those objects.
- Information Aggregation Services collect and summarize raw sensory measurements that need to be processed and reported to the IoT application.
- Collaborative-Aware Services act on top of Information Aggregation Services and use the obtained data to make decision and react accordingly.
- Ubiquitous Services, however, aim to provide Collaborative-Aware Services *anytime* they are needed to *anyone* who needs them *anywhere*.

To offer such services there should be a shift in the technologies both in the physical (hardware) and information (software) world. These services should be provided while complying with the constraints of the things, for example, privacy protection and security.

#### Source:

X. Xiaojiang, W. Jianli, and L. Mingdong, "Services and key technologies of the Internet of Things," ZTE Commun., Shenzhen, China, vol. 2, p. 011, 2010.

M. Gigli and S. Koo, "Internet of Things: Services and applications categorization," *Adv. Internet Things*, vol. 1, no. 2, pp. 27–31, Jul. 2011



### **Primary Characteristics of IoT Systems**

- Interconnectivity
  - · Anything is connected virtually to "any THING"
- Heterogeneity
  - Different hardware platforms and networks
- Dynamic changes
  - Devices have many more power states compared to stateof-art-devices (sleep, wake-up, connected, disconnected)
  - Location and speed of the device
- Scale and complexity
  - Several billions(!) of devices connected. These devices should be managed and communicate with each other

### Basic Requirements of IoT Systems


- Identification-based connectivity
  - A thing is connected to the IoT through a unique identifier of that thing (e.g., think of your ID getting access to a service/space)
  - But different types of ID may exist
- Interoperability
  - Needs to be ensured among heterogeneous and distributed systems for provision and consumption of diverse information and services
- Security
  - Typical threats towards confidentiality, authenticity, and integrity of both data and services
- Privacv
  - THINGs have owners and users. Privacy should be protected during data transmission, aggregation, storage, mining, and processing


16

#### Other requirements for IoT systems include:

- Networking should be autonomic\* (involuntary) including self-management, self-configuring, self-healing, self-optimizing and self-protecting techniques and/or mechanisms. Autonomy should be supported in the networking control functions of the system to ensure adaptation to different application domains, different communication environments, and large numbers (scale) and types of devices.
- Autonomic service provisioning should be provided by capturing, communicating, and processing
  automatically the data of things based on the rules configured by operators or customized by
  subscribers. These services may depend on the techniques of automatic data fusion and data mining.
- Location-based capabilities must be supported in the IoT. Something-related communications and services will depend on the location information of things and/or users. For example, think of weather conditions information, which is not that useful without related location information. Location-based communications and services may be constrained by laws and regulations, and should comply with security requirements.
- **High quality and highly secure human body related services.** Different countries have different laws and regulations on these services.
- Plug and play capability which will enable on-the-fly generation, composition or acquisition of semanticbased configurations for seamless integration and cooperation of interconnected things with applications and responsiveness to application requirements.
- Manageability will ensure normal network operations. IoT applications usually work automatically
  without the participation of people (see autonomic networking above), but their whole operation
  process should be manageable by the relevant parties.

<sup>\*</sup>Not be confused with "autonomous" (self-governing).





# MANCHESTER Judge Manchester Manch

#### Some Facts and Predictions

- The **IoT industry** will be worth over \$1 trillion by 2024
- By 2027, IoT manufacturing revenue is expected to double
- The IoT revenue in health and social care will reach \$23.4 billion by 2030
- Electricity & gas IoT revenue is predicted to exceed \$35 billion by 2030
- The global agriculture IoT drone market will reach \$1.75 billion by 2030
- The loT consumer segment will account for 27% of all loT revenue by 2024

19

Source: https://vpnalert.com/resources/iot-statistics/

