
Salesforce Field Reference Guide

Salesforce, Spring '16



CONTENTS

Salesforce Fields Reference	1
Account	2
AccountContactRole	3
AccountPartner	4
AccountTeamMember	5
AccountTerritoryAssignmentRule	5
AccountTerritoryAssignmentRuleItem	6
AccountTerritorySharingRule	6
ActivityHistory	7
Announcement	8
ApexLog	9
ApexTestQueueItem	9
ApexTestResult	10
AppMenuItem	10
Asset	12
AttachedContentDocument	13
Attachment	14
AuthConfig	14
AuthConfigProviders	15
AuthProvider	16
AuthSession	16
Bookmark	17
BrandTemplate	18
Campaign	18
CampaignMember	20
CampaignMemberStatus	21
Case	21
CaseContactRole	22
CaseMilestone	23
ChatterActivity	24
ChatterConversation	24
ChatterConversationMember	25
ChatterMessage	25
ClientBrowser	25
CollaborationGroup	26
CollaborationGroupMember	27
CollaborationGroupMemberRequest	27
CollaborationGroupRecord	28
CollaborationInvitation	28

Contents

CombinedAttachment	29
Contact	30
ContentDistribution	32
ContentDistributionView	33
ContentDocument	33
ContentDocumentLink	34
ContentWorkspace	34
ContentWorkspaceDoc	35
ContentVersion	35
Contract	37
ContractContactRole	38
ContractLineItem	39
CronJobDetail	40
CurrencyType	40
CustomPermission	41
CustomPermissionDependency	42
Dashboard	42
DashboardComponent	43
DatedConversionRate	44
Division	44
Document	45
Domain	46
DomainSite	46
EmailMessage	47
EmailTemplate	48
Entitlement	49
EntitlementContact	50
EntitlementTemplate	50
EntitySubscription	51
Event	51
EventLogFile	53
ExternalDataSource	54
ExternalDataUserAuth	55
FeedComment	55
FeedItem	56
FeedTrackedChange	57
FieldPermissions	57
Folder	58
GoogleDoc	58
Group	59
Idea	59
Lead	61
ListView	62
ListViewChart	63

Contents

LoginHistory	64
LoginIp	64
LookedUpFromActivity	65
MailmergeTemplate	66
MilestoneType	67
NamedCredential	67
Note	68
NoteAndAttachment	69
OauthToken	69
ObjectPermissions	70
OpenActivity	71
Opportunity	72
OpportunityCompetitor	73
OpportunityContactRole	74
OpportunityHistory	74
OpportunityLineItem	75
OpportunityLineItemSchedule	76
OpportunityPartner	77
OpportunitySplit	77
OpportunitySplitType	78
OpportunityStage	79
OpportunityTeamMember	79
OwnedContentDocument	80
Partner	81
PartnerNetworkConnection	81
PartnerNetworkRecordConnection	82
PartnerRole	83
Period	83
PermissionSet	84
PermissionSetAssignment	85
PermissionSetLicense	85
PermissionSetLicenseAssign	86
PlatformAction	86
Pricebook2	87
PricebookEntry	88
Product2	89
ProductEntitlementTemplate	89
Question	90
Quote	91
RecentlyViewed	93
Reply	93
Report	94
SelfServiceUser	95
ServiceContract	96

Contents

SetupEntityAccess	97
Site	97
SlaProcess	98
Solution	99
TagDefinition	100
Task	100
Territory	102
Topic	103
TopicAssignment	103
TwoFactorInfo	104
User	104
UserAccountTeamMember	106
UserLogin	107
UserRecordAccess	108
UserRole	108
UserProfile	109
UserTeamMember	110
UserTerritory	110
Vote	111
WebLink	111

SALESFORCE FIELDS REFERENCE

This is a list of the standard fields for the major objects in Salesforce. For details about using each object, see the Salesforce online help. For more technical details, see the *SOAP API Developer's Guide*.

Fields display in a variety of places in the Salesforce user interface, including page layouts, related lists, search layouts, list views, and reports. For the majority of the fields, you can also use them as *merge fields* within custom formula fields, Visualforce pages, custom links, and custom buttons. Merge fields serve as placeholders for data that will be replaced with information from your records, user information, or company information. For more information about using merge fields, see "Merge Fields Overview" in the Salesforce online help.

Depending on your organization settings and Salesforce Edition, some of these fields may not be available. Not all fields have information in every column. For example, a picklist field does not have a length or precision. The columns in the following tables include:

Field Label	How the field is displayed in the user interface in areas such as record detail pages, search results, and list views.
API Field Name	The name of the field, as represented in the SOAP API.
Type	<p>Indicates the data type of a field. With the exception of boolean and division, the types refer to standard Salesforce data types, such as number or picklist.</p> <p>A boolean data type is represented within Salesforce as a checkbox.</p> <p>A division data type is used for the Division picklist available to organizations that have enabled divisions.</p> <p>Note that Lookup fields are both manually assigned and system-generated references to other records. Not all of the Picklist fields listed below have values that can be modified.</p> <p>For more information on data types, see Primitive Data Types in the <i>SOAP API Developer's Guide</i>.</p>
Length	The maximum number of characters in the field. For example, the Shipping Zip/Postal Code has a length of 20. You cannot set it to a value longer than 20 characters.
Precision	<p>The precision describes the order of magnitude for the field, in other words, the complete length of the number, including digits both to the left and right of the decimal point.</p> <p>For example, 10234.56 has a precision of seven, five for the numbers to the left of the decimal place and two for the numbers to the right.</p> <p>Note that this is different from the <code>Length</code> value in number fields in Salesforce. The <code>Length</code> is the number of digits to the left of the decimal place.</p>
Scale	The scale is the number of digits used to describe the fractional value of the field, in other words, the number of digits to the right

of the decimal place. A scale of two means that two digits to the right of the decimal place will be displayed.

Account

Represents an individual account, which is an organization or person involved with your business (such as customers, competitors, and partners).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	MasterRecordId	reference	15		
Account ID	Id	id	15		
Account Number	AccountNumber	string	40		
Account Owner	OwnerId	reference	15		
Account Site	Site	string	80		
Account Source	AccountSource	picklist	40		
Annual Revenue	AnnualRevenue	currency		18	0
Billing Address	BillingStreet	textarea	255		
Billing Address	BillingCity	string	40		
Billing Address	BillingState	string	80		
Billing Address	BillingPostalCode	string	20		
Billing Address	BillingCountry	string	80		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Data.com Key	Jigsaw	string	20		
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Employees	NumberOfEmployees	int		8	0
Fax	Fax	phone	40		
Industry	Industry	picklist	40		
Jigsaw Company Id	JigsawCompanyId	string	20		
Last Activity	LastActivityDate	date			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Ownership	Ownership	picklist	40		
Parent Account	ParentId	reference	15		
Phone	Phone	phone	40		
Photo URL	PhotoUrl	url	255		
Rating	Rating	picklist	40		
SIC Code	Sic	string	20		
SIC Description	SicDesc	string	80		
Shipping Address	ShippingStreet	textarea	255		
Shipping Address	ShippingCity	string	40		
Shipping Address	ShippingState	string	80		
Shipping Address	ShippingPostalCode	string	20		
Shipping Address	ShippingCountry	string	80		
System Modstamp	SystemModstamp	datetime			
Ticker Symbol	TickerSymbol	string	20		
Type	Type	picklist	40		
Website	Website	url	255		

AccountContactRole

Represents the role that a Contact plays on an Account.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Contact	ContactId	reference	15		
Contact Role ID	Id	id	15		
Created By	CreatedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Primary	IsPrimary	boolean			
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

AccountPartner

This read-only object represents a partner relationship between two Account objects. It is automatically created when a Partner object is created for a partner relationship between two accounts.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account From	AccountFromId	reference	15		
Account Partner ID	Id	id	15		
Account To	AccountToId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity	OpportunityId	reference	15		
Primary	IsPrimary	boolean			
Reverse Partner	ReversePartnerId	reference	15		
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

AccountTeamMember

Represents a User who is a member of an Account team.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Account Access	AccountAccessLevel	picklist	40		
Account Team Member ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			
Team Role	TeamMemberRole	picklist	40		
User	UserId	reference	15		

AccountTerritoryAssignmentRule

An account assignment rule that assigns accounts to territories based on account fields. Only available if territory management has been enabled for your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Territory Assignment Rule ID	Id	id	15		
Active	IsActive	boolean			
Apply to child territories	IsInherited	boolean			
Boolean Filter	BooleanFilter	string	120		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Rule Name	Name	string	80		
System Modstamp	SystemModstamp	datetime			
Territory	TerritoryId	reference	15		

AccountTerritoryAssignmentRuleItem

A row of selection criteria for an AccountTerritoryAssignmentRule object. Only available if territory management has been enabled for your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Territory Assignment Rule	RuleId	reference	15		
Account Territory Assignment Rule Item ID	Id	id	15		
Custom Field Definition	Field	picklist	40		
Operation	Operation	picklist	40		
Sort Order	SortOrder	int		9	0
System Modstamp	SystemModstamp	datetime			
Value	Value	string	1000		

AccountTerritorySharingRule

Represents the rules for sharing an Account within a Territory.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Access	AccountAccessLevel	picklist	40		
Account Territory Rule ID	Id	id	15		
Case Access	CaseAccessLevel	picklist	40		

Field Label	API Field Name	Type	Length	Precision	Scale
Contact Access	ContactAccessLevel	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	textarea	1000		
Developer Name	DeveloperName	string	80		
Group	GroupId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	Name	string	80		
Opportunity Access	OpportunityAccessLevel	picklist	40		
System Modstamp	SystemModstamp	datetime			
User/Group	UserOrGroupId	reference	15		

ActivityHistory

This read-only object is displayed in a related list of closed activities—past events and closed tasks—related to an object. It includes activities for all contacts related to the object. ActivityHistory fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Activity ID	Id	id	15		
All-Day Event	IsAllDayEvent	boolean			
Assigned To	OwnerId	reference	15		
Call Duration	CallDurationInSeconds	int		8	0
Call Object Identifier	CallObject	string	255		
Call Result	CallDisposition	string	255		
Call Type	CallType	picklist	40		
Closed	IsClosed	boolean			
Comments	Description	textarea	32000		

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date	ActivityDate	date			
Deleted	IsDeleted	boolean			
Duration	DurationInMinutes	int		9	0
End	EndDateTime	datetime			
High Priority	IsHighPriority	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Location	Location	string	80		
Name	Whold	reference	15		
Priority	Priority	picklist	40		
Public	IsVisibleInSelfService	boolean			
Related To	WhatId	reference	15		
Reminder Date/Time	ReminderDateTime	datetime			
Reminder Set	IsReminderSet	boolean			
Start	StartDateTime	datetime			
Status	Status	picklist	40		
Subject	Subject	combobox	80		
System Modstamp	SystemModstamp	datetime			
Task	IsTask	boolean			
Type	ActivityType	picklist	40		

Announcement

Represents a Chatter group announcement.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Announcement ID	Id	id	15		
Created By	CreatedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Expiration Date	ExpirationDate	datetime			
Feed Item	FeedItemId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Parent	ParentId	reference	15		
System Modstamp	SystemModstamp	datetime			

ApexLog

Represents an Apex debug log.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Application	Application	string	64		
Date	LastModifiedDate	datetime			
Duration (ms)	DurationMilliseconds	int		9	0
Location	Location	picklist	40		
Log ID	Id	id	15		
Log Size (bytes)	LogLength	int		9	0
Log User	LogUserId	reference	15		
Operation	Operation	string	128		
Request Type	Request	string	16		
Start Time	StartTime	datetime			
Status	Status	string	255		
System Modstamp	SystemModstamp	datetime			

ApexTestQueueItem

Represents a single Apex class in the Apex job queue.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Apex Class	ApexClassId	reference	15		
Apex Test Queue Item ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Parent Job	ParentJobId	reference	15		
Status	Status	picklist	40		
Status Detail	ExtendedStatus	string	1000		
System Modstamp	SystemModstamp	datetime			

ApexTestResult

Represents the result of an Apex test method execution.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Apex Class	ApexClassId	reference	15		
Apex Debug Log	ApexLogId	reference	15		
Apex Job	AsyncApexJobId	reference	15		
Apex Test Result ID	Id	id	15		
Error Message	Message	string	4000		
Method Name	MethodName	string	255		
Pass/Fail	Outcome	picklist	40		
Queue Item	QueueItemId	reference	15		
Stack Trace	StackTrace	string	4000		
System Modstamp	SystemModstamp	datetime			
Time Started	TestTimestamp	datetime			

AppMenuItem

Represents the organization's default settings for items in the Force.com app menu or App Launcher.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
App Type	Type	picklist	255		
App requires a registered mobile device	IsRegisteredDeviceOnly	boolean			
AppMenuItem ID	Id	id	15		
Application ID	ApplicationId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date the mobile app was most recently installed	MobileAppInstalledDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	string	250		
Developer Name	Name	string	80		
ID for the related mobile app binary	MobileAppBinaryId	string	255		
Icon Url	IconUrl	url	255		
Info URL	InfoUrl	url	255		
Is this a canvas-enabled application	CanvasEnabled	boolean			
IsUsingAdminAuthorization	IsUsingAdminAuthorization	boolean			
Label	Label	string	250		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Logo Image URL	LogoUrl	url	255		
Minimum required mobile device OS version	MobileMinOsVer	string	255		
Mobile Start Url	MobileStartUrl	url	255		
Mobile device OS platform	MobilePlatform	picklist	255		
Most recently installed version of the mobile app	MobileAppInstalledVersion	string	255		
Namespace Prefix	NamespacePrefix	string	80		
Sort Order	SortOrder	int		9	0
Start Url	StartUrl	url	255		

Field Label	API Field Name	Type	Length	Precision	Scale
System Modstamp	SystemModstamp	datetime			
The canvas url for the canvas application	CanvasUrl	url	255		
The configured access method for the canvas application	CanvasAccessMethod	picklist	255		
The identifier used to render the canvas application.	CanvasReferenceId	string	18		
The selected/supported locations of the canvas application	CanvasSelectedLocations	string	255		
Type of mobile device	MobileDeviceType	string	255		
URL to install the mobile app	MobileAppInstallUrl	url	255		
Version of the mobile app	MobileAppVer	string	255		

Asset

Represents an item of commercial value, such as a product sold by your company or a competitor, that a customer has purchased and installed.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Asset ID	Id	id	15		
Asset Name	Name	string	255		
Competitor Asset	IsCompetitorProduct	boolean			
Contact	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Install Date	InstallDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Price	Price	currency		18	0
Product	Product2Id	reference	15		
Purchase Date	PurchaseDate	date			
Quantity	Quantity	double		12	2
Serial Number	SerialNumber	string	80		
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			

AttachedContentDocument

This read-only object contains all `ContentDocument` objects associated with an object.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Content Document Link Id	Id	id	15		
Content Modified By	LastModifiedById	reference	15		
Content Modified Date	LastModifiedDate	datetime			
Content Size	ContentSize	int		9	0
Content URL	ContentUrl	url	255		
Created	CreatedDate	datetime			
Created by	CreatedById	reference	15		
Deleted	IsDeleted	boolean			
Document	ContentDocumentId	reference	15		
External Data Source	ExternalDataSourceName	string	80		
File Extension	FileExtension	string	40		
File Type	FileType	string	20		
Parent	LinkedEntityId	reference	15		
Title	Title	string	255		

Attachment

Represents a file that a User has uploaded and attached to a parent object.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Attachment ID	Id	id	15		
Body	Body	base64			
Body Length	BodyLength	int		8	0
Content Type	ContentType	string	120		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	500		
File Name	Name	string	255		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Owner Name	OwnerId	reference	15		
Parent	ParentId	reference	15		
Private	IsPrivate	boolean			
System Modstamp	SystemModstamp	datetime			

AuthConfig

Represents authentication options for a community or custom domain that was created by using My Domain.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Authentication Configuration ID	Id	id	15		
Authentication Configuration Type	Type	picklist	255		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Deleted	IsDeleted	boolean			
Is Active	IsActive	boolean			
Label	MasterLabel	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Name	DeveloperName	string	80		
Namespace Prefix	NamespacePrefix	string	15		
System Modstamp	SystemModstamp	datetime			
URL	Url	string	240		

AuthConfigProviders

This object links the authentication configuration for an organization to the Auth. Provider through the `AuthOptionsAuthProvider` field of the `AuthConfig` object. The login page of a Community or custom domain that was created by using My Domain can allow multiple SAML configurations and multiple authentication providers. These configurations can be set to show up as buttons on the login page. Each configuration has an `AuthConfigProvider` object.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Auth Config	AuthConfigId	reference	15		
Auth Config Provider ID	Id	id	15		
Authentication Provider	AuthProviderId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			

AuthProvider

An auth provider enables users to log into your Salesforce organization using their login credentials from an external service provider such as Facebook[®] or Janrain[®].

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Auth. Provider ID	Id	id	15		
Authorize Endpoint URL	AuthorizeUrl	url	1024		
Consumer Key	ConsumerKey	string	256		
Consumer Secret	ConsumerSecret	string	100		
Created Date	CreatedDate	datetime			
Custom Error URL	ErrorUrl	string	500		
Custom Logout URL	LogoutUrl	url	1500		
Default Scopes	DefaultScopes	string	256		
Execute Registration As	ExecutionUserId	reference	15		
Icon URL	IconUrl	url	1024		
Name	FriendlyName	string	32		
Options	Options	int		9	0
Provider Type	ProviderType	picklist	40		
Registration Handler	RegistrationHandlerId	reference	15		
Token Endpoint URL	TokenUrl	url	1024		
Token Issuer	IdTokenIssuer	string	1024		
URL Suffix	DeveloperName	string	32		
User Info Endpoint URL	UserInfoUrl	url	1024		

AuthSession

The AuthSession object represents an individual user session in your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Auth Session	ParentId	reference	15		
Auth Session ID	Id	id	15		
Created	CreatedDate	datetime			
Login	LoginType	picklist	1		
Login History	LoginHistoryId	reference	15		
Logout URL	LogoutUrl	string	1500		
Session Security Level	SessionSecurityLevel	picklist	40		
Session Type	SessionType	picklist	40		
Source IP	Sourcelp	string			
Updated	LastModifiedDate	datetime			
User	UsersId	reference	15		
User Type	UserType	picklist	40		
Valid For	NumSecondsValid	int		9	0

Bookmark

Represents a link between opportunities that share common information.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Bookmark ID	Id	id	15		
Bookmarked From	FromId	reference	15		
Bookmarked To	ToId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			

BrandTemplate

Letterhead for HTML EmailTemplate.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Brand Template Name	Name	string	255		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	string	1000		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Letterhead ID	Id	id	15		
Letterhead Unique Name	DeveloperName	string	80		
Namespace Prefix	NamespacePrefix	string	15		
System Modstamp	SystemModstamp	datetime			
Value	Value	textarea	32000		

Campaign

Represents and tracks a marketing campaign, such as a direct mail promotion, webinar, or trade show.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Actual Cost	ActualCost	currency		18	0
Budgeted Cost	BudgetedCost	currency		18	0
Campaign ID	Id	id	15		
Campaign Member Type	CampaignMemberRecordTypeId	reference	15		
Campaign Name	Name	string	80		
Campaign Owner	OwnerId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Converted Leads	NumberOfConvertedLeads	int		9	0
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
End Date	EndDate	date			
Expected Response (%)	ExpectedResponse	percent		10	2
Expected Revenue	ExpectedRevenue	currency		18	0
Last Activity	LastActivityDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Num Sent	NumberSent	double		18	0
Num Total Opportunities	NumberOfOpportunities	int		9	0
Num Won Opportunities	NumberOfWonOpportunities	int		9	0
Parent Campaign	ParentId	reference	15		
Start Date	StartDate	date			
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			
Total Actual Cost in Hierarchy	HierarchyActualCost	currency		18	0
Total Budgeted Cost in Hierarchy	HierarchyBudgetedCost	currency		18	0
Total Contacts	NumberOfContacts	int		9	0
Total Contacts in Hierarchy	HierarchyNumberOfContacts	int		9	0
Total Converted Leads in Hierarchy	HierarchyNumberOfConvertedLeads	int		9	0
Total Expected Revenue in Hierarchy	HierarchyExpectedRevenue	currency		18	0
Total Leads	NumberOfLeads	int		9	0
Total Leads in Hierarchy	HierarchyNumberOfLeads	int		9	0
Total Num Sent in Hierarchy	HierarchyNumberSent	double		18	0
Total Opportunities in Hierarchy	HierarchyNumberOfOpportunities	int		9	0

Field Label	API Field Name	Type	Length	Precision	Scale
Total Responses	NumberOfResponses	int		9	0
Total Responses in Hierarchy	HierarchyNumberOfResponses	int		9	0
Total Value Opportunities	AmountAllOpportunities	currency		18	0
Total Value Opportunities in Hierarchy	HierarchyAmountAllOpportunities	currency		18	0
Total Value Won Opportunities	AmountWonOpportunities	currency		18	0
Total Value Won Opportunities in Hierarchy	HierarchyAmountWonOpportunities	currency		18	0
Total Won Opportunities in Hierarchy	HierarchyNumberOfWonOpportunities	int		9	0
Type	Type	picklist	40		

CampaignMember

Represents the association between a campaign and either a lead or a contact.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Campaign	CampaignId	reference	15		
Campaign Member ID	Id	id	15		
Contact	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
First Responded Date	FirstRespondedDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Lead	LeadId	reference	15		
Responded	HasResponded	boolean			
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			

CampaignMemberStatus

One or more member status values defined for a campaign.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Campaign	CampaignId	reference	15		
Campaign Member Status ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Is Default	IsDefault	boolean			
Label	Label	string	765		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Responded	HasResponded	boolean			
Sort Order	SortOrder	int		9	0
System Modstamp	SystemModstamp	datetime			

Case

Represents a case, which is a customer issue or problem.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Asset	AssetId	reference	15		
Business Hours	BusinessHoursId	reference	15		
Case ID	Id	id	15		
Case Number	CaseNumber	string	30		
Case Origin	Origin	picklist	40		
Case Owner	OwnerId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Case Reason	Reason	picklist	40		
Closed	IsClosed	boolean			
Closed When Created	IsClosedOnCreate	boolean			
Contact Name	ContactId	reference	15		
Created By	CreatedById	reference	15		
Date/Time Closed	ClosedDate	datetime			
Date/Time Opened	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Escalated	IsEscalated	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Parent Case	ParentId	reference	15		
Priority	Priority	picklist	40		
Status	Status	picklist	40		
Subject	Subject	string	255		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		
Web Company	SuppliedCompany	string	80		
Web Email	SuppliedEmail	email	80		
Web Name	SuppliedName	string	80		
Web Phone	SuppliedPhone	string	40		

CaseContactRole

Represents the role that a given Contact plays on a Case.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Case	CasesId	reference	15		
Contact	ContactId	reference	15		
Contact Role ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

CaseMilestone

Represents a milestone (required step in a customer support process) on a Case.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Business Hours	BusinessHoursId	reference	15		
Case	CasId	reference	15		
Case Milestone ID	Id	id	15		
Completed	IsCompleted	boolean			
Completion Date	CompletionDate	datetime			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Elapsed Time (Days)	ElapsedTimeInDays	double		6	2
Elapsed Time (Hours)	ElapsedTimeInHrs	double		6	2
Elapsed Time (Mins)	ElapsedTimeInMins	int		9	0
Last Modified By	LastModifiedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified Date	LastModifiedDate	datetime			
Milestone	MilestoneTypeId	reference	15		
Start Date	StartDate	datetime			
System Modstamp	SystemModstamp	datetime			
Target Date	TargetDate	datetime			
Target Response (Days)	TargetResponseInDays	double		6	2
Target Response (Hours)	TargetResponseInHrs	double		6	2
Target Response (Mins)	TargetResponseInMins	int		9	0
Time Remaining (Min:Sec)	TimeRemainingInMins	string	10		
Time Since Target (Min:Sec)	TimeSinceTargetInMins	string	10		
Violation	IsViolated	boolean			

ChatterActivity

ChatterActivity represents the number of posts and comments made by a user and the number of comments and likes on posts and comments received by the same user.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Chatter Activity ID	Id	id	15		
Comment Count	CommentCount	int		9	0
Comment Received Count	CommentReceivedCount	int		9	0
Influence Raw Rank	InfluenceRawRank	int		9	0
Like Received Count	LikeReceivedCount	int		9	0
Parent	ParentId	reference	15		
Post Count	PostCount	int		9	0
System Modstamp	SystemModstamp	datetime			

ChatterConversation

Represents a private conversation in Chatter, consisting of messages that conversation members have sent or received.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Conversation ID	Id	id	15		

ChatterConversationMember

Represents a member of a private conversation in Chatter. A member has either sent messages to or received messages from other conversation participants.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Chatter Conversation	ConversationId	reference	15		
Conversation Member ID	Id	id	15		
Member	MemberId	reference	15		

ChatterMessage

Represents a message sent as part of a private conversation in Chatter.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Body	Body	textarea	10000		
Chatter Conversation	ConversationId	reference	15		
Chatter Message ID	Id	id	15		
Created By	CreatedById	reference	15		
Date Message Was Sent	SentDate	datetime			
Sender	SenderId	reference	15		

ClientBrowser

Represents a cookie added to the browser upon login, and also includes information about the browser application where the cookie was inserted.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Client Browser ID	Id	id	15		
Created Date	CreatedDate	datetime			
Full User Agent	FullUserAgent	string	1024		
Last Update	LastUpdate	datetime			
Proxy Info	ProxyInfo	string	1024		
User	UsersId	reference	15		

CollaborationGroup

Represents a Chatter group.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Access Type	CollaborationType	picklist	40		
Allow Customers	CanHaveGuests	boolean			
Announcement	AnnouncementId	reference	15		
Archive	IsArchived	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	textarea	1000		
Disable Automatic Archiving	IsAutoArchiveDisabled	boolean			
Group Id	Id	id	15		
Has Private Fields Access	HasPrivateFieldsAccess	boolean			
Information	InformationBody	textarea	1000		
Information Title	InformationTitle	string	30		
Last Feed Modified Date	LastFeedModifiedDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Viewed Date	LastViewedDate	datetime			
Member Count	MemberCount	int		9	0
Name	Name	string	40		
Owner	OwnerId	reference	15		
System Modstamp	SystemModstamp	datetime			
Url for Thumbnail sized Photo	SmallPhotoUrl	url	1024		
Url for full-sized Photo	FullPhotoUrl	url	1024		

CollaborationGroupMember

Represents a member of a Chatter group.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Group	CollaborationGroupId	reference	15		
Group Member Id	Id	id	15		
Group Member Role	CollaborationRole	picklist	40		
Last Feed Access Date	LastFeedAccessDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Member	MemberId	reference	15		
Notification Frequency	NotificationFrequency	picklist	40		
System Modstamp	SystemModstamp	datetime			

CollaborationGroupMemberRequest

Represents a request to join a private Chatter group.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Group	CollaborationGroupId	reference	15		
Group Member Request Id	Id	id	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Requester	RequesterId	reference	15		
Response Message	ResponseMessage	string	255		
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			

CollaborationGroupRecord

Represents the records associated with Chatter groups.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Group	CollaborationGroupId	reference	15		
Group Record ID	Id	id	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Record	RecordId	reference	15		
System Modstamp	SystemModstamp	datetime			

CollaborationInvitation

Represents an invitation to join Chatter, either directly or through a group.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Chatter Invitation Id	Id	id	15		
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Invitation Status	Status	picklist	40		
Invited Email	InvitedUserEmail	string	240		
Invited Email (Normalized)	InvitedUserEmailNormalized	email	80		
Inviter	InviterId	reference	15		
Modified By	LastModifiedById	reference	15		
Modified Date	LastModifiedDate	datetime			
Optional Message	OptionalMessage	string	255		
Parent	ParentId	reference	15		
Shared Entity	SharedEntityId	reference	15		
System Modstamp	SystemModstamp	datetime			

CombinedAttachment

This read-only object contains all notes, attachments, Google Docs, documents uploaded to libraries in Salesforce CRM Content, and files added to Chatter that are associated with a record.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Combined Attachment Id	Id	id	15		
Content Modified By	LastModifiedById	reference	15		
Content Modified Date	LastModifiedDate	datetime			
Content Size	ContentSize	int		9	0
Content URL	ContentUrl	url	255		
Created	CreatedDate	datetime			
Created by	CreatedBy	reference	15		
Deleted	IsDeleted	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
External Data Source	ExternalDataSourceName	string	80		
File Extension	FileExtension	string	40		
File Type	FileType	string	30		
Parent	ParentId	reference	15		
Title	Title	string	255		
Type	RecordType	string	30		

Contact

Represents a contact, which is an individual associated with an account.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Assistant	AssistantName	string	40		
Asst. Phone	AssistantPhone	phone	40		
Birthdate	Birthdate	date			
Contact	MasterRecordId	reference	15		
Contact ID	Id	id	15		
Contact Owner	OwnerId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Data.com Key	Jigsaw	string	20		
Deleted	IsDeleted	boolean			
Department	Department	string	80		
Description	Description	textarea	32000		
Do Not Call	DoNotCall	boolean			
Email	Email	email	80		
Email Bounced Date	EmailBouncedDate	datetime			
Email Bounced Reason	EmailBouncedReason	string	255		
Email Opt Out	HasOptedOutOfEmail	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
Fax	Fax	phone	40		
Fax Opt Out	HasOptedOutOffFax	boolean			
Home Phone	HomePhone	phone	40		
Is Email Bounced	IsEmailBounced	boolean			
Jigsaw Contact Id	JigsawContactId	string	20		
Last Activity	LastActivityDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Stay-in-Touch Request Date	LastCURequestDate	datetime			
Last Stay-in-Touch Save Date	LastCUUpdateDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Lead Source	LeadSource	picklist	40		
Mailing Address	MailingStreet	textarea	255		
Mailing Address	MailingCity	string	40		
Mailing Address	MailingState	string	80		
Mailing Address	MailingPostalCode	string	20		
Mailing Address	MailingCountry	string	80		
Mobile	MobilePhone	phone	40		
Name	Salutation	picklist	40		
Name	FirstName	string	40		
Name	LastName	string	80		
Other Address	OtherStreet	textarea	255		
Other Address	OtherCity	string	40		
Other Address	OtherState	string	80		
Other Address	OtherPostalCode	string	20		
Other Address	OtherCountry	string	80		
Other Phone	OtherPhone	phone	40		
Phone	Phone	phone	40		
Photo URL	PhotoUrl	url	255		

Field Label	API Field Name	Type	Length	Precision	Scale
Reports To	ReportsToId	reference	15		
System Modstamp	SystemModstamp	datetime			
Title	Title	string	128		

ContentDistribution

Represents information about sharing a document externally. This object is available in API version 32.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Content Delivery ID	Id	id	15		
Content Delivery Name	Name	string	100		
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Document	ContentDocumentId	reference	15		
Expiration Date	ExpiryDate	datetime			
External Link	DistributionPublicUrl	string	256		
First Viewed	FirstViewDate	datetime			
Last Modified By	LastModifiedBy	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Viewed	LastViewDate	datetime			
Owner Name	OwnerId	reference	15		
Password	Password	string	36		
Preferences	Preferences	int		9	0
Related To	RelatedRecordId	reference	15		
System Modstamp	SystemModstamp	datetime			
Version	ContentVersionId	reference	15		
View Count	ViewCount	int		9	0

ContentDistributionView

Represents information about views of a shared document. This read-only object is available in API version 32.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Content Delivery	DistributionId	reference	15		
Content Delivery View	ParentViewId	reference	15		
Content Delivery View ID	Id	id	15		
Created By	CreatedById	reference	15		
Deleted	IsDeleted	boolean			
File Downloaded	IsDownload	boolean			
Internal View	IsInternal	boolean			
System Modstamp	SystemModstamp	datetime			
View Date	CreatedDate	datetime			

ContentDocument

Represents a document that has been uploaded to a library in Salesforce CRM Content or a file in Chatter.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Archived By	ArchivedById	reference	15		
Archived Date	ArchivedDate	date			
Content Modified Date	ContentModifiedDate	datetime			
ContentDocument ID	Id	id	15		
Created	CreatedDate	datetime			
Created By	CreatedById	reference	15		
Description	Description	textarea	1000		
File Extension	FileExtension	string	40		
File Type	FileType	string	20		
Is Archived	IsArchived	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
Is Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Latest Published Version	LatestPublishedVersionId	reference	15		
Owner	OwnerId	reference	15		
Publish Status	PublishStatus	picklist	40		
Size	ContentSize	int		9	0
System Modstamp	SystemModstamp	datetime			
Title	Title	string	255		

ContentDocumentLink

Represents the link between a Salesforce CRM Content document or Chatter file and where it's shared. A file can be shared with other users, Chatter groups, records, and Salesforce CRM Content libraries.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
ContentDocumentLink ID	Id	id	15		
Document	ContentDocumentId	reference	15		
Is Deleted	IsDeleted	boolean			
Linked Entity	LinkedEntityId	reference	15		
Share Type	ShareType	picklist	40		
System Modstamp	SystemModstamp	datetime			
Visibility	Visibility	picklist	40		

ContentWorkspace

Represents a public library in Salesforce CRM Content.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Default Content Type	DefaultRecordTypeId	reference	15		
Description	Description	textarea	500		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Library ID	Id	id	15		
Name	Name	string	255		
Restrict Content Types	IsRestrictContentTypes	boolean			
Restrict Linked Content Types	IsRestrictLinkedContentTypes	boolean			
System Modstamp	SystemModstamp	datetime			
Tag Model	TagModel	picklist	40		

ContentWorkspaceDoc

Represents a link between a document and a public library in Salesforce CRM Content.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created Date	CreatedDate	datetime			
Document	ContentDocumentId	reference	15		
Is Deleted	IsDeleted	boolean			
Is Owning Library	IsOwner	boolean			
Library	ContentWorkspaceId	reference	15		
Library Document ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			

ContentVersion

Represents a specific version of a document in Salesforce CRM Content or file in Chatter.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Checksum	Checksum	string	50		
Content Location	ContentLocation	picklist	40		
Content Modified By	ContentModifiedById	reference	15		
Content Modified Date	ContentModifiedDate	datetime			
Content Origin	Origin	picklist	40		
Content URL	ContentUrl	url	1333		
ContentVersion ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	textarea	1000		
Document	ContentDocumentId	reference	15		
External Data Source	ExternalDataSourceId	reference	15		
External Document Info1	ExternalDocumentInfo1	string	1000		
External Document Info2	ExternalDocumentInfo2	string	1000		
Featured Content Boost	FeaturedContentBoost	int		9	0
Featured Content Date	FeaturedContentDate	date			
File Extension	FileExtension	string	40		
File Type	FileType	string	20		
First Publish Location	FirstPublishLocationId	reference	15		
Is Deleted	IsDeleted	boolean			
Is Latest	IsLatest	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Major Version	IsMajorVersion	boolean			
Negative Rating Count	NegativeRatingCount	int		9	0
Owner	OwnerId	reference	15		
Path On Client	PathOnClient	string	500		
Positive Rating Count	PositiveRatingCount	int		9	0
Publish Status	PublishStatus	picklist	40		

Field Label	API Field Name	Type	Length	Precision	Scale
Rating Count	RatingCount	int		9	0
Reason For Change	ReasonForChange	string	1000		
Size	ContentSize	int		9	0
System Modstamp	SystemModstamp	datetime			
Tags	TagCsv	textarea	2000		
Title	Title	string	255		
Version Data	VersionData	base64			
Version Number	VersionNumber	string	20		

Contract

Represents a contract (a business agreement) associated with an Account.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Activated By	ActivatedById	reference	15		
Activated Date	ActivatedDate	datetime			
Billing Address	BillingStreet	textarea	255		
Billing Address	BillingCity	string	40		
Billing Address	BillingState	string	80		
Billing Address	BillingPostalCode	string	20		
Billing Address	BillingCountry	string	80		
Company Signed By	CompanySignedId	reference	15		
Company Signed Date	CompanySignedDate	date			
Contract End Date	EndDate	date			
Contract ID	Id	id	15		
Contract Name	Name	string	80		
Contract Number	ContractNumber	string	30		
Contract Owner	OwnerId	reference	15		
Contract Start Date	StartDate	date			

Field Label	API Field Name	Type	Length	Precision	Scale
Contract Term (months)	ContractTerm	int		4	0
Created By	CreatedByld	reference	15		
Created Date	CreatedDate	datetime			
Customer Signed By	CustomerSignedId	reference	15		
Customer Signed Date	CustomerSignedDate	date			
Customer Signed Title	CustomerSignedTitle	string	40		
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Last Activity	LastActivityDate	date			
Last Approved Date	LastApprovedDate	datetime			
Last Modified By	LastModifiedByld	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Owner Expiration Notice	OwnerExpirationNotice	picklist	40		
Shipping Address	ShippingStreet	textarea	255		
Shipping Address	ShippingCity	string	40		
Shipping Address	ShippingState	string	80		
Shipping Address	ShippingPostalCode	string	20		
Shipping Address	ShippingCountry	string	80		
Special Terms	SpecialTerms	textarea	4000		
Status	Status	picklist	40		
Status Category	StatusCode	picklist	40		
System Modstamp	SystemModstamp	datetime			

ContractContactRole

Represents the role that a given Contact plays on a Contract.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Contact	ContactId	reference	15		
Contact Role ID	Id	id	15		
Contract	ContractId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Primary	IsPrimary	boolean			
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

ContractLineItem

Represents a Product2 in a ServiceContract (customer support agreement).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Asset Name	AssetId	reference	15		
Contract Line Item ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Discount	Discount	percent		5	2
End Date	EndDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Line Item Number	LineItemNumber	string	255		
List Price	ListPrice	currency		18	2
Price Book Entry	PricebookEntryId	reference	15		
Quantity	Quantity	double		12	2
Sales Price	UnitPrice	currency		18	2
Service Contract	ServiceContractId	reference	15		
Start Date	StartDate	date			
Status	Status	picklist	255		
Subtotal	Subtotal	currency		18	2
System Modstamp	SystemModstamp	datetime			
Total Price	TotalPrice	currency		18	2

CronJobDetail

Contains details about the associated scheduled job, such as the job's name and type.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Job ID	Id	id	15		
Job Name	Name	string	255		
Type	JobType	picklist	40		

CurrencyType

Represents the currencies used by an organization for which the multicurrency feature is enabled.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
Conversion Rate	ConversionRate	double		18	6
Corporate Currency	IsCorporate	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency ISO Code	IsoCode	picklist	40		
Currency Type ID	Id	id	15		
Decimal Places	DecimalPlaces	int		9	0
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			

CustomPermission

Represents a permission created to control access to a custom process or app, such as sending email.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Custom Permission ID	Id	id	15		
Deleted	IsDeleted	boolean			
Description	Description	textarea	255		
Label	MasterLabel	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Name	DeveloperName	string	80		
Namespace Prefix	NamespacePrefix	string	15		
System Modstamp	SystemModstamp	datetime			

CustomPermissionDependency

Represents the dependency between two custom permissions when one custom permission requires that you enable another custom permission.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Custom Permission	CustomPermissionId	reference	15		
Custom Permission Dependency ID	Id	id	15		
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Required Custom Permission	RequiredCustomPermissionId	reference	15		
System Modstamp	SystemModstamp	datetime			

Dashboard

Represents a dashboard, which shows data from custom reports as visual components. Access is read-only.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Background Fade Direction	BackgroundDirection	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Dashboard ID	Id	id	15		
Dashboard Running User	Type	picklist	40		
Dashboard Unique Name	DeveloperName	string	80		
Deleted	IsDeleted	boolean			
Description	Description	string	255		
Ending Color	BackgroundEnd	int		9	0

Field Label	API Field Name	Type	Length	Precision	Scale
Folder	FolderId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Last refreshed for this user	DashboardResultRefreshedDate	string	256		
Left Size	LeftSize	picklist	40		
Middle Size	MiddleSize	picklist	40		
Namespace Prefix	NamespacePrefix	string	15		
Right Size	RightSize	picklist	40		
Running User	RunningUserId	reference	15		
Running as	DashboardResultRunningUser	string	256		
Starting Color	BackgroundStart	int		9	0
System Modstamp	SystemModstamp	datetime			
Text Color	TextColor	int		9	0
Title	Title	string	80		
Title Color	TitleColor	int		9	0
Title Size	TitleSize	int		9	0

DashboardComponent

Represents a dashboard component, which can be a chart, metric, table, or gauge on a dashboard. Access is read-only.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Dashboard	DashboardId	reference	15		
Dashboard Component ID	Id	id	15		
Dashboard Component Name	Name	string	80		

DatedConversionRate

Represents the dated exchange rates used by an organization for which the multicurrency and the effective dated currency features are enabled.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency Code	IsoCode	picklist	40		
Date	StartDate	date			
DatedConversion Rate ID	Id	id	15		
Exchange Rate	ConversionRate	double		18	6
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Next Start Date	NextStartDate	date			
System Modstamp	SystemModstamp	datetime			

Division

A logical segment of your organization's data. For example, if your company is organized into different business units, you could create a division for each business unit, such as "North America," "Healthcare," or "Consulting."

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Division ID	Id	id	15		
Global Division	IsGlobalDivision	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	Name	string	80		

Field Label	API Field Name	Type	Length	Precision	Scale
Sort Order	SortOrder	int		8	0
System Modstamp	SystemModstamp	datetime			

Document

Represents a file that a user has uploaded. Unlike Attachment records, documents are not attached to a parent object.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Author	AuthorId	reference	15		
Body	Body	base64			
Body Length	BodyLength	int		8	0
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	255		
Document Content Searchable	IsBodySearchable	boolean			
Document ID	Id	id	15		
Document Name	Name	string	255		
Document Unique Name	DeveloperName	string	80		
Externally Available	IsPublic	boolean			
File Extension	Type	string	40		
Folder	FolderId	reference	15		
Internal Use Only	IsInternalUseOnly	boolean			
Keywords	Keywords	string	255		
Last Modified By	LastModifiedBy	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
MIME Type	ContentType	string	120		
Namespace Prefix	NamespacePrefix	string	15		

Field Label	API Field Name	Type	Length	Precision	Scale
System Modstamp	SystemModstamp	datetime			
Url	Url	string	255		

Domain

Read-only object that represents a custom Web address assigned to a site in your organization. This object is available in API version 26.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Domain ID	Id	id	15		
Domain Name	Domain	string	765		
Domain Type	DomainType	picklist	40		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Options	Options	int		9	0
System Modstamp	SystemModstamp	datetime			

DomainSite

Read-only junction object that joins together the Site and Domain objects.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Custom URL ID	Id	id	15		
Domain	DomainId	reference	15		
Last Modified By	LastModifiedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified Date	LastModifiedDate	datetime			
Path	PathPrefix	string	255		
Site	SiteId	reference	15		
System Modstamp	SystemModstamp	datetime			

EmailMessage

An email message.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Activity	ActivityId	reference	15		
BCC Address	BccAddress	string	4000		
CC Address	CcAddress	string	4000		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
EmailMessage ID	Id	id	15		
From Address	FromAddress	email	1000		
From Name	FromName	string	1000		
HTML Body	HtmlBody	textarea	32000		
Has Attachment	HasAttachment	boolean			
Headers	Headers	textarea	32000		
Is Incoming	Incoming	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Message Date	MessageDate	datetime			
Parent Case	ParentId	reference	15		
Reply-to Email Message	ReplyToEmailMessageId	reference	15		
Status	Status	picklist	40		

Field Label	API Field Name	Type	Length	Precision	Scale
Subject	Subject	string	3000		
System Modstamp	SystemModstamp	datetime			
Text Body	TextBody	textarea	32000		
To Address	ToAddress	string	4000		

EmailTemplate

Represents a template for mass email, or email sent when the activity history related list of a record is modified.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Version	ApiVersion	double		18	1
Author	OwnerId	reference	15		
Available For Use	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	string	4000		
Email Body	Body	textarea	384000		
Email Template ID	Id	id	15		
Email Template Name	Name	string	80		
Encoding	Encoding	picklist	40		
Folder	FolderId	reference	15		
HTML Value	HtmlValue	textarea	384000		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Used Date	LastUsedDate	datetime			
Letterhead	BrandTemplateId	reference	15		
Markup	Markup	textarea	1048576		
Namespace Prefix	NamespacePrefix	string	15		
Style	TemplateStyle	picklist	40		
Subject	Subject	string	255		

Field Label	API Field Name	Type	Length	Precision	Scale
System Modstamp	SystemModstamp	datetime			
Template Type	TemplateType	picklist	40		
Template Unique Name	DeveloperName	string	80		
Times Used	TimesUsed	int		9	0

Entitlement

Represents the customer support an Account or Contact is eligible to receive.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Asset Name	AssetId	reference	15		
Business Hours	BusinessHoursId	reference	15		
Cases Per Entitlement	CasesPerEntitlement	int		9	0
Contract Line Item	ContractLineItemId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
End Date	EndDate	date			
Entitlement ID	Id	id	15		
Entitlement Name	Name	string	255		
Entitlement Process	SlaProcessId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Per Incident	IsPerIncident	boolean			
Remaining Cases	RemainingCases	int		9	0

Field Label	API Field Name	Type	Length	Precision	Scale
Service Contract	ServiceContractId	reference	15		
Start Date	StartDate	date			
Status	Status	picklist	255		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

EntitlementContact

Represents a Contact eligible to receive customer support via an Entitlement.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Contact Name	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
Entitlement Contact	Name	string	255		
Entitlement Contact ID	Id	id	15		
Entitlement Name	EntitlementId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			

EntitlementTemplate

Represents predefined terms of customer support for a product (Product2).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Business Hours	BusinessHoursId	reference	15		
Cases Per Entitlement	CasesPerEntitlement	int		9	0
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Entitlement Process	SlaProcessId	reference	15		
Entitlement Template ID	Id	id	15		
Entitlement Template Name	Name	string	120		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Per Incident	IsPerIncident	boolean			
System Modstamp	SystemModstamp	datetime			
Term (Days)	Term	int		9	0
Type	Type	picklist	40		

EntitySubscription

Represents a subscription for a user following a record or another user.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Entity Subscription ID	Id	id	15		
Parent	ParentId	reference	15		
Subscriber	SubscriberId	reference	15		

Event

Represents an event in the calendar. In the user interface, event and task records are collectively referred to as activities.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Activity ID	Id	id	15		
All-Day Event	IsAllDayEvent	boolean			
Archived	IsArchived	boolean			
Assigned To	OwnerId	reference	15		
Create Recurring Series of Events	IsRecurrence	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date	ActivityDate	date			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Duration	DurationInMinutes	int		8	0
End	EndDateTime	datetime			
End Date	RecurrenceEndDateOnly	date			
Group Event Type	GroupEventType	picklist	40		
Is Child	IsChild	boolean			
Is Group Event	IsGroupEvent	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Location	Location	string	255		
Name	WhoId	reference	15		
Private	IsPrivate	boolean			
Recurrence Activity	RecurrenceActivityId	reference	15		
Recurrence Day of Month	RecurrenceDayOfMonth	int		9	0
Recurrence Day of Week Mask	RecurrenceDayOfWeekMask	int		9	0
Recurrence Instance	RecurrenceInstance	picklist	40		
Recurrence Interval	RecurrenceInterval	int		9	0
Recurrence Month of Year	RecurrenceMonthOfYear	picklist	40		
Recurrence Time Zone	RecurrenceTimeZoneSidKey	picklist	40		

Field Label	API Field Name	Type	Length	Precision	Scale
Recurrence Type	RecurrenceType	picklist	40		
Related To	WhatId	reference	15		
Reminder Date/Time	ReminderDateTime	datetime			
Reminder Set	IsReminderSet	boolean			
Show Time As	ShowAs	picklist	40		
Start	StartDateTime	datetime			
Start Date	RecurrenceStartDateTime	datetime			
Subject	Subject	combobox	255		
System Modstamp	SystemModstamp	datetime			
Time	ActivityDateTime	datetime			
Type	Type	picklist	40		

EventLogFile

This object is available in API versions 32.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Version	ApiVersion	double		18	1
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Event Log File ID	Id	id	15		
Event Type	EventType	picklist	255		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Log Date	LogDate	datetime			
Log File	LogFile	base64			
Log File Content Type	LogFileContentType	string	255		
Log File Field Names	LogFileFieldNames	string	1333		
Log File Field Types	LogFileFieldTypes	string	1333		

Field Label	API Field Name	Type	Length	Precision	Scale
Log File Length	LogFileLength	double		18	0
System Modstamp	SystemModstamp	datetime			

ExternalDataSource

Represents an external data source, such as SharePoint®.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Key	ApiKey	string	128		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Custom Configuration	CustomConfiguration	textarea	4000		
Default External Repository	Repository	string	255		
Deleted	IsDeleted	boolean			
External Data Source	MasterLabel	string	80		
External Data Source ID	Id	id	15		
Identity Type	PrincipalType	picklist	255		
Large Icon	LargeIconId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Name	DeveloperName	string	80		
Namespace Prefix	NamespacePrefix	string	15		
Small Icon	SmallIconId	reference	15		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	255		
URL	Endpoint	textarea	1000		

ExternalDataUserAuth

Stores authentication settings for a specific user to access an external system. The external system must be defined in an external data source or a named credential that's configured to use per-user authentication.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Authentication Protocol	Protocol	picklist	255		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
External Data Source	ExternalDataSourceId	reference	15		
External Data User Authentication ID	Id	id	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Password	Password	encryptedstring	175		
System Modstamp	SystemModstamp	datetime			
User	UserId	reference	15		
Username	Username	string	255		

FeedComment

Represents a comment added to a feed by a user. Represents a comment added to a feed by a user.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Comment Body	CommentBody	textarea	5000		
Comment Type	CommentType	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Feed Comment ID	Id	id	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Feed Item	FeedItemId	reference	15		
Inserted By	InsertedById	reference	15		
Parent	ParentId	reference	15		
Related Record	RelatedRecordId	reference	15		

FeedItem

FeedItem represents an entry in the feed, such as changes in a record feed, including text posts, link posts, and content posts.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Best Comment	BestCommentId	reference	15		
Body	Body	textarea	5000		
Comment Count	CommentCount	int		9	0
Content Data	ContentData	base64			
Content Description	ContentDescription	textarea	1000		
Content File Name	ContentFileName	string	255		
Content File Type	ContentType	string	120		
Content Size	ContentSize	int		9	0
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Feed Item ID	Id	id	15		
Feed Item Type	Type	picklist	40		
Has Content	HasContent	boolean			
Has Link	HasLink	boolean			
Inserted By	InsertedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Like Count	LikeCount	int		9	0
Link Url	LinkUrl	url	1000		
Parent	ParentId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Related Record	RelatedRecordId	reference	15		
System Modstamp	SystemModstamp	datetime			
Title	Title	string	255		

FeedTrackedChange

Represents an individual field change or set of field changes. A FeedTrackedChange is a child object of a record feed, such as AccountFeed

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Feed Item	FeedItemId	reference	15		
Feed Tracked Change ID	Id	id	15		
Field	FieldName	string	120		
New Value	NewValue	anyType	255	18	0
Old Value	OldValue	anyType	255	18	0

FieldPermissions

Represents the enabled field permissions for the parent PermissionSet.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
	PermissionsRead	boolean			
Editable	PermissionsEdit	boolean			
Entity	SubjectType	picklist	40		
Field Permissions ID	Id	id	15		
Parent Entity	ParentId	reference	15		
Standard Field Name or Custom Field	Field	picklist	40		
System Modstamp	SystemModstamp	datetime			

Folder

Represents a repository for a Document, EmailTemplate, Report, or Dashboard. Only one type of item can be contained in a folder.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Access Type	AccessType	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Folder ID	Id	id	15		
Folder Unique Name	DeveloperName	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	Name	string	40		
Namespace Prefix	NamespacePrefix	string	15		
Read Only	IsReadOnly	boolean			
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

GoogleDoc

Represents a link to a Google Document.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
Google Doc Id	Id	id	15		
Google Doc Name	Name	string	80		
Google Doc Owner	OwnerId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Google Doc URL	Url	string	255		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Parent	ParentId	reference	15		
System Modstamp	SystemModstamp	datetime			

Group

Groups are sets of users. They can contain individual users, other groups, the users in a particular role or territory, or the users in a particular role or territory plus all of the users below that role or territory in the hierarchy.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Developer Name	DeveloperName	string	80		
Email	Email	email	255		
Group ID	Id	id	15		
Include Bosses	DoesIncludeBosses	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	Name	string	40		
Owner Name	OwnerId	reference	15		
Related	RelatedId	reference	15		
Send Email to Members	DoesSendEmailToMembers	boolean			
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

Idea

Represents an idea on which users are allowed to comment and vote, for example, a suggestion for an enhancement to an existing product or process.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Categories	Categories	multipicklist	765	7	
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Idea Body	Body	textarea	32000		
Idea ID	Id	id	15		
Is Merged	IsMerged	boolean			
IsHtml	IsHtml	boolean			
Last Idea Comment	LastCommentId	reference	15		
Last Idea Comment Date	LastCommentDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Name of Creator	CreatorName	string	121		
Number of Comments	NumComments	int		9	0
Parent Idea	ParentIdeaId	reference	15		
Record Type	RecordTypeId	reference			
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			
Title	Title	string	255		
Url of Creator's Profile Photo	CreatorFullPhotoUrl	string	255		
Url of Creator's Thumbnail Photo	CreatorSmallPhotoUrl	string	255		
Vote Score	VoteScore	double		18	4
Vote Total	VoteTotal	double		18	0
Zone	CommunityId	reference	15		

Lead

Represents a prospect or potential Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Address	Street	textarea	255		
Address	City	string	40		
Address	State	string	80		
Address	PostalCode	string	20		
Address	Country	string	80		
Annual Revenue	AnnualRevenue	currency		18	0
Company	Company	string	255		
Converted	IsConverted	boolean			
Converted Account	ConvertedAccountId	reference	15		
Converted Contact	ConvertedContactId	reference	15		
Converted Date	ConvertedDate	date			
Converted Opportunity	ConvertedOpportunityId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Data.com Key	Jigsaw	string	20		
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Do Not Call	DoNotCall	boolean			
Email	Email	email	80		
Email Bounced Date	EmailBouncedDate	datetime			
Email Bounced Reason	EmailBouncedReason	string	255		
Email Opt Out	HasOptedOutOfEmail	boolean			
Fax	Fax	phone	40		
Fax Opt Out	HasOptedOutOfFax	boolean			
Industry	Industry	picklist	40		
Jigsaw Contact Id	JigsawContactId	string	20		

Field Label	API Field Name	Type	Length	Precision	Scale
Last Activity	LastActivityDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Transfer Date	LastTransferDate	date			
Last Viewed Date	LastViewedDate	datetime			
Lead	MasterRecordId	reference	15		
Lead ID	Id	id	15		
Lead Owner	OwnerId	reference	15		
Lead Source	LeadSource	picklist	40		
Lead Status	Status	picklist	40		
Mobile	MobilePhone	phone	40		
Name	Salutation	picklist	40		
Name	FirstName	string	40		
Name	LastName	string	80		
No. of Employees	NumberOfEmployees	int		8	0
Phone	Phone	phone	40		
Photo URL	PhotoUrl	url	255		
Rating	Rating	picklist	40		
System Modstamp	SystemModstamp	datetime			
Title	Title	string	128		
Unread By Owner	IsUnreadByOwner	boolean			
Website	Website	url	255		

ListView

This object is available in API version 32.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedBy	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Created Date	CreatedDate	datetime			
Custom Object Definition	SobjectType	picklist	40		
Is SOQL Compatible	IsSoqlCompatible	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
List View ID	Id	id	15		
Namespace Prefix	NamespacePrefix	string	15		
System Modstamp	SystemModstamp	datetime			
View Name	Name	string	40		
View Unique Name	DeveloperName	string	80		

ListViewChart

This object is available in API version 33.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Name	DeveloperName	string	80		
Aggregate Field	AggregateField	picklist	255		
Aggregate Type	AggregateType	picklist	255		
Chart Type	ChartType	picklist	255		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Custom Object Definition	SobjectType	picklist	40		
Deleted	IsDeleted	boolean			
Grouping Field	GroupingField	picklist	255		
Label	MasterLabel	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
List View Chart ID	Id	id	15		
Master Language	Language	picklist	40		
Owner	OwnerId	reference	15		
System Modstamp	SystemModstamp	datetime			

LoginHistory

Represents the login history for all successful and failed login attempts for organizations and enabled portals.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Type	ApiType	string	64		
API Version	ApiVersion	string	32		
Application	Application	string	64		
Browser	Browser	string	64		
Client Version	ClientVersion	string	64		
Login History Id	Id	id	15		
Login Time	LoginTime	datetime			
Login Type	LoginType	picklist	1		
Login URL	LoginUrl	string	255		
Platform	Platform	string	64		
Source IP	SourceIp	string			
Status	Status	string	128		
UserId	UserId	reference	15		

LoginIp

Represents a validated IP address.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Challenge Method	ChallengeMethod	picklist	40		
Challenge SentDate	ChallengeSentDate	datetime			
Created Date	CreatedDate	datetime			
IsAuthenticated	IsAuthenticated	boolean			
Login IP ID	Id	id	15		
Source IP	SourceIp	string			
User	UserId	reference	15		

LookedUpFromActivity

This read-only object is displayed as a related list on an activity record (an event or a task); the list contains records that have custom lookup relationships from the activity to another object. This object is not queryable.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Activity ID	Id	id	15		
All-Day Event	IsAllDayEvent	boolean			
Assigned To	OwnerId	reference	15		
Call Duration	CallDurationInSeconds	int		8	0
Call Object Identifier	CallObject	string	255		
Call Result	CallDisposition	string	255		
Call Type	CallType	picklist	40		
Closed	IsClosed	boolean			
Comments	Description	textarea	32000		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date	ActivityDate	date			
Deleted	IsDeleted	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
Duration	DurationInMinutes	int		9	0
End	EndDateTime	datetime			
High Priority	IsHighPriority	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Location	Location	string	80		
Name	WhoId	reference	15		
Priority	Priority	picklist	40		
Public	IsVisibleInSelfService	boolean			
Related To	WhatId	reference	15		
Reminder Date/Time	ReminderDateTime	datetime			
Reminder Set	IsReminderSet	boolean			
Start	StartDateTime	datetime			
Status	Status	picklist	40		
Subject	Subject	combobox	80		
System Modstamp	SystemModstamp	datetime			
Task	IsTask	boolean			
Type	ActivityType	picklist	40		

MailmergeTemplate

Represents a mail merge template (a Microsoft Word document) used for performing mail merges for your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Body	Body	base64			
Body Length	BodyLength	int		8	0
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	string	255		

Field Label	API Field Name	Type	Length	Precision	Scale
Document Type	Category	picklist	40		
File	Filename	string	255		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Used Date	LastUsedDate	datetime			
Mail Merge Template ID	Id	id	15		
Name	Name	string	80		
System Modstamp	SystemModstamp	datetime			

MilestoneType

Represents a milestone (required step in a customer support process).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	textarea	255		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Milestone Type ID	Id	id	15		
Name	Name	string	80		
Recurrence Type	RecurrenceType	picklist	40		
System Modstamp	SystemModstamp	datetime			

NamedCredential

Represents a named credential, which specifies the URL of a callout endpoint and its required authentication parameters in one definition. A named credential can be specified as an endpoint to simplify the setup of authenticated callouts.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Identity Type	PrincipalType	picklist	255		
Label	MasterLabel	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Name	DeveloperName	string	80		
Named Credential ID	Id	id	15		
Namespace Prefix	NamespacePrefix	string	15		
System Modstamp	SystemModstamp	datetime			
URL	Endpoint	textarea	1000		

Note

Represents a note, which is text associated with a custom object or a standard object, such as a Contact, Contract, or Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Body	Body	textarea	32000		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Note Id	Id	id	15		
Note Owner	OwnerId	reference	15		
Parent	ParentId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Private	IsPrivate	boolean			
System Modstamp	SystemModstamp	datetime			
Title	Title	string	80		

NoteAndAttachment

This read-only object contains all notes and attachments associated with an object.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Is Note	IsNote	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Note or Attachment Id	Id	id	15		
Owner Name	OwnerId	reference	15		
Parent	ParentId	reference	15		
Private	IsPrivate	boolean			
System Modstamp	SystemModstamp	datetime			
Title	Title	string	80		

OauthToken

A connected app integrates an application with Salesforce using APIs. Connected apps use standard SAML and OAuth protocols to authenticate, provide Single Sign-On, and provide tokens for use with Salesforce APIs. In addition to standard OAuth capabilities, connected apps allow administrators to set various security policies and have explicit control over who may use the corresponding applications.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Access Token	AccessToken	string	255		
AppMenuItem	AppMenuItemId	reference	15		
Application Name	AppName	string	255		
Created Date	CreatedDate	datetime			
Delete Token	DeleteToken	string	255		
Last Used Date	LastUsedDate	datetime			
Oauth Token ID	Id	id	15		
Request Token	RequestToken	string	255		
Use Count	UseCount	int		9	0
User	UserId	reference	15		

ObjectPermissions

Represents the enabled object permissions for the parent PermissionSet.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
	Permissions	int		9	0
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Entity Name	SobjectType	picklist	40		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
ObjectPermissions ID	Id	id	15		
Parent Entity	ParentId	reference	15		
System Modstamp	SystemModstamp	datetime			

OpenActivity

This read-only object is displayed in a related list of open activities—future events and open tasks—related to an object. It includes activities for all contacts related to the object. OpenActivity fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Activity ID	Id	id	15		
All-Day Event	IsAllDayEvent	boolean			
Assigned To	OwnerId	reference	15		
Call Duration	CallDurationInSeconds	int		8	0
Call Object Identifier	CallObject	string	255		
Call Result	CallDisposition	string	255		
Call Type	CallType	picklist	40		
Closed	IsClosed	boolean			
Comments	Description	textarea	32000		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date	ActivityDate	date			
Deleted	IsDeleted	boolean			
Duration	DurationInMinutes	int		9	0
End	EndDateTime	datetime			
High Priority	IsHighPriority	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Location	Location	string	80		
Name	WhoId	reference	15		
Priority	Priority	picklist	40		
Public	IsVisibleInSelfService	boolean			
Related To	WhatId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Reminder Date/Time	ReminderDateTime	datetime			
Reminder Set	IsReminderSet	boolean			
Start	StartDateTime	datetime			
Status	Status	picklist	40		
Subject	Subject	combobox	80		
System Modstamp	SystemModstamp	datetime			
Task	IsTask	boolean			
Type	ActivityType	picklist	40		

Opportunity

Represents an opportunity, which is a sale or pending deal.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Amount	Amount	currency		18	2
Close Date	CloseDate	date			
Closed	IsClosed	boolean			
Contract	ContractId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Expected Revenue	ExpectedRevenue	currency		18	2
Fiscal Period	FiscalYear	int		8	0
Fiscal Period	FiscalQuarter	int		8	0
Forecast Category	ForecastCategory	picklist	40		
Forecast Category	ForecastCategoryName	picklist	40		
Has Line Item	HasOpportunityLineItem	boolean			
Last Activity	LastActivityDate	date			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Lead Source	LeadSource	picklist	40		
Next Step	NextStep	string	255		
Opportunity ID	Id	id	15		
Opportunity Name	Name	string	120		
Opportunity Owner	OwnerId	reference	15		
Price Book	Pricebook2Id	reference	15		
Primary Campaign Source	CampaignId	reference	15		
Private	IsPrivate	boolean			
Probability (%)	Probability	percent		3	0
Quantity	TotalOpportunityQuantity	double		18	2
Stage	StageName	picklist	40		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		
Won	IsWon	boolean			

OpportunityCompetitor

Represents a competitor on an Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Competitor Name	CompetitorName	combobox	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Opportunity	OpportunityId	reference	15		
Opportunity: Competitor ID	Id	id	15		
Strengths	Strengths	string	1000		
System Modstamp	SystemModstamp	datetime			
Weaknesses	Weaknesses	string	1000		

OpportunityContactRole

Represents the role that a Contact plays on an Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Contact	ContactId	reference	15		
Contact Role ID	Id	id	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity	OpportunityId	reference	15		
Primary	IsPrimary	boolean			
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

OpportunityHistory

Represents the stage history of an Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Amount	Amount	currency		18	2

Field Label	API Field Name	Type	Length	Precision	Scale
Close Date	CloseDate	date			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Expected Revenue	ExpectedRevenue	currency		18	2
Opportunity	OpportunityId	reference	15		
Opportunity History ID	Id	id	15		
Probability	Probability	percent		3	0
Stage Name	StageName	picklist	40		
System Modstamp	SystemModstamp	datetime			
To ForecastCategory	ForecastCategory	picklist	40		

OpportunityLineItem

Represents an opportunity line item, which is a member of the list of Product2 products associated with an Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date	ServiceDate	date			
Deleted	IsDeleted	boolean			
Discount	Discount	percent		5	2
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Line Description	Description	string	255		
Line Item ID	Id	id	15		
List Price	ListPrice	currency		18	2
Opportunity	OpportunityId	reference	15		
Opportunity Product Name	Name	string	376		
Price Book Entry	PricebookEntryId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Product	Product2Id	reference	15		
Product Code	ProductCode	string	255		
Quantity	Quantity	double		12	2
Sales Price	UnitPrice	currency		18	2
Sort Order	SortOrder	int		9	0
Subtotal	Subtotal	currency		18	2
System Modstamp	SystemModstamp	datetime			
Total Price	TotalPrice	currency		18	2

OpportunityLineItemSchedule

Represents information about the quantity, revenue distribution, and delivery dates for a particular OpportunityLineItem.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Comments	Description	string	80		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency ISO Code	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Line Item	OpportunityLineItemId	reference	15		
Quantity	Quantity	double		18	2
Revenue	Revenue	currency		18	2
Schedule Date	ScheduleDate	date			
Schedule ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

OpportunityPartner

This read-only object represents a partner relationship between an Account and an Opportunity. This object is automatically created when a Partner object is created for a partner relationship between an account and an opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account To	AccountToId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity	OpportunityId	reference	15		
Opportunity Partner ID	Id	id	15		
Primary	IsPrimary	boolean			
Reverse Partner	ReversePartnerId	reference	15		
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

OpportunitySplit

OpportunitySplit credits one or more opportunity team members with a portion of the opportunity amount.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Amount	SplitAmount	currency		18	2
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Name	Split	string	255		
Note	SplitNote	string	255		
Opportunity Name	OpportunityId	reference	15		
Opportunity Split ID	Id	id	15		
Opportunity Split Type	SplitTypeId	reference	15		
Percent (%)	SplitPercentage	percent		5	2
System Modstamp	SystemModstamp	datetime			
Team Member	SplitOwnerId	reference	15		

OpportunitySplitType

OpportunitySplitType provides unique labels and behavior for each split type.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
100% Validated	IsTotalValidated	boolean			
Active	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Data Status	SplitDataStatus	picklist	255		
Deleted	IsDeleted	boolean			
Description	Description	textarea	255		
Developer Name	DeveloperName	string	80		
Entity	SplitEntity	picklist	255		
Field	SplitField	picklist	255		
Label	MasterLabel	string	80		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Namespace Prefix	NamespacePrefix	string	15		
Opportunity Split Type ID	Id	id	15		

Field Label	API Field Name	Type	Length	Precision	Scale
System Modstamp	SystemModstamp	datetime			

OpportunityStage

Represents the stage of an Opportunity in the sales pipeline, such as New Lead, Negotiating, Pending, Closed, and so on.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Closed	IsClosed	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	string	255		
Forecast Category	ForecastCategory	picklist	40		
Forecast Category Name	ForecastCategoryName	picklist	40		
Is Active	IsActive	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Label	MasterLabel	string	255		
Opportunity Stage ID	Id	id	15		
Probability (%)	DefaultProbability	percent		3	0
Sort Order	SortOrder	int		9	0
System Modstamp	SystemModstamp	datetime			
Won	IsWon	boolean			

OpportunityTeamMember

Represents a User on the opportunity team of an Opportunity.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Created Date	CreatedDate	datetime			
Currency ISO Code	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Division	Division	picklist	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity	OpportunityId	reference	15		
Opportunity Access	OpportunityAccessLevel	picklist	40		
Opportunity Team Member ID	Id	id	15		
Opportunity Team Member Name	Name	string	361		
System Modstamp	SystemModstamp	datetime			
Team Role	TeamMemberRole	picklist	40		
User	UserId	reference	15		

OwnedContentDocument

Represents a file owned by a user.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Content Modified By	LastModifiedById	reference	15		
Content Modified Date	LastModifiedDate	datetime			
Content Size	ContentSize	int		9	0
Content URL	ContentUrl	url	255		
Created	CreatedDate	datetime			
Created By	OwnerId	reference	15		
Created by	CreatedById	reference	15		
Deleted	IsDeleted	boolean			
Document	ContentDocumentId	reference	15		
External Data Source	ExternalDataSourceName	string	80		
File Extension	FileExtension	string	40		

Field Label	API Field Name	Type	Length	Precision	Scale
File Type	FileType	string	20		
Title	Title	string	255		
User Owned Content Document Id	Id	id	15		

Partner

Represents a partner relationship between two Account records or between an Opportunity and an Account.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account From	AccountFromId	reference	15		
Account To	AccountToId	reference	15		
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedBy	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity	OpportunityId	reference	15		
Partner ID	Id	id	15		
Primary	IsPrimary	boolean			
Reverse Partner	ReversePartnerId	reference	15		
Role	Role	picklist	40		
System Modstamp	SystemModstamp	datetime			

PartnerNetworkConnection

Represents a Salesforce to Salesforce connection between Salesforce organizations.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Connection Name	ConnectionName	string	295		
Connection Owner	PrimaryContactId	reference	15		
Connection Status	ConnectionStatus	picklist	40		
Contact	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Decision Date	ResponseDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Partner Network Connection ID	Id	id	15		

PartnerNetworkRecordConnection

Represents a record shared between Salesforce organizations using Salesforce to Salesforce.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Connection	ConnectionId	reference	15		
Local Record	LocalRecordId	reference	15		
Parent Record	ParentRecordId	reference	15		
Partner Network Record Connection ID	Id	id	15		
Partner Record	PartnerRecordId	reference	15		
Related Records	RelatedRecords	string	1000		
Send Closed Tasks	SendClosedTasks	boolean			
Send Emails	SendEmails	boolean			
Send Open Tasks	SendOpenTasks	boolean			
Start Date	StartDate	datetime			
Status	Status	picklist	40		
Stop Date	EndDate	datetime			

PartnerRole

Represents a role for an account Partner, such as consultant, supplier, and so on.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Label	MasterLabel	string	255		
Partner Role Value ID	Id	id	15		
Reverse Role	ReverseRole	picklist	40		
Sort Order	SortOrder	int		9	0
System Modstamp	SystemModstamp	datetime			

Period

Represents a fiscal period defined in FiscalYearSettings.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
End Date	EndDate	date			
Fiscal Year Settings	FiscalYearSettingsId	reference	15		
Is Forecast Period	IsForecastPeriod	boolean			
Number	Number	int		9	0
Period ID	Id	id	15		
Period Name	PeriodLabel	picklist	40		
Quarter Name	QuarterLabel	picklist	40		
Start Date	StartDate	date			
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

PermissionSet

Represents a set of permissions that's used to grant additional access to one or more users without changing their profile or reassigning profiles.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	string	255		
Is Owned By Profile	IsOwnedByProfile	boolean			
Last Modified By	LastModifiedBy	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Namespace Prefix	NamespacePrefix	string	15		
Permission Set Label	Label	string	80		
Permission Set Name	Name	string	80		
PermissionSet ID	Id	id	15		
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0
Permissions	Permissions	int		9	0

Field Label	API Field Name	Type	Length	Precision	Scale
Profile	ProfileId	reference	15		
System Modstamp	SystemModstamp	datetime			
User License	UserLicenseId	reference	15		

PermissionSetAssignment

Represents the association between a User and a PermissionSet.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Date Assigned	SystemModstamp	datetime			
Permission Set	PermissionSetId	reference	15		
PermissionSetAssignment ID	Id	id	15		
User	AssigneeId	reference	15		

PermissionSetLicense

Represents a license that's used to enable one or more users to receive a specified permission without changing their profile or reassigning profiles. You can use permission set licenses to grant access, but not to deny access.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Developer Name	DeveloperName	string	80		
Expiration Date	ExpirationDate	date			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Master Language	Language	picklist	40		
Permission Set License ID	Id	id	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Permission Set License Key	PermissionSetLicenseKey	string	81		
Permission Set License Label	MasterLabel	string	80		
Status	Status	picklist	255		
System Modstamp	SystemModstamp	datetime			
Total Licenses	TotalLicenses	int		9	0
Used Licenses	UsedLicenses	int		9	0

PermissionSetLicenseAssign

Represents the association between a User and a PermissionSetLicense.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Assignee	AssigneeId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Date Assigned	SystemModstamp	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Permission Set License	PermissionSetLicenseId	reference	15		
Permission Set License Assignment ID	Id	id	15		

PlatformAction

PlatformAction is a virtual read-only object. It enables you to query for actions displayed in the UI, given a user, a context, device format, and a record ID. Examples include standard and custom buttons, quick actions, and productivity actions.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
API Name	ApiName	string	255		
Action List Context	ActionListContext	picklist	255		
Action Target Type	ActionTargetType	picklist	255		
Action Target URL	ActionTargetUrl	url	255		
Category	Category	picklist	255		
Confirmation Message	ConfirmationMessage	string	255		
Device Format	DeviceFormat	picklist	255		
Group ID	GroupId	reference	15		
Icon Content Type	IconContentType	string	255		
Icon Height	IconHeight	int		9	0
Icon URL	IconUrl	url	255		
Icon Width	IconWidth	int		9	0
Invocation Status	InvocationStatus	picklist	255		
Invoked By	InvokedByUserId	reference	15		
Is Group Default	IsGroupDefault	boolean			
Label	Label	string	255		
Last Modified Date	LastModifiedDate	datetime			
Not used ID	Id	id	15		
Platform Action ID	ExternalId	string	255		
Primary Color	PrimaryColor	string	255		
Related Source Entity	RelatedSourceEntity	string	255		
Source Entity	SourceEntity	string	255		
Subtype	Subtype	string	255		
Type	Type	picklist	255		

Pricebook2

Represents a price book that contains the list of products that your organization sells.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	string	255		
Is Standard Price Book	IsStandard	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Price Book ID	Id	id	15		
Price Book Name	Name	string	255		
System Modstamp	SystemModstamp	datetime			

PricebookEntry

Represents a product entry (an association between a Pricebook2 and Product2) in a price book.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
List Price	UnitPrice	currency		18	2
Price Book	Pricebook2Id	reference	15		
Price Book Entry ID	Id	id	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Product	Product2Id	reference	15		
Product Code	ProductCode	string	255		
Product Name	Name	string	255		
System Modstamp	SystemModstamp	datetime			
Use Standard Price	UseStandardPrice	boolean			

Product2

Represents a product that your organization sells.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Product Code	ProductCode	string	255		
Product Description	Description	textarea	4000		
Product Family	Family	picklist	40		
Product ID	Id	id	15		
Product Name	Name	string	255		
System Modstamp	SystemModstamp	datetime			

ProductEntitlementTemplate

Represents predefined terms of customer support (Entitlement) that users can add to products (Product2).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Entitlement Template	EntitlementTemplateId	reference	15		
Product	Product2Id	reference	15		
Product Entitlement Template ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			

Question

Represents a question in a community that users can view and reply to.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Best Reply	BestReplyId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency ISO Code	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Has Single Field For Content	HasSingleFieldForContent	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Reply	LastReplyId	reference	15		
Last Reply Date	LastReplyDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Number of Replies	NumReplies	int		9	0
Question Body	Body	textarea	32000		
Question ID	Id	id	15		
Question Title	Title	string	255		

Field Label	API Field Name	Type	Length	Precision	Scale
Record Type	RecordTypeId	reference			
System Modstamp	SystemModstamp	datetime			
Up Votes	UpVotes	int		9	0
Vote Score	VoteScore	double		18	4
Zone	CommunityId	reference	15		

Quote

The Quote object represents a quote, which is a record showing proposed prices for products and services.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Additional To	AdditionalStreet	textarea	255		
Additional To	AdditionalCity	string	40		
Additional To	AdditionalState	string	80		
Additional To	AdditionalPostalCode	string	20		
Additional To	AdditionalCountry	string	80		
Additional To Name	AdditionalName	string	255		
Bill To	BillingStreet	textarea	255		
Bill To	BillingCity	string	40		
Bill To	BillingState	string	80		
Bill To	BillingPostalCode	string	20		
Bill To	BillingCountry	string	80		
Bill To Name	BillingName	string	255		
Contact Name	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Discount	Discount	percent		5	2

Field Label	API Field Name	Type	Length	Precision	Scale
Email	Email	email	80		
Expiration Date	ExpirationDate	date			
Fax	Fax	phone	40		
Grand Total	GrandTotal	currency		18	2
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Line Items	LineItemCount	int		9	0
Opportunity Name	OpportunityId	reference	15		
Phone	Phone	phone	40		
Pricebook	Pricebook2Id	reference	15		
Quote ID	Id	id	15		
Quote Name	Name	string	255		
Quote Number	QuoteNumber	string	30		
Quote To	QuoteToStreet	textarea	255		
Quote To	QuoteToCity	string	40		
Quote To	QuoteToState	string	80		
Quote To	QuoteToPostalCode	string	20		
Quote To	QuoteToCountry	string	80		
Quote To Name	QuoteToName	string	255		
Ship To	ShippingStreet	textarea	255		
Ship To	ShippingCity	string	40		
Ship To	ShippingState	string	80		
Ship To	ShippingPostalCode	string	20		
Ship To	ShippingCountry	string	80		
Ship To Name	ShippingName	string	255		
Shipping and Handling	ShippingHandling	currency		18	2
Status	Status	picklist	40		
Subtotal	Subtotal	currency		18	2

Field Label	API Field Name	Type	Length	Precision	Scale
Syncing	IsSyncing	boolean			
System Modstamp	SystemModstamp	datetime			
Tax	Tax	currency		18	2
Total Price	TotalPrice	currency		18	2

RecentlyViewed

Represents records that the current user has recently viewed or referenced (by viewing a related record).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Alias	Alias	string	8		
E-mail	Email	email	80		
Language	Language	picklist	40		
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Phone	Phone	phone	40		
Profile	ProfileId	reference	15		
Recently Viewed ID	Id	id	15		
Record Type ID	RecordTypeId	reference	15		
Role	UserRoleId	reference	15		
Title	Title	string	80		
Type	Type	picklist	40		

Reply

Represents a reply that a user has submitted to a question in an answers community.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency ISO Code	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Down Votes	DownVotes	int		9	0
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	Name	string	255		
Question	QuestionId	reference	15		
Reply Body	Body	textarea	32000		
Reply ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			
Up Votes	UpVotes	int		9	0
Vote Total	VoteTotal	double		18	0
Zone	CommunityId	reference	15		

Report

Represents a report, a set of data that meets certain criteria, displayed in an organized way. Access is read-only.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	string	255		
Folder	OwnerId	reference	15		
Format	Format	picklist	40		
Last Modified By	LastModifiedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Run	LastRunDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Namespace Prefix	NamespacePrefix	string	15		
Report ID	Id	id	15		
Report Name	Name	string	40		
Report Unique Name	DeveloperName	string	80		
System Modstamp	SystemModstamp	datetime			

SelfServiceUser

Represents a Self-Service user.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Contact	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Email	Email	email	80		
LanguageLocaleKey	LanguageLocaleKey	picklist	40		
Last Login	LastLoginDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
LocaleSidKey	LocaleSidKey	picklist	40		
Super User	SuperUser	boolean			
System Modstamp	SystemModstamp	datetime			
TimeZoneSidKey	TimeZoneSidKey	picklist	40		
User ID	Id	id	15		
Username	Username	string	80		

ServiceContract

Represents a customer support contract (business agreement).

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Name	AccountId	reference	15		
Activation Date	ActivationDate	datetime			
Approval Status	ApprovalStatus	picklist	40		
Billing Address	BillingStreet	textarea	255		
Billing Address	BillingCity	string	40		
Billing Address	BillingState	string	80		
Billing Address	BillingPostalCode	string	20		
Billing Address	BillingCountry	string	80		
Contact Name	ContactId	reference	15		
Contract Name	Name	string	255		
Contract Number	ContractNumber	string	30		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Currency	CurrencyIsoCode	picklist	3		
Deleted	IsDeleted	boolean			
Description	Description	textarea	32000		
Discount	Discount	percent		5	2
End Date	EndDate	date			
Grand Total	GrandTotal	currency		18	2
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Line Items	LineItemCount	int		9	0
Price Book	Pricebook2Id	reference	15		
Service Contract ID	Id	id	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Service Contract Owner	OwnerId	reference	15		
Shipping Address	ShippingStreet	textarea	255		
Shipping Address	ShippingCity	string	40		
Shipping Address	ShippingState	string	80		
Shipping Address	ShippingPostalCode	string	20		
Shipping Address	ShippingCountry	string	80		
Shipping and Handling	ShippingHandling	currency		18	2
Special Terms	SpecialTerms	textarea	32000		
Start Date	StartDate	date			
Status	Status	picklist	255		
Subtotal	Subtotal	currency		18	2
System Modstamp	SystemModstamp	datetime			
Tax	Tax	currency		18	2
Term (months)	Term	int		9	0
Total Price	TotalPrice	currency		18	2

SetupEntityAccess

Represents the enabled setup entity access settings (such as for Apex classes) for the parent PermissionSet.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Parent Entity	ParentId	reference	15		
Setup Entity	SetupEntityId	reference	15		
Setup Entity Type	SetupEntityType	picklist	40		
SetupEntityAccess ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			

Site

Represents a public website that is integrated with an Organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Analytics Tracking Code	AnalyticsTrackingCode	string	40		
Clickjack Protection Level	ClickjackProtectionLevel	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Daily Bandwidth Limit (MB)	DailyBandwidthLimit	int		9	0
Daily Bandwidth Used	DailyBandwidthUsed	int		9	0
Daily Request Time Limit (min)	DailyRequestTimeLimit	int		9	0
Daily Request Time Used	DailyRequestTimeUsed	int		9	0
Default Web Address	UrlPathPrefix	string	40		
Guest User	GuestUserId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Monthly Page Views Allowed	MonthlyPageViewsEntitlement	int		9	0
Options	Options	int		9	0
Site Contact	AdminId	reference	15		
Site Description	Description	textarea	1000		
Site ID	Id	id	15		
Site Label	MasterLabel	string	255		
Site Name	Name	string	80		
Site Status	Status	picklist	40		
Site Subdomain Prefix	Subdomain	string	80		
Site Type	SiteType	picklist	40		
System Modstamp	SystemModstamp	datetime			

SlaProcess

Represents an entitlement process associated with an Entitlement.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			
Business Hours	BusinessHoursId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Description	Description	textarea	255		
Entitlement Process ID	Id	id	15		
Entitlement Process Name	Name	string	120		
Entry Date Field	StartDateField	picklist	40		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	NameNorm	string	240		
System Modstamp	SystemModstamp	datetime			

Solution

Represents a detailed description of a customer issue and the resolution of that issue.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Author	OwnerId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Is Html	IsHtml	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Num Related Cases	TimesUsed	int		9	0
Public	IsPublished	boolean			
Reviewed	IsReviewed	boolean			
Solution Details	SolutionNote	textarea	32000		
Solution ID	Id	id	15		
Solution Number	SolutionNumber	string	30		
Solution Title	SolutionName	string	255		
Status	Status	picklist	40		
System Modstamp	SystemModstamp	datetime			
Visible in Public Knowledge Base	IsPublishedInPublicKb	boolean			

TagDefinition

Defines the attributes of child Tag objects.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Deleted	IsDeleted	boolean			
Display Tag Text	Name	string	765		
Last Modified By	LastModifiedById	reference	15		
System Modstamp	SystemModstamp	datetime			
Tag Definition ID	Id	id	15		
Tag Type	Type	picklist	40		

Task

Represents a business activity such as making a phone call or other to-do items. In the user interface, Task and Event records are collectively referred to as activities.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account	AccountId	reference	15		
Activity ID	Id	id	15		
Archived	IsArchived	boolean			
Assigned To	OwnerId	reference	15		
Call Duration	CallDurationInSeconds	int		8	0
Call Object Identifier	CallObject	string	255		
Call Result	CallDisposition	string	255		
Call Type	CallType	picklist	40		
Closed	IsClosed	boolean			
Comments	Description	textarea	32000		
Create Recurring Series of Tasks	IsRecurrence	boolean			
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Due Date	ActivityDate	date			
End Date	RecurrenceEndDateOnly	date			
High Priority	IsHighPriority	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Name	WhoId	reference	15		
Priority	Priority	picklist	40		
Recurrence Activity	RecurrenceActivityId	reference	15		
Recurrence Day of Month	RecurrenceDayOfMonth	int		9	0
Recurrence Day of Week Mask	RecurrenceDayOfWeekMask	int		9	0
Recurrence Instance	RecurrenceInstance	picklist	40		
Recurrence Interval	RecurrenceInterval	int		9	0
Recurrence Month of Year	RecurrenceMonthOfYear	picklist	40		
Recurrence Time Zone	RecurrenceTimeZoneSidKey	picklist	40		
Recurrence Type	RecurrenceType	picklist	40		

Field Label	API Field Name	Type	Length	Precision	Scale
Related To	WhatId	reference	15		
Reminder Date/Time	ReminderDateTime	datetime			
Reminder Set	IsReminderSet	boolean			
Repeat This Task	RecurrenceRegeneratedType	picklist	40		
Start Date	RecurrenceStartDateOnly	date			
Status	Status	picklist	40		
Subject	Subject	combobox	255		
System Modstamp	SystemModstamp	datetime			
Type	Type	picklist	40		

Territory

Represents a flexible collection of accounts and users where the users have at least read access to the accounts, regardless of who owns the accounts. Only available if territory management has been enabled for your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Access Level	AccountAccessLevel	picklist	40		
Case Access Level	CaseAccessLevel	picklist	40		
Confine Opportunity Assignment	RestrictOpportunityTransfer	boolean			
Contact Access Level	ContactAccessLevel	picklist	40		
Currency	CurrencyIsoCode	picklist	3		
Description	Description	string	1000		
Developer Name	DeveloperName	string	80		
Forecast Manager	ForecastUserId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
May Forecast Manager Share	MayForecastManagerShare	boolean			
Opportunity Access Level	OpportunityAccessLevel	picklist	40		
Parent Territory	ParentTerritoryId	reference	15		
System Modstamp	SystemModstamp	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Territory ID	Id	id	15		
Territory Name	Name	string	80		

Topic

Represents a topic on a Chatter post or record.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Description	Description	string	1000		
Name	Name	string	99		
System Modstamp	SystemModstamp	datetime			
Talking About	TalkingAbout	int		9	0
Topic ID	Id	id	15		

TopicAssignment

Represents the assignment of a topic to a specific feed item or record.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Object Type	EntityType	string	80		
Record	EntityId	reference	15		
Record Key Prefix	EntityKeyPrefix	string	3		
System Modstamp	SystemModstamp	datetime			
Topic	TopicId	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Topic Assignment Id	Id	id	15		

TwoFactorInfo

Use this object when customizing two-factor authentication in your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Algorithm Type	Type	picklist	255		
Created By	CreatedBy	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Last Modified By	LastModifiedBy	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Shared key between User and authentication service	SharedKey	string	255		
System Modstamp	SystemModstamp	datetime			
Two Factor ID	Id	id	15		
User	UserId	reference	15		

User

Represents a user in your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
	EmailPreferences	int		9	0
About Me	AboutMe	textarea	1000		
Account	AccountId	reference	15		
Active	IsActive	boolean			
Address	Street	textarea	255		

Field Label	API Field Name	Type	Length	Precision	Scale
Address	City	string	40		
Address	State	string	80		
Address	PostalCode	string	20		
Address	Country	string	80		
Admin Info Emails	ReceivesAdminInfoEmails	boolean			
Alias	Alias	string	8		
Allow Forecasting	ForecastEnabled	boolean			
Call Center	CallCenterId	reference	15		
Cell	MobilePhone	phone	40		
Chatter Email Highlights Frequency	DigestFrequency	picklist	40		
Company Name	CompanyName	string	80		
Contact	ContactId	reference	15		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Default Notification Frequency when Joining Groups	DefaultGroupNotificationFrequency	picklist	40		
Delegated Approver	DelegatedApproverId	reference	15		
Department	Department	string	80		
Division	Division	string	80		
E-mail	Email	email	128		
Email Encoding	EmailEncodingKey	picklist	40		
Email Sender Address	SenderEmail	email	80		
Email Sender Name	SenderName	string	80		
Email Signature	Signature	string	1333		
Employee Number	EmployeeNumber	string	20		
Extension	Extension	phone	40		
Fax	Fax	phone	40		
Info Emails	ReceivesInfoEmails	boolean			
Language	LanguageLocaleKey	picklist	40		
Last Login	LastLoginDate	datetime			
Last Modified By	LastModifiedById	reference	15		

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified Date	LastModifiedDate	datetime			
Last Password Change or Reset	LastPasswordChangeDate	datetime			
Last Referenced Date	LastReferencedDate	datetime			
Last Viewed Date	LastViewedDate	datetime			
Locale	LocaleSidKey	picklist	40		
Manager	ManagerId	reference	15		
Nickname	CommunityNickname	string	40		
Offline Edition Trial Expiration Date	OfflineTrialExpirationDate	datetime			
Phone	Phone	phone	40		
Profile	ProfileId	reference	15		
Role	UserRoleId	reference	15		
Sales Anywhere Trial Expiration Date	OfflinePdaTrialExpirationDate	datetime			
Stay-in-Touch Email Note	StayInTouchNote	string	512		
Stay-in-Touch Email Signature	StayInTouchSignature	string	512		
Stay-in-Touch Email Subject	StayInTouchSubject	string	80		
System Modstamp	SystemModstamp	datetime			
Time Zone	TimeZoneSidKey	picklist	40		
Title	Title	string	80		
Url for Thumbnail sized Photo	SmallPhotoUrl	url	1024		
Url for full-sized Photo	FullPhotoUrl	url	1024		
User ID	Id	id	15		
User Photo badge text overlay	BadgeText	string	80		
User Type	UserType	picklist	40		
Username	Username	string	80		

UserAccountTeamMember

Represents a User on the default account team of another User.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Account Access	AccountAccessLevel	picklist	40		
Case Access	CaseAccessLevel	picklist	40		
Contact Access	ContactAccessLevel	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity Access	OpportunityAccessLevel	picklist	40		
System Modstamp	SystemModstamp	datetime			
Team Role	TeamMemberRole	picklist	40		
User	OwnerId	reference	15		
User	UserId	reference	15		
User Account Team Member ID	Id	id	15		

UserLogin

Represents the settings that affect a user's ability to log into an organization. To access this object, you need the `UserPermissions.ManageUsers` permission. This object is available in API version 29.0 and later.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Is Frozen	IsFrozen	boolean			
Is Password Locked	IsPasswordLocked	boolean			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
User	UserId	reference	15		
User Login ID	Id	id	15		

UserRecordAccess

Represents a user's access to a set of records.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Has All Access	HasAllAccess	boolean			
Has Delete Access	HasDeleteAccess	boolean			
Has Edit Access	HasEditAccess	boolean			
Has Read Access	HasReadAccess	boolean			
Has Transfer Access	HasTransferAccess	boolean			
Maximum Access Level	MaxAccessLevel	picklist	40		
Record	RecordId	picklist	40		
User	UserId	reference	15		
User Record Access ID	Id	id	15		

UserRole

Represents a user role in your organization.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Case Access Level for Account Owner	CaseAccessForAccountOwner	picklist	40		
Contact Access Level for Account Owner	ContactAccessForAccountOwner	picklist	40		
Description	RollupDescription	string	80		
Developer Name	DeveloperName	string	80		
Forecast Manager	ForecastUserId	reference	15		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
May Forecast Manager Share	MayForecastManagerShare	boolean			
Name	Name	string	80		

Field Label	API Field Name	Type	Length	Precision	Scale
Opportunity Access Level for Account Owner	OpportunityAccessForAccountOwner	picklist	40		
Parent Role	ParentRoleId	reference	15		
Partner Account	PortalAccountId	reference	15		
Portal Type	PortalType	picklist	40		
Role ID	Id	id	15		
System Modstamp	SystemModstamp	datetime			
User	PortalAccountOwnerId	reference	15		

UserProfile

Represents a Chatter user profile.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
About Me	AboutMe	textarea	1000		
Active	IsActive	boolean			
Address	Street	textarea	255		
Address	City	string	40		
Address	State	string	80		
Address	PostalCode	string	20		
Address	Country	string	80		
Cell	MobilePhone	phone	40		
Company Name	CompanyName	string	80		
E-mail	Email	email	128		
Fax	Fax	phone	40		
Information Currency	CurrencyIsoCode	picklist	3		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Manager	ManagerId	reference	15		
Phone	Phone	phone	40		

Field Label	API Field Name	Type	Length	Precision	Scale
System Modstamp	SystemModstamp	datetime			
Title	Title	string	80		
Url for Thumbnail sized Photo	SmallPhotoUrl	url	1024		
Url for full-sized Photo	FullPhotoUrl	url	1024		
User ID	Id	id	15		
User Photo has a badge overlay	IsBadged	boolean			

UserTeamMember

Represents a single User on the default opportunity team of another User.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Opportunity Access	OpportunityAccessLevel	picklist	40		
System Modstamp	SystemModstamp	datetime			
Team Role	TeamMemberRole	picklist	40		
User	OwnerId	reference	15		
User	UserId	reference	15		
User Team Member ID	Id	id	15		

UserTerritory

Represents a User who has been assigned to a Territory.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Active	IsActive	boolean			

Field Label	API Field Name	Type	Length	Precision	Scale
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
System Modstamp	SystemModstamp	datetime			
Territory	TerritoryId	reference	15		
User	UserId	reference	15		
UserTerritory ID	Id	id	15		

Vote

Represents a vote that a user has made on an Idea or a Reply.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			
Deleted	IsDeleted	boolean			
Parent	ParentId	reference	15		
System Modstamp	SystemModstamp	datetime			
Vote ID	Id	id	15		
Vote Type	Type	picklist	40		

WebLink

Represents a custom link to a URL or Scontrol.

Fields

Field Label	API Field Name	Type	Length	Precision	Scale
Behavior	OpenType	picklist	40		
Content Source	LinkType	picklist	40		
Created By	CreatedById	reference	15		
Created Date	CreatedDate	datetime			

Field Label	API Field Name	Type	Length	Precision	Scale
Custom Link ID	Id	id	15		
Custom Object Definition	PageOrSubjectType	picklist	40		
Description	Description	textarea	1000		
Display Type	DisplayType	picklist	40		
Height (in pixels)	Height	int		9	0
Label	MasterLabel	string	240		
Last Modified By	LastModifiedById	reference	15		
Last Modified Date	LastModifiedDate	datetime			
Link Encoding	EncodingKey	picklist	40		
Name	Name	string	240		
Namespace Prefix	NamespacePrefix	string	15		
Protected Component	IsProtected	boolean			
Require Row Selection	RequireRowSelection	boolean			
Resizable	IsResizable	boolean			
Scontrol	ScontrolId	reference	15		
Show Address Bar	ShowsLocation	boolean			
Show Menu Bar	HasMenuBar	boolean			
Show Scrollbars	HasScrollbars	boolean			
Show Status Bar	ShowsStatus	boolean			
Show Toolbars	HasToolbar	boolean			
System Modstamp	SystemModstamp	datetime			
URL	Url	textarea	1048576		
Width (in pixels)	Width	int		9	0
Window Position	Position	picklist	40		