

Министерство образования Республики Беларусь
Учреждение образования
БЕЛОРУССКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
ИНФОРМАТИКИ И РАДИОЭЛЕКТРОНИКИ
КАФЕДРА ИНФОРМАТИКИ

Отчёт по лабораторной работе №1:
По теме
«Система контроля версий Git»

Выполнил:
студент гр. 353502
Бурчук Дмитрий Александрович
Проверил:
Преподаватель
Жвакина Анна Васильевна

Минск 2024

Цель: Познакомиться с возможностями и получить практические навыки работы с системой контроля версий Git.

Задание 1. Подготовка рабочего окружения.

а. Установка Git:

```
^ | ~ / Projects / IGI | git -v
git version 2.48.1
```

б. Выполнение базовых настроек:


```
^ | ~ / Projects / IGI | git config --global user.email dmitrij20056@gmail.com
^ | ~ / Projects / IGI | git config --global user.email
```

Задание 2. Создание структуры папок.

```
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 | cd IGI && mkdir LR1 && mkdir LR2 && mkdir LR3 && mkdir LR4 && mkdir LR5
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI | ls -l
total 20
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:36 LR1
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:36 LR2
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:36 LR3
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:36 LR4
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:36 LR5
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI | cd ../STRWEB && mkdir LR1 && mkdir LR2 && mkdir LR3 && mkdir LR4
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / STRWEB | ls -l
total 16
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:37 LR1
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:37 LR2
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:37 LR3
drwxr-xr-x 2 Glnxx Glnxx 4096 Feb 17 16:37 LR4
```

Задание 3. Индивидуальное задание

```
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir bin
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir bin/700
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir bin/date
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir bin/date/700
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/441
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/bar
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/bar/664
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/example
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/example/200
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/baz
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | mkdir foo/baz/224
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | echo 000 > foo/test.txt
^ | ~ / Projects / IGI / 353502_BURCHUCK_5 / IGI / LR1 | echo 441 > foo/baz/readme.txt
```



Задание 4. Создание репозитория.

```
^ | ~/Projects/IGI/353502_BURCHUCK_5 | git config --global init.defaultBranch master
^ | ~/Projects/IGI/353502_BURCHUCK_5 | git init
Initialized empty Git repository in /home/Glnxx/Projects/IGI/353502_BURCHUCK_5/.git/
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 |
```

```

^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    IGI/

nothing added to commit but untracked files present (use "git add" to track)
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master ?1 git clone https://github.com/smartiquaorg/geometric_lib
Cloning into 'geometric_lib'...
remote: Enumerating objects: 35, done.
remote: Total 35 (delta 0), reused 0 (delta 0), pack-reused 35 (from 1)
Receiving objects: 100% (35/35), 4.60 KiB | 4.60 MiB/s, done.
Resolving deltas: 100% (6/6), done.

```

Задание 5.

а) Сделайте индексацию нескольких файлов

```

^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 echo 1 > 1.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?2 echo 2 > 2.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?3 echo 3 > 3.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?4 git add 1.txt 2.txt 3.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master +3 ?1 git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   1.txt
    new file:   2.txt
    new file:   3.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    IGI/

```

б) Внесение изменений в файл

```
^ | ~/Pr/I/353502_BURCHUCK_5 | git master +3 ?1 | echo new1 > 1.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master +3 !1 ?1 | echo new2 > 2.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master +3 !2 ?1 | git status

On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   1.txt
    new file:   2.txt
    new file:   3.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   1.txt
    modified:   2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  IGI/
```

с) Выполнение коммитов

```
^ | ~/Pr/I/353502_BURCHUCK_5 | git master +3 !2 ?1 | git commit -m "1 old, 2 modified"
[master (root-commit) becda6b] 1 old, 2 modified
3 files changed, 3 insertions(+)
create mode 100644 1.txt
create mode 100644 2.txt
create mode 100644 3.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git master !2 ?1 | git status

On branch master

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   1.txt
    modified:   2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  IGI/
```

д) Добавление и удаление файлов

```
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master !2 ?1 | git add 1.tft
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +1 !2 ?5 | git add '*.tft' -f
```



```

^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +4 !2 ?2 git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   1.tft
    new file:   2.tft
    new file:   3.tft
    new file:   4.tft

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   ../../1.txt
    modified:   ../../2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    foo/
    geometric_lib/

^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +4 !2 ?2 git rm -f 1.tft
rm 'IGI/LR1/1.tft'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +3 !2 ?2 git rm -f *.tft
rm 'IGI/LR1/2.tft'
rm 'IGI/LR1/3.tft'
rm 'IGI/LR1/4.tft'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master !2 ?1 git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   ../../1.txt
    modified:   ../../2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ../

no changes added to commit (use "git add" and/or "git commit -a")

```

е) переименовать файлы

```

^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master !2 ?1 echo 21 > prime.txt
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master !2 ?1 git add prime.txt
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +1 !2 ?2 git mv prime.txt num.txt
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git master +1 !2 ?2 git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   num.txt

```

f) Создание множества веток

```
^ | ~/Pr/I/353502_BURCHUCK_5/IGI | git master +1 !2 ?2 | git checkout -b _IGI
Switched to a new branch '_IGI'
^ | ~/Pr/I/353502_BURCHUCK_5/IGI | git _IGI +1 !2 ?2 | ./LR1 git checkout -b _IGI_LR1
zsh: permission denied: ./LR1
^ | ~/Pr/I/353502_BURCHUCK_5/IGI | git _IGI +1 !2 ?2 | ./LR1 && git checkout -b _IGI_LR1
Switched to a new branch '_IGI_LR1'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR1 | git _IGI_LR1 +1 !2 ?2 | ./LR2 && git checkout -b _IGI_LR2
Switched to a new branch '_IGI_LR2'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR2 | git _IGI_LR2 +1 !2 ?2 | ./LR3 && git checkout -b _IGI_LR3
Switched to a new branch '_IGI_LR3'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR3 | git _IGI_LR3 +1 !2 ?2 | ./LR4 && git checkout -b _IGI_LR4
Switched to a new branch '_IGI_LR4'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR4 | git _IGI_LR4 +1 !2 ?2 | ./LR5 && git checkout -b _IGI_LR5
Switched to a new branch '_IGI_LR5'
^ | ~/Pr/I/353502_BURCHUCK_5/I/LR5 | git _IGI_LR5 +1 !2 ?2 | 
^ | ~/Pr/I/353502_BURCHUCK_5/STRWEB | git _IGI_LR5 +1 !2 ?2 | git checkout -b _STRWEB
Switched to a new branch '_STRWEB'
^ | ~/Pr/I/353502_BURCHUCK_5/STRWEB | git _STRWEB +1 !2 ?2 | ./LR1 && git checkout -b _STRWEB_LR1
Switched to a new branch '_STRWEB_LR1'
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR1 | git _STRWEB_LR1 +1 !2 ?2 | ./LR2 && git checkout -b _STRWEB_LR2
Switched to a new branch '_STRWEB_LR2'
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR2 | git _STRWEB_LR2 +1 !2 ?2 | ./LR3 && git checkout -b _STRWEB_LR3
Switched to a new branch '_STRWEB_LR3'
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR3 | git _STRWEB_LR3 +1 !2 ?2 | ./LR4 && git checkout -b _STRWEB_LR4
Switched to a new branch '_STRWEB_LR4'
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 +1 !2 ?2 |
```

g) История коммитов

```
commit 737f0eda02e74e701eeca8fcea631fea10136 (HEAD -> _STRWEB_LR4)
Author: Glnxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:43:06 2025 +0300

    rename file

commit becda6b167e23e76fff6b907876ca69c2422036b (master, _STRWEB_LR3, _STRWEB_LR2, _STRWEB_LR1, _STRWEB, _IGI_LR5, _IGI_LR4, _IGI_LR3, _IGI_LR2, _IGI_LR1, _IGI)
Author: Glnxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:18:28 2025 +0300

    1 old, 2 modified

commit 737f0eda02e74e701eeca8fcea631fea10136 (HEAD -> _STRWEB_LR4)
Author: Glnxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:43:06 2025 +0300

    rename file

commit 737f0eda02e74e701eeca8fcea631fea10136 (HEAD -> _STRWEB_LR4)
Author: Glnxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:43:06 2025 +0300

    rename file

commit becda6b167e23e76fff6b907876ca69c2422036b (master, _STRWEB_LR3, _STRWEB_LR2, _STRWEB_LR1, _STRWEB, _IGI_LR5, _IGI_LR4, _IGI_LR3, _IGI_LR2, _IGI_LR1, _IGI)
Author: Glnxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:18:28 2025 +0300

    1 old, 2 modified
```



```

commit 737f0eda02e74e701eeca8fcea631fea10136 (HEAD -> _STRWEB_LR4)
Author: G1nxx <dmitrij20056@gmail.com>
Date: Mon Feb 17 17:43:06 2025 +0300

    rename file

~/Projects/IGI/353502_BURCHUCK_5/STRWEB/LR4 | git _STRWEB_LR4 12 ?2 | git log
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log -1
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log --since="2025-01-01"
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log --author="G1nxx"
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log --grep "file"
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2

```

j) Создание нового коммита и его отмена

```

^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log --stat
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | git log --graph
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?2 | echo 5 > new.txt
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 12 ?3 | git add new.txt
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 +1 12 ?2 | git commit -m "to udo"
[_STRWEB_LR4 e74a5ae] to udo
1 file changed, 1 insertion(+)
create mode 100644 STRWEB/LR4/new.txt
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 +1 12 ?2 | git reset --hard HEAD
HEAD is now at e74a5ae to udo
^ | ~/Pr/I/353502_BURCHUCK_5/S/LR4 | git _STRWEB_LR4 ?2 | git log

```

Задание 6. Действия с удаленным репозиторием

a-b) Создать и посмотреть информацию про удаленный репозиторий

```

^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 | git remote add IGI_Origin https://github.com/G1nxx/
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 | git remote add origin https://github.com/G1nxx/IGI_Origin.git
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 | git remote -v
origin https://github.com/G1nxx/IGI_Origin.git (fetch)
origin https://github.com/G1nxx/IGI_Origin.git (push)

```

c-d) Переименование репозитория и перенос в удаленный репозиторий

```

^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 | git remote rename origin IGI
^ | ~/Pr/I/353502_BURCHUCK_5 | git master ?1 | git remote -v
IGI https://github.com/G1nxx/IGI_Origin.git (fetch)
IGI https://github.com/G1nxx/IGI_Origin.git (push)

```



```

^ | ~/Pr/I/353502_BURCHUCK_5 | main ?1 git remote show upstream
* remote upstream
Fetch URL: git@github.com:G1nxx/IGI-STRWEB.git
Push URL: git@github.com:G1nxx/IGI-STRWEB.git
HEAD branch: main
Remote branch:
  main tracked
Local branch configured for 'git pull':
  main merges with remote main
Local ref configured for 'git push':
  main pushes to main (up to date)
^ | ~/Pr/IGI/353502_BURCHUCK_5 | main ?1 git remote rename upstream IGI
Renaming remote references: 100% (1/1), done.
^ | ~/Pr/I/353502_BURCHUCK_5 | main ?1 git remote show IGI
* remote IGI
Fetch URL: git@github.com:G1nxx/IGI-STRWEB.git
Push URL: git@github.com:G1nxx/IGI-STRWEB.git
HEAD branch: main
Remote branch:
  main tracked
Local branch configured for 'git pull':
  main merges with remote main
Local ref configured for 'git push':
  main pushes to main (up to date)

```

е-f) Получение данных и просмотр истории изменения

```

^ | ~/Pr/IGI/353502_BURCHUCK_5 | main ?1 git pull
Already up to date.
becda6b (HEAD -> main, IGI/main, IGI/HEAD, _STRWEB_LR3, _STRWEB_LR2, _STRWEB_LR1, _STRWEB, _IGI_LR5, _IGI_LR4, _IGI_LR3, _IGI_LR2, _IGI_LR1, _IGI) 1 old, 2 modified

```

g) Создание дополнительной ветки в удаленном репозитории и перенос файлов.

```
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch1 +2 ?1 | git checkout main
A      new1.txt
A      new2.txt
Switched to branch 'main'
Your branch is up to date with 'IGI/main'.
^ | ~/Pr/I/353502_BURCHUCK_5 | git main +2 ?1 | git commit -m "aded 2 files"
[main dba10ee] aded 2 files
2 files changed, 2 insertions(+)
create mode 100644 new1.txt
create mode 100644 new2.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git main ↑1 ?1 | git checkout branch1
Switched to branch 'branch1'
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch1 ?1 | git checkout main -- new1.txt new2.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch1 +2 ?1 | git commit -m "aded 2 files to remote rep
[branch1 41b1801] aded 2 files to remote rep
2 files changed, 2 insertions(+)
create mode 100644 new1.txt
create mode 100644 new2.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch1 ?1 | git rm new1.txt
rm 'new1.txt'
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch1 +1 ?1 | git commit -m "del 1 file"
[branch1 88583bb] del 1 file
1 file changed, 1 deletion(-)
delete mode 100644 new1.txt
```

h) Создание дополнительной ветки в удаленном репозитории перенос, слияние и удаление ветки.

```
_IGI          becda6b 1 old, 2 modified
_IGI_LR1      becda6b 1 old, 2 modified
_IGI_LR2      becda6b 1 old, 2 modified
_IGI_LR3      becda6b 1 old, 2 modified
_IGI_LR4      becda6b 1 old, 2 modified
_IGI_LR5      becda6b 1 old, 2 modified
_STRWEB       becda6b 1 old, 2 modified
_STRWEB_LR1   becda6b 1 old, 2 modified
_STRWEB_LR2   becda6b 1 old, 2 modified
_STRWEB_LR3   becda6b 1 old, 2 modified
_STRWEB_LR4   e74a5ae to udo
branch1       88583bb del 1 file
* main        00e6818 merged
(END)
```

```

^ | ~/Pr/I/353502_BURCHUCK_5 | git main ?1 git branch branch2
fatal: a branch named 'branch2' already exists
^ | ~/Pr/I/353502_BURCHUCK_5 | git main ?1 git checkout branch2
Switched to branch 'branch2'
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch2 ?1 echo 5 > new3.txt > new4.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch2 ?3 git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Disable this message with "git config set advice.addEmptyPaths false"
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch2 ?3 git add new4.txt new3.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch2 +2 ?1 git commit -m "to merge"
[branch2 9efe9db] to merge
2 files changed, 2 insertions(+)
create mode 100644 new3.txt
create mode 100644 new4.txt
^ | ~/Pr/I/353502_BURCHUCK_5 | git branch2 ?1 git checkout main
Switched to branch 'main'
Your branch is up to date with 'IGI/main'.
^ | ~/Pr/IGI/353502_BURCHUCK_5 | git main ?1 git merge branch2
hint: Waiting for your editor to close the file... error: cannot run vi: No such file or directory
error: unable to start editor 'vi'
Not committing merge; use 'git commit' to complete the merge.
^ | ~/Pr/I/353502_BURCHUCK_5 | git main merge +2 ?1 git commit -m "merged"
[main 00e6818] merged
^ | ~/Pr/IGI/353502_BURCHUCK_5 | git main ↑4 ?1 git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 16 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 760 bytes | 760.00 KiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To github.com:G1nxx/IGI-STRWEB.git
 dba10ee..00e6818 main -> main
^ | ~/Pr/IGI/353502_BURCHUCK_5 | git main ?1 git branch delete branch12
fatal: not a valid object name: 'branch12'
^ | ~/Pr/I/353502_BURCHUCK_5 | git main ?1 git branch --delete branch12
error: branch 'branch12' not found
^ | ~/Pr/I/353502_BURCHUCK_5 | git main ?1 git branch --delete branch2
Deleted branch branch2 (was 9efe9db).
^ | ~/Pr/IGI/353502_BURCHUCK_5 | git main ?1 git branch -v

```

Финальное дерево:

```

* 00e6818 (HEAD -> main, IGI/main, IGI/HEAD) merged
| \
| * 9efe9db to merge
| * 88583bb (branch1) del 1 file
| * 41b1801 aded 2 files to remote rep
* | dba10ee aded 2 files
| /
* becda6b (IGI/branch1, STRWEB LR3, STRWEB LR2, STRWEB LR1, STRWEB,

```