Exercise 1: nslookup

Answer :

1. Name: www.google.com
    Address: 216.58.196.132

    The IP address of google site: 216.58.196.132;

    When I use other computer to nslookup www.google.com, it comes with address 216.58.200.100

    The reason of multiple output is that the busy websites like google usually replicate several servers, and this servers are running on different end system. These different end systems have different IP address. A set of IP addresses are associated with one hostname and so as to balance the serving load. The DNS requests with one of the IP addresses and the client connects to them, and the address may not always the same.

2. Name of 127.0.0.1: localhost; The address is the IP address of every computer, it is an internal interface for computer to send packet to itself instead of through the network, it can send message locally. TCP/IP uses the name "localhost" to represent the local machine.

Exercise 2: Use ping to test host reachability

Answer :

www.cse.unsw.edu.au   reachable
www.getfittest.com.au   unreachable
www.mit.edu   reachable
www.intel.com.au   reachable
www.tpg.com.au   reachable
www.hola.hp   unreachable
www.amazon.com   reachable
www.tsinghua.edu.cn   reachable
www.kremlin.ru   reachable
8.8.8.8   reachable

www.getfittest.com.au and www.hola.hp are not reachable from web browser. Some hosts aren't reachable because the domain names do not exist, or the network is down. And sometimes it is unreachable because they do not support ICMP protocol that is used by ping otherwise if many people use ping to request the server may collapse.

Exercise 3: Use traceroute to understand network topology

$# *traceroute www.columbia.edu*
traceroute to www.wwwr53.cc.columbia.edu (128.59.105.24), 64 hops max, 52 byte packets
 *1 * * ***
 2 wfw1-ae-1-3062.gw.unsw.edu.au (129.94.254.172) 1.975 ms 2.070 ms 1.969 ms
 3 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 2.000 ms 2.205 ms 3.000 ms
 4 ombcr1-te-4-5.gw.unsw.edu.au (149.171.255.77) 2.173 ms 4.727 ms 3.698 ms
 5 unswbr1-te-2-13.gw.unsw.edu.au (149.171.255.105) 3.454 ms 2.440 ms 2.174 ms
 6 138.44.5.0 (138.44.5.0) 2.334 ms 2.231 ms 2.164 ms
 7 et-1-3-0.pe1.sxt.bkvl.nsw.aarnet.net.au (113.197.15.149) 3.340 ms 6.260 ms 4.185 ms
 8 et-0-0-0.pe1.a.hnl.aarnet.net.au (113.197.15.99) 96.061 ms 96.327 ms 96.534 ms
 9 et-2-1-0.bdr1.a.sea.aarnet.net.au (113.197.15.201) 219.442 ms 148.051 ms 149.431 ms
 *10 abilene-1-lo-jmb-706.sttlwa.pacificwave.net (207.231.240.8) 147.710 ms 147.413 ms
147.771 ms*
 *11 et-4-0-0.4079.rtsw.miss2.net.internet2.edu (162.252.70.0) 158.384 ms 158.513 ms
158.878 ms*
 *12 et-4-0-0.4079.rtsw.minn.net.internet2.edu (162.252.70.58) 181.461 ms 181.830 ms
183.558 ms*
 *13 et-1-1-2.4079.rtsw.eqch.net.internet2.edu (162.252.70.106) 192.468 ms 285.851 ms
190.163 ms*
 *14 ae-1.4079.rtsw.clev.net.internet2.edu (162.252.70.130) 228.359 ms 199.404 ms 293.249
ms*
 15 buf-9208-i2-clev.nysernet.net (199.109.11.33) 208.416 ms 300.928 ms 207.022 ms
 16 syr-9208-buf-9208.nysernet.net (199.109.7.193) 213.950 ms 298.926 ms 206.607 ms
 17 nyc-9208-syr-9208.nysernet.net (199.109.7.162) 219.170 ms 312.447 ms 313.695 ms
 18 columbia.nyc-9208.nysernet.net (199.109.4.14) 419.980 ms 313.798 ms 311.762 ms
 *19 cc-core-1-x-nyser32-gw-1.net.columbia.edu (128.59.255.5) 315.990 ms 213.704 ms
307.109 ms*
 *20 cc-conc-1-x-cc-core-1.net.columbia.edu (128.59.255.210) 314.123 ms 346.168 ms
307.458 ms*
 21 amistadresource.org (128.59.105.24) 318.678 ms 276.088 ms 314.665 ms

Answer :

1. total: 21 routers; 4 routers are part of the UNSW network;

8 et-0-0-0.pe1.a.hnl.aarnet.net.au (113.197.15.99) 96.061 ms 96.327 ms 96.534 ms
9 et-2-1-0.bdr1.a.sea.aarnet.net.au (113.197.15.201) 219.442 ms 148.051 ms 149.431 ms
Pacific Ocean:
    The IP address between (*113.197.15.99*) and (*113.197.15.201*) cross the pacific
Ocean cause the traceroute responses arrive more slowly. They firstly arrive at hnl-
Honolulu and then arrive at sea-Seattle.

2.
$ traceroute www.ucla.edu
traceroute to gateway.lb.it.ucla.edu (164.67.228.152), 64 hops max, 52 byte packets
 *1 * * ***
 2 wfw1-ae-1-3062.gw.unsw.edu.au (129.94.254.172) 10.270 ms 3.035 ms 2.341 ms
 3 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 5.630 ms 3.625 ms 2.304 ms
 4 libcr1-te-4-5.gw.unsw.edu.au (149.171.255.89) 3.649 ms 3.934 ms 2.229 ms
 5 unswbr1-te-1-9.gw.unsw.edu.au (149.171.255.101) 2.711 ms 4.340 ms 5.661 ms
 6 138.44.5.0 (138.44.5.0) 2.678 ms 6.714 ms 13.670 ms

7 et-1-3-0.pe1.sxt.bkvl.nsw.aarnet.net.au (113.197.15.149) 4.408 ms 4.264 ms 5.496 ms
 8 et-0-0-0.pe1.a.hnl.aarnet.net.au (113.197.15.99) 97.853 ms 99.585 ms 99.438 ms
 9 et-2-1-0.bdr1.a.sea.aarnet.net.au (113.197.15.201) 222.061 ms 154.421 ms 157.449 ms
10 cenichpr-1-is-jmb-778.snvaca.pacificwave.net (207.231.245.129) 214.732 ms 206.350 ms
212.142 ms
11 hpr-lax-hpr3--svl-hpr3-100ge.cenic.net (137.164.25.73) 200.454 ms 214.771 ms 203.413 ms
12 * * *
13 bd11f1.anderson--cr001.anderson.ucla.net (169.232.4.6) 245.856 ms 181.795 ms 266.412 ms
14 cr00f2.csb1--dr00f2.csb1.ucla.net (169.232.4.53) 278.946 ms
    cr00f1.anderson--dr00f2.csb1.ucla.net (169.232.4.55) 220.545 ms 199.046 ms
15 * * *
16 * * *
17 * * *
18 * * *
19 * * *
20 * * *
21 * * *
22 * * *
23 * * *
24 * * *
25 * * *
26 * * *
27 * * *
28 * * *
29 * * *
30 * * *
31 * * *
32 * * *
33 * * *
34 * * *
35 * * *
36 * * *
37 * * *
38 * * *
39 * * *
40 * * *
41 * * *
42 * * *
43 * * *
44 * * *
45 * * *
46 * * *
47 * * *
48 * * *
49 * * *
50 * * *
51 * * *
52 * * *
53 * * *
54 * * *
55 * * *

```
56  * * *
57  * * *
58  * * *
59  * * *
60  * * *
61  * * *
62  * * *
63  * * *
64  * * *

$ traceroute www.u-tokyo.ac.jp
traceroute to www.u-tokyo.ac.jp (210.152.243.234), 64 hops max, 52 byte packets
 1  * * *
 2  wfw1-ae-1-3062.gw.unsw.edu.au (129.94.254.172)  2.725 ms  1.733 ms  1.497 ms
 3  libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178)  2.871 ms  2.357 ms  3.706 ms
 4  ombcr1-te-4-5.gw.unsw.edu.au (149.171.255.77)  1.926 ms  2.758 ms  1.952 ms
 5  unswbr1-te-2-13.gw.unsw.edu.au (149.171.255.105)  2.059 ms  2.326 ms  2.703 ms
 6  138.44.5.0 (138.44.5.0)  2.328 ms  2.027 ms  2.141 ms
 7  et-0-3-0.pe1.bkvl.nsw.aarnet.net.au (113.197.15.147)  4.325 ms  2.890 ms  2.830 ms
 8  ge-4_0_0.bb1.a.pao.aarnet.net.au (202.158.194.177)  235.232 ms  157.295 ms  256.297 ms
 9  paloalto0.iij.net (198.32.176.24)  202.820 ms  207.739 ms  225.517 ms
10  osk004bb00.iij.net (58.138.88.185)  296.723 ms  265.306 ms  266.691 ms
11  osk004ix51.iij.net (58.138.106.130)  303.279 ms
    osk004ix51.iij.net (58.138.106.126)  286.594 ms
    osk004ix51.iij.net (58.138.106.130)  268.049 ms
12  210.130.135.130 (210.130.135.130)  357.443 ms  272.552 ms  352.626 ms
13  124.83.228.78 (124.83.228.78)  313.468 ms  268.172 ms  358.254 ms
14  124.83.252.250 (124.83.252.250)  313.317 ms  272.606 ms  274.635 ms
15  158.205.134.26 (158.205.134.26)  329.242 ms  274.657 ms  283.867 ms
16  * * *
17  * * *
18  * * *
19  * * *
20  * * *
21  * * *
22  * * *
23  * * *
24  * * *
25  * * *
26  * * *
27  * * *
28  * * *
29  * * *
30  * * *
31  * * *
32  * * *
33  * * *
34  * * *
35  * * *
36  * * *
37  * * *
```

*38 * * ***
*39 * * ***
*40 * * ***
*41 * * ***
*42 * * ***
*43 * * ***
*44 * * ***
*45 * * ***
*46 * * ***
*47 * * ***
*48 * * ***
*49 * * ***
*50 * * ***
*51 * * ***
*52 * * ***
*53 * * ***
*54 * * ***
*55 * * ***
*56 * * ***
*57 * * ***
*58 * * ***
*59 * * ***
*60 * * ***
*61 * * ***
*62 * * ***
*63 * * ***
*64 * * ***

$ trace www.lancaster.ac.uk
traceroute to www.lancaster.ac.uk (148.88.65.80), 64 hops max, 52 byte packets
 *1 * * ***
 2 wfw1-ae-1-3062.gw.unsw.edu.au (129.94.254.172) 3.476 ms 2.056 ms 1.758 ms
 3 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 3.710 ms 2.921 ms 4.342 ms
 4 libcr1-te-4-5.gw.unsw.edu.au (149.171.255.89) 2.162 ms 2.019 ms 2.032 ms
 5 unswbr1-te-1-9.gw.unsw.edu.au (149.171.255.101) 1.903 ms 2.043 ms 2.004 ms
 6 138.44.5.0 (138.44.5.0) 2.403 ms 2.043 ms 2.171 ms
 7 et-1-3-0.pe1.sxt.bkvl.nsw.aarnet.net.au (113.197.15.149) 3.077 ms 3.197 ms 3.413 ms
 8 et-0-0-0.pe1.a.hnl.aarnet.net.au (113.197.15.99) 96.909 ms 97.326 ms 96.102 ms
 9 et-2-1-0.bdr1.a.sea.aarnet.net.au (113.197.15.201) 148.569 ms 147.109 ms 183.106 ms
10 abilene-1-lo-jmb-706.sttlwa.pacificwave.net (207.231.240.8) 147.482 ms 205.086 ms 147.888 ms
11 et-4-0-0.4079.rtsw.miss2.net.internet2.edu (162.252.70.0) 167.004 ms 205.945 ms 209.445 ms
12 et-4-0-0.4079.rtsw.minn.net.internet2.edu (162.252.70.58) 207.969 ms 209.807 ms 215.272 ms
13 et-1-1-2.4079.rtsw.eqch.net.internet2.edu (162.252.70.106) 202.411 ms 210.696 ms 206.652 ms
14 ae-1.4079.rtsw.clev.net.internet2.edu (162.252.70.130) 214.837 ms 202.306 ms 221.634 ms
15 et-2-0-0.4079.rtsw.ashb.net.internet2.edu (162.252.70.54) 300.664 ms 313.400 ms 211.078 ms
16 ae-2.4079.rtsw.wash.net.internet2.edu (162.252.70.136) 309.423 ms 388.157 ms 254.261 ms
17 internet2.mx1.lon.uk.geant.net (62.40.124.44) 373.451 ms 288.454 ms 309.571 ms
18 janet-gw.mx1.lon.uk.geant.net (62.40.124.198) 313.707 ms 388.618 ms 316.655 ms
19 ae29.londpg-sbr2.ja.net (146.97.33.2) 312.106 ms 366.932 ms 286.406 ms
20 ae31.erdiss-sbr2.ja.net (146.97.33.22) 284.776 ms 310.879 ms 314.846 ms

21 ae29.manckh-sbr2.ja.net (146.97.33.42) 286.731 ms 313.740 ms 312.610 ms
22 ae24.lanclu-rbr1.ja.net (146.97.38.58) 312.724 ms 417.816 ms 315.102 ms
23 * lancaster-university.ja.net (194.81.46.2) 320.840 ms *
24 ismx-issrx.rtr.lancs.ac.uk (148.88.255.17) 291.751 ms 374.975 ms 291.724 ms
25 dc.iss.srv.rtrcloud.lancs.ac.uk (148.88.253.3) 332.691 ms 311.265 ms 417.494 ms
26 www.lancs.ac.uk (148.88.65.80) 291.543 ms !Z 379.853 ms !Z 314.374 ms !Z

From the router 138.44.5.0 these three destinations diverge;

Name: www.ucla.edu
Address: 164.67.228.152
Total router: 13
Distance: 7499.0 miles

Name: www.u-tokyo.ac.jp
Address: 210.152.243.234
Total router: 15
Distance: 4908.7 miles

Name: www.lancaster.ac.uk
Address: 148.88.65.80
Total router: 26
Distance: 10569.8 miles

So the number of hops on each path is not proportional the physical distance.

3. Traceroute to 129.94.8.22 :
1 gigabitethernet3-3.exi2.melbourne.telstra.net (203.50.77.53) 0.287 ms 0.222 ms 0.245 ms
 2 bundle-ether3-100.win-core10.melbourne.telstra.net (203.50.80.129) 1.119 ms 1.487 ms 2.119 ms
 3 bundle-ether12.ken-core10.sydney.telstra.net (203.50.11.122) 13.488 ms 12.107 ms 12.862 ms
 4 bundle-ether1.ken-edge901.sydney.telstra.net (203.50.11.95) 11.987 ms 11.732 ms 11.863 ms
 5 aarnet6.lnk.telstra.net (139.130.0.78) 11.613 ms 11.609 ms 11.612 ms
 6 ge-6-0-0.bb1.a.syd.aarnet.net.au (202.158.202.17) 11.862 ms 11.731 ms 11.738 ms
 7 ae9.pe2.brwy.nsw.aarnet.net.au (113.197.15.56) 12.112 ms 12.232 ms 31.851 ms
 8 et-3-1-0.pe1.brwy.nsw.aarnet.net.au (113.197.15.146) 12.363 ms 12.357 ms 12.363 ms
 9 138.44.5.1 (138.44.5.1) 12.613 ms 12.607 ms 12.614 ms
10 ombcr1-te-1-5.gw.unsw.edu.au (149.171.255.106) 12.612 ms 12.607 ms 12.612 ms
11 libwdr1-te-1-2.gw.unsw.edu.au (149.171.255.78) 12.613 ms 12.607 ms 12.604 ms
12 wfw1-ae-1-3063.gw.unsw.edu.au (129.94.254.180) 13.110 ms 13.105 ms 13.112 ms
13 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 12.988 ms 13.105 ms 13.113 ms
14 wfw1-ae-1-3063.gw.unsw.edu.au (129.94.254.180) 13.362 ms 13.356 ms 13.238 ms
15 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 13.363 ms 13.356 ms 13.363 ms
16 wfw1-ae-1-3063.gw.unsw.edu.au (129.94.254.180) 13.487 ms 13.481 ms 13.612 ms
17 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 13.487 ms 13.480 ms 13.613 ms

18 wfw1-ae-1-3063.gw.unsw.edu.au (129.94.254.180) 14.861 ms 14.855 ms 14.862 ms
19 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 14.737 ms 14.854 ms 14.862 ms

Traceroute to www.telstra.net :

traceroute to www.telstra.net (203.50.5.178), 64 hops max, 52 byte packets
  1 * * *
 2 wfw1-ae-1-3062.gw.unsw.edu.au (129.94.254.172) 5.168 ms 2.659 ms 2.507 ms
 3 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178) 2.685 ms 3.873 ms 3.150 ms
 4 ombcr1-te-4-5.gw.unsw.edu.au (149.171.255.77) 2.765 ms 2.306 ms 3.327 ms
 5 unswbr1-te-2-13.gw.unsw.edu.au (149.171.255.105) 32.023 ms 2.234 ms 2.076 ms
 6 138.44.5.0 (138.44.5.0) 2.343 ms 2.625 ms 2.489 ms
 7 et-0-3-0.pe1.bkvl.nsw.aarnet.net.au (113.197.15.147) 2.883 ms 3.095 ms 3.577 ms
 8 ae9.bb1.a.syd.aarnet.net.au (113.197.15.57) 3.048 ms 3.724 ms 3.591 ms
 9 gigabitethernet1-1.pe1.b.syd.aarnet.net.au (202.158.202.18) 5.299 ms 3.266 ms 3.195 ms
10 gigabitethernet3-11.ken37.sydney.telstra.net (139.130.0.77) 4.110 ms 5.272 ms 3.749 ms
11 bundle-ether13.ken-core10.sydney.telstra.net (203.50.11.94) 5.934 ms 4.916 ms 5.289 ms
12 bundle-ether10.win-core10.melbourne.telstra.net (203.50.11.123) 16.634 ms 16.920 ms 16.637 ms
13 gigabitethernet5-0.exi-service2.melbourne.telstra.net (203.50.80.132) 14.968 ms 14.639 ms 14.707 ms
14 * * *
15 * * *
16 * * *
17 * * *
18 * * *
19 * * *
20 * * *
21 * * *
22 * * *
23 * * *
24 * * *
25 * * *
26 * * *
27 * * *
28 * * *
29 * * *
30 * * *
31 * * *
32 * * *
33 * * *
34 * * *
35 * * *
36 * * *
37 * * *
38 * * *
39 * * *
40 * * *
41 * * *

*42 * * **
*43 * * **
*44 * * **
*45 * * **
*46 * * **
*47 * * **
*48 * * **
*49 * * **
*50 * * **
*51 * * **
*52 * * **
*53 * * **
*54 * * **
*55 * * **
*56 * * **
*57 * * **
*58 * * **
*59 * * **
*60 * * **
*61 * * **
*62 * * **
*63 * * **
*64 * * **

I choose IP address 129.94.8.22;
So the trace route of the reverse path has different routers as the forward path.
Yes, the router *17 libwdr1-vl-3063.gw.unsw.edu.au (129.94.254.178)* is same both in reverse path and forward path, but actually sometimes it is different because the path chosen is randomly.

Exercise 4: Use ping to gain insights into network performance

Answer :

www.uq.edu.au
www.uq.edu.au_delay.pdf :

Mon Jul 30 19:47:56 2018

www.uq.edu.au_scatter.pdf :

Mon Jul 30 19:47:56 2018

www.uq.edu.au_avg.txt :

50 35.776 19.001
250 40.923 18.762
500 34.403 18.366
750 32.899 18.220
1000 24.641 18.289

www.nus.edu.sg
www.nus.edu.sg_delay.pdf :

Mon Jul 30 19:49:04 2018

www.nus.edu.sg_delay.pdf :

Mon Jul 30 19:49:05 2018

www.nus.edu.sg_avg.txt :

50 202.180 143.563
250 164.209 143.627
500 170.631 144.855
750 201.959 144.448
1000 158.636 144.177
1250 195.903 144.536
1500 200.764 144.449

www.tu-berlin.de:
www.tu-berlin.de_delay.pdf :

Mon Jul 30 19:49:21 2018

www.tu-berlin.de_scatter.pdf :

Mon Jul 30 19:49:21 2018

www.tu-berlin.de_avg.txt :

50 301.720 299.052
250 337.760 298.777
500 338.404 298.848
750 347.670 299.100
1000 338.313 299.256
1250 349.814 299.714
1500 342.440 299.441

1. distance:
   unsw to www.uq.edu.au : 735 miles 2.45ms
   unsw to www.tu-berlin.de : 6332 miles 21.1ms
   unsw to www.tu-berlin.de : 16154 miles   53.84ms

   y-axis : the ratio between the minimum delay
        19.001/2.45=7.755
        143.563/21.1=6.803
        299.052/53.84=5.554

First, there are different kinds of influence like physical factors, hardware factors or other factors to cause the delays during transmission.
Second, the transition speed is not as fast as light speed, it costs longer to get to destination.
Third, the transition is a round trip which will cost double time to go and back.
2. Beacuse of the difference between packets switching, the delay to the destination vary over time.
3. Transmission delay and queueing delay depend on packet size.
Propagation delay and processing delay don't depend on packet size.