build-lists: true

React Dojo / Intro to Redux Wifi (twguest):

begin hark sauce editor sign

Hosted by ThoughtWorks / Presented by @cris7ian

git clone https://github.com/tw-react-dojo/3-intro-to-redux

Redux is a predictable state container for JavaScript apps.

The State

```
todos: [{
  text: 'Eat food',
  completed: true
  text: 'Exercise',
  completed: false
```

Actions

```
{ type: 'ADD_TODO', text: 'Go to swimming pool' }
{ type: 'TOGGLE_TODO', index: 1 }
```

(state, action) => state

The Reducer / Duck

```
function todos(state = [], action) {
 switch (action.type) {
    case 'ADD_TODO':
      return [...state, { text: action.text, completed: false }]
    case 'TOGGLE TODO':
      return state.map(
        (todo, index) =>
          action.index === index
            ? { ...todo, completed: !todo.completed }
            : todo
    default:
      return state
```

3 Principles

- → Single source of truth
 - → State is read-only
- → Changes are made with pure functions

Usage with Reac

```
npm install --save react-redux
// In Code
connect(mapStateToProps, mapDispatchToProps)(MyComponent)
```

mapState To Props

```
state => ({
  prop: state.prop,
  otherProp: state.otherProp
})
```

mapDispatchToProps

```
dispatch => ({
  anAction: params => dispatch(anAction(params))
                           Or
  anAction //anAction: anAction
```

coding Time