


## Практическая работа 2

Олейников Даниил ИС234



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 571, y: 100

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device
	0.000	--	PC2
	0.001	PC2	Hub0
	0.002	Hub0	PC1
	0.002	Hub0	PC0
	0.002	Hub0	Hub1
	0.003	Hub1	Laptop2
	0.003	Hub1	Laptop1
	0.003	Hub1	Laptop3

Reset Simulation ☒ Constant Delay Captured to: 0.003 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:47:47.512 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit (edt)

In Progress PC2 Laptop2 ICMP 0.000 N 0

Automatically Choose Connection Type

Поиск

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 539, y: 414

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device
	0.000	--	PC2
	0.001	PC2	Hub0
	0.002	Hub0	PC1
	0.002	Hub0	PC0
	0.002	Hub0	Laptop0
	0.002	Hub0	Laptop1
	0.002	Hub0	Laptop2

Reset Simulation ☒ Constant Delay Captured to: 0.002 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:43:41.983 PLAY CONTROLS

Scenario 0

New Delete



Toggle PDU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit (edt)

In Progress PC2 Laptop1 ICMP 0.000 N 0

Automatically Choose Connection Type

Поиск



Вывод: В данной практической работе была выяснена работа хаба и как его возможно подключить.