

```
SQL> select greatest(to_date(sysdate),to_date('23-jan-2024','dd-mon-yy'))from dual;
select greatest(to_date(sysdate),to_date('23-jan-2024','dd-mon-yy'))from dual
*
```

```
ERROR at line 1:
ORA-00907: missing right parenthesis
```

```
SQL> select greatest(to_date(sysdate),to_date('23-jan-2024','dd-mon-yy'))from dual;

GREATEST(
-----
12-SEP-24
```

```
SQL> select greatest(to_date(sysdate),to_date('23-jan-2025','dd-mon-yy'))from dual;

GREATEST(
-----
23-JAN-25
```

```
SQL> select *from emp1;

no rows selected
```

```
SQL> select *from employee;
```

EMPNO	ENAME	DOB	DOJ	BASIC_PAY	DA
11111	Arun	02-FEB-99	15-MAR-23	26000	
22222	Baskar	12-APR-99	11-JUN-23	36000	
33333	Deva	25-MAY-00	26-JAN-22	30000	

EMPNO	ENAME	DOB	DOJ	BASIC_PAY	DA
44444	Mani	11-OCT-95	30-DEC-21	35600	

```
SQL> create table temp(eno number,fname char(10),lname char(5));
```

```
Table created.
```

```
SQL> insert into temp values(101,'Saravana','kumar');
```

```
1 row created.
```

```
SQL> insert into temp values(101,'Dinesh','kumar');
```

```
1 row created.
```

```
SQL> insert into temp values(102,'Ram','kumar');
```

```
1 row created.
```

```
SQL> select *from temp;
```

ENO	FNAME	LNAME
101	Saravana	kumar
101	Dinesh	kumar
102	Ram	kumar

```
SQL> select fname||lname from temp;
```

FNAME  LNAME
Saravana kumar
Dinesh kumar
Ram kumar

```
SQL> select ascii('a') from daul;
```

```
select ascii('a') from daul
```

```
*
```

```
ERROR at line 1:
```

```
ORA-00942: table or view does not exist
```

```
SQL> select ascii('a') from dual;
```

```
ASCII('A')
```

```
-----  
97
```

```
SQL> select ascii('A') from dual;
```

```
ASCII('A')
```

```
-----  
65
```

```
SQL> select ascii('+') from dual;
```

```
ASCII('+')
```

```
-----
```

```
43
```

```
SQL> select ascii('-') from dual;
```

```
ASCII('-')
```

```
-----
```

```
45
```

```
SQL> select ascii('z') from dual;
```

```
ASCII('Z')
```

```
-----
```

```
122
```

```
SQL> select ascii('0') from dual;
```

```
ASCII('0')
```

```
-----
```

```
48
```

```
SQL> select ascii('1') from dual;
```

```
ASCII('1')
```

```
-----
```

```
49
```

```
SQL> select ascii(' ') from dual;
```

```
ASCII(' ')
```

```
-----
```

```
32
```

```
SQL> select chr(59) from dual;
```

```
C
```

```
-
```

```
;
```

```
SQL> select chr(124) from dual;
```

```
C
```

```
-
```

```
|
```

```
SQL> select chr(40) from dual;
```

```
C
```

```
-
```

(

```
SQL> select concat(fname,lname) from temp;
```

```
CONCAT(FNAME,LN
```

```
-----  
Saravana   kumar  
Dinesh     kumar  
Ram        kumar
```

```
SQL> select concat(fname,lname) FnameLname from temp;
```

```
FNAMELNAME
```

```
-----  
Saravana   kumar  
Dinesh     kumar  
Ram        kumar
```

```
SQL> select *from temp;
```

```
      ENO FNAME      LNAME  
-----  
      101 Saravana   kumar  
      101 Dinesh     kumar  
      102 Ram        kumar
```

```
SQL> select initcap(lname) from temp;
```

```
INITC
```

```
-----  
Kumar  
Kumar  
Kumar
```

```
SQL> select length('Welcome') from dual;
```

```
LENGTH('WELCOME')
```

```
-----  
7
```

```
SQL> select length(fname) from dual;
```

```
select length(fname) from dual
```

\*

```
ERROR at line 1:
```

```
ORA-00904: "FNAME": invalid identifier
```

```
SQL> select length(fname) from temp;
```

```
LENGTH(FNAME)
```

```

-----
      10
      10
      10

```

SQL> select length('Srikanth') from temp;

```

LENGTH('SRIKANTH')
-----
              8
              8
              8

```

SQL> select length('Srikanth') from dual;  
 ERROR:  
 ORA-01756: quoted string not properly terminated

SQL> select length('Srikanth') from dual;

```

LENGTH('SRIKANTH')
-----
              8

```

SQL> select \*from temp;

```

      ENO FNAME      LNAME
-----
      101 Saravana   kumar
      101 Dinesh    kumar
      102 Ram       kumar

```

SQL> select lower(fname) from temp;

```

LOWER(FNAME)
-----
saravana
dinesh
ram

```

SQL> select upper('welcome') from dual;

```

UPPER('
-----
WELCOME

```

SQL> SQL>select lpad(fname,10),lname from temp;  
 SP2-0734: unknown command beginning "SQL>select..." - rest of line ignored.  
 SQL> select lpad(fname,10),lname from temp;

LPAD(FNAME,10)	LNAME
Saravana	kumar
Dinesh	kumar
Ram	kumar

SQL> select lpad(fname,5),lname from temp;

LPAD(FNAME,5)	LNAME
Sarav	kumar
Dines	kumar
Ram	kumar

SQL> select lpad(fname,'@'),lname from temp;  
select lpad(fname,'@'),lname from temp  
\*

ERROR at line 1:  
ORA-01722: invalid number

SQL> select lpad(fname,10,'@'),lname from temp;

LPAD(FNAME,10,'@')	LNAME
Saravana	kumar
Dinesh	kumar
Ram	kumar

SQL> select lpad(fname,15,'@'),lname from temp;

LPAD(FNAME,15,'@')	LNAME
@@@@Saravana	kumar
@@@@Dinesh	kumar
@@@@Ram	kumar

SQL> select lpad(fname,12,'@'),lname from temp;

LPAD(FNAME,12,'@')	LNAME
@@Saravana	kumar
@@Dinesh	kumar
@@Ram	kumar

SQL> select lpad(fname,9,'@'),lname from temp;

LPAD(FNAME,9,'@')	LNAME
Saravana	kumar

Dinesh	kumar
Ram	kumar

```
SQL> SQL>Select ltrim('xyzadams',xyz') from dual;
SP2-0734: unknown command beginning "SQL>Select..." - rest of line ignored.
SQL> Select ltrim('xyzadams',xyz') from dual;
ERROR:
ORA-01756: quoted string not properly terminated
```

```
SQL> Select ltrim('xyzadams','xyz') from dual;
```

```
LTRIM
-----
adams
```

```
SQL> select rpad(fname,15,'~') from temp;
```

RPAD(FNAME,15,'~')	
-----	
Saravana ~~~~~	
Dinesh ~~~~~	
Ram ~~~~~	

```
SQL> select rpad(fname,15,'~'),lname from temp;
```

RPAD(FNAME,15,'~')	LNAME
-----	-----
Saravana ~~~~~	kumar
Dinesh ~~~~~	kumar
Ram ~~~~~	kumar

```
SQL> select rpad(fname,10,'~'),lname from temp;
```

RPAD(FNAME,10,'~')	LNAME
-----	-----
Saravana ~~~~~	kumar
Dinesh ~~~~~	kumar
Ram ~~~~~	kumar

```
SQL> select rpad(fname,12,'~'),lname from temp;
```

RPAD(FNAME,12,'~')	LNAME
-----	-----
Saravana ~~	kumar
Dinesh ~~	kumar
Ram ~~	kumar

```
SQL> select rtrim('xyzadams','adams') from dual;
```

RTR

---

xyz

SQL> SQL>select translate('jack','j','b') from dual;

SP2-0734: unknown command beginning "SQL>select..." - rest of line ignored.

SQL> select translate('jack','j','b') from dual;

TRAN

----

back

SQL> select replace('jack and jue','j','bl') from dual;

REPLACE('JACKA

-----

black and blue

SQL> select replace('jack and rue','j','bl') from dual;

REPLACE('JACK

-----

black and rue

SQL> select replace('jack and rue','j','bla') from dual;

REPLACE('JACKA

-----

blaack and rue

SQL> select replace('jack and rue','ja','be') from dual;

REPLACE('JAC

-----

beck and rue

SQL> select substr('abcdefg',3,2) from dual;

SU

--

cd

SQL> select substr('abcdefg',3,3) from dual;

SUB

---

cde

SQL> select substr('Tholkappiyam',5,10) from dual;



```
SUBSTR('
-----
kappiyam
```

```
SQL> select abs(20-30) from dual;
```

```
ABS(20-30)
-----
        10
```

```
SQL> select ceil(15.2) from dual;
```

```
CEIL(15.2)
-----
        16
```

```
SQL> select floor(15.2) from dual;
```

```
FLOOR(15.2)
-----
        15
```

```
SQL> spool off;
```