

#### ESM1 .pdf

ESM1 provides detailed scoring data of subjective evaluation, in which fifteen evaluators independently scored thirty reconstructed Qin-opera audio samples.

#### ESM\_2.zip

In the supplementary materials ESM2, DAC1.wav, DAC2.wav, DAC3.wav, DAC4.wav, DAC5.wav denote Qinqiang pieces reconstructed by the DAC model. HH-Codec1.wav, HH-Codec2.wav, HH-Codec3.wav, HH-Codec4.wav, HH-Codec5.wav correspond to samples produced by the HH-Codec model. KG-EQM1.wav, KG-EQM2.wav, KG-EQM3.wav, KG-EQM4.wav, KG-EQM5.wav are the Qinqiang audio outputs of the proposed KG-EQM model in this work. RAVE1.wav, RAVE2.wav, RAVE3.wav, RAVE4.wav, RAVE5.wav are Qinqiang music reconstructed by the RAVE model. SNAC1.wav, SNAC2.wav, SNAC3.wav, SNAC4.wav, SNAC5.wav are outputs from the SNAC model. HILCodec1.wav, HILCodec2.wav, HILCodec3.wav, HILCodec4.wav, HILCodec5.wav are reconstructed using the HILCodec model. Reference1.wav, Reference2.wav, Reference3.wav, Reference4.wav, Reference5.wav are the reference real-world Qinqiang recordings. For subjective evaluation and mel-spectrogram comparison illustrated in Fig.~\ref{fig3}, these audio files are divided into five sets (Audio 1, Audio 2, Audio 3, Audio 4, Audio 5) in the supplementary files: Audio 1 group: DAC1.wav, HH-Codec1.wav, HILCodec1.wav, KG-EQM1.wav, RAVE1.wav, SNAC1.wav. Audio 2 group: DAC2.wav, HH-Codec2.wav, HILCodec2.wav, KG-EQM2.wav, RAVE2.wav, SNAC2.wav. Audio 3 group: DAC3.wav, HH-Codec3.wav, HILCodec3.wav, KG-EQM3.wav, RAVE3.wav, SNAC3.wav. Audio 4 group: DAC4.wav, HH-Codec4.wav, HILCodec4.wav, KG-EQM4.wav, RAVE4.wav, SNAC4.wav. Audio 5 group: DAC5.wav, HH-Codec5.wav, HILCodec5.wav, KG-EQM5.wav, RAVE5.wav, SNAC5.wav. The numeric suffix in each filename indicates its audio-group index. For instance, files suffixed with ``1" belong to the Audio 1 group, while suffixes ``2" and ``3" correspond to Audio 2 and Audio 3, respectively.