



Pruebas Proyecto TravelMate – Postman

Usuarios

1. Registro — POST /api/usuarios/registro:



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- interviews
- RLS Policies
- Rules
- Triggers
- destinos
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- usuarios**
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- viajes
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- Trigger Functions
- Types
- Views
- Subscriptions
- Login/Group Roles
- Tablespaces

public.usuarios/travelmate_db/postgres@PostgreSQL 16



Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

id	nombre	email	password_hash	created_at
[PK] bigint	character varying (100)	character varying (120)	character varying (255)	timestamp without time zone
1	Mariana Bautista	marBautista@corre.o.co...	\$2a\$10\$RETEw2XLQqu4B/kroH WLF0r0htCn4woTCyZAUhweD1jkjQHedG	2026-09-28 18:07:35.690957
2	Gabriele Bautista López	baulistageik@gmail.com	\$2a\$10\$AHm24cy6MBmA6.q5Y7SS.e2ICa14secv6wCWRXymR7X6Q6.52fesq	2026-09-28 20:24:37.988054


Total rows: 2 Query complete 00:00:00.107 CRLF Ln 1, Col 1



2. Login — POST /api/usuarios/login:




Viajes

1. Crear — POST /api/viajes:





2. Listar por usuario — GET /api/viajes/usuario/1





The image displays two screenshots of the VS Code REST Client interface, showing a GET request to `http://localhost:8080/api/viajes/usuario/1`.

Top Screenshot: The request is configured with the method `GET` and the URL `http://localhost:8080/api/viajes/usuario/1`. The response status is `200 OK` with a response time of `0 ms` and a size of `1.16 KB`. The console shows the request being executed.


Bottom Screenshot: The response body is displayed in JSON format. The response contains a single object with the following structure:

```
{
  "titulo": "Vacaciones en Cartagena",
  "usuario": {
    "email": "maribautista@correo.com",
    "id": 1,
    "nombre": "Mariana Bautista",
    "passwordHash": "$2a$10$PTEWZXLQguT9/kzohLforOhzUCndexToyZAahed$1toYqJheB@"
  },
  "descripcion": "Viaje de fin de semestre",
  "fechaFin": "2026-12-15",
  "fechaInicio": "2026-12-10",
  "id": 3,
  "titulo": "Vacaciones en Cartagena",
  "usuario": {
    "email": "maribautista@correo.com",
    "id": 1,
    "nombre": "Mariana Bautista",
    "passwordHash": "$2a$10$PTEWZXLQguT9/kzohLforOhzUCndexToyZAahed$1toYqJheB@"
  }
}
```

3. Obtener uno — GET /api/viajes/1:



4. Actualizar — PUT /api/viaje/1:




The screenshot shows a REST client interface in VS Code. The URL is `http://localhost:8080/api/viaje/1` and the method is `PUT`. The request body is a JSON object:

```
{
  "titulo": "Vacaciones en Barichara (actualizado)",
  "descripcion": "Cambio de fechas",
  "fechaInicio": "2026-12-12",
  "fechaFin": "2026-12-18",
  "usuario": { "id": 1 }
}
```



The response is a `200 OK` status with a JSON body:

```
{
  "descripcion": "Cambio de fechas",
  "fechaFin": "2026-12-18",
  "fechaInicio": "2026-12-12",
  "id": 1,
  "titulo": "Vacaciones en Barichara (actualizado)",
  "usuario": {
    "email": "maribautista@correo.com",
    "id": 1,
    "nombre": "Mariana Bautista",
    "password-hash": "$2a$10$P$ETENKZQLQmIB/xc0HMLf0x0hzUCd4exT0yZa4w6d1jTo[Q]HsBQ"
  }
}
```





id	titulo	descripcion	fecha_inicio	fecha_fin	usuario_id
1	Vacaciones en Barichara (actualizado)	Cambio de fechas	2026-12-12	2026-12-18	1



5. Eliminar — DELETE /api/viajes/1:




Destinos

1. Crear — POST /api/destinos:





2. Listar por viaje — GET /api/destinos/viaje/2:




The screenshot shows a REST client interface in VS Code. The request is a GET to `http://localhost:8080/api/destinos/viaje/2`. The response is a JSON object with the following structure:

```
1 {
2   {
3     'fechaVisita': '2026-11-09',
4     'id': 3,
5     'latitud': 11.2327,
6     'longitud': -65.4525,
7     'nombre': 'Pereira',
8     'viaje': {
9       'descripcion': 'Viaje de fin de semestre',
10      'fechaFin': '2026-12-15',
11      'fechaInicio': '2026-12-10',
12      'id': 2,
13      'titulo': 'Vacaciones en Cartagena',
14      'usuario': {
15        'email': 'maribautista@correo.com',
16        'id': 1,
17        'nombre': 'Mariana Bautista',
18        'passwordHash': '$2a$10$RETEwXLLQquID/kzOhKLIfozhzuCnWxT0yZAamwot1IofqUheBQ'
19      }
20    }
21  },
22 }
```

The console shows two requests:

- GET `http://localhost:8080/api/destinos/viaje/1` (200 OK, 16.43 ms)
- GET `http://localhost:8080/api/destinos/viaje/2` (200 OK, 16.33 ms)

3. Obtener uno — GET /api/destinos/3:



The screenshot shows a REST client interface in VS Code. The request is a GET to `http://localhost:8080/api/destinos/3`. The response is a JSON object with the following structure:

```
1 {
2   {
3     'fechaVisita': '2026-11-09',
4     'id': 3,
5     'latitud': 11.2327,
6     'longitud': -65.4525,
7     'nombre': 'Pereira',
8     'viaje': {
9       'descripcion': 'Viaje de fin de semestre',
10      'fechaFin': '2026-12-15',
11      'fechaInicio': '2026-12-10',
12      'id': 2,
13      'titulo': 'Vacaciones en Cartagena',
14      'usuario': {
15        'email': 'maribautista@correo.com',
16        'id': 1,
17        'nombre': 'Mariana Bautista',
18        'passwordHash': '$2a$10$RETEwXLLQquID/kzOhKLIfozhzuCnWxT0yZAamwot1IofqUheBQ'
19      }
20    }
21  },
22 }
```

The console shows one request:

- GET `http://localhost:8080/api/destinos/3` (200 OK, 11.66 ms)

pgAdmin 4

Object Explorer

public.destinos/travelmate_db/postgres@PostgreSQL 16

Data Output

Showing rows: 1 to 2 of 1 Page No: 1

id	nombre	latitud	longitud	fecha_visita	viaje_id
3	Pereira	11.2327	-65.4525	2026-11-09	2
7	Barranquilla	11.2327	-65.4525	2026-12-10	2

Total rows: 2 Query complete 00:00:00.151 CRLF Ln 1, Col 1

4. Actualizar — PUT /api/destinos/3:

POST http://localhost:8080/api/destinos/3

PUT http://localhost:8080/api/destinos/3

Body

```

1 {
2   'nombre': 'Playa Blanca (actualizado)',
3   'latitud': 10.24,
4   'longitud': -75.56,
5   'fechaVisita': '2026-12-13',
6   'viaje': { 'id': 1 }
7 }

```

Body

```

1 {
2   'fechaVisita': '2026-12-13',
3   'id': 3,
4   'latitud': 10.24,
5   'longitud': -75.56,
6   'nombre': 'Playa Blanca (actualizado)',
7   'viaje': {
8     'descripcion': 'Viaje de fin de semestre',
9     'fechaFin': '2026-12-15',
10    'fechaInicio': '2026-12-10',
11    'id': 2,
12    'titulo': 'Vacaciones en Cartagena',

```

Console

```

+ PUT http://localhost:8080/api/destinos/3
200 21.86 ms

```

pgAdmin 4

Object Explorer



public.destinos/travelmate_db/postgres@PostgreSQL 16

Data Output

Showing rows: 1 to 2 of 1 Page No: 1



id	nombre	latitud	longitud	fecha_visita	viaje_id
3	Playa Blanca (actualizado)	10.24	-75.56	2026-12-13	2
7	Barranquilla	11.2327	-65.4525	2026-12-10	2

5. Eliminar — DELETE /api/destinos/1:




Actividades/Gastos

1. Crear — POST /api/actividades-gastos:



2. Listar por viaje — GET /api/actividades-gastos/viaje/2:




```
GET http://localhost:8080/api/actividades-gastos/viaje/2

200 OK · 8 ms · 739 B · ...

{
  "categoria": "ACTIVIDAD",
  "concepto": "Entrada al museo",
  "fecha": "2026-12-11",
  "id": 3,
  "monto": 25000.00,
  "viaje": {
    "descripcion": "Viaje de fin de semestre",
    "fechaFin": "2026-12-15",
    "fechaInicio": "2026-12-10",
    "id": 2,
    "titulo": "Vacaciones en Cartagena",
    "usuario": {
      "email": "mariBautista@correo.com",
      "id": 1,
      "nombre": "Mariona Bautista",
      "passwordHash": "$2a$10$RfTEw2XlQqU8/kroHMLfor0hzUCnaxToyZAumw01jIo9iHm0"
    }
  }
}
```

3. Obtener uno — GET /api/actividades-gastos/3:



```
GET http://localhost:8080/api/actividades-gastos/3

200 OK · 10 ms · 737 B · ...

{
  "categoria": "ACTIVIDAD",
  "concepto": "Entrada al museo",
  "fecha": "2026-12-11",
  "id": 3,
  "monto": 25000.00,
  "viaje": {
    "descripcion": "Viaje de fin de semestre",
    "fechaFin": "2026-12-15",
    "fechaInicio": "2026-12-10",
    "id": 2,
    "titulo": "Vacaciones en Cartagena",
    "usuario": {
      "email": "mariBautista@correo.com",
      "id": 1,
      "nombre": "Mariona Bautista",
      "passwordHash": "$2a$10$RfTEw2XlQqU8/kroHMLfor0hzUCnaxToyZAumw01jIo9iHm0"
    }
  }
}
```

4. Actualizar — PUT /api/actividades-gastos/1:

```
PUT http://localhost:8080/api/actividades-gastos/3

{
  "concepto": "Entrada al museo (con descuento estudiantil)",
  "monto": 18000.00,
  "categoria": "ACTIVIDAD",
  "fecha": "2026-12-11",
  "viaje": { "id": 3 }
}
```

```
{
  "categoria": "ACTIVIDAD",
  "concepto": "Entrada al museo (con descuento estudiantil)",
  "fecha": "2026-12-11",
  "id": 3,
  "monto": 18000.00,
  "viaje": {
    "descripcion": "Viaje de fin de semestre",
    "fechaFin": "2026-12-15",
    "fechaInicio": "2026-12-10",
    "id": 2,
    "titulo": "Vacaciones en Cartagena",
    "usuario": {
      "email": "maribautista@coxino.com",
      "id": 1,
      "nombre": "Mariana Bautista",
      "passwordHash": "$2a$10$RETEX2XLQqutB/xx0HkLforchzuC6Aext0yZAmw6s1Tto[g]bHeBQ"
    }
  }
}
```


200 OK · 16 ms · 765 B

```
PUT http://localhost:8080/api/actividades-gastos/3


{
  "concepto": "Entrada al museo (con descuento estudiantil)",
  "monto": 18000.00,
  "categoria": "ACTIVIDAD",
  "fecha": "2026-12-11",
  "viaje": { "id": 3 }
}
```

```
{
  "viaje": {
    "descripcion": "Viaje de fin de semestre",
    "fechaFin": "2026-12-15",
    "fechaInicio": "2026-12-10",
    "id": 2,
    "titulo": "Vacaciones en Cartagena",
    "usuario": {
      "email": "maribautista@coxino.com",
      "id": 1,
      "nombre": "Mariana Bautista",
      "passwordHash": "$2a$10$RETEX2XLQqutB/xx0HkLforchzuC6Aext0yZAmw6s1Tto[g]bHeBQ"
    }
  }
}
```

200 OK · 16 ms · 765 B



5. Eliminar — DELETE /api/actividades-gastos/5: Para este caso creamos un plan de actividades-gastos nuevos para poder ver el resultado de la prueba de mejor manera:



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (4)
 - actividades_gastos
 - Columns (6)
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - destinos
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules

ve... x public.destinos/tr... x public.viajes/trave... x public.destinos/tr... x public.actividades_gastos/travelmate_db/postgres@PostgreSQL 16 x

public.actividades_gastos/travelmate_db/postgres@PostgreSQL 16

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

id	concepto	monto	categoria	fecha	viaje_id
[PK] bigint	character varying (200)	numero (12,2)	character varying (50)	date	bigint
1	Entrada al museo (con descuento estudiantil)	18000.00	ACTIVIDAD	2026-12-11	2
2	Visitar islas en Cartagena	500000.00	ACTIVIDAD	2026-12-22	2
3	Visitar islas en Cartagena	500000.00	ACTIVIDAD	2026-12-22	2

Total rows: 3 Query complete 00:00:00.140 CRLF Ln 1, Col 1

Gabriela's Workspace

Search

POST http POST http GET http GET http PUT http DEL http POST http GET http GET http PUT http DEL http POST http GET http GET http PUT http DEL http No Environment

http://localhost:8080/api/actividades-gastos/3

DELETE http://localhost:8080/api/actividades-gastos/3 Send

Docs Params Authorization Headers Body Scripts Settings Cookies

Body Cookies Headers Test Results

Raw Preview Visualize

1

204 No Content 6 ms · 274 B

Console Terminal Issues

DELETE http://localhost:8080/api/actividades-gastos/3 204 5.71 ms

Open Folder Terminal Console Ready to go

Globals View Tools

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (4)
 - actividades_gastos
 - Columns (6)
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - destinos
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules

public.actividades_gastos/travelmate_db/postgres@PostgreSQL 16

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

id	concepto	monto	categoria	fecha	viaje_id
[PK] bigint	character varying (200)	numeric (12,2)	character varying (50)	date	bigint
1	5 Visitar islas en Cartagena	500000.00	ACTIVIDAD	2026-12-22	2
2	6 Visitar islas en Cartagena	500000.00	ACTIVIDAD	2026-12-22	2

Total rows: 2 Query complete 00:00:00.128 CRLF Ln 1, Col 1