

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING



Discover. Learn. Empower.

Experiment 1

Student Name: Gaurav Singh

UID: 23BCS12992

Branch: CSE

Section/Group: KRG 1A

Semester: 6th

Date of Performance: 11/01/2026

Subject Name: System Design

Subject Code: 23CSH-314

1. Aim: To design and analyze a **URL Shortener System** that converts long URLs into short, unique URLs while ensuring high availability, scalability, low latency, and efficient redirection. The system also supports optional custom URLs, expiration dates, and user authentication.

2. Objective:

- To understand functional and non-functional requirements of a large-scale distributed system.
- To design RESTful APIs for URL creation and redirection.
- To identify core entities such as User, Short URL, and Long URL.
- To analyze CAP theorem trade-offs and apply eventual consistency.
- To design high-level and low-level architecture for a scalable URL shortener.
- To study multiple approaches for short URL generation and compare their performance.

3. Tools Used:

- **Python** – Backend logic implementation and URL generation algorithms.
- **Flask** – Lightweight web framework for developing RESTful APIs.
- **Draw.io** – Designing system architecture diagrams (HLD & LLD).

4. System Requirements:

A. Functional Requirements

- Create a short URL from a given long URL.
- Support optional custom short URLs.
- Support default and user-defined expiration dates.
- Redirect users from short URL to the original long URL.
- Provide REST APIs for URL creation and redirection.

DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

- Support user registration and login using REST APIs.

B. Non-Functional Requirements


- Low latency (≤ 200 ms for URL creation and redirection).
- High scalability (100M daily active users, 1B URLs).
- High availability (24×7).
- Uniqueness of short URLs.
- High availability preferred over strict consistency (Eventual Consistency).

5. High Level Design (HLD):

The system follows a **Client–Server–Database architecture**:

- Client sends request to generate or access short URL.
- Server processes business logic and generates short URL.
- Database stores mappings of short URL and long URL.
- On redirection, server fetches long URL and redirects the user.

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING



6. Low Level Design (LLD):

Approach : Counter-Based

- Uses auto-increment counter.
- Counter value converted to Base62 for short URL.



Example:

Counter: 10000 → Base62: 2bi → Short URL

- Issue: Single counter causes scalability issues.


DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

2.Low Level Design




DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

STEP3:



STEP4:



7. Scalability Solution

- Horizontal scaling of application servers.
- Use of Load Balancer (Round Robin).
- Centralized counter stored in Redis cache.
- Redis ensures fast access and atomic increments.
- Database stores final URL mappings.

COMPUTER SCIENCE & ENGINEERING

8. Learning Outcomes:

- Learned how to design a real-world scalable system.
- Understood REST API design principles. • Gained knowledge of CAP theorem and eventual consistency.
- Learned multiple URL shortening techniques and their trade-offs.
- Understood horizontal scaling, caching, and load balancing.
- Learned importance of low latency and high availability systems.