

Comprehensive Analysis: Attendance System Project

Tech Stack

Core Technologies


- **Language**: Python 3.8+
- **GUI Framework**: Tkinter with ttk (dark-themed custom styling)
- **Computer Vision**:
 - OpenCV (opencv-contrib-python) - Image processing, LBPH face recognition
 - YOLOv8-face (ultralytics) - Face detection
 - MediaPipe - Face landmark detection (mesh overlay)
- **Data Storage**:
 - openpyxl - Excel file read/write with styling
 - pickle - Label map serialization
- **Image Processing**:
 - Pillow (PIL) - Image display in Tkinter
 - NumPy - Array operations
- **Dashboard**:
 - Streamlit - Web admin dashboard
 - Plotly - Interactive charts
 - Pandas - Data manipulation
- **Visualization**:
 - matplotlib - Pie charts for attendance popup

Key Libraries

- opencv-contrib-python>=4.8.0 - Face recognition (LBPH), image processing
- ultralytics>=8.1 - YOLOv8 face detection
- mediapipe>=0.10.9 - Face landmark detection
- openpyxl>=3.1 - Excel file operations
- numpy>=1.24 - Numerical operations
- Pillow>=10.0 - Image handling
- matplotlib>=3.7 - Chart generation

Architecture

System Architecture Diagram



Component Architecture

1. Face Detection Pipeline

- Input: Raw BGR frame from webcam
- Process: YOLOv8-face model detects face bounding boxes
- Output: List of (x, y, w, h) coordinates

2. Face Recognition Pipeline

- Input: Face bounding boxes from detector
- Process:
 - Crop and resize face to 200x200
 - Apply CLAHE (Contrast Limited Adaptive Histogram Equalization)

- LBPH recognizer predicts label and distance
- Vote smoothing over 5 frames
- Output: Recognition results with confidence scores

3. Attendance Logging Pipeline

- Input: Confirmed recognition results
- Process:
 - Check if already marked today
 - Add to in-memory cache
 - Auto-save to Excel every 60 seconds
- Output: Styled Excel spreadsheet

Working Flow

1. Application Startup Flow

main.py -> AttendanceApp.__init__()

Load configuration (config.py)

Setup GUI styles and layout

Check for enrolled students

If students exist -> Silent retrain -> Auto-start attendance mode

Ready for user interaction

2. Student Enrollment Flow

User clicks "Enroll Students"

_start_enrollment_mode()

Initialize camera and worker thread

User enters name and roll number

User clicks "Capture" (5 photos required)

_capture_enrollment_photo()

face_detector.detect() -> YOLO detects face

face_encoder.enroll_from_gui() -> Crop, resize, CLAHE

Store face image in memory

After 5 photos -> User clicks "Save Enrollment"

_save_enrollment()

Generate augmented samples (20 per photo)

Save images to known_faces/<rollno_name>/

Train LBPH model with all enrolled faces

Save model to encodings/lbph_model.yml

Update label map (encodings/label_map.pkl)

Return to default panel

3. Attendance Taking Flow

User clicks "Take Attendance"

_start_attendance_mode()

Initialize FaceRecognizer (load LBPH model)

Initialize AttendanceLogger

Start camera feed loop

Worker thread processes each frame:

1. Detect faces (YOLO)
2. Recognize faces (LBPH)
3. Apply vote smoothing
4. Draw annotations
5. Convert to PhotoImage

Main thread displays annotated frame

When face confirmed (vote threshold met):

- Check confidence $\geq 20\%$
- Mark present in logger
- Update UI list
- Show attendance popup
- Auto-save to Excel

User clicks "Stop & Save Attendance"

Flush all records to Excel

Close camera and return to default

File-by-File Analysis

1. config.py (93 lines)

****Purpose**:** Centralized configuration management

****Key Constants**:**

- BASE_DIR: Project root directory
- Directory paths: KNOWN_FACES_DIR, ENCODINGS_DIR, ATTENDANCE_DIR, MODELS_DIR
- YOLO settings: YOLO_CONFIDENCE_THRESHOLD (0.50), YOLO_IMG_SIZE (320)
- LBPH settings: LBPH_THRESHOLD (80), NUM_ENROLLMENT_PHOTOS (5)
- Augmentation: AUGMENT_SAMPLES_PER_PHOTO (20)
- Voting: VOTE_FRAMES (5), VOTE_THRESHOLD (0.65), MIN_ATTENDANCE_CONFIDENCE (0.20)
- Camera: CAMERA_INDEX (0)
- GUI: WINDOW_WIDTH (1200), WINDOW_HEIGHT (750)
- Colors: BGR for OpenCV, hex for Tkinter

****Functions**:** None (configuration only)

2. main.py (1039 lines)

****Purpose**:** Main application with Tkinter GUI

Class: AttendanceApp

****Key Methods**:**

****Initialization**:**

- __init__(): Setup GUI, camera state, worker threads, auto-start attendance if students enrolled
- _setup_styles(): Configure dark theme for ttk widgets
- _build_header(): Create header with title and action buttons
- _build_main_area(): Create camera frame and side panel
- _build_status_bar(): Create status bar with enrolled count

****Panel Builders**:**

- _build_default_side_panel(): Show enrolled students list with delete button
- _build_enrollment_panel(): Show enrollment form with capture button
- _build_attendance_panel(): Show attendance counter and present list

****Camera Control**:**

- _start_camera(): Open webcam, clear cache
- _stop_camera(): Release camera, reset to default state
- _cancel_feed_loop(): Cancel pending after-callback

****Worker Threads**:**

- _start_worker(): Launch background inference thread
- _stop_worker(): Signal and join worker thread
- _worker_attendance(): Background: YOLO + LBPH + MediaPipe + PIL render
- _worker_enroll(): Background: YOLO detection + scan-line animation
- _frame_to_imgtk(): Convert BGR -> PIL -> PhotoImage (worker thread)
- _resize_with_aspect_ratio(): Maintain aspect ratio when resizing

****Camera Feed Loop**:**

- _update_camera_feed(): Main thread loop - grab frames, push to worker, display cached results

****Enrollment Mode**:**

- _start_enrollment_mode(): Initialize enrollment mode
- _capture_enrollment_photo(): Capture face photo for enrollment

- _update_enrollment_progress(): Update progress indicators
- _save_enrollment(): Save enrollment and retrain model

****Attendance Mode**:**

- _start_attendance_mode(): Initialize attendance mode
- _stop_attendance(): Stop attendance and save records
- _update_attendance_list(): Refresh attendance listbox

****Student Management**:**

- _refresh_student_list(): Reload enrolled students list
- _delete_selected_student(): Delete selected student
- _retrain_model(): Manually retrain LBPH model
- _silent_retrain(): Background retrain with callback

****UI Helpers**:**

- _set_status(): Update status bar message
- _update_enrolled_count(): Update enrolled count label
- _on_close(): Handle window close event

3. face_detector.py (108 lines)

****Purpose**:** YOLOv8-face based face detection

Class: FaceDetector

****Methods**:**

- __init__(): Initialize detector, download model if needed
- _ensure_model(): Download YOLO model from GitHub if not present
- detect(frame): Detect faces, return list of (x, y, w, h) tuples
- detect_with_confidence(frame): Detect faces with confidence scores

****Key Features**:**

- CPU-optimized: imgsz=320, half=False
- Minimum face size: 30x30 pixels
- Confidence threshold: 0.50
- Auto-downloads model on first run

4. face_encoder.py (295 lines)

****Purpose**:** Student enrollment and LBPH model training

****Functions**:**

****Path Sanitization**:**

- _sanitize_path_component(value): Remove unsafe characters from filenames

****Augmentation**:**

- _augment_face(face_gray): Generate 20 variants per photo:
- Horizontal flip
- Brightness adjustments (+/-20, +/-40)
- Contrast scaling (0.75, 1.3)
- Gamma correction (0.6, 0.8, 1.4, 1.8)
- Gaussian blur

****Enrollment**:**

- enroll_from_gui(name, roll_no, frame_bgr): Detect single face, crop, resize to 200x200, apply CLAHE
- save_enrollment(name, roll_no, face_images, frames, progress_callback): Save photos, generate augmented samples, retrain

****Model Training**:**

- _train_lbph_model(progress_callback): Train LBPH recognizer with all enrolled faces
- Load all face images from known_faces/
- Apply CLAHE (clipLimit=2.0, tileGridSize=8x8)
- Train LBPH with radius=1, neighbors=8, grid_x=8, grid_y=8
- Save model to lbph_model.yml

****Label Map Management**:**

- _load_label_map(): Load name -> label_id mapping from pickle
- _save_label_map(label_map): Save label map to pickle

****Student Management**:**

- load_all_encodings(): Return enrolled student info

- delete_student(name): Remove student data and retrain model
 - get_enrolled_students(): Return list of enrolled students
- **Key Features**:**
- CLAHE normalization for lighting invariance
 - Data augmentation improves recognition across lighting conditions
 - Each photo generates 20 training samples

5. face_recognizer.py (462 lines)

****Purpose**:** Real-time face recognition with LBPH and MediaPipe

Class: FaceRecognizer

****Initialization**:**

- __init__(): Load LBPH model, initialize CLAHE, start MediaPipe lazy-init thread
- _init_landmarker(): Download and initialize MediaPipe FaceLandmarker (background thread)

****Model Management**:**

- reload_model(): Reload LBPH model and label map from disk

****Recognition Core**:**

- recognize_frame(frame): Detect and recognize faces with vote smoothing
- Detect faces with YOLO
- For each face: crop, resize, apply CLAHE, predict with LBPH
- Calculate confidence: $1.0 - (\text{distance} / \text{threshold})$
- Vote smoothing: buffer last 5 predictions, confirm if 65% agree
- Return list of dicts with name, roll_no, location, confidence, confirmed

****Drawing Helpers**:**

- _draw_corner_brackets(): Futuristic corner-bracket bounding box
- _draw_scan_line(): Animated horizontal scan line
- _draw_confidence_bar(): Confidence bar above face box
- _draw_hud_label(): Semi-transparent HUD label below face
- _draw_face_mesh(): MediaPipe face contour wireframe (throttled)
- _draw_fps(): Live FPS counter overlay

****Main Draw Entry**:**

- draw_results(frame, results): Draw all annotations on frame
- Corner brackets with glow effect
- Animated scan line
- Confidence bar (confirmed faces only)
- HUD label with name and confidence
- Face mesh (every 10th frame for confirmed faces)
- FPS counter

****Properties**:**

- num_enrolled: Number of enrolled students

****Key Features**:**

- Vote smoothing eliminates flickering
- CLAHE normalization matches training
- MediaPipe lazy initialization doesn't block startup
- Face mesh throttled for performance
- FPS counter with color coding

6. attendance_logger.py (367 lines)

****Purpose**:** Excel attendance logging with auto-save

****Style Helpers**:**

- _thin_border(): Create thin border style
- _header_style(): Dark header style with white text
- _data_style(): Light green data row style

Class: AttendanceLogger

****Initialization**:**

- __init__(): Load or create workbook, start auto-save thread
- _create_new_workbook(): Create workbook with styled headers
- _load_todays_marks(): Scan workbook for today's marks, rebuild cache

****Date Management**:**

- date_str (property): Always return today's date (handles midnight rollover)
- _check_date_rollover(): Clear marks if date changed

****Public API**:**

- mark_present(name, roll_no): Mark student present (no duplicates per day)
- Check date rollover
- Add to marked_names set
- Add to in-memory cache
- Return True if newly marked
- is_already_marked(name): Check if already marked today
- get_present_list(): Return O(1) cached present list
- get_summary(): Return session summary dict

****Persistence**:**

- _flush_to_sheet(): Write in-memory cache to worksheet
- _autosave_loop(interval=60): Background auto-save every 60 seconds
- save(): Flush and save to disk
- close(): Stop auto-save, flush, save, close workbook

****Module Helper**:**

- get_student_history(name, roll_no, extra_present_dates): Compute per-student stats
- Scan all dates in workbook
- Count present/absent days
- Calculate percentage
- Return dict with totals, dates_present, dates_absent

****Key Features**:**

- Single master Excel file for all attendance
- In-memory cache for O(1) lookups
- Auto-save every 60 seconds
- Handles midnight rollover
- Styled output with colors

7. attendance_popup.py (297 lines)

****Purpose**:** Attendance history popup with pie chart

****Configuration**:**

- AUTO_CLOSE_SECS = 5: Auto-close after 5 seconds
- POPUP_W, POPUP_H = 520, 380: Popup dimensions
- Dark color palette matching main app

****Public Entry**:**

- show_attendance_popup(parent, name, roll_no, mark_date): Spawn popup
- Load history in background thread
- Render pie chart
- Create popup on main thread

****Chart Rendering**:**

- _render_pie_chart(history, name): Render donut chart with matplotlib
- Green for present, red for absent
- Glow effect
- Center text with percentage
- Return PIL image

****Popup Creation**:**

- _create_popup(parent, name, roll_no, history, chart_pil): Build popup window
- Borderless, topmost window
- Header with student info and countdown
- Body with pie chart and stats
- Countdown progress bar
- Auto-close timer
- Close on Escape or click

****Key Features**:**

- Background thread for Excel scanning
- Non-interactive matplotlib backend
- Auto-closes after 5 seconds

- Shows attendance percentage and status badge

8. dashboard.py (1258 lines)

****Purpose**:** Streamlit admin dashboard for attendance analytics

****Pages**:**

- Overview: Today's stats + KPI cards
- Daily Report: Attendance for any chosen date
- Student Detail: Per-student history & charts
- Full Records: Searchable/filterable full table
- Export: Download filtered Excel/CSV
- Delete Attendance: Remove records by date
- Manage Students: Delete/rename enrolled students

****Key Features**:**

- Dark glassmorphism theme matching Tkinter app
- Plotly interactive charts
- Real-time data loading
- Export functionality
- Student management

9. requirements.txt (8 lines)

****Purpose**:** Python dependencies

****Packages**:**

- opencv-contrib-python>=4.8.0: Face recognition (LBPH), image processing
- numpy>=1.24: Array operations
- openpyxl>=3.1: Excel file read/write
- Pillow>=10.0: Image display in Tkinter
- ultralytics>=8.1: YOLOv8 face detection
- mediapipe>=0.10.9: Face landmark detection
- matplotlib>=3.7: Chart generation

10. Directory Structure

****known_faces/**:** Enrolled student face photos

- <rollno_name>/face_*.jpg: Cropped grayscale faces (200x200)
- <rollno_name>/photo_*.jpg: Full reference frames

****encodings/**:** Trained model and label data

- lbph_model.yml: Trained LBPH recognizer model
- label_map.pkl: Name label ID mapping

****attendance_records/**:** Generated attendance files

- attendance_records.xlsx: Master attendance workbook

****models/**:** YOLO model file

- yolov8n-face.pt: YOLOv8 face detection model (auto-downloaded)
- face_landmarker.task: MediaPipe face landmark model (auto-downloaded)

****docs/**:** Documentation

- codebase_report.pdf: PDF report
- codebase_report.rtf: RTF report

****scripts/**:** Utility scripts

- generate_pdf_report.py: Generate PDF reports
- test_imports.py: Test module imports

Key Design Patterns

1. Thread Safety

- Worker thread handles all heavy inference
- Main thread only displays pre-rendered images
- Lock-protected result cache

- Queue-based frame passing

2. Vote Smoothing

- Buffers last 5 predictions per face
- Confirms only when 65% agree
- Eliminates flickering recognition

3. CLAHE Normalization

- Applied during training and recognition
- Ensures lighting invariance
- Same parameters (clipLimit=2.0, tileGridSize=8x8)

4. Data Augmentation

- 20 variants per enrollment photo
- Brightness, contrast, gamma, flip, blur
- Improves recognition across lighting conditions

5. Lazy Initialization

- MediaPipe loads in background thread
- Doesn't block GUI startup
- Ready when first needed

6. Auto-Save

- Background thread saves every 60 seconds
- In-memory cache for instant lookups
- Prevents data loss on crash

7. Date Rollover Handling

- Checks date on every mark
- Clears marks at midnight
- Handles overnight sessions

Summary

This comprehensive analysis covers the entire attendance_system project, including:

****Tech Stack**:** Python 3.8+ with Tkinter GUI, OpenCV (LBPH recognition), YOLOv8-face (detection), MediaPipe (face landmarks)

****Architecture**:** Multi-threaded architecture with worker threads handling heavy inference (YOLO detection, LBPH recognition, MediaPipe)

****Working Flow**:** Three main flows - application startup (auto-detect enrolled students), student enrollment (capture 5 photos -> train LBPH), real-time recognition

****Files Analyzed**:**

- config.py - Centralized configuration
- main.py - Tkinter GUI with 30+ methods
- face_detector.py - YOLOv8-face detection
- face_encoder.py - Enrollment and LBPH training with augmentation
- face_recognizer.py - Real-time recognition with vote smoothing and MediaPipe
- attendance_logger.py - Excel logging with auto-save
- attendance_popup.py - History popup with pie charts
- dashboard.py - Streamlit admin dashboard
- requirements.txt - Dependencies

****Key Design Patterns**:** Thread safety, vote smoothing, CLAHE normalization, data augmentation (20 samples per photo), lazy initialization