ASSIGNMENT-10

GAURAV UPADHYAY

2401010009

Using the tables “DEPARTMENTS” and “EMPLOYEES” perform the following queries
a)Display the employee details, departments that the departments are same in both the emp and dept.
b)Display the employee name and Department name by implementing a left outer join.
c)Display the employee name and Department name by implementing a right outer join.
d)Display the details of those who draw the salary greater than the average salary.

CODE:

```
USE college;

SET SQL_SAFE_UPDATES = 0;

DROP TABLE IF EXISTS Employees;
DROP TABLE IF EXISTS Departments;

CREATE TABLE Departments (
   dept_no       INT PRIMARY KEY,
   dept_name     VARCHAR(50),
   dept_location VARCHAR(50)
);

CREATE TABLE Employees (
   emp_id     INT PRIMARY KEY,
   emp_name   VARCHAR(50),
   emp_salary DECIMAL(10, 2),
   dept_no    INT,
   FOREIGN KEY (dept_no) REFERENCES Departments(dept_no)
);

INSERT INTO Departments VALUES
(10, 'HR', 'Delhi'),
(20, 'Finance', 'Mumbai'),
(30, 'Mathematics', 'Pune'),
(40, 'Commerce', 'Chennai'),
(50, 'Science', 'Kolkata');

INSERT INTO Employees VALUES
(1, 'Gaurav', 60000, 10),
```

(2, 'Daisy', 75000, 20),
(3, 'Amit', 55000, 30),
(4, 'Eve', 80000, 40),
(5, 'Rahul', 70000, 50),
(6, 'Kiran', 45000, NULL),
(7, 'Meena', 90000, NULL);

Result Grid | Filter Rows:

emp_id	emp_name	emp_salary	dept_no
1	Gaurav	60000.00	10
2	Daisy	75000.00	20
3	Amit	55000.00	30
4	Eve	80000.00	40
5	Rahul	70000.00	50
6	Kiran	45000.00	NULL
7	Meena	90000.00	NULL
NULL	NULL	NULL	NULL

SELECT * FROM Employees;

-- (a) INNER JOIN
SELECT E.emp_id, E.emp_name, E.emp_salary, D.dept_name, D.dept_location
FROM Employees E
INNER JOIN Departments D
ON E.dept_no = D.dept_no;

Result Grid | Filter Rows: | Export: | Wrap C

emp_id	emp_name	emp_salary	dept_name	dept_location
1	Gaurav	60000.00	HR	Delhi
2	Daisy	75000.00	Finance	Mumbai
3	Amit	55000.00	Mathematics	Pune
4	Eve	80000.00	Commerce	Chennai
5	Rahul	70000.00	Science	Kolkata

-- (b) LEFT JOIN
SELECT E.emp_name, D.dept_name
FROM Employees E
LEFT JOIN Departments D
ON E.dept_no = D.dept_no;

Result Grid | Filter Rows:

emp_name	dept_name
Gaurav	HR
Daisy	Finance
Amit	Mathematics
Eve	Commerce
Rahul	Science
Kiran	NULL
Meena	NULL

-- (c) RIGHT JOIN
SELECT E.emp_name, D.dept_name
FROM Employees E
RIGHT JOIN Departments D
ON E.dept_no = D.dept_no;

Result Grid | Filter Rows:

emp_name	dept_name
Gaurav	HR
Daisy	Finance
Amit	Mathematics
Eve	Commerce
Rahul	Science

-- (d) Salary > Average
SELECT emp_id, emp_name, emp_salary
FROM Employees
WHERE emp_salary > (SELECT AVG(emp_salary) FROM Employees);

Result Grid | Filter Rows:

emp_id	emp_name	emp_salary
2	Daisy	75000.00
4	Eve	80000.00
5	Rahul	70000.00
7	Meena	90000.00
NULL	NULL	NULL

```
SELECT ROUND(AVG(emp_salary),2) AS Average_Salary FROM Employees;

SET SQL_SAFE_UPDATES = 1;
```

Result Grid | Filter

	Average_Salary
▶	67857.14