

# Lifecycle Events and other LCM Functionality Lifecycle Manager, Part 2

---

Fundamentals of IdentityIQ  
Implementation

IdentityIQ 7.0


# Additional LCM Functionality Overview

- Lifecycle Events
  - Date driven changes
  - Native change detection
- Account Group Provisioning
  - Create account groups
  - Update account groups
- Attribute synchronization
- Password interception
- Batch requests

# Lifecycle Events

# Identity Change Lifecycle

## Review



# Key Features

## Review

- User-driven Changes: LifeCycle Requests
  - Who can make what kinds of requests for whom?
  - What workflow should run to fulfill the request?
- Data-driven Changes: Lifecycle Events
  - What data changes should be watched as trigger?
  - What workflows should run in response?


# Lifecycle Event

## Overview

### CONFIGURATION





Department  
Status



# LifeCycle Events

- LifeCycle event can be created based on:
  - Attribute Change
  - Manager Change
  - Create
  - Native Change
  - Rule (Rule type = IdentityTrigger)
- Lifecycle events occur
  - During Identity Refresh
- When editing attributes directly through GUI
  - Mark attributes as “editable” – useful for testing



# LifeCycle Event Configuration

## Lifecycle Events

### Lifecycle Events

Filter by Lifecycle Event Name



Add New Lifecycle Event

Name ▲	Type	Attribute Name	Owner	Disabled
Department Transfer	Attribute Change	De		
Joiner	Create			
Leaver	Attribute Change	Ina		
Manager transfer	Manager Transfer			
Reinstate	Attribute Change	Ina		

### Lifecycle Event Options

Name\*



Joiner

Description



Process a new employee.

Event type



Create



Disabled



Included Identities



All



### Behavior

Business Process\*




Lifecycle Event - Joiner



# Lifecycle Events

## Multiple Instances

- Multiple events can be created for same “type” of event
  - Example:
    - Joiner events – One for Contractors, one for Employees
  - Configured based on a list of identities to include



Identity Attributes  
Application Account Attributes

# Native Change Detection

# Native Change Detection

## Overview

- Native-change detection

- Detect account changes that occur natively on an application

- Response Options

- Automatically start a certification (LCM not required)
  - Setup→Certifications→Certification Events→Add New Certification Event
- Lifecycle Event
  - Provided workflows
    - Manager approval for all native changes
    - Email manager for all native changes
  - Custom workflow

- Best Practices

- Aggregate all accounts without native change detection, then turn on native change detection
- Process changes regularly

# Native Change Detection

## Configuration

- Configure native change detection per application
- Create a Native Change Lifecycle Event

The screenshot displays the configuration interface for Native Change Detection. It is divided into two main sections: 'Lifecycle Event Options' and 'Behavior'.

**Lifecycle Event Options**

- Name\***: Native Change Detection
- Description**: This event runs whenever we have a native change on the LDAP application.
- Event type**: Native Change (highlighted with a red box)
- Disabled**: ☐
- Included Identities**: All

**Behavior**

- Business Process\***: Lifecycle Event - Manager Approval for all native changes (highlighted with a red box)

**Native Change Detection** (Application)

- ☒ Native Change Detection
- Native Change Operations**
  - ☒ Create
  - ☒ Modify
  - ☒ Delete
- Attributes to detect**
  - ☒ Entitlements
  - ☐ User Defined

# Native Change Detection Operation

- Run Identity Refresh with “Process Events” checked



**Summary**


**Work Item ID** 174  
**Requester** Scheduler  
**Owner** Sara.Berry  
**Description** Native Account Changes for User: Allen.Burton - Manager Approval  
**Created** Jan 30, 2014 12:56:55 PM  
**Priority** Normal  
**History** None





**Details**

**Detected Native Change(s)**

The following Modify native change(s) were detected during the last aggregation scan.  
To accept a native change, click the Approve icon in the decision column.  
Otherwise, click the Reject icon for any items you want reverted.  
Once all decisions have been made click complete, any approved items will be kept and any rejected items will be reversed.

**Legend:**  Approve  Reject

**Search:**  **Filter by Decision** 

<input type="checkbox"/>	Decision	Application	Account Name	Operation	Attribute	Value(s)	Completion	Comments
<input type="checkbox"/>	 	LDAP	Allen.Burton	Add	groups	Managers 		

# Account Group Provisioning

# Account Group Provisioning

## Overview

### IdentityIQ



### Application



# Account Group Provisioning Configuration

## Lifecycle Manager

Configure

Business Processes

Identi

### General Options

Filter searches by



Allow requesters to set request priority



Enable Account Group Management

1

Enable group provisioning

Application

Details

Configuration

Correlation

Accounts

Settings

Schema

Provisioning Policies

### Object Type: group

Type

Name

Create

group create

Update

edit group

2

Configure group Create and Update

## Entitlement Catalog

ldap|



Advanced Search

Import

Export

Add New Entitlement

Application

Attribute

Display Name

Type

Description

Owner

Requestable

LDAP

groups

Users

group

All users at the



Click to edit

3

Create New





# Attribute Synchronization

# Attribute Synchronization

## Overview

- Attribute synchronization
  - Automatically synchronizes changes to identity attributes with downstream systems
- Identity Attributes
  - Allow source mappings and target mappings
- Configuration
  - Identity Mappings
  - Identity Refresh Task

# Attribute Synchronization Configuration

- Add target mappings for attributes to synchronize
  - System Setup → Identity Mappings
- Options
  - Transformation rule
  - Push change to all accounts if user has more than one

The screenshot displays the 'Source Mappings' configuration page in SailPoint Identity Manager. The page is divided into two main sections: 'Source Mappings' and 'Target Mappings'. The 'Source Mappings' section lists two mappings: '1. Email from the HR System' and '2. Email from the Contractor F'. Below this list are buttons for 'Add Source' and 'Delete Source'. The 'Target Mappings' section is currently empty, with buttons for 'Add Target' and 'Delete Target'. The 'Add Target' button is highlighted with a red box. A modal dialog titled 'Add a target to the email attribute' is open, showing configuration options for a new target. The modal contains the following fields: 'Application' (set to 'LDAP'), 'Attribute' (set to 'mail'), 'Transformation Rule' (set to '- Select Rule -'), and 'Provision All Accounts' (checked). The modal also has 'Add' and 'Cancel' buttons at the bottom.

**Source Mappings**

1. Email from the HR System
2. Email from the Contractor F

**Target Mappings**

**Add a target to the email attribute**

Application ? LDAP

Attribute ? mail

Transformation Rule ? - Select Rule - ...




Provision All Accounts ? ☒

Save Cancel

Add Cancel

# Attribute Synchronization Operation


- Edit identity
  - LCM: Manage Identity → Edit Identity
  - Immediately invoke provisioning to target mapping(s)
- Aggregate changed identity attribute
  - Synchronize with Identity Refresh Task

Enable manual account selection		<input type="checkbox"/>
Synchronize attributes		<input checked="" type="checkbox"/>
Refresh the identity risk scorecards		<input type="checkbox"/>

# Password Interception

# Password Interception

## Architecture



- Password change detected on
  - Active Directory (any domain Controller)
  - LDAP Server (SunOne)
  - UNIX System (AIX, Solaris, Linux)
- Password Interceptor Client sends password change to IdentityIQ
- IdentityIQ runs configurable Business Process (Workflow)

# Password Interception

## Configuration

- Install interceptor client
  - Instructions: Direct Connectors Admin & Config guide
- Configure Password Intercept business process
  - Global Settings→IdentityIQ Configuration→Miscellaneous
  - Options
    - Sync to all applications that support password updates (default)
    - Specify target applications




# Identity Batch Processing



# Identity Batch Request

- Batch request management
  - Allows mass change requests to be processed via a file upload
- Operations Supported
  - Create/Modify Identity
  - Create/Delete Account
  - Enable/Disable Account
  - Unlock Account
  - Add/Remove Role
  - Add/Remove Entitlement
  - Change Password



# Batch Request

## Data Format Examples

- Examples:

operation, name, location, email, department

CreateIdentity, Alex Smith, Austin, asmith@adept.com, Accounting

CreateIdentity, Bob Smith, Austin, asmith@adept.com, Engineering

CreateIdentity, Mark Smith, Austin, asmith@adept.com, Accounting

CreateIdentity, John Smith, Austin, johnsmith@adept.com, Finance

operation, name, location, email, department

ModifyIdentity, Alex Smith, Austin, asmith@adept.com, Accounting

ModifyIdentity, Bob Smith, Austin, asmith@adept.com, Engineering

ModifyIdentity, Mark Smith, Austin, asmith@adept.com, Accounting

ModifyIdentity, John Smith, Austin, johnsmith@adept.com, Finance

- Documentation

- *Users Guide*

# Questions?

---

---

# Exercise Preview

## Section 4, Exercises 4 & 5

- Exercise 4: Turn on Group Provisioning and Create New Group in LDAP
- Exercise 5: Provision VPN Access Using Lifecycle Manager