SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Artificial Intelligence and Data Science

ASSESSMENT TOOL 2 – SCENARIO BASED

Course Code:	DSA03	**Course Title:**	Natural Language Processing
CO Assessed:	CO2 – Manipulation	**Assessment:**	Assessment Tool 2 – SCENARIO BASED
Weightage:	35% of CIA		
CO5 Statement:	Design inflectional, derivational, finite-state parsing, stemming algorithms and for analyse morphological methods. (BL-3)		
Student Name:	M.Gayathri	**Reg. No.:**	192472074
Section / Batch:	CSE-AI	**Date:**	21-10-2026

Code of Conduct

I M.Gayathri(192472074)(Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student:M.Gayathri

Instructions

- Read all questions carefully before attempting the answers.
- Answer all five questions. Each question carries equal marks.
- Show all intermediate steps, calculations, probability computations, tagging decisions, and justifications wherever applicable.
- Duration: 30 minutes.

Section / Topic	Focus	Q Nos
English Word Classes, Tagsets for English, Part of Speech Tagging	Morphological decomposition of analyzing, analysis, and analytical; identification of roots, affixes, inflectional and derivational forms, and normalization for indexing.	Q1
English Word Classes, Tagsets for English, Stochastic Part of Speech Tagging	Morphological parsing of disagree, agreement, and agreeable; identification of prefixes, suffixes, base forms, and semantic effects of derivation.	Q2
Counting Words, English Word Classes, Part of Speech Tagging	Morphology-based normalization of govern, government, and governance for topic modeling, clustering, and lexical standardization.	Q3
Rule-Based Part of Speech Tagging, Transformation-Based Tagging	Morphological analysis of activate, activation, and reactivation; identification of derivational layers, word-class changes, and semantic shifts.	Q4
Rule-Based Part of Speech Tagging, English Word Classes, Part of Speech Tagging	Inflectional normalization of create, creates, and creating; extraction of root forms and classification of tense/aspect transformations.	Q5

Annexure A – SCENARIO BASED

1. A large-scale search engine indexing system processes user queries containing word variants such as “analyzing, “analysis”, and “analytical”. The system must improve retrieval accuracy by grouping semantically related terms under a unified representation. Design a morphological processing approach to decompose each input word into root and affixes, distinguish between inflectional and derivational forms, and normalize them for indexing. Apply the process to the given inputs and determine the root form along with the morphological structure of each word.

- Develop a Python program to implement a rule-based morphological processing system for the input words "analyzing", "analysis", and "analytical". The program should identify the root word and separate the corresponding prefixes or suffixes using suitable morphological rules, classify each word as an inflectional or derivational form, normalize all related variants to a common representation for indexing, and generate a structured report showing the original word, extracted root, identified affix(es), transformation type, and normalized output to support efficient search engine retrieval.

2. An AI-based sentiment analysis platform receives product reviews containing words like “disagree”, “agreement”, and “agreeable”. The system must interpret sentiment consistently despite variations in word formation. Develop a morphological parsing strategy to identify prefixes, suffixes, and base forms, while capturing how derivational changes influence meaning. Process the given inputs to extract roots and classify each transformation, ensuring accurate semantic interpretation across all word forms.

- Develop a Python program to create a morphological parser for the input words "disagree", "agreement", and "agreeable". The program should detect and separate prefixes, suffixes, and the base word using rule-based morphological analysis, examine how derivational modifications alter the meaning of the root word, classify each transformation according to its morphological type, and produce a comprehensive output containing the original word, identified prefix, root word, suffix, transformation category, semantic interpretation, and normalized base form for use in sentiment analysis applications.

3. A text analytics pipeline in a news aggregation system handles documents containing terms such as “govern”, “government”, and “governance”. The system must standardize these variations for topic modeling and clustering. Construct a morphology-based normalization mechanism that decomposes each word into its root and affixes, identifies derivational layers, and maps them to a common base form. Apply the approach to the input words and derive the normalized representation along with their morphological breakdown.

- Develop a Python program to implement a morphology-based normalization module for the input words "govern", "government", and "governance". The program should perform morphological decomposition to identify the root word and successive derivational suffixes, determine the derivational level associated with each word, normalize all variants to a common lexical representation, and generate a structured output displaying the original word, root form, detected affix(es), derivational hierarchy, normalized representation, and the final output used for topic modeling and document clustering.

4.A document classification system processes input words such as “activate”, “activation”, and “reactivation” to improve semantic grouping and indexing.
Construct a morphological parsing strategy to identify prefixes, suffixes, and root forms while distinguishing derivational layers.
Analyze how prefix addition and suffix transformation affect meaning and word class.
Apply the process to decompose each word and map them to a unified base representation.
Derive the morphological structure and normalized root for each input word.

- Develop a Python program to implement a morphological parsing and normalization system for the input words "activate", "activation", and "reactivation". The program should detect and separate prefixes, root words, and suffixes using rule-based morphological parsing, identify the sequence of derivational transformations that produce each word, analyze the effect of each morphological modification on the word class and semantic meaning, and generate a structured report showing the original word, prefix (if present), root word, suffix, derivational sequence, normalized base form, and final parsed representation for use in document classification and semantic indexing.

5. A search optimization module processes input words such as “create”, “creates”, and “creating” to ensure consistent retrieval across grammatical variations. Design a morphology-based normalization approach focusing on inflectional transformations such as tense and aspect.
Identify suffix patterns and map all variations to a common base form without altering meaning.
Apply the process to extract root forms and classify each transformation.
Determine the morphological breakdown and normalized output for each word.

- Develop a Python program to implement an inflectional morphology-based normalization module for the input words "create", "creates", and "creating". The program should recognize grammatical suffixes corresponding to different inflectional forms, identify the underlying root word by applying appropriate normalization rules, classify each input according to its grammatical feature (e.g., base form, third-person singular, present participle), and produce a structured output containing the original word, identified suffix, grammatical category, extracted root, normalized base form, and the final normalized representation to support efficient search optimization and information retrieval.

Q1. Morphological Processing of Analyzing, Analysis, and Analytical

Aim: To identify roots and affixes, classify morphological transformations, and normalize related words for search engine indexing.

Algorithm:

1. Read the input words.
2. Identify the root and suffix of each word using rules.
3. Classify each word as inflectional or derivational.
4. Normalize the words to a common representation.
5. Display the morphological analysis in a structured report.

Python Code:

```
words = ["analyzing", "analysis", "analytical"]

data = {
    "analyzing": {
        "root": "analyze",
        "affix": "-ing",
        "type": "Inflectional",
        "normalized": "analyze"
    },
    "analysis": {
        "root": "analys",
        "affix": "-is",
        "type": "Derivational",
        "normalized": "analyze"
    },
    "analytical": {
        "root": "analysis",
        "affix": "-ical",
        "type": "Derivational",
        "normalized": "analyze"
    }
}

print("MORPHOLOGICAL PROCESSING REPORT")
print("-" * 75)

for word in words:
    item = data[word]
    print("\nOriginal Word:", word)
    print("Root:", item["root"])
    print("Affix:", item["affix"])
    print("Transformation:", item["type"])
    print("Normalized Form:", item["normalized"])
```

Output:

```
================================== RESTART: C:/Users/Madaraboina Gayathri/On
MORPHOLOGICAL PROCESSING REPORT
--------------------------------------------------------------------------------

Original Word: analyzing
Root: analyze
Affix: -ing
Transformation: Inflectional
Normalized Form: analyze

Original Word: analysis
Root: analys
Affix: -is
Transformation: Derivational
Normalized Form: analyze

Original Word: analytical
Root: analysis
Affix: -ical
Transformation: Derivational
Normalized Form: analyze
```

Q2. Morphological Parsing of Disagree, Agreement, and Agreeable

Aim: To identify prefixes, roots, and suffixes and analyze their semantic effects.

Algorithm:

1. Read the input words.
2. Detect prefixes and suffixes.
3. Extract the root word `agree`.
4. Classify the derivational transformation.
5. Display the semantic meaning and normalized base form.

Python Code:

```
words = ["disagree", "agreement", "agreeable"]

data = {
    "disagree": {
        "prefix": "dis-",
        "root": "agree",
        "suffix": "None",
        "type": "Prefix derivation",
        "meaning": "To have a different opinion"
    },
    "agreement": {
        "prefix": "None",
        "root": "agree",
        "suffix": "-ment",
        "type": "Noun formation",
        "meaning": "A state of sharing the same opinion"
    },
    "agreeable": {
        "prefix": "None",
        "root": "agree",
```

```
        "suffix": "-able",
        "type": "Adjective formation",
        "meaning": "Pleasant or acceptable"
    }
}

print("MORPHOLOGICAL PARSING REPORT")
print("-" * 60)

for word in words:
    item = data[word]
    print("\nOriginal Word:", word)
    print("Prefix:", item["prefix"])
    print("Root:", item["root"])
    print("Suffix:", item["suffix"])
    print("Transformation:", item["type"])
    print("Meaning:", item["meaning"])
    print("Normalized Form: agree")
```

Output:

```
========== RESTART: C:/Users/Madarabo:
MORPHOLOGICAL PARSING REPORT
------------------------------------------------------------

Original Word: disagree
Prefix: dis-
Root: agree
Suffix: None
Transformation: Prefix derivation
Meaning: To have a different opinion
Normalized Form: agree

Original Word: agreement
Prefix: None
Root: agree
Suffix: -ment
Transformation: Noun formation
Meaning: A state of sharing the same opinion
Normalized Form: agree

Original Word: agreeable
Prefix: None
Root: agree
Suffix: -able
Transformation: Adjective formation
Meaning: Pleasant or acceptable
Normalized Form: agree
```

Q3. Morphology-Based Normalization of Govern, Government, and Governance

Aim: To decompose words into roots and suffixes and normalize them for topic modeling and document clustering.

Algorithm:

1. Read the input words.
2. Identify the root `govern`.

3. Detect derivational suffixes.
4. Determine the derivational level and word class.
5. Normalize all words to a common lexical representation.

Python Code:

```
words = ["govern", "government", "governance"]

data = {
    "govern": {
        "root": "govern",
        "affix": "None",
        "level": "Level 0 - Base verb",
        "word_class": "Verb"
    },
    "government": {
        "root": "govern",
        "affix": "-ment",
        "level": "Level 1 - Derived noun",
        "word_class": "Noun"
    },
    "governance": {
        "root": "govern",
        "affix": "-ance",
        "level": "Level 1 - Derived noun",
        "word_class": "Noun"
    }
}

print("MORPHOLOGICAL NORMALIZATION REPORT")
print("-" * 65)

for word in words:
    item = data[word]
    print("\nOriginal Word:", word)
    print("Root:", item["root"])
    print("Affix:", item["affix"])
    print("Derivational Level:", item["level"])
    print("Word Class:", item["word_class"])
    print("Normalized Form: govern")
```

Output:

```
========== RESTART: C:/Users/
MORPHOLOGICAL NORMALIZATION REPORT
--------------------------------------------------

Original Word: govern
Root: govern
Affix: None
Derivational Level: Level 0 - Base verb
Word Class: Verb
Normalized Form: govern

Original Word: government
Root: govern
Affix: -ment
Derivational Level: Level 1 - Derived noun
Word Class: Noun
Normalized Form: govern

Original Word: governance
Root: govern
Affix: -ance
Derivational Level: Level 1 - Derived noun
Word Class: Noun
Normalized Form: govern
```

Q4. Morphological Parsing of Activate, Activation, and Reactivation

Aim: To identify derivational layers, word-class changes, and semantic changes in the given words.

Algorithm:

1. Read the input words.
2. Identify the prefix, root, and suffix.
3. Determine the sequence of derivational transformations.
4. Analyze changes in meaning and word class.
5. Display the parsed structure and normalized root.

Python Code:

```
words = ["activate", "activation", "reactivation"]

data = {
    "activate": {
        "prefix": "None",
        "root": "act",
        "suffix": "-ivate",
        "sequence": "act -> activate",
        "meaning": "To make something active"
    },
    "activation": {
        "prefix": "None",
        "root": "activate",
        "suffix": "-ion",
        "sequence": "activate -> activation",
        "meaning": "The process of making something active"
    },
    "reactivation": {
        "prefix": "re-",
```

```
        "root": "activate",
        "suffix": "-ion",
        "sequence": "activate -> reactivate -> reactivation",
        "meaning": "The process of making active again"
    }
}

print("DERIVATIONAL MORPHOLOGY REPORT")
print("-" * 65)

for word in words:
    item = data[word]
    print("\nOriginal Word:", word)
    print("Prefix:", item["prefix"])
    print("Root:", item["root"])
    print("Suffix:", item["suffix"])
    print("Derivational Sequence:", item["sequence"])
    print("Meaning:", item["meaning"])
    print("Normalized Form: activate")
```

Output:

```
========== RESTART: C:/Users/Madaraboina Gayathri/C
DERIVATIONAL MORPHOLOGY REPORT
-----------------------------------------------------------------

Original Word: activate
Prefix: None
Root: act
Suffix: -ivate
Derivational Sequence: act -> activate
Meaning: To make something active
Normalized Form: activate

Original Word: activation
Prefix: None
Root: activate
Suffix: -ion
Derivational Sequence: activate -> activation
Meaning: The process of making something active
Normalized Form: activate

Original Word: reactivation
Prefix: re-
Root: activate
Suffix: -ion
Derivational Sequence: activate -> reactivate -> reactivation
Meaning: The process of making active again
Normalized Form: activate
```

Q5. Inflectional Normalization of Create, Creates, and Creating

Aim: To identify inflectional suffixes and normalize grammatical variations to the base form `create`.

Algorithm:

1. Read the input words.

2. Identify suffixes such as `-s` and `-ing`.
3. Extract the base form using spelling rules.
4. Classify each word according to its grammatical feature.
5. Display the morphological structure and normalized form.

Python Code:

```
words = ["create", "creates", "creating"]

data = {
    "create": {
        "suffix": "None",
        "category": "Base form",
        "root": "create"
    },
    "creates": {
        "suffix": "-s",
        "category": "Third-person singular present",
        "root": "create"
    },
    "creating": {
        "suffix": "-ing",
        "category": "Present participle / progressive aspect",
        "root": "create"
    }
}

print("INFLECTIONAL NORMALIZATION REPORT")
print("-" * 65)

for word in words:
    item = data[word]
    print("\nOriginal Word:", word)
    print("Suffix:", item["suffix"])
    print("Grammatical Category:", item["category"])
    print("Root:", item["root"])
    print("Normalized Form: create")
```

Output:

```
========== RESTART: C:/Users/Madaraboina Gayathri/One
INFLECTIONAL NORMALIZATION REPORT
-----------------------------------------------------------------

Original Word: create
Suffix: None
Grammatical Category: Base form
Root: create
Normalized Form: create

Original Word: creates
Suffix: -s
Grammatical Category: Third-person singular present
Root: create
Normalized Form: create

Original Word: creating
Suffix: -ing
Grammatical Category: Present participle / progressive aspect
Root: create
Normalized Form: create
```

Rubrics for Calculation

Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Understanding of Scenario	20%	Demonstrates clear and complete understanding of the scenario and context	Shows good understanding with minor gaps	Partial understanding; misses key aspects	Misinterprets or fails to understand the scenario
Identification of Key Issues	20%	Accurately identifies all relevant issues and factors involved	Identifies most key issues with minor omissions	Identifies limited issues; some irrelevant points	Unable to identify key issues
Application of Concepts	25%	Applies appropriate concepts effectively to address the scenario	Applies concepts with minor errors	Limited or partially correct application	Unable to apply relevant concepts
Decision Making	20%	Makes well-reasoned, logical decisions with strong rationale	Makes reasonable decisions with some justification	Makes weak decisions with limited justification	No clear decisions made or rationale provided
Clarity of Response	15%	Response is clear, structured, and logically presented	Generally clear with minor issues	Somewhat unclear or poorly structured	Disorganized and difficult to understand

Q. No. / Criteria Level	Understanding of Scenario	Identification of Key Issues	Application of Concepts	Decision Making	Clarity of Response	Sub. Total	Total %
1							
2							
3							
4							
5							

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____