

Local instance wampmysqld x

File Edit View Query Database Server Tools Scripting Help

Employment Management System... online retailer database*

Limit to 1000 rows

```
6 last_name varchar(30),
7 email varchar(40));
8 • insert into customers values(01,"gayathri","devi","gayathri@gmail.com"),
9   (02,"shiva","krishnan","shiva@gmail.com"),
10  (03,"riya","manoj","riya@gmail.com"),
11  (04,"vetri","maran","vetri@gmail.com"),
12  (05,"priya","dharshini","priya@gmail.com"),
13  (06,"narendra","modi","modi@gmail.com");
14 • select*from customers;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_id	first_name	last_name	email
▶	1	gayathri	devi	gayathri@gmail.com
	2	shiva	krishnan	shiva@gmail.com
	3	riya	manoj	riya@gmail.com
	4	vetri	maran	vetri@gmail.com
	5	priya	dharshini	priya@gmail.com
	6	narendra	modi	modi@gmail.com

customers 1 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 81	12:59:28	insert into customers values(01,"gayathri","devi","gayathri@gmail.com"). (02,"shiva","krishnan","shiv...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.015 sec
✓ 82	12:59:45	select*from customers LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Limit to 1000 rows

Result Grid
Form Editor

Apply Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 184	16:33:46	SELECT * FROM customers LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 185	16:34:07	SELECT * FROM orders LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec



Employment Management System... online retailer database*

Limit to 1000 rows

```
46 (12, "tab", 80000),
47 (13, "laptop", 100000),
48 (14, "watch", 40000),
49 (15, "bangles", 400),
50 (16, "note", 40);
51
52 • SELECT * FROM products;
53 • CREATE TABLE order_items(
54     order_item_id INT PRIMARY KEY,
55     order_id INT,
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: IA

	product_id	product_name	price
▶	11	phone	40000
	12	tab	80000
	13	laptop	100000
	14	watch	40000
	15	bangles	400
	16	note	40

products 41 x

Result Grid

Form Editor

Apply

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 185	16:34:07	SELECT * FROM orders LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 186	16:34:41	SELECT * FROM products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



```
64      (10, 100, 11, 1, 40000),  
65      (20, 300, 13, 3, 300000);  
66  
67 • SELECT * FROM order_items;  
68 • SELECT p.*  
69 FROM products p  
70 LEFT JOIN order_items oi ON p.product_id = oi.product_id  
71 WHERE oi.product_id IS NULL;  
72  
73 • drop table customers;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	product_id	product_name	price
▶	11	phone	40000
	12	tab	80000
	13	laptop	100000
	14	watch	40000
	15	bangles	400
	16	note	40

products 41 x

Result Grid

Form Editor

Apply

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 185	16:34:07	SELECT * FROM orders LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 186	16:34:41	SELECT * FROM products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec



```
58      (10, 100, 11, 1, 40000),
59      (20, 300, 13, 3, 300000);
60 • SELECT * FROM order_items;
61 • SELECT p.*
62 FROM products p
63 LEFT JOIN order_items oi ON p.product_id = oi.product_id
64 WHERE oi.product_id IS NULL;
65 • SELECT
66     c.customer_id,
67     c.first_name,
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	product_id	product_name	price
▶	12	tab	80000
	14	watch	40000
	15	bangles	400
	16	note	40

In
foResult
GridForm
Editor

Result 43 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 187	16:36:00	select C.customer_id, COUNT(O.order_id) from customers as C join orders as O on C.customer_id = O...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 188	16:36:22	SELECT p.* FROM products p LEFT JOIN order_items oi ON p.product_id = oi.product_id WHERE oi....	4 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Former Editor

Read Only Context Help Snippets

 Action Output

#	Time	Action	Message	Duration / Fetch
✓ 188	16:36:22	SELECT p.* FROM products p LEFT JOIN order_items oi ON p.product_id = oi.product_id WHERE oi...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 189	16:36:35	SELECT c.customer_id, c.first_name, c.last_name, c.email, SUM(oi.quantity * oi.price) ...	1 row(s) returned	0.000 sec / 0.000 sec