

Taxonomic Gap Analysis

GBIF Gap Analysis - Species Coverage & Conservation Priorities

gbifgaps

February 13, 2026

Contents

Overview	2
1. Overall Taxonomic Coverage	2
1.1 Summary Statistics	2
1.2 Coverage by Rank	3
1.3 Orders by Kingdom: Backbone vs GBIF Coverage	3
Animalia	4
Plantae	8
Fungi	11
Other Kingdoms	14
Summary by Kingdom	14
2. Threatened Species	15
Complete List of Missing CR/EN Taxa	16
Chordata (5 taxa)	17
Cnidaria (2 taxa)	17
Mollusca (2 taxa)	17
Fungi (6 taxa)	17
Ascomycota (3 taxa)	17
Basidiomycota (3 taxa)	17
Plantae (36 taxa)	17
Bryophyta (1 taxa)	17
Tracheophyta (35 taxa)	18
3. Coverage by Higher Taxonomy	21
3.1 Coverage by Order	21
3.2 Coverage by Family	22

4. Data Mobilization Trends	23
4.1 Top 10 Orders by Phylum (5-Year Trends)	23
4.2 Recent vs Historical Change	25
5. Priority Taxa	26
5.1 Overview	26
5.2 Highest Priority (CR/EN)	26
5.3 Priority by Family	28
5.4 Priority by Order	29
6. Summary & Recommendations	29
Key Findings	29
Recommendations	29
Session Info	30

Overview

This report analyzes **taxonomic gaps** in the national biodiversity data, comparing coverage against the national backbone and examining threatened species representation.

Key Questions:


- What proportion of the country's known species are in GBIF?
- Which taxonomic groups have the best/worst coverage?
- How well are threatened species represented?
- Which species should be prioritized for data collection?

1. Overall Taxonomic Coverage

1.1 Summary Statistics

```
## - **Taxa in backbone reference**: 110,010
## - **Taxa found in GBIF**: 52,734
## - **Overall coverage**: 47.9%
## - **Priority taxa identified**: 992
```

1.2 Coverage by Rank



1.3 Orders by Kingdom: Backbone vs GBIF Coverage

This section shows all orders in the backbone grouped by class, where:


- **Bar length** = total number of species in the backbone for that order
- **Green portion** = species found in GBIF
- **Blue portion** = species missing from GBIF

```
## **Total orders in backbone**: 1093
## **Total species in backbone**: 108,971
## **Species found in GBIF**: 52,676 (48.3%)
```

Animalia

Animalia: Species Coverage by Order (Absolute)

Bar length = species in backbone | Green = in GBIF | Blue = missing



Animalia: Species Coverage by Order (Percentage)

All orders = 100% of backbone species | Green = % in GBIF | Blue = % missing




Table 1: Animalia: Species Coverage by Class

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Insecta	24	42324	23834	18490	56.3
Arachnida	9	3802	1506	2296	39.6
Malacostraca	12	1682	497	1185	29.5
Aves	26	1664	699	965	42.0
Polychaeta	8	1634	406	1228	24.8

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Chromadorea	11	1392	344	1048	24.7
Copepoda	8	1346	371	975	27.6
Gastropoda	23	1260	486	774	38.6
Neophora	31	1260	117	1143	9.3
Eurotatoria	6	967	95	872	9.8
Actinopterygii	33	749	212	537	28.3
Entognatha	3	594	296	298	49.8
Clitellata	8	570	276	294	48.4
Enoplea	5	455	68	387	14.9
Bivalvia	14	442	181	261	41.0
Hydrozoa	10	439	134	305	30.5
Ostracoda	4	411	77	334	18.7
Mammalia	9	339	117	222	34.5
Demospongiae	15	308	97	211	31.5
Gymnolaemata	2	285	91	194	31.9
Branchiopoda	8	223	66	157	29.6
Anthozoa	8	176	50	126	28.4
Eutardigrada	2	162	29	133	17.9
Diplopoda	7	138	51	87	37.0
Acoelomorpha, classis incertae sedis	2	136	59	77	43.4
Thecostraca	6	105	26	79	24.8
Polycladidea	3	98	26	72	26.5
Chondrichthyes	10	93	19	74	20.4
Chilopoda	4	76	36	40	47.4
Hoplonemertea	2	66	21	45	31.8
Asteroidea	6	64	22	42	34.4
Cephalopoda	6	61	15	46	24.6
Palaeacanthocephala	2	59	13	46	22.0
Stenolaemata	1	59	22	37	37.3
Holothuroidea	4	57	15	42	26.3
Heterotardigrada	2	54	7	47	13.0
Macrostomorpha	3	54	29	25	53.7
Ophiuroidea	2	52	22	30	42.3
Amphibia	2	49	15	34	30.6
Pilidiophora	1	46	16	30	34.8
Entoprocta, ordines incertae sedis	1	43	16	27	37.2
Pycnogonida	1	43	9	34	20.9
Echinoidea	4	40	13	27	32.5
Palaeonemertea	4	40	14	26	35.0
Calcarea	2	31	11	20	35.5
Polyplacophora	2	30	12	18	40.0
Sipunculidea	2	26	7	19	26.9
Paupoda	1	25	7	18	28.0
Scyphozoa	3	23	6	17	26.1
Sagittoidea	2	22	4	18	18.2
Scaphopoda	2	19	5	14	26.3
Gordioida	3	18	2	16	11.1
Solenogastres	3	17	1	16	5.9
Phylactolaemata	1	16	4	12	25.0
Tentaculata	2	16	5	11	31.2
Articulata	1	15	4	11	26.7

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Enteropneusta	1	15	6	9	40.0
Symphyla	1	15	8	7	53.3
Staurozoa	1	14	3	11	21.4
Caudofoveata	1	12	3	9	25.0
Crinoidea	1	10	2	8	20.0
Ichthyostraca	2	10	2	8	20.0
Priapulida, classis incertae sedis	2	10	2	8	20.0
Archiacanthocephala	2	9	0	9	0.0
Eoacanthocephala	1	8	1	7	12.5
Phascolosomatidea	2	8	1	7	12.5
Phoronida, classis incertae sedis	1	8	4	4	50.0
Petromyzontida	1	7	3	4	42.9
Inarticulata	1	6	1	5	16.7
Nuda	1	6	3	3	50.0
Pararotatoria	1	6	0	6	0.0
Xenoturbellida, classis incertae sedis	1	5	1	4	20.0
Eucycliophora	1	4	0	4	0.0
Graptolithoidea	1	4	0	4	0.0
Homoscleromorpha	1	4	0	4	0.0
Leptocardia	1	4	1	3	25.0
Merostomata	1	4	0	4	0.0
Myxini	1	4	1	3	25.0
Polypodiozoa	1	4	0	4	0.0
Tantulocarida	1	2	0	2	0.0

Plantae



Plantae: Species Coverage by Order (Percentage)

All orders = 100% of backbone species | Green = % in GBIF | Blue = % missing





Table 2: Plantae: Species Coverage by Class

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Eudicots	34	9998	5924	4074	59.3
Monocots	9	2457	1241	1216	50.5
Bryopsida	16	1324	760	564	57.4
Chlorophyceae	6	889	203	686	22.8
Conjugatophyceae	2	817	258	559	31.6
Marchantiopsida	12	577	275	302	47.7
Florideophyceae	21	447	164	283	36.7
Ulvophyceae	8	227	87	140	38.3
Trebouxiophyceae	6	214	54	160	25.2
Polypodiopsida	5	175	72	103	41.1
Pinopsida	3	155	85	70	54.8
Magnoliids	4	89	22	67	24.7
Sphagnopsida	1	75	46	29	61.3
Pyramimonadophyceae	2	56	14	42	25.0
Charophyceae	1	53	35	18	66.0
Lycopodiopsida	3	45	16	29	35.6

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Polytrichopsida	1	38	27	11	71.1
Equisetopsida	1	25	17	8	68.0
Mamiellophyceae	3	23	5	18	21.7
Chlorodendrophyceae	1	22	5	17	22.7
Coleochaetophyceae	2	22	6	16	27.3
Ophioglossida	2	21	9	12	42.9
Andreaeopsida	1	20	8	12	40.0
Bangiophyceae	2	20	6	14	30.0
Pedinophyceae	3	16	0	16	0.0
Stylonematophyceae	1	15	3	12	20.0
Compsopogonophyceae	1	13	4	9	30.8
Klebsormidiophyceae	1	13	3	10	23.1
Anthocerotopsida	2	12	4	8	33.3
Cyanidiophyceae	2	9	0	9	0.0
Chlorophyta, classis incertae	1	8	0	8	0.0
sedis					
Glaucophyceae	2	8	2	6	25.0
Nephrophyceae	1	8	3	5	37.5
Tetraphidopsida	1	8	4	4	50.0
Rhodellophyceae	2	6	1	5	16.7
Porphyridiophyceae	1	5	1	4	20.0
Ginkgoopsida	1	4	1	3	25.0
Mesostigmatophyceae	1	4	0	4	0.0
Oedipodiopsida	1	4	1	3	25.0
Palmophyllophyceae	2	2	0	2	0.0

Fungi

Fungi: Species Coverage by Order (Absolute)
Bar length = species in backbone | Green = in GBIF | Blue = missing



Fungi: Species Coverage by Order (Percentage)

All orders = 100% of backbone species | Green = % in GBIF | Blue = % missing




Table 3: Fungi: Species Coverage by Class

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Agaricomycetes	24	5818	3858	1960	66.3
Lecanoromycetes	20	2695	1809	886	67.1
Dothideomycetes	35	2093	1177	916	56.2
Sordariomycetes	39	2013	1001	1012	49.7
Leotiomyces	10	1648	988	660	60.0
Eurotiomycetes	11	770	399	371	51.8
Pezizomycetes	1	662	363	299	54.8
Pucciniomycetes	5	412	279	133	67.7
Arthoniomycetes	2	211	130	81	61.6
Lichinomycetes	6	197	117	80	59.4
Laboulbeniomycetes	3	186	92	94	49.5
Ustilaginomycetes	2	163	106	57	65.0
Microsporidiidea	2	132	3	129	2.3
Ascomycota, ordines incertae sedis	1	123	48	75	39.0
Tremellomycetes	6	122	49	73	40.2
Exobasidiomycetes	5	112	71	41	63.4


class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Microbotryomycetes	5	77	39	38	50.6
Pezizomycotina, ordines incertae	3	64	33	31	51.6
sedis					
Mucoromycetes	1	62	27	35	43.5
Dacrymycetes	1	52	30	22	57.7
Taphrinomycetes	1	51	37	14	72.5
Orbiliomycetes	1	45	24	21	53.3
Glomeromycetes	4	38	4	34	10.5
Entomophthoromycetes	1	36	12	24	33.3
Chytridiomycetes	6	32	2	30	6.2
Rhizophyidiomycetes	1	21	2	19	9.5
Dipodascomycetes	1	20	4	16	20.0
Physodermatomycetes	1	19	12	7	63.2
Pichiomyces	1	16	4	12	25.0
Synchytriomycetes	1	16	11	5	68.8
Atractiellomycetes	1	12	3	9	25.0
Blastocladiomycetes	3	12	0	12	0.0
Saccharomycetes	2	12	1	11	8.3
Agaricostilbomycetes	1	10	2	8	20.0
Malasseziomycetes	1	10	4	6	40.0
Entorrhizomycetes	1	9	3	6	33.3
Zoopagomycetes	1	9	0	9	0.0
Endogonomycetes	1	8	3	5	37.5
Olpidiomycetes	1	8	0	8	0.0
Basidiomycota, ordines incertae	1	7	0	7	0.0
sedis					
Cystobasidiomycetes	2	7	1	6	14.3
Spiculogloeomycetes	1	7	0	7	0.0
Umbelopsidomycetes	1	7	3	4	42.9
Wallemiomycetes	1	7	2	5	28.6
Cladochytriomycetes	1	6	0	6	0.0
Hyaloraphidiomycetes	1	6	0	6	0.0
Archaeorhizomycetes	1	5	2	3	40.0
Basidiobolomycetes	1	5	1	4	20.0
Monoblepharidomycetes	1	5	0	5	0.0
Pneumocystomycetes	1	5	0	5	0.0
Rhizophlyctidomycetes	1	5	1	4	20.0
Alloascoideomycetes	1	4	0	4	0.0
Archaeosporomycetes	1	4	0	4	0.0
Bartheletiomycetes	1	4	1	3	25.0
Kickxellomycetes	1	4	1	3	25.0
Lobulomycetes	1	4	1	3	25.0
Nelectomycetes	1	4	1	3	25.0
Neozygitomycetes	1	4	0	4	0.0
Paraglomeromycetes	1	4	0	4	0.0
Pucciniomycotina, ordines incerta	1	4	1	3	25.0
sedis					
Rudimicrosporea	1	4	0	4	0.0
Schizosaccharomycetes	1	4	1	3	25.0
Neocallimastigomycetes	1	3	0	3	0.0
Rozellomycota, ordines incertae	1	3	0	3	0.0
sedis					

class	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Asellariomycetes	1	2	0	2	0.0

Other Kingdoms

Other Kingdoms: Species Coverage by Order

Bar length = species in backbone | Green = in GBIF | Blue = missing



Summary by Kingdom

Table 4: Species Coverage Summary by Kingdom

kingdom	n_orders	species_dyntaxa	species_gbif	species_missing	pct_coverage
Animalia	421	64869	30754	34115	47.4
Fungi	242	18147	10774	7373	59.4
Plantae	169	17924	9366	8558	52.3
Chromista	180	5905	1209	4696	20.5
Protozoa	40	1021	315	706	30.9
Bacteria	30	1003	258	745	25.7
Viruses	11	102	0	102	0.0

2. Threatened Species

This section analyzes coverage of threatened species from backbone in GBIF data.

Total taxa with threat status in backbone: 5,475

Found in GBIF: 5,064

Missing from GBIF: 411

Threatened Species Coverage in GBIF

CR=Critically Endangered, EN=Endangered, VU=Vulnerable, NT=Near Threatened, LC=Least Concern





Table 5: Threatened Species Coverage Summary

Threat Status	In Backbone	In GBIF	Missing	Coverage %
CR	269	251	18	93.3
EN	860	810	50	94.2
NT	1734	1661	73	95.8
VU	1538	1467	71	95.4

212 threatened taxa (CR/EN/VU/NT) are missing from GBIF.



Complete List of Missing CR/EN Taxa

Total: 68 taxa (18 CR, 50 EN) ## Animalia (26 taxa) ### Arthropoda (17 taxa) #### Insecta (17 taxa) **Coleoptera** (1 taxa) *Bothriideridae* - *Teredus cylindricus* (CR)

Hemiptera (2 taxa) *Pentatomidae* - *Aelia rostrata* (CR)

Microphysidae - *Loricula ruficeps* (EN)

Hymenoptera (7 taxa) *Andrenidae* - *Andrena morawitzi* (CR) - *Andrena bluethgeni* (EN)

Halictidae - *Halictus quadricinctus* (CR) - *Sphecodes spinulosus* (CR)

Pompilidae - *Evagetus gibbulus* (CR)

Crabronidae - *Pemphredon fennica* (EN)

Ichneumonidae - *Ophion forticornis* (EN)

Diptera (4 taxa) *Asilidae* - *Choerades lapponicus* (EN)

Dolichopodidae - *Systemus tener* (EN)

Syrphidae - *Blera eoa* (EN) - *Caliprobola speciosa* (EN)

Lepidoptera (3 taxa) *Coleophoridae* - *Coleophora albella* (EN)

Lycaenidae - *Eumedonia eumedon arenicola* (EN)

Papilionidae - *Parnassius apollo scandinavicus* (EN)

Chordata (5 taxa)

Aves (2 taxa) **Charadriiformes** (1 taxa) *Scolopacidae* - *Calidris alpina schinzii* (CR)

Anseriformes (1 taxa) *Anatidae* - *Clangula hyemalis* (wintering) (EN)

Mammalia (2 taxa) **Artiodactyla** (1 taxa) *Phocoenidae* - *Phocoena phocoena* (Baltic population) (CR)

Carnivora (1 taxa) *Canidae* - *Canis lupus lupus* (EN)

Class unknown

- *Styela atlantica* (EN)

Cnidaria (2 taxa)

Anthozoa (2 taxa) **Alcyonacea** (2 taxa) *Anthothelidae* - *Anthothela grandiflora* (CR)

Plexauridae - *Paramuricea placomus* (EN)

Mollusca (2 taxa)

Gastropoda (2 taxa) **Nudibranchia** (1 taxa) *Paracoryphellidae* - *Paracoryphella parva* (CR)

Cephalaspidea (1 taxa) *Philinidae* - *Philine punctata* (EN)

Fungi (6 taxa)

Ascomycota (3 taxa)

Lecanoromycetes (2 taxa) **Lecanorales** (1 taxa) *Parmeliaceae* - *Cetrelia olivetorum* s.lat. (CR)

Peltigerales (1 taxa) *Lobariaceae* - *Lobaria amplissima* (CR)

Dothideomycetes (1 taxa) **Strigulales** (1 taxa) *Strigulaceae* - *Strigula stigmatella* (EN)

Basidiomycota (3 taxa)

Agaricomycetes (3 taxa) **Agaricales** (2 taxa) *Cortinariaceae* - *Cortinarius saporatus* (EN)

Hygrophoraceae - *Hygrophorus calophyllus* (EN)

Polyporales (1 taxa) *Meruliaceae* - *Odoria alborubescens* (EN)

Plantae (36 taxa)

Bryophyta (1 taxa)

Bryopsida (1 taxa) **Pottiales** (1 taxa) *Pottiaceae* - *Tortula randii* (CR)

Tracheophyta (35 taxa)

Eudicots (32 taxa) **Asterales** (20 taxa) *Asteraceae* - Hieracium fensioëense (CR) - Hieracium toerense (CR) - Taraxacum bavaricum (CR) - Taraxacum tortilobum (CR) - Centaurea phrygia subsp. phrygia (EN) - Hieracium cacuminatum (EN) - Hieracium carcarophyllum (EN) - Hieracium haboëense (EN) - Hieracium hastato-ovatum (EN) - Hieracium helenae (EN) - Hieracium imbricatum (EN) - Hieracium maculosiforme (EN) - Hieracium marginelliceps (EN) - Hieracium oreades (EN) - Hieracium planifrons (EN) - Hieracium pseudonosmoides (EN) - Hieracium pycnodon (EN) - Hieracium remanentiforme (EN) - Taraxacum bifor-matum (EN) - Taraxacum dilutisqueameum (EN)

Lamiales (5 taxa) *Orobanchaceae* - Orobanche purpurea (CR) - Euphrasia officinalis subsp. pratensis (EN) - Euphrasia stricta var. suecica (EN) - Rhinanthus angustifolius subsp. apterus (EN)

Lamiaceae - Mentha × gracilis (EN)

Caryophyllales (1 taxa) *Caryophyllaceae* - Stellaria crassifolia var. minor (EN)

Fabales (1 taxa) *Polygalaceae* - Polygala vulgaris subsp. collina (EN)

Gentianales (3 taxa) *Gentianaceae* - Centaurium erythraea var. capitatum (EN) - Gentianella campestris subsp. baltica (EN) - Gentianella campestris subsp. campestris (EN)


Rosales (2 taxa) *Rosaceae* - Rubus onsalaënsis (EN) - Rubus pyramidalis (EN)

Monocots (3 taxa) **Asparagales** (2 taxa) *Orchidaceae* - Dactylorhiza majalis subsp. baltica (EN) - Dactylorhiza majalis subsp. elatior (EN)

Poales (1 taxa) *Poaceae* - Dactylis polygama (EN)


Missing Threatened Taxa by Order (Top 20)

Orders with most threatened species not in GBIF




Spatial Coverage of Threatened Species in GBIF

Number of 10km grid cells with records




3. Coverage by Higher Taxonomy

3.1 Coverage by Order





3.2 Coverage by Family




4. Data Mobilization Trends

4.1 Top 10 Orders by Phylum (5-Year Trends)




Data Mobilization: Actinobacteria

Top 10 orders by total occurrences (5-year periods)




Data Mobilization: Amoebozoa

Top 10 orders by total occurrences (5-year periods)



4.2 Recent vs Historical Change

Deriving top orders from temporal data...



5. Priority Taxa

Priority taxa are species that should be targeted for data collection efforts. These include: - Threatened species (CR, EN, VU, NT) missing from GBIF - Threatened species with poor spatial coverage in GBIF

5.1 Overview

```
## **992 taxa** require priority attention.
## - **CR**: 129 taxa
## - **EN**: 294 taxa
## - **VU**: 337 taxa
## - **NT**: 232 taxa
```

5.2 Highest Priority (CR/EN)


```
## **423 Critically Endangered and Endangered taxa** are priority for data mobilization.
```

Table 6: Priority CR/EN Taxa (First 50)


scientificName	threatStatus	taxonRank	family	order
Andvakia parva	CR	species	Andvakiidae	Actiniaria
Octineon suecicum	CR	species	Octineonidae	Actiniaria
Cortinarius violaceipes	CR	species	Cortinariaceae	Agaricales
Anthothela grandiflora	CR	species	Anthothelidae	Alcyonacea
Alopecosa cursor	CR	species	Lycosidae	Araneae
Robertus insignis	CR	species	Theridiidae	Araneae
Sporodophoron cretaceum	CR	species	Arthoniaceae	Arthoniales
Opegrapha cesareensis	CR	species	Opegraphaceae	Arthoniales
Phocoena phocoena (Baltic population)	CR	unranked	Phocoenidae	Artiodactyla
Hieracium abiegni	CR	species	Asteraceae	Asterales
Hieracium amoenifrons	CR	species	Asteraceae	Asterales
Hieracium concinnatum	CR	species	Asteraceae	Asterales
Hieracium daniciforme	CR	species	Asteraceae	Asterales
Hieracium femsioëense	CR	species	Asteraceae	Asterales
Hieracium intermarginatum	CR	species	Asteraceae	Asterales
Hieracium ludificans	CR	species	Asteraceae	Asterales
Hieracium mallopodoides	CR	species	Asteraceae	Asterales
Hieracium manocolum	CR	species	Asteraceae	Asterales
Hieracium molucratum	CR	species	Asteraceae	Asterales
Hieracium mucrodentatum	CR	species	Asteraceae	Asterales
Hieracium multisigne	CR	species	Asteraceae	Asterales
Hieracium oligolepium	CR	species	Asteraceae	Asterales
Hieracium pachycalamum	CR	species	Asteraceae	Asterales
Hieracium parmiferum	CR	species	Asteraceae	Asterales
Hieracium placibile	CR	species	Asteraceae	Asterales
Hieracium psiloloma	CR	species	Asteraceae	Asterales
Hieracium semicanipes	CR	species	Asteraceae	Asterales
Hieracium serratoellipticum	CR	species	Asteraceae	Asterales
Hieracium spaniotrichum	CR	species	Asteraceae	Asterales
Hieracium steenhoffii	CR	species	Asteraceae	Asterales
Hieracium succulentifolium	CR	species	Asteraceae	Asterales
Hieracium toerense	CR	species	Asteraceae	Asterales
Taraxacum bavaricum	CR	species	Asteraceae	Asterales
Taraxacum lepidum	CR	species	Asteraceae	Asterales
Taraxacum obtusilobum	CR	species	Asteraceae	Asterales
Taraxacum plumbeum	CR	species	Asteraceae	Asterales
Taraxacum pruinatum	CR	species	Asteraceae	Asterales
Taraxacum subericinum	CR	species	Asteraceae	Asterales
Taraxacum tortilobum	CR	species	Asteraceae	Asterales
Trapeliopsis viridescens	CR	species	Trapeliaceae	Baeomycetales
Rinodina calcarea	CR	species	Physciaceae	Caliciales
Rinodina endophragma	CR	species	Physciaceae	Caliciales
Rinodina fimbriata	CR	species	Physciaceae	Caliciales
Laona pruinosa	CR	species	Laonidae	Cephalaspidia
Calidris alpina schinzii	CR	subspecies	Scolopacidae	Charadriiformes
Chara filiformis	CR	species	Characeae	Charales
Plecotus austriacus	CR	species	Vespertilionidae	Chiroptera
Teredus cylindricus	CR	species	Bothrioderidae	Coleoptera
Harpalus autumnalis	CR	species	Carabidae	Coleoptera

scientificName	threatStatus	taxonRank	family	order
Asemum tenuicorne	CR	species	Cerambycidae	Coleoptera

5.3 Priority by Family



5.4 Priority by Order



6. Summary & Recommendations

Key Findings

- **Overall coverage:** 47.9% (52,734 of 110,010 taxa)
- **Missing threatened taxa:** 212
 - CR: 18, EN: 50
- **Priority taxa:** 992

Recommendations

1. **Highest priority:** Focus on CR and EN species missing from GBIF

2. **Target underrepresented families** for systematic surveys
3. **Digitize museum specimens** for poorly covered taxonomic groups
4. **Maintain mobilization momentum** for orders showing growth
5. **Investigate declining orders** and address data collection gaps

Session Info

```
## R version 4.5.2 (2025-10-31)
## Platform: aarch64-apple-darwin20
## Running under: macOS Tahoe 26.2
##
## Matrix products: default
## BLAS:   /System/Library/Frameworks/Accelerate.framework/Versions/A/Frameworks/vecLib.framework/Versions/A/
## LAPACK: /Library/Frameworks/R.framework/Versions/4.5-arm64/Resources/lib/libRlapack.dylib; LAPACK v
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
##
## time zone: Europe/Stockholm
## tzcode source: internal
##
## attached base packages:
## [1] stats      graphics  grDevices datasets  utils      methods    base
##
## other attached packages:
## [1] targets_1.11.4      httr2_1.2.2          leaflet_2.2.3        plotly_4.12.0        shinyWidgets_0.9.0
## [7] patchwork_1.3.2      DT_0.34.0            tibble_3.3.1         forcats_1.0.1        knitr_1.50
## [13] viridisLite_0.4.2    ggplot2_4.0.1        scales_1.4.0         lubridate_1.9.4      fst_0.9.8
## [19] tidyr_1.3.2          data.table_1.18.0    stringr_1.6.0        readr_2.1.6          dplyr_1.1.4
## [25] cli_3.6.5           glue_1.8.0           purrr_1.2.1          here_1.0.2
##
## loaded via a namespace (and not attached):
## [1] DBI_1.2.3              gridExtra_2.3         rlang_1.1.7           magrittr_2.0.4
## [6] e1071_1.7-17           compiler_4.5.2        systemfonts_1.3.1     callr_3.7.6
## [11] pkgconfig_2.0.3        crayon_1.5.3          fastmap_1.2.0         backports_1.5.0
## [16] labeling_0.4.3         utf8_1.2.6           promises_1.5.0        rmarkdown_2.30
## [21] ps_1.9.1              tinytex_0.58          bit_4.6.0             xfun_0.56
## [26] jsonlite_2.0.0         later_1.4.5           tarchetypes_0.13.2    terra_1.8-93
## [31] prettyunits_1.2.0      R6_2.6.1             bslib_0.9.0           stringi_1.8.7
## [36] jquerylib_0.1.4        Rcpp_1.1.1           leaflet.providers_2.0.0 httpuv_1.6.16
## [41] timechange_0.3.0       tidyselect_1.2.1      rstudioapi_0.18.0     yaml_2.3.10
## [46] curl_7.0.0            processx_3.8.6        withr_3.0.2           S7_0.2.1
## [51] units_1.0-0           proxy_0.4-29          xml2_1.5.2            pillar_1.11.1
## [56] KernSmooth_2.23-26     renv_1.1.6            generics_0.1.4        vroom_1.6.7
## [61] hms_1.1.4             xtable_1.8-4          base64url_1.4         class_7.3-23
## [66] tools_4.5.2           fs_1.6.6             grid_4.5.2           crosstalk_1.2.2
## [71] kableExtra_1.4.0      textshaping_1.0.4    svglite_2.2.2         gt_1.3.0
## [76] sass_0.4.10           digest_0.6.37         classInt_0.4-11      htmlwidgets_1.6.4
```

## [81] memoise_2.0.1	htmltools_0.5.8.1	lifecycle_1.0.4	httr_1.4.7
## [86] mime_0.13	bit64_4.6.0-1		